

Indoor Gardening Services Management (IGSM)

ServiceNow Project Documentation

This document presents the key components implemented in the Indoor Gardening Services Management (IGSM) scoped application, including the application structure, custom table, record producer, Service Portal interface, and automation workflow.

1. Application Overview

The IGSM application is a custom scoped application developed in ServiceNow. It is designed to manage indoor gardening service requests, approvals, technician assignments, and related maintenance activities. The application organizes components such as tables, record producers, automation flows, and security roles in one structured workspace.

The screenshot displays the ServiceNow Studio interface for the 'Indoor Gardening Services Management' application. The left sidebar shows the application structure with categories like Data, User Interface, Automation, and Security. The main workspace shows a list of application components. A context menu is open over the 'Indoor Gardening Request' table, showing options like 'Link to Source Control', 'Invite', 'Settings', 'Refresh', and 'Delete'.

Name	Type	Updated	Updated by	Create
Data				
Indoor Gardening Request	Table	2026-09-03 11:0...	System Administrat...	System Administrat...
User Interface				
Garden record producer	Record Producer	2026-09-04 09:3...	System	System Administrat...
Automation				
IGSM Request Automation Workflow	Flow	2026-09-04 07:2...	System Administrat...	System Administrat...
Security				
x_2057353_indoor_0.admin	Role	2026-09-03 10:4...	System Administrat...	System Administrat...

2. Indoor Gardening Request Table

A custom table named Indoor Gardening Request was created to store service request information. The table extends the Task table, enabling task-based capabilities such as workflow processing and SLA tracking. Custom fields are used to capture request details required for gardening services.

Table
Indoor Gardening Request

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* LabelIndoor Gardening Request

ApplicationIndoor Gardening Services Management

* Namex_2057353_indoor_0_indoor_gardening_requ

Remote Table

Extends tableTask

ColumnsControlsApplication Access

Table Columnsfor textSearch

1 to 75 of 75New

Dictionary Entries

Column label	Type	Reference	Max length	Default value	Display
Expected start	Date/Time	(empty)	40		false
Actual start	Date/Time	(empty)	40		false
Actual end	Date/Time	(empty)	40		false
Upon approval	String	(empty)	40	proceed	false
Service	Reference	Service	32		false
Delivery plan	Reference	Execution Plan	32		false
Rejection goto	Reference	Task	32		false
Upon reject	String	(empty)	40	cancel	false
Delivery task	Reference	Execution Plan Task	32		false
Assigned to	Reference	User	32		false

34°C
Partly sunny


Search

ENG
IN

14:10
05-09-2026


3. Record Producer Configuration

The Garden record producer provides a user-friendly way to create Indoor Gardening Request records. It is connected to the custom request table and is active within the IGSM application. Users can submit service information through this producer instead of directly interacting with backend tables.



4. Service Portal Request Form

The Record Producer is exposed through the Service Portal, allowing users to submit Indoor Gardening service requests. The form captures information such as Requested For, Plant Type, Service Type, Priority, Description, and Preferred Date. After submission, a backend request record is created automatically.



5. IGSM Request Automation Workflow

The Flow Designer workflow automates the service lifecycle after a new Indoor Gardening Request is created. The workflow includes an approval step, decision logic based on approval, record updates, and email notifications. This reduces manual effort and supports a structured request-management process.

The screenshot displays the Microsoft Power Automate interface for a workflow named "IGSM Request Automation Workflow". The workflow is currently in an "Active" state. The main canvas shows the workflow steps:

- TRIGGER:** Indoor Gardening Request Created.
- ACTIONS:**
 - Ask For Approval on Indoor Gardening Request
 - If Approval (Decision Step)
 - Update Indoor Gardening Request Record (if approved)
 - Send Email (if approved)

Below the main canvas, there is an "ERROR HANDLER" section with a toggle switch, indicating where to add actions in case of an error.

On the right side, the "Data" pane is visible, showing the structure of the data passed between steps:

- Flow Variables:**
 - Trigger - Record Created:
 - Indoor Gardening Request... (Record)
 - Indoor Gardening Request... (Table)
 - Run Start Time UTC (Date/Time)
 - Run Start Date/Time (Date/Time)
 - 1 - Ask For Approval:
 - Approval State (Choice)
 - Action Status (Object)
 - 2 - If:
 - Indoor Gardening Request... (Record)
 - Indoor Gardening Request... (Table)
 - Action Status (Object)
 - 3 - Update Record:
 - Indoor Gardening Request... (Record)
 - Indoor Gardening Request... (Table)
 - Action Status (Object)

The bottom of the interface shows the status bar with "Read-only", "Status: Published", and "Application: Indoor Gardening Services Management". The bottom of the browser window shows the taskbar with various application icons and the system clock indicating 14:12 on 05-09-2026.

ServiceNow Project Documentation

Indoor Gardening Services Management (IGSM) Application

Application Scope: Indoor Gardening Services Management

Environment: ServiceNow Developer Instance (dev412169)

Target Table: Indoor Gardening Request [x_2057353_indoor_0_indoor_gardening_request]

Document Version: 1.0

6 Business Rule (06-business-rule.png)

Name	Indoor Garden	Active / Advanced	Active Advanced
When	before (Insert)	Filter Condition	Priority is 4 - Low
Table	Indoor Gardening Request [x_2057353_indoor_0_indoor_gardening_request]		

dev412169.service-now.com/sys_script.do?sys_id=b08f39be93430f10c73cf088dd03d677&sysparm_record_target=sys_script&sysparm_record_row=1&sysparm_record_rows=5796&sysparm_re...

Business Rule
Indoor Garden

A business rule is a server-side script that runs when a record is displayed, inserted, deleted, or when a table is queried. Use business rules to automatically change values in form fields when the specified conditions are met. [More Info](#)

NameIndoor Garden

TableIndoor Gardening Request [x_2057353_...

ApplicationIndoor Gardening Services Management

Active☒

Advanced☒

When to run

Actions

Advanced

Specify whether the business rule should run on **Insert** or **Update**. Use **Filter Conditions** to specify under which conditions the business rule should run.

Whenbefore

Order100

Insert☒

Update☐

Delete☐

Query☐

Filter Conditions

Add Filter Condition

Add OR Clause

Priorityis4 - Low

ANDOR

Role conditions

7 A Response SLA (07-response-sla.png)

SLA Name	IGSM Response	Duration	4 Hours (8-5 weekdays)
Start Condition	State is Open	Stop Condition	State is Assigned
Table	Indoor Gardening Request [x_2057353_indoor_0_indoor_gardening_request]		

The screenshot shows the ServiceNow 'SLA Definition' form for 'IGSM Response'. The form is titled 'SLA Definition IGSM Response' and includes a warning banner: 'An SLA starting now will breach on 2026-09-07 12:00:00 (Actual elapsed time: 1 Day 15 Hours 9 Minutes)'. The form fields are as follows:

- Name:** IGSM Response
- Type:** SLA
- Target:** -- None --
- Table:** Indoor Gardening Request [x_2057353_...]
- Flow:** Default SLA flow
- Enable logging:** ☐
- Active:** ☒
- Application:** Indoor Gardening Services Management
- Duration type:** User specified duration
- * Duration:** Days 0, Hours 04, 00, 00
- Schedule source:** SLA definition
- * Schedule:** 8-5 weekdays
- Timezone source:** The caller's time zone

Below the form fields, there are tabs for 'Start condition', 'Pause condition', 'Stop condition', and 'Reset condition'. The 'Start condition' tab is active, showing the conditions under which the new SLA will be attached and canceled. The conditions are:

- Start condition:** Add Filter Condition, Add OR Clause
- State:** is Open
- AND/OR/X:** AND
- Retroactive start:** ☐
- When to cancel:** Cancel conditions are met
- Cancel condition:** Add Filter Condition, Add OR Clause

The bottom of the screenshot shows the Windows taskbar with the date and time: 09:20 06-09-2026.

7B Resolution SLA (08-resolution-sla.png)

SLA Name	IGSM Resolution	Duration	2 Days (8-5 weekdays)
Start Condition	State is Open	Stop Condition	State is Completed
Table	Indoor Gardening Request [x_2057353_indoor_0_indoor_gardening_request]		

The screenshot shows the ServiceNow 'SLA Definition' form for 'IGSM Resolution'. The form is titled 'SLA Definition IGSM Resolution' and includes a warning banner: 'An SLA starting now will breach on 2026-09-14 11:00:00 (Actual elapsed time: 8 Days 14 Hours 9 Minutes)'. The form fields are as follows:

- Name:** IGSM Resolution
- Type:** SLA
- Target:** -- None --
- Table:** Indoor Gardening Request [x_2057353_...]
- Flow:** Default SLA flow
- Enable logging:** ☐
- Active:** ☒
- Application:** Indoor Gardening Services Management
- Duration type:** User specified duration
- * Duration:** Days 2, Hours 00, 00, 00
- Schedule source:** SLA definition
- * Schedule:** 8-5 weekdays
- Timezone source:** The caller's time zone

Below the form fields, there are tabs for 'Start condition', 'Pause condition', 'Stop condition', and 'Reset condition'. The 'Start condition' tab is active, showing the following configuration:

- The conditions under which the new SLA will be attached and canceled:**
- Start condition:** Add Filter Condition, Add OR Clause
- Condition:** State is Open
- Logical operators:** AND, OR, X
- Retroactive start:** ☐
- When to cancel:** Cancel conditions are met
- Cancel condition:** Add Filter Condition, Add OR Clause

The bottom of the screenshot shows the Windows taskbar with the date 06-09-2026 and time 09:20.

8 Catalog Client Script (09-catalog-client-script.png)

Name	Garden Client Script	UI Type / Type	All / onChange
Catalog Item	Garden record producer	Variable Name	priority

Client Script Logic:

```
function onChange(control, oldValue, newValue, isLoading) {  
    if (isLoading) {  
        return;  
    }  
  
    if (newValue == '1') {  
        g_form.setMandatory('description', true);  
    } else {  
        g_form.setMandatory('description', false);  
    }  
}
```

The screenshot shows the ServiceNow interface for configuring a Catalog Client Script. The browser tabs include SkillWallet, chetana401/Indoor-Gar..., ServiceNow, IGSM Resolution | SLA, Garden Client Script | C..., Indoor Garden | Busin..., and Ask Gemini. The URL is dev412169.service-now.com/catalog_script_client.do?sys_id=30af8ebe93c30f10c73cf088dd03d6be&sysparm_record_target=catalog_script_client&sysparm_record_row=1&sysparm_record_row... The page title is 'Catalog Client Scripts' and 'Garden Client Script'. A warning message states: 'New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.' The configuration form includes: Name: Garden Client Script; Applies to: A Catalog Item; Active: checked; UI Type: All; Application: Indoor Gardening Services Management; Type: onChange; Catalog item: Garden record producer; Variable name: priority; Applies on a Catalog Item view: checked; Applies on Target Record: checked. The script editor contains the following code:

```
1 function onChange(control, oldValue, newValue, isLoading) {  
2     if (isLoading) {  
3         return;  
4     }  
5  
6     if (newValue == '1') {  
7         g_form.setMandatory('description', true);  
8     } else {  
9         g_form.setMandatory('description', false);  
10    }  
11 }
```

 At the bottom, there are 'Update' and 'Delete' buttons, a 'Related Links' section with a link to 'Run Point Scan', and a system tray showing 31°C Mostly sunny, a search bar, and the date 06-09-2026.

9 ACL Security (10-acl-security.png)

Access Control Lists (ACLs) created for table `x_2057353_indoor_0_indoor_gardening_request` to regulate standard operations across Requester, Technician, and Manager roles.

ACL Config 1: Delete Operation (Manager Only)

Operation	delete	Requires Role	x_2057353_indoor_0_manager_role
-----------	--------	---------------	---------------------------------

Access Control Rules have two decision types, and these types will behave differently depending on conditions.

1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.
2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.

[More Info](#)

Requires role	1 to 1 of 1
Role	x_2057353_indoor_0_manager_role

Security Attribute Condition

ACL Config 2: Write Operation (Technician + Manager)

Operation	write	Requires Roles	x_2057353_indoor_0_technician_role, x_2057353_indoor_0_manager_role
-----------	-------	----------------	--

dev412169.service-now.com/sys_security_acl.do?sys_id=6cee52fe93470f10c73cf088dd03d6ce&sysparm_record_target=sys_security_acl&sysparm_record_row=1&sysparm_record_rows=44198...

Access Control

x_2057353_indoor_0_indoor_gardening_request

Type

record

Operation

write

Admin overrides

☒

Decision Type

Allow If

Protection policy

-- None --

Name

x_2057353_indoor_0_indoor_gardening_request

Description

Allow write for records in x_2057353_indoor_0_indoor_gardening_request, for users with roles (x_2057353_indoor_0_technician_role, x_2057353_indoor_0_manager_role).

Application

Indoor Gardening Services Management

Active

☒

Advanced

☐

Conditions

Access Control Rules have two decision types, and these types will behave differently depending on conditions.
1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.
2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.
[More Info](#)

Requires role

Role

x_2057353_indoor_0_technician_role

x_2057353_indoor_0_manager_role

ACL Config 3: Create Operation (Requester + Manager + Technician)

Operation	create	Requires Roles	x_2057353_indoor_0_requester_role, x_2057353_indoor_0_manager_role, x_2057353_indoor_0_technician_role
-----------	--------	----------------	--

dev412169.service-now.com/sys_security_acl.do?sys_id=c81e967e93470f10c73cf088dd03d69b&sysparm_record_target=sys_security_acl&sysparm_record_row=3&sysparm_record_rows=44198...

Access Control

x_2057353_indoor_0_indoor_gardening_request

Type

record

Operation

create

Admin overrides

☒

Decision Type

Allow If

Protection policy

-- None --

Name

x_2057353_indoor_0_indoor_gardening_request

Description

Allow create for records in x_2057353_indoor_0_indoor_gardening_request, for users with roles (x_2057353_indoor_0_requester_role, x_2057353_indoor_0_manager_role, x_2057353_indoor_0_technician_role).

Application

Indoor Gardening Services Management

Active

☒

Advanced

☐

Conditions

Access Control Rules have two decision types, and these types will behave differently depending on conditions.
1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.
2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.
[More Info](#)

Requires role

Role

x_2057353_indoor_0_requester_role

x_2057353_indoor_0_manager_role

x_2057353_indoor_0_technician_role