Faultline: the interface, page by page

These pictures were taken from the running application, in LIVE mode, by scripts/capture_ui.py. Nothing is drawn or edited: the script opens each page in a browser, shows the real analysis of the main example (the library faultline-fixture-acme-models against the consumer faultline-fixture-notify-svc), and saves what is rendered. Each picture is the whole page. The light theme is shown here; the dark theme of every page is in the same folder with the suffix -dark.

The product site

Product site: home

The public front page. It states the claim (witnesses, not warnings) before anyone logs in.

#/

ENGINEERING INTELLIGENCE / 07

A dependency changed. Find what actually broke.

Dependency failures rarely explain themselves.


FAULTLINE investigates dependency drift across producer and consumer repositories—connecting pinned source revisions, environment differences, and behavioral evidence to a conclusion you can inspect.

Start an investigation → Explore the method →

Built around evidence, not assumptions

01 PIN THE SOURCE 02 TEST THE BEHAVIOR 03 SCOPE THE VERDICT

FIG. 01 THE INVESTIGATION MODEL



Every conclusion has a trail.

SCROLL TO EXPLORE ↓

Cross-repository
Investigate connected producer and consumer repositories.

Environment-aware
Compare relevant dependency and environment differences.

Evidence-first
Separate potential causes from reproducible behavioral evidence.

Transparent by design
See the scope, coverage, and limitations of an investigation.

THE PROBLEM

When a dependency changes, the real question is why.

The version difference is easy to notice. Establishing whether it caused the failure is much harder.

Developers may need to compare source revisions, inspect dependency environments, reproduce behavior, and determine whether a failure is related to the change—or to something else entirely.

01 **Differences are easy to find.**

Causes are harder to establish. A changed version may be relevant, but it does not automatically explain a failure.

02 **Repositories do not exist in isolation.**

The relationship between a producer and its consumers matters when investigating a breakage.

03 **A failed run is not always a witness.**

Infrastructure problems, timeouts, and test harness failures can obscure the actual behavior being investigated.

— THE METHOD

Turn dependency drift into an investigation you can follow.

Instead of stopping at "something changed," follow the evidence to understand what was compared, what was tested, and what the results actually support.

01

Pin the inputs

Start from repository references and resolve them to immutable source revisions.

02

Map the relationship

Inspect manifests, imports, package visibility, and the evidence connecting producer and consumer.

03

Compare worlds

Inspect reference and consumer dependency worlds, including relevant differences and coverage.

04

Test the behavior

Run applicable checks and preserve each outcome. Fresh runs and reused artifacts remain distinct.

05

Read the verdict

Follow the finding through the witness, dependency delta, relationship evidence, and verdict rule.

From repository snapshots to evidence-backed conclusions.

— EVIDENCE, NOT ASSUMPTION

A version difference is a clue. Not a verdict.

Many dependency tools tell you that something changed. FAULTLINE focuses on the harder question: whether a relevant difference is associated with a reproducible failure.

CANDIDATE DIFFERENCE

A signal worth investigating

- → A dependency or environment difference has been observed.
- → The difference may be relevant to the failure.
- → Its causal relationship remains unverified.

EVIDENCE-BACKED FINDING

A conclusion with clear boundaries

- ✓ Valid behavioral evidence supports the conclusion.
- ✓ Applicable witness requirements are satisfied.
- ✓ The conclusion is scoped to tested conditions.

Important: A timeout, environment failure, test harness issue, or dependency-resolution problem must not automatically be treated as a witnessed behavioral regression.


— INSIDE THE INVESTIGATION

Everything you need to follow the evidence.

01 Funnel | 02 World matrix | 03 Witness | 04 Why-path

Analysis / Example investigation — FIXTURE

Explore the repository relationship, compare available environments, examine behavioral evidence, and inspect the reasoning behind a conclusion.



— CAPABILITY, WITH BOUNDARIES

Everything you need to follow the evidence.

Each capability remains explicit about its implementation status and the boundary of what it can establish.

01

Repository provenance

Keep source references and pinned revisions visible.

STATUS TO CONFIRM →

02

Dependency worlds

Inspect resolved environments, importer visibility, and relevant deltas.

STATUS TO CONFIRM →

03

Repeatable witnesses

Review individual runs and the normalized failure signature.

STATUS TO CONFIRM →

04

Attribution

Trace a finding to candidate changes, counterfactual checks, and attribution limits.

STATUS TO CONFIRM →

05

Coverage transparency

See what ran, what was skipped, what failed to initialize, and what remains unsupported.

STATUS TO CONFIRM →

06

Portable evidence

Inspect bundle integrity and replay outcomes where those capabilities are enabled.

STATUS TO CONFIRM →

— TRANSPARENT BY DESIGN

Know what was tested.
Know what remains uncertain.

An investigation is only as useful as its evidence and its boundaries. FAULTLINE distinguishes completed checks from unavailable capabilities, partial coverage, and inconclusive outcomes.

- ✓ **Explicit scope**
  Understand which repositories, revisions, and environments were included.
- ✓ **Honest outcomes**
  Distinguish a verified result from a candidate, an inconclusive investigation, or an execution failure.
- ✓ **Visible limitations**

Understand when missing evidence or unsupported functionality limits the conclusion.

— BEGIN WITH THE EVIDENCE

Stop guessing at dependency failures.
Start investigating the evidence.

Bring the producer and consumer repositories into view. Compare relevant environments, investigate observed behavior, and see what the evidence supports.

Start an investigation →

Explore the workflow →

— BEGIN WITH THE EVIDENCE

Stop guessing at dependency failures.
Start investigating the evidence.

Bring the producer and consumer repositories into view. Compare relevant environments, investigate observed behavior, and see what the evidence supports.

Start an investigation →

Explore the workflow →

FAULTLINE

Cross-repository dependency investigation, grounded in reproducible evidence.

PRODUCT
Overview
How it works
Capabilities

RESOURCES
Documentation
Evidence model
Coverage & limitations

PROJECT
Hacktopia 2026
PS07

WITNESSES, NOT WARNINGS.

FAULTLINE · WITNESSES, NOT WARNINGS. EVERY RESULT STATES WHAT WAS AND WAS NOT CHECKED.

Product site: how it works

The pipeline in plain steps: pin, relate, build two worlds, run three times each, witness, attribute, fix.

#/how

THE INVESTIGATION WORKFLOW

From a dependency change to an evidence-backed investigation.

FAULTLINE organizes cross-repository dependency investigation into a traceable workflow, helping developers move from relevant differences to behavioral evidence and a conclusion whose scope is clear.

Start an investigation →

Explore capabilities →

01	02	03	04	05
Source revisions	Relationship evidence	Environment delta	Behavioral evidence	Scoped verdict

01

SOURCE REVISIONS

Start with a known state.

Pin the producer and consumer source revisions so the examined repositories are identifiable and the investigation scope is explicit.

WHAT THIS ESTABLISHES

- ✓ Which repository snapshots are being examined.
- ✓ Which revisions define the scope.
- ✓ Which inputs the investigation used.

02

RELATIONSHIP EVIDENCE

Understand how the repositories are connected.

FAULTLINE records or inspects available relationship evidence so developers can understand why the repositories are being compared.

WHAT THIS ESTABLISHES

- ✓ The producer and consumer under investigation.
- ✓ Available evidence for their relationship.
- ✓ Missing, conflicting, or incomplete information.

03

ENVIRONMENT DELTA

Find the relevant differences.

Compare available reference and consumer environments to identify differences that may matter. A difference is a candidate, not an established cause.

WHAT THIS ESTABLISHES

- ✓ Which environment information is available.
- ✓ Which values differ.
- ✓ Where coverage is partial.

04

BEHAVIORAL EVIDENCE

Test the hypothesis, not just the environment.

Use supported methods to examine whether the suspected issue corresponds to observable behavior. Infrastructure or harness failure is not automatically a valid witness.

WHAT THIS ESTABLISHES

- ✓ Which checks were actually run.
- ✓ Which outcomes were observed.
- ✓ Whether applicable witness requirements were met.

05

SCOPED VERDICT

Know what the evidence supports.

Review the conclusion alongside tested revisions, relationship evidence, environment differences, behavioral results, and scope limitations.

WHAT THIS ESTABLISHES

- ✓ The outcome and its scope.
- ✓ The evidence that supports it.
- ✓ Coverage, limitations, and available artifacts.

— COMMON QUESTIONS

Every investigation should make its reasoning visible.

Does every dependency difference mean something is broken? ⌄

No. A dependency or environment difference is a candidate for investigation. It does not establish that the difference caused a behavioral failure.

Does every failed test count as a witness? ⌄

What if the evidence is incomplete? ⌄

Does FAULTLINE support every ecosystem? ⌄

Can every investigation be replayed? ⌄


— BEGIN WITH THE EVIDENCE

Stop guessing at dependency failures. Start investigating the evidence.

Bring the producer and consumer repositories into view. Compare relevant environments, investigate observed behavior, and see what the evidence supports.

Start an investigation →

Explore the workflow →



Product site: capabilities

What is supported and what is not, stated openly.

`#/capabilities`

— CAPABILITIES & LIMITATIONS

Built for careful dependency investigations.

Explore the capabilities available in FAULTLINE, the evidence each capability provides, and the boundaries that determine what an investigation can conclude.

Explore the workflow →

CAPABILITY	WHAT IT DOES	CURRENT STATUS	LIMITATIONS
Repository revision pinning	Identifies source revisions used to define an investigation's scope.	STATUS TO CONFIRM	Do not imply every remote source or revision format is supported.
Repository relationship evidence	Records or inspects evidence connecting a producer and consumer repository.	STATUS TO CONFIRM	A suspected relationship requires supporting evidence.
Dependency inventory	Displays dependency information available for an inspected repository or environment.	STATUS TO CONFIRM	Status must be confirmed separately for each ecosystem.
World comparison	Compares available environment information between reference and consumer sides.	STATUS TO CONFIRM	Missing or unresolved values remain explicit.
Dependency delta analysis	Highlights differences that may be relevant to an investigation.	STATUS TO CONFIRM	A delta is a candidate, not a witnessed regression.
Supported testing oracles	Uses available behavioral-checking methods to observe relevant behavior.	STATUS TO CONFIRM	Test types and frameworks must be implementation-backed.
Behavioral witness validation	Evaluates whether observed runs satisfy the applicable validation protocol.	STATUS TO CONFIRM	Infrastructure and harness failures are not witnesses.
Scoped verdicts	Presents conclusions bounded by the evidence and conditions examined.	STATUS TO CONFIRM	An inconclusive result remains inconclusive.
Evidence export	Makes supported investigation artifacts available for inspection or export.	STATUS TO CONFIRM	Bundle contents and replay outcomes are listed with each witness.
Replay support	Replays an investigation when implementation and available artifacts support it.	STATUS TO CONFIRM	Universal replay is not implied.

TRUTHFUL BY DEFAULT

TRUTHFUL BY DEFAULT

Capability boundaries are part of the result.

Completed
Comparison finished within stated scope.
ILLUSTRATIVE STATE

Partial coverage
Only part of the intended scope was inspected.
ILLUSTRATIVE STATE

Unsupported
The requested scenario is not available.
ILLUSTRATIVE STATE

Inconclusive
Evidence does not justify a stronger conclusion.
ILLUSTRATIVE STATE

Know what you can investigate—and what the evidence can establish.

Explore the workflow to understand how repository context, environment differences, and behavioral evidence fit together.

See how it works →

FAULTLINE

Cross-repository dependency investigation, grounded in reproducible evidence.

PRODUCT
Overview
How it works
Capabilities

RESOURCES
Documentation
Evidence model
Coverage & limitations

PROJECT
Hacktopia 2026
PS07

WITNESSES, NOT WARNINGS.

FAULTLINE · WITNESSES, NOT WARNINGS. EVERY RESULT STATES WHAT WAS AND WAS NOT CHECKED.

The workspace

Workspace: Overview

Counts of investigations and findings, the outcome chart, jobs by status, the Reuse and recomputation panel, the analysis funnel and what needs attention.

`#/app`

Live analysis of public repositories you submit.

Overview

Follow investigations from pinned repository inputs to evidence-backed findings.

View all jobs | New analysis

Investigations	Findings requiring review	Inconclusive	Jobs needing attention
58	21	3	3
Counted from persisted records	Break or silent divergence witnessed	Not enough evidence either way	Failed jobs among the latest 50

Outcomes

29 findings



Break witnessed	20	69%
Silent divergence	1	3%
Inconclusive	3	10%
No divergence observed	4	14%
Other	1	3%

Jobs by status

latest 50

Completed	44
Failed	3
Running or queued	0
Cancelled	3

Reuse and recomputation

5 recorded events

Pairs reused	Pairs recomputed	Stored objects rejected	Worlds reused / built
1	0	0	2 / 0
A stored result was found for the pair key	The pipeline ran for the pair and finished	Damaged or missing, not used	An existing world, or a build that ran

PAIR	RESULT	WHY	INPUTS THAT CHANGED
pk_dc8a362f1af	REUSED	Every input of the pair key is unchanged, so the stored result was used and no oracle ran.	—

Counts come from the append-only event log. A reused pair is never counted as a fresh run.

Analysis funnel

chetanagrawal721/faultline-fixture-acme-models + chetanagrawal721/faultline-fi · persisted stages

01	02	03	04
Submitted	Pinned	Inventoried	Relationships
2 recorded	2 recorded	2 recorded	1 recorded
05	06	07	08
Worlds built	Oracles run	Witness	Verdict
1 recorded	1 recorded	1 recorded	1 recorded

Latest analysis an_00978e3d3b8 · DONE · LIVE.

Needs attention

6 recorded · 2 kinds

INCONCLUSIVE ×3
flask → maxcountryman/flask-login
Open the finding

JOB FAILED ×3
live_analysis · HANDLER_ERROR
Open jobs

Recent investigations

8 projects

INVESTIGATION	REPOSITORIES	PINNED REVISIONS	MODE	STAGE	RESULT
chetanagrawal721/faultline-fixture-acme-models + chetanagrawal721/faultline-fi	chetanagrawal721/faultline-fixture-acme-models, chetanagrawal721/faultline-fixture-notify-svc	f4ba59e → 4b09e96	LIVE	DONE	BREAK WITNESSED
chetanagrawal721/faultline-fixture-acme-models + chetanagrawal721/faultline-fi	none yet	–	LIVE	No analysis	—
chetanagrawal721/faultline-fixture-acme-models + chetanagrawal721/faultline-fi	none yet	–	LIVE	No analysis	—
chetanagrawal721/faultline-fixture-acme-models + chetanagrawal721/faultline-fi	none yet	–	LIVE	No analysis	—
chetanagrawal721/faultline-fixture-acme-models + chetanagrawal721/faultline-fi	none yet	–	LIVE	No analysis	—
chetanagrawal721/faultline-fixture-acme-models + chetanagrawal721/faultline-fi	none yet	–	LIVE	No analysis	—
chetanagrawal721/faultline-fixture-acme-models + chetanagrawal721/faultline-fi	none yet	–	LIVE	No analysis	—
chetanagrawal721/faultline-fixture-acme-models + chetanagrawal721/faultline-fi	none yet	–	LIVE	No analysis	—

New analysis

Paste the library and the consumer. Both are pinned to exact commits before anything runs.

#/app/new

Live analysis of public repositories you submit.

New analysis

Choose the repositories and review the investigation boundary before anything runs.

Overview

1 Repositories | 2 Review pinned inputs | 3 Submit

Producer repository

Reference input

Repository URL

https://github.com/owner/repo

Branch, tag or commit (optional)

default branch

Public GitHub repositories only. The ref is resolved to one immutable commit before anything else happens.

Consumer repository

Downstream input

Repository URL

https://github.com/owner/repo

Branch, tag or commit (optional)

default branch

Public GitHub repositories only. The ref is resolved to one immutable commit before anything else happens.

Faultline infers which repository shares code with which from evidence in the files. The producer and consumer labels are a hint for you, not an input to the result.

Add another repository | Pin repositories

Capability preview

Reported by this deployment

ECOSYSTEM	INVENTORY	RESOLUTION	WORLD CONSTRUCTION	RUNTIME WITNESS
pypi	ENABLED	ENABLED	ENABLED	ENABLED
npm	ENABLED	ENABLED	ENABLED	UNSUPPORTED
maven	ENABLED	UNSUPPORTED	UNSUPPORTED	UNSUPPORTED

Inventory support does not imply runtime execution support. Hover a status for the reason.

Fixture scenarios

Committed repositories · real pipeline

Each scenario runs the real pipeline on committed fixture repositories: worlds are built offline, the oracles run in the sandbox three times per side, and the result is recorded. The mode stays FIXTURE; this is not analysis of a live repository.

SCENARIO	EXPECTED BY ITS LABEL	
A · No drift (control)	orders-svc: no drift	Run
B · API removed (BaseSettings moved out of pydantic 2)	billing-svc: break witnessed	Run
C · Signature changed (urllib3 Retry keyword)	orders-svc: break witnessed	Run
D · Transitive dependency drift (Werkzeug 3 under Flask 2.2.2)	notify-svc: break witnessed · orders-svc: no drift	Run
E · Silent divergence (Union[int, str] parsed differently by pydantic 1 and 2)	Not evaluated by the current oracles	Run
F · Static exposure, runtime inconclusive (PyJWT decode without algorithms)	Not evaluated by the current oracles	Run
G · Unrelated drift (requests is outside the artifact's closure)	orders-svc: no drift · billing-svc: no drift	Run
H · Harmless drift (pydantic 2, only deprecated .dict() used)	billing-svc: no divergence observed	Run
I · Dynamic usage (getattr on a dependency)	Not evaluated by the current oracles	Run
J · Data contract drift (Optional field without default, pydantic 1 vs 2)	Not evaluated by the current oracles	Run
L · Look-alike model (suspected twin control)	Not evaluated by the current oracles	Run
REAL1 · Flask 2.2.2 with Werkzeug resolved before and after 3.0.0 (url_quote removed)	Not evaluated by the current oracles	Run
REAL2 · requests-toolbelt 0.10.1 with urllib3 resolved before and after 2.0 (appengine removed)	Not evaluated by the current oracles	Run



Findings

Every verdict in one list, with its mode (LIVE) and the sentence that states what was and was not shown.

#/app/findings

FAULTLINE

WORKBENCH

- Overview
- New analysis
- Findings
- World matrix
- Relationships
- Inventory graph
- Evidence
- Jobs
- Repositories
- Capabilities
- Settings

Live analysis of public repositories you submit.

Findings

Review verdicts and follow each one to its witness and evidence.

Overview

Search repository, finding ID or text...

All verdicts

All modes

Findings

29 of 29 records

FINDING	ARTIFACT → CONSUMER	VERDICT	MODE	SCOPED STATEMENT
01M5H3J2S8	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M5GDZHQQ	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M5GDH8FD	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M5GD7Z5V	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M5G9V45F	faultline-fixture-acme-bisect → chetanagrawal721/faultline-fixture-bisect-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_bisect.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-bisect runs with the...
01M4WES9QP	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M4WD4H2K	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M4WCYYSD	faultline-fixture-acme-showcase → chetanagrawal721/faultline-fixture-fulfilment-svc, chetanagrawal721/faultline-fixture-reporting-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_showcase.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-showcase runs with the...
01M4WCPKY3	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M4WBAE5T	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M4W8T44C	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M4W7VSDG	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M4W5PRV2	faultline-fixture-acme-showcase → chetanagrawal721/faultline-fixture-fulfilment-svc, chetanagrawal721/faultline-fixture-reporting-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_showcase.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-showcase runs with the...
01M4W55F47	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M4W5150X	faultline-fixture-acme-showcase → chetanagrawal721/faultline-fixture-fulfilment-svc, chetanagrawal721/faultline-fixture-reporting-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_showcase.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-showcase runs with the...
01M4W4P3W7	faultline-fixture-acme-showcase → chetanagrawal721/faultline-fixture-fulfilment-svc, chetanagrawal721/faultline-fixture-reporting-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_showcase.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-showcase runs with the...
01M4W143GX	faultline-fixture-acme-contracts → chetanagrawal721/faultline-fixture-billing-svc-contract	BREAK WITNESSED	LIVE	Reproduced: the bytes `{"customer_id": 0, "email": ""}` of `acme_contracts.customer.CustomerRequest` parse with acme-contracts's own dependencies and are rejected when...

01M4W0ZVCJ	faultline-fixture-acme-http → chetanagrawal721/faultline-fixture-orders-svc	BREAK WITNESSED	LIVE	Reproduced: the call `urllib3.util.retry.Retry(total=..., method_whitelist=...)` at src/acme_http/retry.py:7:11 no longer binds to its signature and fails with `TypeError: got an unexpected keywor...
01M4W0N33R	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M4TY7K6V	faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc	BREAK WITNESSED	LIVE	Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the...
01M4W178SW	faultline-fixture-acme-contracts → chetanagrawal721/faultline-fixture-billing-svc-union	SILENT DIVERGENCE WITNESSED	LIVE	Accepted in both worlds, but the result differs: value: reference=42, consumer="42". The same bytes `{"value": "42"}` of `acme_contracts.ids.Ref` were read with acme-contracts's own...
01M4VTVQ0C	flask → maxcountryman/flask-login	INCONCLUSIVE	LIVE	Could not check flask against the dependencies of maxcountryman/flask-login: 7 call sites: the entry was skipped, so nothing was observed.
01M4VCK6J9	flask → maxcountryman/flask-login	INCONCLUSIVE	LIVE	Could not check flask against the dependencies of maxcountryman/flask-login: 7 call sites: the entry was skipped, so nothing was observed.
01M4T48N73	flask → maxcountryman/flask-login	INCONCLUSIVE	LIVE	Could not check flask against the dependencies of maxcountryman/flask-login: flask: some results came from the cache; only fresh executions can count; flask.signals: some results came fro...
01M4T4EN4J	flask → maxcountryman/flask-login	NO DIVERGENCE OBSERVED	LIVE	No difference observed in 4 exercised interaction(s) (flask, flask.signals, flask.testing, flask.views) between flask's own dependencies and those of maxcountryman/flask-login. Not checke...
01M4T4D0EB	flask → maxcountryman/flask-login	NO DIVERGENCE OBSERVED	LIVE	No difference observed in 4 exercised interaction(s) (flask, flask.signals, flask.testing, flask.views) between flask's own dependencies and those of maxcountryman/flask-login. Not checke...
01M4T4B6KV	flask → maxcountryman/flask-login	NO DIVERGENCE OBSERVED	LIVE	No difference observed in 4 exercised interaction(s) (flask, flask.signals, flask.testing, flask.views) between flask's own dependencies and those of maxcountryman/flask-login. Not checke...
01M4T3Y4FA	flask → maxcountryman/flask-login	NO DIVERGENCE OBSERVED	LIVE	No difference observed in 4 exercised interaction(s) (flask, flask.signals, flask.testing, flask.views) between flask's own dependencies and those of maxcountryman/flask-login. Not checke...
01M4RXZ0KG	acme-models → notify-svc	HYGIENE	FIXTURE	the consumer and acme-models are not related by evidence strong enough for a finding; recorded for inventory only.

Inconclusive

The evidence was not sufficient to say anything. This is neither a break nor a pass.

Suspected tray — Never produces a finding on its own

Nothing to show yet

No records exist for this view. This is not a clean result: nothing has been analysed.
No suspected relationships were found. A suspected candidate stays here until a person confirms it with real evidence.

API ok · schema v8

Exit workspace

Finding detail (BREAK WITNESSED)

The scoped verdict, what the evidence establishes, the why-path, both worlds, the dependency delta, the six runs, the scope, re-run and fix.

`#/app/finding/fnd_01M5H3J2S8C3SBJG1WFVQSJ65K`

Live analysis of public repositories you submit.

Finding detail

Trace a scoped conclusion through its Why-Path.

Overview

BREAK WITNESSED LIVE

Scoped verdict · faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc

Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the dependencies of chetanagrawal721/faultline-fixture-notify-svc. It passes with acme-models's own dependencies. 3 of 3 fresh runs on each side.

World matrix | Open witness

What the evidence establishes

Finding 01M5H3J2S8C3

What was observed	What remains uncertain	Scope
Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the dependencies of chetanagrawal721/faultline-fixture-notify-svc. It passes with acme-models's own dependencies. 3 of 3 fresh runs on each side.	static API and usage exposure were not analysed · the artifact's own tests (O-tests) were not run unless listed as exercised	`w_339faad4b4 → w_da8c08010a` Policy verdict-policy/1 · 18 fresh run(s)

Why-path

Each link says whether it was analysed

1 **Why these repositories are related** — ANALYSED

2 **What differs between the two worlds** — ANALYSED

3 **What was run** — ANALYSED

4 **Why this verdict** — ANALYSED

Reproduced: importing `acme_models.web` fails with `ImportError: cannot import name 'url_quote' from 'werkzeug.urls' (<site>/werkzeug/urls.py)` when acme-models runs with the dependencies of chetanagrawal721/faultline-fixture-notify-svc. It passes with acme-models's own dependencies. 3 of 3 fresh runs on each side.

- `verdict: BREAK_WITNESSED`
- `policy: verdict-policy/1`
- `predicate (for a witness): 3 fresh reference passes and 3 fresh consumer failures with the same normalised signature`
- `not checked: static API and usage exposure were not analysed`
- `not checked: the artifact's own tests (O-tests) were not run unless listed as exercised`
- `not checked: data-contract replay was not run`
- `not checked: consumers and dependency worlds other than the ones named were not analysed`
- `not checked: O-bind checks that each call shape still binds to the current signature; it does not execute the call`
- `not checked: call sites with star arguments, dynamic or unresolved targets, and method calls on instances are not checked`

5 **Which difference caused it** — ANALYSED

COMPLETE, two-sided: werkzeug (minimal (among the tested subsets, 1-minimal))

- `[attribution experiment (forced world)] search: itsdangerous -> PASS`
- `[attribution experiment (forced world)] search: werkzeug -> FAIL`
- `[attribution experiment (forced world)] search: itsdangerous, werkzeug -> FAIL`
- `[attribution experiment (forced world)] sufficiency: werkzeug -> FAIL`
- `[attribution experiment (forced world)] necessity: werkzeug -> PASS`

Reference world

The artifact's own dependencies

World hash	`w_339faad4b4db1e`
Runtime	cpython 3.12.15
Packages	8

Consumer world

What chetanagrawal721/faultline-fixture-notify-svc resolves

World hash	`w_da8c08010aaf78`
Runtime	cpython 3.12.15
Packages	8

Dependency delta

Candidate causes only · not an attribution

PACKAGE	REFERENCE	CONSUMER
itsdangerous	`2.2.0`	`2.1.2`
werkzeug	`2.2.3`	`3.0.6`

Repeatability

18 fresh executions (3 checks, 6 each)

Reference passed 3/3 · consumer failed 3/3 · 18 fresh executions (3 checks, 6 each)

WORLD	RUN	PROVENANCE	RESULT	MS	RUN ID

reference	1	fresh execution	PASS	2047	TSF8F2DAJH
reference	1	fresh execution	PASS	1797	7RNKEHXCGK
reference	1	fresh execution	PASS	2750	78JCFGN82Z
reference	2	fresh execution	PASS	1655	QYCWZ8V7BE
reference	2	fresh execution	PASS	1858	90GQM6X3FB
reference	2	fresh execution	PASS	4202	57DXZ9XWPG
reference	3	fresh execution	PASS	1937	2MCG68FNSW
reference	3	fresh execution	PASS	2875	A70C5XJN32
reference	3	fresh execution	PASS	4547	XFGEZAJJ3E
consumer	1	fresh execution	ARTIFACT FAILURE	2187	QWJ8EKMHPW
consumer	1	fresh execution	PASS	2657	5NXXGJTQK2
consumer	1	fresh execution	ARTIFACT FAILURE	2562	7CTKHN1TSM
consumer	2	fresh execution	ARTIFACT FAILURE	1530	YRB99W3PR5
consumer	2	fresh execution	PASS	2452	VWMD2EB4PC
consumer	2	fresh execution	ARTIFACT FAILURE	4000	9Q79482JPX
consumer	3	fresh execution	ARTIFACT FAILURE	1454	X9J2HKN6N4
consumer	3	fresh execution	PASS	2391	XDR6353SDQ
consumer	3	fresh execution	ARTIFACT FAILURE	4561	8F4NT2RS74

Scope of this result — Verdict policy verdict-policy/1

Modules imported

`acme_models` `acme_models.web` `test_customer.py::test_round_trip` `test_customer.py::test_default_points` `test_web.py::test_show_customer`

Call sites checked

▶ 2 call sites in 1 file

Not checked

- static API and usage exposure were not analysed
- the artifact's own tests (O-tests) were not run unless listed as exercised
- data-contract replay was not run
- consumers and dependency worlds other than the ones named were not analysed
- O-bind checks that each call shape still binds to the current signature; it does not execute the call
- call sites with star arguments, dynamic or unresolved targets, and method calls on instances are not checked

Re-run — Live, 3 + 3 fresh executions

Runs the same check again right now, three fresh executions in each world. This is live, not a stored result.

Re-run live (3 + 3)

Fix — Diff only · nothing is pushed

Proposes a version constraint for the attributed package, re-resolves with the native resolver, rebuilds the world and re-runs the check 3 + 3. The result is a diff.

Propose and verify a fix


API ok · schema v8

Exit workspace

Witness detail

Three fresh passes against three fresh failures with the same signature, the six-run board and the raw output.

`#/app/witness/fnd_01M5H3J2S8C3SBJG1WFVQSJ65K`



Finding detail (INCONCLUSIVE)

An unsettled result is never shown as a pass: the reasons are listed, grouped by cause.

`#/app/finding/fnd_01M4VTVQ0CHQ2X5G98EVSPGP0P`

Live analysis of public repositories you submit.

Finding detail

Trace a scoped conclusion through its Why-Path.

Overview

INCONCLUSIVE LIVE

Scoped verdict · flask → maxcountryman/flask-login

Could not check flask against the dependencies of maxcountryman/flask-login: 7 call sites: the entry was skipped, so nothing was observed.

World matrix

INCONCLUSIVE

This is not a pass.

The evidence is not sufficient for a conclusion either way. The reasons are listed under the scope of this result; an infrastructure, setup or timeout problem is never counted as a witness.

What the evidence establishes

Finding 01M4VTVQ0CHQ

What was observed	What remains uncertain	Scope
Could not check flask against the dependencies of maxcountryman/flask-login: 7 call sites: the entry was skipped, so nothing was observed.	7 call sites: the entry was skipped, so nothing was observed	`w_117a856829 → w_576bd9d4ee` Policy verdict-policy/1 · 12 fresh run(s)

Why-path

Each link says whether it was analysed

1 Why these repositories are related — ANALYSED

2 What differs between the two worlds — ANALYSED

3 What was run — ANALYSED

4 Why this verdict — ANALYSED

Could not check flask against the dependencies of maxcountryman/flask-login: 7 call sites: the entry was skipped, so nothing was observed.

- `verdict: INCONCLUSIVE`
- `policy: verdict-policy/1`
- `predicate (for a witness): 3 fresh reference passes and 3 fresh consumer failures with the same normalised signature`
- `not checked: static API and usage exposure were not analysed`
- `not checked: the artifact's own tests (O-tests) were not run unless listed as exercised`
- `not checked: data-contract replay was not run`
- `not checked: consumers and dependency worlds other than the ones named were not analysed`
- `not checked: O-bind checks that each call shape still binds to the current signature; it does not execute the call`
- `not checked: call sites with star arguments, dynamic or unresolved targets, and method calls on instances are not checked`
- `not checked: 4 dynamic or unresolved call site(s) were recorded and not checked`

5 Which difference caused it — NOT ANALYSED

No attribution was computed for this finding (only witnessed breaks are attributed).

Reference world

The artifact's own dependencies

World hash	`w_117a856829fea7`
Runtime	cpython 3.12.15
Packages	6

Consumer world

What maxcountryman/flask-login resolves

World hash	`w_576bd9d4ee79de`
Runtime	cpython 3.12.15
Packages	6

Dependency delta

Candidate causes only · not an attribution

PACKAGE	REFERENCE	CONSUMER
blinker	`1.7.0`	`1.9.0`
click	`8.1.7`	`8.2.1`
itsdangerous	`2.1.2`	`2.2.0`
jinja2	`3.1.3`	`3.1.6`
markupsafe	`2.1.5`	`3.0.2`
werkzeug	`3.0.2`	`3.1.3`

Repeatability

12 fresh executions (2 checks, 6 each)

Reference passed **6/3** · consumer failed **0/3** · **12 fresh executions (2 checks, 6 each)**

WORLD	RUN	PROVENANCE	RESULT	MS	RUN ID
reference	1	fresh execution	PASS	6438	`AE0JWHZG8H`
reference	1	fresh execution	PASS	21561	`ZK562FESK4`
reference	2	fresh execution	PASS	6828	`BD7C70N4S2`
reference	2	fresh execution	PASS	22421	`E499XRH6ZA`
reference	3	fresh execution	PASS	6281	`CEGFBP1SZH`
reference	3	fresh execution	PASS	22125	`S707ADZHSH`
consumer	1	fresh execution	PASS	6500	`XFBEKZD2KD`
consumer	1	fresh execution	PASS	22969	`P0RZ3VYMMR`
consumer	2	fresh execution	PASS	6218	`PZSTKYVWQB`
consumer	2	fresh execution	PASS	23186	`KARJKT1MEJ`
consumer	3	fresh execution	PASS	7000	`8WEEHTCP0T`
consumer	3	fresh execution	PASS	23485	`C9Z7YVT6DB`

Scope of this result

Verdict policy verdict-policy/1

Modules imported

`flask` `flask.signals` `flask.testing` `flask.views`

Call sites checked

▶ 65 call sites in 12 files

Not checked

- static API and usage exposure were not analysed
- the artifact's own tests (O-tests) were not run unless listed as exercised
- data-contract replay was not run
- consumers and dependency worlds other than the ones named were not analysed
- O-bind checks that each call shape still binds to the current signature; it does not execute the call
- call sites with star arguments, dynamic or unresolved targets, and method calls on instances are not checked
- 4 dynamic or unresolved call site(s) were recorded and not checked

Why some interactions were not decided

- 7 call sites: the entry was skipped, so nothing was observed


API ok · schema v8

Exit workspace

World matrix

The reference world, the consumer world, and the exact delta: only the packages whose versions differ.


`#/app/worlds`



Relationships

Why two repositories are related: the file and line in both manifests at the pinned commit.


`#/app/relationships`



Inventory graph

Repositories, manifests and packages as a graph with evidence-backed edges.

#/app/inventory



Evidence

The bundle behind a witness: artifacts with their SHA-256, the manifest, integrity and replay.

`#/app/evidence`

FAULTLINE

WORKBENCH

- Overview
- New analysis
- Findings
- World matrix
- Relationships
- Inventory graph
- Evidence
- Jobs
- Repositories
- Capabilities
- Settings

Workbench / Evidence

Live · chetanagrawal721/faultline-fi... LIVE

Live analysis of public repositories you submit.

Evidence

Inspect the bundle behind a witness and its integrity checks.

Overview

BREAK WITNESSED faultline-fixture-acme-models → chetanagrawal721/faultline-fixture-notify-svc


faultline-fixture-acme-models → cheta

Artifacts | Bundle manifest | Integrity | Replay

Artifacts

Witness 01M5GD5YN8QG

ARTIFACT	TYPE	SIZE	SHA-256
README.md	Markdown	1173 B	bd9919cf099c1f38
REPRODUCE.md	Markdown	937 B	77e368e10f45459a
artifact/SOURCE.txt	Text	123 B	67099f0feb8b905f
artifact/tree/.faultline-complete	Source file	64 B	067cb2beb526abf9
artifact/tree/.faultline-inventory.json	JSON	2687 B	e50b98be6d398259
artifact/tree/README.md	Markdown	239 B	8b84c1af95b531c6
artifact/tree/pyproject.toml	Source file	448 B	445f9ae05c774038
artifact/tree/requirements.in	Source file	149 B	bed22616d9504e79
artifact/tree/requirements.lock.txt	Text	9599 B	58e7e148277f3d59
artifact/tree/requirements.test.in	Source file	94 B	6bde74833a4ff839
artifact/tree/requirements.test.lock.txt	Text	942 B	caefc2d01321777a
artifact/tree/src/acme_models/__init__.py	Source file	109 B	229a6b9b3cb95425
artifact/tree/src/acme_models/customer.py	Source file	306 B	3aa8b517cf2d5d4f
artifact/tree/src/acme_models/settings.py	Source file	204 B	5f2d55635009f2f8
artifact/tree/src/acme_models/web.py	Source file	876 B	a4aec8b5cf3e2cb9
artifact/tree/tests/test_customer.py	Source file	360 B	0961d55b4082de96
artifact/tree/tests/test_web.py	Source file	568 B	0c1d3cf166de93d5
attribution/attribution.json	JSON	1774 B	b81e24ab1149c651
env/env_profile.json	JSON	292 B	dc7e5f3ec79ab48f
plan/oracle_plan.json	JSON	205 B	e0388e65f0d4b5aa
provenance/pinned.json	JSON	505 B	4ed97b04698f1d25
provenance/verdict.json	JSON	2083 B	1bcf6528d4582631
runs/ref-1.json	JSON	1238 B	07636bbfeb14e455
runs/ref-2.json	JSON	1238 B	b3d5f3f0094c8108
runs/ref-3.json	JSON	1238 B	4a47c4d7d46a31c1
runs/test-1.json	JSON	4938 B	1dc3ecfe8c799fb2
runs/test-2.json	JSON	4938 B	419ed6e64fd0b699
runs/test-3.json	JSON	4938 B	13efda7fca3049f9
sources/chetanagrawal721/faultline-fixture-acme-models@f4ba59e82a/pyproject.toml	File	448 B	445f9ae05c774038
sources/chetanagrawal721/faultline-fixture-acme-models@f4ba59e82a/requirements.in	File	149 B	bed22616d9504e79
sources/chetanagrawal721/faultline-fixture-acme-models@f4ba59e82a/requirements.lock.txt	Text	9599 B	58e7e148277f3d59
sources/chetanagrawal721/faultline-fixture-acme-models@f4ba59e82a/requirements.test.in	File	94 B	6bde74833a4ff839
sources/chetanagrawal721/faultline-fixture-acme-models@f4ba59e82a/requirements.test.lock.txt	Text	942 B	caefc2d01321777a



Jobs

Every background job with its status, run time, wait time, failure class and attempts.

`#/app/jobs`

Live analysis of public repositories you submit.

Jobs

Review every background job with its status, run time and failure class.

Overview

Job history

50 most recent · refreshes every 3 seconds

JOB	STATUS	RAN FOR	WAITED	FAILURE CLASS	ATTEMPTS	NOW
live_analysis job_01M5H3HSCBA7	DONE	9.4 s	275 ms	none	1/3	
ingest_repository job_01M5H3HP1EZN	DONE	136 ms	52 ms	none	1/3	
ingest_repository job_01M5H3HN2S11	DONE	159 ms	369 ms	none	1/3	
live_analysis job_01M5GDZ6CES3	DONE	11.4 s	414 ms	none	1/3	
ingest_repository job_01M5GDXQ75W8	DONE	361 ms	181 ms	none	1/3	
ingest_repository job_01M5GDXP6NQZ	DONE	322 ms	372 ms	none	1/3	
live_analysis job_01M5GDH17RTH	DONE	7.3 s	142 ms	none	1/3	
ingest_repository job_01M5GDGXHKMV	DONE	99 ms	46 ms	none	1/3	
ingest_repository job_01M5GDGWNP2Q	DONE	79 ms	225 ms	none	1/3	
live_analysis job_01M5GD5B7H3D	DONE	1 min 26 s	187 ms	none	1/3	
ingest_repository job_01M5GD594WRV	DONE	180 ms	204 ms	none	1/3	
ingest_repository job_01M5GD581KV9	DONE	203 ms	127 ms	none	1/3	
live_analysis job_01M5G9PN71D7	DONE	2 min 26 s	179 ms	none	1/3	
ingest_repository job_01M5G9PD6BYV	DONE	3.5 s	4.4 s	none	1/3	
ingest_repository job_01M5G9PC2VAD	DONE	5.3 s	261 ms	none	1/3	
live_analysis job_01M4WEQB0WWX	DONE	1 min 4 s	326 ms	none	1/3	
ingest_repository job_01M4WEQ48XY9	DONE	51 ms	173 ms	none	1/3	
ingest_repository job_01M4WEPYBRH4	DONE	57 ms	155 ms	none	1/3	
live_analysis job_01M4WD2GJ6T7	DONE	1 min 6 s	56 ms	none	1/3	
ingest_repository job_01M4WD15CXR8	DONE	42 ms	129 ms	none	1/3	
ingest_repository job_01M4WD0WAPR7	DONE	49 ms	349 ms	none	1/3	
live_analysis job_01M4WCR74NZ8	DONE	3 min 40 s	485 ms	none	1/3	
ingest_repository job_01M4WCR529MR	DONE	38 ms	65 ms	none	1/3	
ingest_repository job_01M4WCR3FCFY	DONE	28 ms	161 ms	none	1/3	
ingest_repository job_01M4WCR1YKE8	DONE	45 ms	170 ms	none	1/3	
live_analysis job_01M4WCMB7VYE	DONE	1 min 14 s	317 ms	none	1/3	
ingest_repository job_01M4WCM95YWC	DONE	33 ms	385 ms	none	1/3	
ingest_repository job_01M4WCM80FYB	DONE	76 ms	5 ms	none	1/3	
live_analysis job_01M4WC896TPM	FAILED	1 min 39 s	463 ms	HANDLER_ERROR	1/3	could not fetch wheels
ingest_repository job_01M4WC875RDW	DONE	32 ms	9 ms	none	1/3	
ingest_repository job_01M4WC85SAFA	DONE	35 ms	393 ms	none	1/3	
live_analysis job_01M4WC5D24N3	FAILED	27.0 s	441 ms	HANDLER_ERROR	1/3	could not fetch wheels
ingest_repository job_01M4WC5B22WC	DONE	28 ms	459 ms	none	1/3	
ingest_repository job_01M4WC5898QY	DONE	34 ms	261 ms	none	1/3	

live_analysis `job_01M4WBQK69YA`	CANCELLED	6 min 6 s	119 ms	CANCELLED	1/3	
ingest_repository `job_01M4WBQH54RE`	DONE	55 ms	143 ms	none	1/3	
ingest_repository `job_01M4WBQFKKEX`	DONE	180 ms	43 ms	none	1/3	
live_analysis `job_01M4WBJBT2H8`	FAILED	1 min 44 s	350 ms	HANDLER_ERROR	1/3	could not fetch wheels
ingest_repository `job_01M4WBHW5Z6A`	DONE	38 ms	293 ms	none	1/3	
ingest_repository `job_01M4WBHTWM5S`	DONE	51 ms	60 ms	none	1/3	
live_analysis `job_01M4WAZ0FCBX`	DONE	6 min 14 s	343 ms	none	1/3	
ingest_repository `job_01M4WAYEHJTX`	DONE	33 ms	2.6 s	none	1/3	
ingest_repository `job_01M4WAYD8Q1D`	DONE	3.8 s	168 ms	none	1/3	
ingest_repository `job_01M4WAE4JKTQ`	DONE	50 ms	3 min 37 s	none	1/3	
ingest_repository `job_01M4WAE3GV0S`	CANCELLED	n/a	n/a	CANCELLED	0/3	
live_analysis `job_01M4W9T57YCB`	CANCELLED	14 min 32 s	26 ms	CANCELLED	1/3	
ingest_repository `job_01M4W9T01QYD`	DONE	43 ms	281 ms	none	1/3	
ingest_repository `job_01M4W9SYR5ZR`	DONE	68 ms	38 ms	none	1/3	
ingest_repository `job_01M4W9SXNGY2`	DONE	80 ms	54 ms	none	1/3	


API ok · schema v8

Exit workspace

Repositories

The pinned snapshot of each repository and its inventory.


`#/app/repository`



Capabilities and coverage

What this deployment can do per ecosystem, which oracles exist and which features are enabled.


#/app/coverage



Settings

Theme, access token and application information.

#/app/settings




Close-ups used in the demo

Reuse and recomputation (the twist)

Pairs reused, pairs recomputed, stored objects rejected, worlds reused and built, with the reason for each pair. Counted from the append-only event log.

`#/app (crop)`



Analysis funnel

Every stage as a recorded count, from submitted to verdict.

`#/app (crop)`

Analysis funnel

chetanagrawal721/faultline-fixture-acme-models + chetanagrawal721/faultline-fi · persisted stages

01 **Submitted** 2 recorded	02 **Pinned** 2 recorded	03 **Inventoried** 2 recorded	04 **Relationships** 1 recorded
05 **Worlds built** 1 recorded	06 **Oracles run** 1 recorded	07 **Witness** 1 recorded	08 **Verdict** 1 recorded

Latest analysis `an_00978e3d3b8` · DONE · LIVE.