



Deployment of Machine Learning Model to Amazon Web Services



Contents

1.	The Problem statement:	3
2.	Application Design:	3
3.	Pre-requisites:	5
4.	Python Implementation:	5
5.	Flask App:	10
6.	Deployment to AWS:	14






Preface

This book is intended to help all the data scientists out there. It is a step by step guide for creating a machine learning model right from scratch and then deploying it to AWS Cloud. This book uses a dataset from Kaggle to predict the chances of the admission of a student into foreign universities based on different evaluation criteria. This book tries to explain the concepts simply, extensively, and thoroughly to approach the problem from scratch and then its deployment to a cloud environment.

Happy Learning!





Machine Learning with Deployment to AWS Cloud Platform

1. The Problem statement:


The goal here is to find the chance of admission of a candidate based on his/her GRE Score (out of 340), TOEFL Score (out of 120), rating of the University (out of 5) in which he/she is trying to get admission, Strength of the SOP (out of 5), strength of the Letter Of Recommendation (out of 5), CGPA (out of 10) and the research experience (0 or 1).

2. Application Design:


Once we have the data source fixed, the machine learning approach majorly consists of two pipelines:

The Training Pipeline

The training pipeline includes data pre-processing, selecting the right algorithm for creating the machine learning model, checking the accuracy of the created model and then saving the model file.








The Testing Pipeline

Once the training is completed, we need to expose the trained model as an API for the user to consume it. For prediction, the saved model is loaded first and then the predictions are made using it. If the web app works fine, the same app is deployed to the cloud platform.







3. Pre-requisites:

- Basic knowledge of flask framework.
- Any Python IDE installed(we are using PyCharm).
- An AWS account.
- Basic understanding of HTML.

4. Python Implementation:

4.1 Importing the necessary Files

We'll first import all the required libraries to proceed with our machine learning model.

```
# necessary Imports
import pandas as pd
import matplotlib.pyplot as plt
import pickle
% matpllotlib inline
```



4.2 Reading the Data File

df= pd.read_csv('Admission_Prediction.csv') # reading the CSV file

4.3 Data Pre-processing and Exploratory Data Analysis

• First, we print a small sample from the data.

<pre>df.head() # checking the first five rows from the dataset</pre>									
	Serial No.	GRE Score	TOEFL Score	University Rating	SOP	LOR	CGPA	Research	Chance of Admit
0	1	337.0	118.0	4.0	4.5	4.5	9.65	1	0.92
1	2	324.0	107.0	4.0	4.0	4.5	8.87	1	0.76
2	3	NaN	104.0	3.0	3.0	3.5	8.00	1	0.72
3	4	322.0	110.0	3.0	3.5	2.5	8.67	1	0.80
4	5	314.0	103.0	2.0	20	3 ∩	8 21	0	0.65

• We check for the datatypes and missing values in the dataset.

```
df.info() # printing the summary of the dataframe
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 500 entries, 0 to 499
Data columns (total 9 columns):
Serial No. 500 non-null int64
GRE Score
               485 non-null float64
TOEFL Score
                 490 non-null float64
University Rating 485 non-null float64
SOP
               500 non-null float64
LOR
               500 non-null float64
CGPA
               500 non-null float64
Research
                500 non-null int64
Chance of Admit
                500 non-null float64
dtypes: float64(7), int64(2)
memory usage: 35.2 KB
```

As shown in the screenshot above, the highlighted columns have some missing values. Those missing values need to be imputed.

• Imputing the missing values in the dataset.

```
df['GRE Score'].fillna(df['GRE Score'].mode()[0],inplace=True)
# to replace the missing values in the 'GRE Score' column with the
mode of the column
# Mode has been used here to replace the scores with the most
occurring scores so that data follows the general trend

df['TOEFL Score'].fillna(df['TOEFL Score'].mode()[0],inplace=True)
# to replace the missing values in the 'GRE Score' column with the
mode of the column
# Mode has been used here to replace the scores with the most
```



```
occurring scores so that data follows the general trend

df['University Rating'].fillna(df['University
Rating'].mean(),inplace=True)

# to replace the missing values in the 'University Rating' column
with the mode of the column

# Mean has been used here to replace the scores with the average
score
```

Now, we create separate training and test data sets.

```
# dropping the 'Chance of Admit' and 'serial number' as they are not
going to be used as features for prediction
x=df.drop(['Chance of Admit','Serial No.'],axis=1)
# 'Chance of Admit' is the target column which shows the probability
of admission for a candidate
y=df['Chance of Admit']
```

The new data set looks like:

	GRE Score	TOEFL Score	University Rating	SOP	LOR	CGPA	Research
0	337.0	118.0	4.0	4.5	4.5	9.65	1
1	324.0	107.0	4.0	4.0	4.5	8.87	1
2	312.0	104.0	3.0	3.0	3.5	8.00	1
3	322.0	110.0	3.0	3.5	2.5	8.67	1
4	314.0	103.0	2.0	2.0	3.0	8.21	0

Generally, we'd use a scaler to transform data to the same scale. But as we are just at the beginning of the curriculum, we are skipping that. It'll be discussed in the forthcoming reading materials.


 Once the feature columns have been separated, we'll plot the graphs among the feature columns and the label column to see the relationship between them.

Note: If the same code is being written in a python IDE, instead of a Jupyter Notebook, please use plt.show() for the showing the graphs.

> A graph between GRE Score and Chance of Admission


plt.scatter(df['GRE Score'],y) # Relationship between GRE Score and Chance of Admission





> A graph between TOEFL Score and Chance of Admission


plt.scatter(df['TOEFL Score'],y) # Relationship between TOEFL
Score and Chance of Admission





A graph between CGPA and Chance of Admission

plt.scatter(df['CGPA'],y) # Relationship between CGPA and Chance
of Admission



- From the above graphs between the continuous feature variables and the label column, it can be concluded that they exhibit a linear relationship amongst them. So, we'll use Linear regression for prediction.
- Once we have determined the Machine Learning algorithm to use, we'll split the datasets into train and test sets as shown below:

```
# splitting the data into training and testing sets
from sklearn.model_selection import train_test_split
train_x,test_x,train_y,test_y=train_test_split(x,y,test_size=0.33,
random state=100)
```

• Now, we'll fit this data to the Linear Regression model.

```
# fitting the date to the Linear regression model
from sklearn import linear_model
reg = linear_model.LinearRegression()
reg.fit(train_x, train_y)
```

 Let's check the accuracy of our model now. Accuracy is calculated by comparing the results to the test data set.

```
# calculating the accuracy of the model
from sklearn.metrics import r2_score
score= r2_score(reg.predict(test_x),test_y)
```



• If we are content with the model accuracy, we can now save the model to a file.

```
# saving the model to the local file system
filename = 'finalized_model.pickle'
pickle.dump(reg, open(filename, 'wb'))
```

Let's predict using our model.


```
# prediction using the saved model.
loaded_model = pickle.load(open(filename, 'rb'))
prediction=loaded_model.predict(([[320,120,5,5,5,10,1]]))
print(prediction[0])
```

With the given input, our model predicts that the chance of admission is 99.57 per cent.

Now, the model is ready for cloud deployment.


5. Flask App:

As we'll expose the created model as a web API to be consumed by the client/client APIs, we'd do it using the flask framework.



Create the project structure, as shown below:





Only create the files and folders(marked in yellow), and put the saved model file in the same folder as your app.py file.

Index.html:

```
• {% extends 'base.html' %}
   {% block head %}
   <title>Search Page</title>
   <link rel="stylesheet" href="{{ url_for('static',</pre>
   filename='css/style.css') }}">
   {% endblock %}
   {% block body %}
   <div class="content">
       <h1 style="text-align: center">Predict Your chances for
   Admission</hl>
       <div class="form">
           <form action="/predict" method="POST">
               <input type="number" name="gre_score" id="gre_score"</pre>
   placeholder="GRE Score">
               <input type="number" name="toefl_score" id="toefl_score"</pre>
   placeholder="TOEFL Score">
                <input type="number" name="university rating"</pre>
```



```
id="university_rating" placeholder="University Rating">
             <input type="number" name="sop" id="sop"</pre>
placeholder="SOP Score">
             <input type="number" name="lor" id="lor"</pre>
placeholder="LOR Score">
             <input type="number" name="cgpa"</pre>
id="cgpa"placeholder="CGPA" step="any">
             <select name="research" id="research">
  <option value="yes">Yes</option>
  <option value="no">No</option>
</select>
             <input type="submit" value="Predict">
        </form>
    </div>
</div>
{% endblock %}
```

application.py:

```
from flask import Flask, render_template, request, jsonify
from flask_cors import CORS,cross_origin
import pickle
app = Flask( name ) # initializing a flask app
@app.route('/',methods=['GET']) # route to display the home page
@cross_origin()
def homePage():
    return render_template("index.html")
@app.route('/predict',methods=['POST','GET']) # route to show the
@cross_origin()
def index():
    if request.method == 'POST':
        try:
            gre_score=float(request.form['gre_score'])
            toefl_score = float(request.form['toefl_score'])
            university rating =
float(request.form['university_rating'])
            sop = float(request.form['sop'])
lor = float(request.form['lor'])
            cgpa = float(request.form['cgpa'])
            is_research = request.form['research']
            if(is_research=='yes'):
                research=1
                research=0
            filename = 'finalized model.pickle'
            loaded_model = pickle.load(open(filename, 'rb')) # loading
the model file from the storage
            # predictions using the loaded model file
```



results.html:

```
• <!DOCTYPE html>
  <html lang="en" >
   <head>
    <meta charset="UTF-8">
    <title>Review Page</title>
       <link rel="stylesheet"</pre>
  href="https://cdnjs.cloudflare.com/ajax/libs/normalize/5.0.0/normali
  ze.min.css">
         <link rel="stylesheet" href="./style.css">
       <link rel="stylesheet" href="{{ url_for('static',</pre>
  filename='css/style.css') }}">
  </head>
  <body>
    <div class="table-users">
      <div class="header">Prediction</div>
         Your chance for admission is {{prediction}} percent
   </div>
   </body>
  </html>
```




Python.config

```
option_settings:
   "aws:elasticbeanstalk:container:python":
   WSGIPath: application.py
```

6. Deployment to AWS:


6.1 Points to consider before deployment

- The python application file should be named application.py
- Create a requirements.txt using pip freeze > requirements.txt from the project folder
- Create a folder '.ebextensions' and create a file 'python.config' inside it. Make sure to populate the content of python.config, as shown above.
- · Create the zip file from the project folder itself.




6.2 Deployment Process

- Go to https://aws.amazon.com/ and create an account if already don't have one.
- Go to the console and go to the 'Build a web app' section and click it.



• Give the name of the application, give platform as python, and select the option to upload your code.





Thank You!