



Training Dashboard

Generated 2026-08-31 18:56 UTC

Race Targets



Half Oceanman

Oct 03, 2026

In 33 days

Target: 2:05:00

Predicted: ~2:18:38



Treviso 10K Tiramisu Run

Oct 11, 2026

In 41 days

Target: 57:30



Marathon

Feb 07, 2027

In 160 days

Target: 4:02:39



Ironman Italy Cervia

Jun 20, 2027

In 293 days

Target: 11:43:58

Predicted: ~8:34:52

Last 30 Days

3

SESSIONS

2h

VOLUME

77

AVG LOAD

6.0h

AVG SLEEP

41

BODY BATTERY



Swimming (2)

1.9km

TOTAL

2:46/100m

PACE



Running (0)

n/a

TOTAL

n/a

PACE



Cycling (1)

20km

TOTAL

26.4 km/h

SPEED

AI Coaching

- The last 4 weeks show critically low training volume — only a single 9-minute open-water swim is logged — almost certainly explained by the illness reported on 15 August. Sleep is consistently poor (most nights under 6 hours, many under 5) and body battery is chronically depleted, confirming the body is still recovering rather than absorbing training stress. With the Half Oceanman 5,000m swim just 35 days away, the immediate priority is rebuilding swim volume carefully and safely before attempting any intensity.
- Prioritise swim volume above all other disciplines this week and next: the Half Oceanman is 35 days away and the 5,000m distance requires at minimum 3 swim sessions per week hitting 2,000–2,500m each — start conservative given the recent illness and ramp weekly.
 - Sleep is the single biggest limiter right now — most nights are under 5.5 hours and body battery rarely exceeds 60; aim for a strict 7–8 hour sleep window to allow any training to actually produce adaptation before the race.
 - Do not attempt the planned 100km long ride today (29 Aug) at full distance; your body battery is at 38–60 and you have had essentially zero training load for 4 weeks — treat this weekend as a reintroduction block, not a training block.
 - For the Half Oceanman swim target of 2:30/100m, include at least one pace-specific set per week (e.g. 6×200m at 2:25–2:30/100m with 30s rest) from week 11 onward to build confidence at race pace before the taper.
 - Hold off on full tempo run intensity (5:35–5:50/km blocks) until at least week 12 given the post-illness return; replace week 11 Thursday tempo with a comfortable aerobic 30–35 min run at 6:15–6:30/km to assess run legs safely.

Proposed plan changes (review on the website, apply via "Apply to Dashboard"):

DATE	DISCIPLINE	PROPOSED	TYPE
2026-08-29	Cycling	Replace with a 45-minute very easy Z1–Z2 spin (90–130W, flat route) or rest entirely — no	DECREASE
2026-08-29	Swimming	30–40 min easy open-water or pool swim, 1,200–1,500m at comfortable effort (no pace target	DECREASE
2026-08-30	Running	Easy 40–50 min run @ 6:30–7:00/km (approx. 6–7km) — treat as a movement check-in, not a lo	DECREASE
2026-09-03	Running	Replace with aerobic run 6:10–6:30/km, 30–35 min — no tempo intensity; assess how legs fee	REPLACE
2026-09-04	Swimming	Pool swim 2,000m including 6×200m at 2:25–2:30/100m with 30s rest — first race-pace exposu	REPLACE
2026-09-05	Cycling	Reduce to 75–90 km @ 128–160W (Z2 only, no tempo blocks), approximately 180–200 min — stil	DECREASE