



Training Dashboard

Generated 2026-08-29 06:17 UTC

Race Targets

Half Oceanman
Oct 03, 2026
In 35 days
Target: 2:05:00
Predicted: ~2:13:20

Treviso 10K Tiramisu Run
Oct 11, 2026
In 43 days
Target: 57:30

Marathon
Feb 07, 2027
In 162 days
Target: 4:02:39

Ironman Italy Cervia
Jun 20, 2027
In 295 days
Target: 11:43:58
Predicted: ~1:41:20

Last 30 Days

1
SESSIONS

0h
VOLUME

11
AVG LOAD

5.9h
AVG SLEEP

39
BODY BATTERY

Swimming (1)
0.4km **2:40/100m**
TOTAL PACE

Running (0)
n/a **n/a**
TOTAL PACE

Cycling (0)
n/a **n/a**
TOTAL SPEED

AI Coaching

- The last 4 weeks show an extremely low training volume — only a single 9-minute open-water swim recorded — almost certainly explained by the illness reported on 15 August. Sleep duration has been consistently poor (many nights under 5–6 hours) and body battery readings are chronically low, indicating the athlete is still carrying significant residual fatigue. With the Half Oceanman 35 days away requiring a 5,000m open-water swim at 2:30/100m, the priority must be a careful, progressive return to swimming volume over the next two weeks before any meaningful intensity is introduced.
- Prioritise sleep above all else this week — body battery has rarely exceeded 60 and most nights fall under 6 hours, which will blunt adaptation from any training you do attempt.
 - For the Half Oceanman swim (35 days, 5,000m at 2:30/100m), build open-water and pool swim volume progressively: aim for 2×2,000m sessions this week, then 2×2,500m next week, and one longer 3,500–4,000m continuous effort in Week 13 to simulate race demand.
 - Given the near-zero training over the past 4 weeks post-illness, treat this weekend (Wk10) as a very gentle re-entry: skip the 100km ride target and replace with a 45–60 min easy spin, and cap the Sunday run at 10–12 km easy rather than the planned 19 km.
 - The Treviso 10K (43 days) will take care of itself if running continuity is restored — don't add extra run-specific sessions; simply resume the plan's tempo runs in Wk11–12 at the lower end of the prescribed pace range.
 - Monitor body battery daily: if it is below 30 on any training morning, convert that session to rest or a 20-minute easy walk — accumulated fatigue from illness requires genuine recovery before adaptation can occur.

Proposed plan changes (review on the website, apply via "Apply to Dashboard"):

DATE	DISCIPLINE	PROPOSED	TYPE
2026-08-29	Cycling	45-minute very easy spin at 100–130W (pure aerobic flush, no targets) — skip the 100 km di	DECREASE
2026-08-29	Swimming	30-minute easy open-water swim (~1,000–1,200m), purely to re-establish feel for the water	DECREASE
2026-08-30	Running	Easy aerobic run of 10–12 km at 6:45–7:15/km, stopping immediately if fatigue or discomfort	DECREASE
2026-09-05	Cycling	75–90 km at 128–155W (lower end of Z2 only), capping ride time at 180 min — no Z3 blocks.	DECREASE
2026-09-06	Running	14–15 km at 6:30–6:50/km (approx 100 min) — steady aerobic, no negative-split attempt.	DECREASE
2026-09-12	Cycling	90–100 km at 128–177W including 2×10 min at 178–200W tempo blocks — begin adding controlled	DECREASE