ABOUT THE COMPANY

Quient training is an enthusiastic group intended to train students in colleges that are denied the privilege of Placement training, A group of Enthusiasts now have a vision of training students that don't have access to placement training that can help them get placed, and thereby build their future.

OVERVIEW OF THE PROJECT

Project Name: Quient Technical and Placement Trainings
Website for Bionic

Team Members: CHETHAN U V

Bachelor of Engineering in

Mechanical Engineering

CMR INSTITUTE OF TECHNOLOGY

BANGALORE

This project is based on Web Development And its Applications. The main objective of this project is to learn the implementation of HTML, CSS and Javascript.

ABOUT

THIS COMPANY AIMS AT DOING THE FOLLOWING ACTIVITIES , KEEPING THE BEST INTEREST OF STUDENTs IN MIND.

SOME OF THEM ARE AS MENTIONED BELOW

• Create awareness about "career planning" and "career mapping" among the students.

- Equip the student with life skills.
- Train the students on "Personality development".
- Organize Various Training Programmes to train the students in the areas of Quantitative Aptitude, Logical Reasoning and Verbal reasoning through the reputed external training organizations and in-house trainers.
- Train the students through Mock Interviews to perform well in the professional interviews as per the expectations of the corporate world.
- Train the students on group discussion techniques
- •Conduct online tests and written aptitude

TOOLS USED

Software Requirements

- Visual Studio Code 2019.
- Google Chrome of latest version.
- Linux 7.1 or Windows xp/7/8/10 operating system

Hardware Requirements

- Pentium 200-MHz computer with 12GB of RAM (128 MB of RAM recommended minimum).
- Monitor with a refresh rate of at least 40Hz for a smooth GUI experience (optional).

IMPLEMENTATION

Source code:index.html

```
P1
```

```
<a href="contactus.html">Contact us</a>
          <a href="login.html">View</a>
      </div>
      <h1>Quient Training Pvt Ltd</h1>
     <div class="obj">
     <l
          To look for 100% employment for all students
      To recognize the core competencies of the students.
ul>
      <br>
     To train the students to meet the expections of the indust
ry thruogh our career devolpment programmes.
     To build confidence in students and devolp the right attit
ude in them and
     <br>
     enhance their communication skills.
     <br>
   </div>
   <h1>Training Activities </h1>
   <div class="obj">
```

```
<l
           Create awareness about "career planning" and "career
mapp ing" among the
                               students.
        <br>
        Equip the student with life skills..
<br>
       Train the students on "Personality development".
       <br>
       Organize Various Training Programmes to train the students
in the areas of
          Quantitative Aptitude, Logical Reasoning and Verbal reasoning
                the reputed external training organizations and inhouse
through
trainers.
       <br>
       Train the students through Mock Interviews to perform
well in the professional
                                interviews as per the expectations
of the corporate world
       <br>
       Train the students on group discussion techniques
       <br>
       Conduct online tests and written aptitude tests
    </div>
    <div>
    <h1><u>TRAINNING STATS: 1000+ STUDENTS TRAINED ACROSS 110+ COLLEGES</
      </h1>
   </div>
   <div class="menu-bar">
       <l
          <img src="biologo.jpg" style="width: 100px; height: 60px;"</pre>
>
          080-2433190
          insta:bionic_trainning
```

```
P1
```

```
snapchat:bio_train
```

```
</div>
```

Source code: about us

```
<html>
<head>
<title>aboutus</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
   <div class="menu-bar">
       <l
           <img src="biologo.jpg" style="width: 100px; height: 60px;"</pre>
>
           <a href="goodindex.html">home</a>
           <a href="aboutus.html">about us</a>
           <a href="tesmonials.html">testmonials</a>
           <a href="gallery.html">gallery</a>
           <a href="contactus.php">Contact us</a>
           <a href="login.html">View</a>
       </div>
       <h1>About Us</h1>
         <b>Why is Placement training important:</b>Why is Placement t
raining important:
           Placement training plays a major role in shaping up the career
goals of students. It is
           the dream of every engineering student to get placed in a top
organization visiting
                                 their campus for recruitment. Keeping
this key aspect into con sideration, it is realized
           that training is important for engineering students to enhance
their employability skills
           and achieve good placement in various Industries
```

```
P1
           At present, the competition for employment is increasing every
day and placement has
            become a challenging task. Training students and equipping the
m with life skills has
                                   become an important responsibility of
the institution. Along w ith technical expertise,
                                                        the development
of a holistic personality is also necessary.
           <b>Quient training is an enthusiastic group intended to tra
in
                  students in colleges that are denied the privilege of
                          training, A group of Enthusiasts now have a
Plac ement
vision of trai ning
                                  students that don't have access to
placement training that can
                                           help them get placed, and
thereby build their future.</b>
source code: contact us
<html>
<head><title>contact us</title></head>
<link rel="stylesheet" type="text/css" href="style2.css"> <center>
   <body>
   <div class="menu-bar">
       <l
       <a href="goodindex.html">home</a>
           <a href="aboutus.html">about us</a>
           <a href="tesmonails.html">testmonials</a>
           <a href="gallery.html">gallery</a>
           <a href="contactus.html">Contact us</a>
           <a href="login.html">View</a>
       </div>
       <section class="contact">
               <h2>Contact us</h2>
               <div class="container">
               <div class="contactInfo">
                   <div class="box">
                       <div class="icon"><i class="fa fa-map"</pre>
ariahidden="true"></i></div>
```

<h3>Adress</h3>

<div class="text">

```
P1 =
                      320 Neharu nagar<br>Mundgod<br>tq:Mundgod d
ist:UK </div>
</div>
         <div class="box">
                   <div class="icon"><i class="fa fa-phone"</pre>
ariahidden="true"></i></div>
                   <div class="text">
                      <h3>phone</h3>
                      5467975456
</div>
</div>
               <div class="box">
                   <div class="icon"><i class="fa fa-envelopeo"</pre>
aria-hidden="true"></i></div>
                   <div class="text">
                      <h3>email</h3>
                      abcxyz@gmail.com
</div>
</div>
</div>
</div>
   <form action="contactus.php" method="post">
       name
            <input type="text" name="name" required>
         email
            <input type="email" name="email" required>
         type message
            <input type="text" name="msg" required>
 <input type="submit" name="</pre>
signup" value="signup">
```

```
</form>
</body>
ddq{>
session start();
$conn=mvsqli connect('localhost','root','','registration');
    die('could not connect mysql:' .mysql error());
  if(isset($ POST['signup']))
     $name=$ POST['name'];
     $email=$ POST['email']:
     $msg=$ POST['msg'];
     $sal="insert into contactus (name.email.msg) values ('$name'.'$email'
'$msg')":
     if(mysqli query($conn,$sql)){
            echo "<h3>Thank you for contacting us</h3>":
     else{
        echo "error:".$sql ."<br>".mysqli error($conn);
```

Source code:gallery.html

```
P1
```

```
<a href="aboutus.html">about us</a>
           <a href="tesmonials.html">testmonials</a>
<a href="gallery.html">gallery</a>
           <a href="contactus.html">Contact us</a>
           <a href="login.html">View</a>
       </div>
       <div class="container">
       <div class="gallery">
           <img src="image2.jpg">
              <div class="desc">traing on data science domain</div>
       </div>
       <div class="gallery">
           <img src="image3.jpg">
              <div class="desc">training on machine learning domain </div</pre>
       </div>
       <div class="gallery">
           <img src="image4.jpg">
              <div class="desc">training on web domain</div>
</div>
       <div class="gallery">
           <img src="image5.jpg">
              <div class="desc">traininng on AI domain</div>
</div>
       <div class="gallery">
           <img src="image6.jpg">
              <div class="desc">Training on big data domain</div>
</div>
       <div class="gallery">
           <img src="image7.jpg">
              <div class="desc">training on Hadoop </div>
       </div>
       </div>
       </body>
       </html>
```

Source code:home.php

```
if(isset($_POST['signup']))
    {
        $id=$_POST['id'];
        $username=$_POST['username'];
```

```
P1

$email=$_POST['email'];

$password=$_POST['password'];
```

```
username','$email','$password')";
    if(mysqli query($conn,$sql)){
        echo "<h3>vou have register successfully!</h3>";
    }
    else{
        echo "error:".$sal ."<br>", mysali error($conn);
    }
}
```

\$sql="insert into users (id,username,email,password) values ('\$id','\$

Source code:

```
<html>
<head><title>login page</title></head>
<link rel="stylesheet" type="text/css" href="style1.css">
<body>
    <div class="login-box">
        <h1> LOGIN HERE</h1>
        <form method="POST" action="dologin.php">
             user name
            <input type="text" name="username" placeholder="enter user nam</pre>
e" required/>
             Password
           <input type="Password" name="password" placeholder="enter yo</pre>
ur Password" required/>
            <input type="submit" name="submit" value="Submit"/>
            <a href="home.php">new user? register here</a>
       </form>
</div>
</body>
```

Source code:

```
<html>
```

```
P1
```

<head>

<meta charset="utf-8">

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link href="https://fonts.googleapis.com/css2?family=Poppins:wght@500&</pre>
display=swap" rel="stylesheet">
    <link rel="stylesheet" href="file:///C:/fontawesome-free-</pre>
5.13.0web/css/all.css">
    <link rel="stylesheet" type="text/css" href="tstyle.css">
    <title>Testimonials</title>
</head>
<body>
    <section>
        <div class="heading"><b>Our</b> Testimonials</div>
        <div class="wrapper">
            <div class="container">
                <div class="profile">
                    <div class="imgBox">
                         <img src="img1.jpeg">
                    </div>
                </div>
                <span class="fa fa-quoteleft left"></span>Amazing
experiencre with this traing app helpfuland also very responsive website
instant response. We all usally seek best trainer to come over from our
weakness and this website help to come over from or weakness thank
you<span class="fa fa-quote-right right"></span>
                <div class="social">
                    <i class="fab fa-twitter"></i></i>
                    <i class="fab fa-youtube"></i></i>
                    <i class="fab fa-instagram"></i></i>
                </div>
            </div>
            <div class="container">
                <div class="profile">
                    <div class="imgBox">
                         <img src="img2.jpeg">
                    </div>
                </div>
                <span class="fa fa-quote-</p>
```

left left">Amazing experiencre with this traing app helpfuland also
very responsive website instant response.We all usally seek best trainer
to come over from our weakness and this website help to come over from or
weakness thank you

```
<div class="social">
     <i class="fab fa-twitter"></i>
     <i class="fab fa-youtube"></i>
     <i class="fab fa-instagram"></i></i>
```

```
</div>
          </div>
          <div class="container">
              <div class="profile">
                 <div class="imgBox">
                     <img src="img3.jpeg">
                 </div>
              </div>
              <span class="fa fa-quote-left left"></span>
                 Amazing experiencre with this traing app helpfuland al
so very responsive website instant response. We all usally seek best traine
r to come over from our weakness and this website help to come over from o
<div class="social">
                 <i class="fab fa-twitter"></i></i>
                 <i class="fab fa-youtube"></i></i>
                 <i class="fab fa-instagram"></i></i>
              </div>
          </div>
       </div>
   </section>
   <div class="menu-bar">
       <l
          <a href="goodindex.html">home</a>
          080-2433190
          insta:bionic_trainning
       </div>
</body>
```

<u>P1</u>

```
Source code(style.css):
padding:0; margin:0;
* {
}
body
     font-family: sans-serif;
.menu-bar
```

```
background-color: blueviolet;
text-align: center;
.menu-bar ul
{ display: inline-
flex; list-style:
none; color: white;
.menu-bar ul li
{ width:
120px;
margin: 15px;
padding: 15px; }
.menu-bar ul li a
{ text-decoration:
none; color: white;
} h1{ margin-top:
100px; margin-left:
50px; margin-bottom:
50px;
.obj{ display: flex;
flex-direction: column;
margin-left: 50px;
}q
    margin-left: 20px; margin-
bottom: 50px;
```

```
font-family:-apple-
```

```
system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu,
Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
}
```

Source code(syle1.css):

```
body{
         margin: 0;
padding: 0; background:
url(image.jpg);
                  background-
size:cover; background-
                   font-
position: center;
family: sans-serif;
.login-box{ width: 320px;
height: 420px; background:
rgba(0,0,0,0.5); color: #fff;
top:50%;
           left: 50%;
position: absolute;
                     transform:
translate(-50%,-50%);
                      box-
sizing: border-box; padding:
70px 30px;
```

Source code(style2.css):

```
@import
```

url('https://fonts.googleapis.com/css?family=Poppins:wght@200;300;

```
400;500;600;700;800;900&display=swap');

* {
    padding:0;
margin:0; box-sizing:
border-box;
    font-family:'poppins',sans-serif;
}
.contact{

    position: relative; min-height: 100vh; display:flex;
justify-content: center;
align-items: center; flex-
```

direction: column;

```
P1
.contact h2
     font-size:
36px;
         font-
weight: 500;
color:chocolate;
.container
    width:100%;
display: flex;
justify-content: left;
align-items:left;
margin-top: 30px;
position: relative;
.container .contactInfo
     width: 50%;
                    flex-
direction: column;
display: flex;
position: absolute;
.container .contactInfo .box
    padding: 20px 0;
text-align: end;
position: relative;
display: flex; position:
relative;
.container .contactInfo .box .text
      display:fl
ex;
```

```
margin-left: 20px;
                         font-
size: 16px; color:darkblue;
flex-direction: column;
position: relative;
.container .contactInfo .box .text
h3{ font-weight: 500; color:
deeppink; position: relative;
.contactform
   width: 40%;
padding: 40px;
   background: gainsboro;
.contactform h2{ font-
size: 30px; font-
weight: 500;
.contactInfo .inputBox
{ position:
relative; width:
100%; margin-top:
10px;;
.contactform .inputBox
input{ width: 100%;
padding: 5px 0; font-
size: 16px; margin: 10px
0; border:none;
   border-bottom: 2px solid
#333; outline:none;
resize:none;
.contactform .inputBox span
   position: static;
```

```
P1
```

```
padding: 5px 0;
font-size: 16px; margin:
10px 0; pointer-events:
none; transition: 0.5s;
```

```
color:#666;
 } body { background-image:
url(image.jpg); background-size:
cover; background-position:
center; box-sizing: border-box;
font-family: sans-serif;
.menu-bar
     background-color:
blueviolet; text-align:
center;
.menu-bar ul
{ display: inline-
flex; list-style:
none; color: white;
.menu-bar ul li
{ width:
120px;
        margin:
15px; padding:
15px; }
.menu-bar ul li a
   text-decoration: none;
color: white;
```



Source code(tstyle.css):

```
margin: 0; padding: 0;
font-family: 'poppins',sans-serif;
box-sizing: border-box;
} body { background-image:
url(image.jpg); background-size:
cover; background-position: center;
box-sizing: border-box; font-family:
sans-serif;
} section{
            position:
} section{    position:
relative;    min-height:
100vh; width: 100%;
background: #070c0d;
overflow: hidden;
section:before{
                 position:
absolute; content: '';
width: 2000px; height:
100%;
         bottom: -70%;
border-radius: 50%;
background: #3b7cf5;
inline-block; position:
relative; color: #3b7cf5;
font-size: 4vw;
                 padding:
60px;
        width: 100%;
text-align: center; font-
weight: 800;
```

```
P1
section .heading:before{
position: absolute;
content: ''; width:
15%; height: 7px;
   left: 50%;
                transform: translateX(-
50%);
        bottom: 25%;
   background: #393939;
} section .heading b{     color:
#fff;
.wrapper{ width: 100%;
                            display:
      justify-content: center;
flex;
flex-wrap: wrap; text-align: center;
.wrapper .container{      position:
relative;
           width: 350px; color:
#fff; background: #222;
                            margin:
40px 10px;
             padding: 30px 20px;
border-radius: 3px; transition: 0.3s
ease;
.wrapper .container .profile{      position:
absolute; left: 50%; transform:
translateX(-50%); top: -10%; width:
100%; display: block;
.wrapper .container .profile .imgBox{      position:
          height: 100px; width: 100px;
relative;
margin: auto;
```

```
border: 8px solid #070c0d;
   border-radius: 50%;
   overflow: hidden;
.wrapper .container .profile .imgBox img{
   position: absolute;
   height: 100%;
   width: 100%;
   top: 0;
   left: 0;
   border-radius: 50%;
   object-fit: cover;
   transition: 0.3s ease;
.wrapper .container .profile .imgBox:hover img{
   filter: saturate(140%);
   transform: scale(0.95);
.wrapper .container .profile h2{
   padding: 5px 0;
   text-transform: capitalize;
   color: #fff;
   letter-spacing: 1px;
   text-align: center;
.wrapper .container p{
   margin-top: 50px;
   color: #fff;
   padding: 0 8px;
   font-size: 15px;
   opacity: 0.8;
.wrapper .container .left{
   font-size: 30px;
   display: block;
   text-align: left;
   color: #3b7cf5;
.wrapper .container .right{
   font-size: 30px;
   display: block;
   text-align: right;
```

colon: #2b7cfF:

```
P1
.wrapper
.container .social{     width
: 100%;
.wrapper .container .social
i{ font-size: 1.2em;
color: #fff;
  padding: 8px; background:
rgba(255,255,255,0.08); border-
radius: 4px; box-shadow: 0 4px 4px
rgba(0,0,0,0.5); }
.wrapper .container .social
i:hover{ background: #3b7cf5;
.menu-bar
     background-color:
blueviolet; text-align:
center;
.menu-bar ul
{ display: inline-
flex; list-style:
none; color: white;
.menu-bar ul li
{ width:
120px; margin:
15px; padding:
15px; }
.menu-bar ul li a
{ text-decoration:
none; color: white;
```



Source code(gstyle.css):

```
padding:0;
margin:0;
body { background-image:
url(image.jpg); background-size:
cover; background-position: center;
box-sizing: border-box; font-
family: sans-serif;
.menu-bar
     background-color:
blueviolet; text-align:
center;
.menu-bar ul
{ display: inline-flex;
list-style: none;
color: white;
.menu-bar ul li
  width: 120px;
margin: 15px;
padding: 15px; }
.menu-bar ul li a
{ text-decoration: none;
color: white;
.container
```

```
PI

max width:120px;

margin:auto; overflow:auto;

}
.gallery
{

margin:5px;
border:1px solid #ccc;
float:left;
width:390px;
}
.gallery
img{ width:100%;
height: 200px;

} .desc{ padding:
10px; text-align:
center;
```

Source code(contactus.php):

```
D
```

```
<html>
<head><title>contact us</title></head>
<link rel="stylesheet" type="text/css" href="style2.css">
   <body>
   <div class="menu-bar">
       <u1>
       <a href="index.php">home</a>
          <a href="aboutusss.html">about us</a>
          <a href="tesmonails.html">testmonials</a>
          <a href="gallery.html">gallery</a>
          <a href="contactus.php">Contact us</a>
          <a href="login.html">View</a>
</div>
       <section class="contact">
              <h2>Contact us</h2>
              <div class="container">
              <div class="contactInfo">
                  <div class="box">
```

<div class="icon"><i class="fa fa-map"</pre>

```
P1
               <div class="box">
                  <div class="icon"><i class="fa fa-envelopeo"</pre>
aria-hidden="true"></i></div>
                  <div class="text">
                     <h3>email</h3>
                     abcxyz@gmail.com </div>
</div>
</div>
</div>
   <form action="contactus.php" method="post">
       name
            <input type="text" name="name" required>
         email
            <input type="email" name="email" required>
         type message
            <input type="text" name="msg" required>
```

```
name=" signup" value="signup">
        </form>
> <script type="text/javascript">
// <![CDATA] <-- For SVG support
if ('WebSocket' in window) {
        (function () {
                                  function refreshCSS()
                  var sheets =
[].slice.call(document.getElementsByTagName(" link"));
                                                                       var
head = document.getElementsByTagName("head")[0];
                                                                 for (var
i = 0; i < sheets.length; ++i) {</pre>
                                                     var elem = sheets[i];
var parent = elem.parentElement || head;
parent.removeChild(elem);
                                              var rel = elem.rel;
if (elem.href && typeof rel != "string" || rel.length
== 0 || rel.toLowerCase() == "stylesheet") {
url = elem.href.replace(/(&|\?)_cacheOverride=
                                   elem.href = url + (url.indexOf('?') >=
0 ? '&' : '
?') + '_cacheOverride=' + (new Date().valueOf());
parent.appendChild(elem);
                                           var protocol =
window.location.protocol === 'http:' ? 'ws://'
: 'wss://';
           var address = protocol + window.location.host + window.locatio
n.pathname + '/ws';
                                var socket = new WebSocket(address);
socket.onmessage = function (msg) {
               if (msg.data == 'reload') window.location.reload();
else if (msg.data == 'refreshcss') refreshCSS();
                         if (sessionStorage
           };
&& !sessionStorage.getItem('IsThisFirstTime
_Log_From_LiveServer'))
                 console.log('Live reload
enabled.');
                sessionStorage.setItem('IsThisFirstTime_Log_From_LiveServe
r', true);
```

```
P1
        })();
else {
        console.error('Upgrade your browser. This Browser is NOT supported
WebSocket for Live-Reloading.');
</script></body>
</html>
 <?php
session_start();
$conn=mysqli_connect('localhost','root','','registration');
if(!$conn){      die('could not connect
mysql:' .mysql_error());
if(isset($_POST['signup']))
     $name=$_POST['name'];
     $email=$_POST['email'];
     $msg=$_POST['msg'];
     $sql="insert into contactus (name,email,msg) values ('$name','$email'
,'$msg')";
if(mysqli_query($conn,$sql)){
                                           echo
"<h3>Thank you for contacting us</h3>";
            else{
                          echo
"error:".$sql ."<br>".mysqli_error($conn);
  }
```


Source code(dologin.php):

```
P1
```

```
<?php session_start();</pre>
$conn=mysqli_connect('localhost','root','','registration');
if(!$conn){      die('could not connect
mysql:' .mysql_error());
if(isset($_POST['submit']))
    $username=$_POST['username'];
    $password=$_POST['password'];
    $q=mysqli_query($conn,"select * from users where username='$username'
AND password='$password'");
    $row=mysqli_fetch_array($q);
$isexist=mysqli_query($conn,"select * from users where
username='$username
' AND password='$password'");
    $checkuser= mysqli_num_rows($isexist);
     if($checkuser
==1)
                           echo "<script>window.open('index.php',
'_self')</script>";
         else
                             echo "invalid
username or password";
```

IMPLEMENTATION


Snapshots:



Training Activities

- Create awareness about "career planning" and "career mapping" among the students.
- . Equip the student with life skills...
- Train the students on "Personality development".
- Organize Various Training Programmes to train the students in the areas of Quantitative Aptitude, Logical Reasoning and Verbal reasoning through the reputed external training organizations and in-house trainers.
- Train the students through Mock Interviews to perform well in the professional interviews as per the expectations of the corporate world
- · Train the students on group discussion techniques
- · Conduct online tests and written aptitude tests

TRAINNING STATS: 1000+ STUDENTS TRAINED ACROSS 110+ COLLEGES




About Us


Why is Placement training important:Why is Placement training important: Placement training plays a major role in shaping up the career goals of students. It is the dream of every engineering student to get placed in a top organization visiting their campus for recruitment. Keeping this key aspect into consideration, it is realized that training is important for engineering students to enhance their employability skills and achieve good placement in various Industries At present, the competition for employment is increasing even that become a challenging task. Training students and equipping them with life skills has become an important responsibility of the institution. Along with technical expertise, the development of a holistic personality is also necessary.


Quient training is an enthusiastic group intended to train students in colleges that are denied the privilege of Placement training, A group of Enthusiasts now have a vision of training students that don't have access to placement training that can help them get placed, and thereby build their future.





P1





BIBLIOGRAPHY

- https://mint.com
- https://timesofIndia.com
- https://pexabay.com

About my TEAM

CHETHAN U V - HTML and CSS