

Laporan Tugas Besar Praktikum Dasar Pemrograman



Nama : Cheyshia Dawati Sinaga

NIM : 261401038


Laboratorium : 2, DP 5

UNIVERSITAS SUMATERA UTARA

2026

Gambar Program

1. Menghitung Belanja




The screenshot shows a Pascal program in an IDE. The Explorer panel on the left shows a project named 'Tugas_Cheysia' with a file 'Soal1_261401038...'. The main editor displays the following code:

```
1 program Soal1_NgitungBelanja;
2
3 var
4     N, i: integer;
5     harga, total, diskon, totalBayar: real;
6
7 begin
8     writeln('PROGRAM TOTAL BELANJA');
9
10    write('Masukkan jumlah barang: ');
11    readln(N);
12
13    total := 0;
14
15    for i := 1 to N do
16    begin
17        write('Masukkan harga barang ke-', i, ': Rp');
18        readln(harga);
19
20        total := total + harga;
21    end;
22
23    { Menentukan diskon }
24    if total < 100000 then
25        diskon := 0
26    else if total < 500000 then
```

The Terminal panel at the bottom shows the output of the program:

```
40 lines compiled, 0.0 sec, 42784 bytes code, 3396 bytes data
PROGRAM TOTAL BELANJA
Masukkan jumlah barang: 5
Masukkan harga barang ke-1: Rp20000
Masukkan harga barang ke-2: Rp21000
Masukkan harga barang ke-3: Rp22000
```



The screenshot shows the continuation of the Pascal program in the IDE. The main editor displays the following code:


```
23    { Menentukan diskon }
24    if total < 100000 then
25        diskon := 0
26    else if total < 500000 then
27        diskon := 0.10 * total
28    else
29        diskon := 0.20 * total;
30
31    { Menghitung total bayar }
32    totalBayar := total - diskon;
33
34    writeln;
35    writeln('RINCIAN BELANJA');
36    writeln('Total Sebelum Diskon : Rp', total:0:2);
37    writeln('Besar Diskon       : Rp', diskon:0:2);
38    writeln('Total Bayar Akhir    : Rp', totalBayar:0:2);
39
40    readln;
41 end.
```

The Terminal panel at the bottom shows the output of the program:

```
PROGRAM TOTAL BELANJA
Masukkan jumlah barang: 5
Masukkan harga barang ke-1: Rp20000
Masukkan harga barang ke-2: Rp21000
Masukkan harga barang ke-3: Rp22000
Masukkan harga barang ke-4: Rp5000
Masukkan harga barang ke-5: Rp6000


RINCIAN BELANJA
Total Sebelum Diskon : Rp74000.00
Besar Diskon       : Rp0.00
Total Bayar Akhir    : Rp74000.00
```

2. Login Berhasil



```
1 program Soal2_MauLogin;
2
3 var
4     password, secretpassword : string;
5     tes : Integer;
6
7 begin
8     secretpassword := 'cheyshia22imut';
9     tes := 0;
10
11 repeat
12     tes := tes + 1;
13
14     write('Masukkan password: ');
15     readln(password);
16
17     if password = secretpassword then
18     begin
19         writeln('Login Berhasil! Selamat Datang');
20         break;
21     end
22     else
23     begin
24         writeln('Password salah!');
25     end
26 until tes = 3;
27
28 if password <> secretpassword then
29     writeln('Akses Ditolak! Akun Terkunci.');
```


30 lines compiled, 0.0 sec, 29520 bytes code, 1332 bytes data
Masukkan password: cheyshia22imut
Login Berhasil! Selamat Datang



```
7 begin
11 repeat
22 else
25 until tes = 3;
26
27 if password <> secretpassword then
28     writeln('Akses Ditolak! Akun Terkunci.');
```

30 lines compiled, 0.0 sec, 29520 bytes code, 1332 bytes data
Masukkan password: cheyshia22imut
Login Berhasil! Selamat Datang

Login tidak berhasil




```
1 program Soal2_MauLogin;
2
3 var
4   password, secretpassword : string;
5   tes : integer;
6
7 begin
8   secretpassword := 'cheyshiaa22mut';
9   tes := 0;
10
11   repeat
12     tes := tes + 1;
13
14     write('Masukkan password: ');
15     readln(password);
16
17     if password = secretpassword then
18       begin
19         writeln('Login Berhasil! Selamat Datang');
20         break;
21       end
22     else
23       writeln('Password salah!');
24
25   until tes = 3;
```

Terminal Output:

```
Masukkan password: cheyshiaa22
Password salah!
Masukkan password: cheyshiaa22
Password salah!
Masukkan password: cheyshiaa22
Password salah!
Akses Ditolak! Akun Terkunci.
```


3. Deret Angka



```
1 program Soal3_DeretAngka;
2
3 var
4   N, milih, i : integer;
5
6 begin
7   writeln('PROGRAM DERET ANGKA');
8
9   write('Masukkan nilai N: ');
10  readln(N);
11
12  writeln('1. Ganjil');
13  writeln('2. Genap');
14  write('Pilih kategori: ');
15  readln(milih);
16
17  i := 1;
18
19  while i <= N do
20    begin
21      if (milih = 1) and (i mod 2 = 0) then
22        begin
23          i := i + 1;
24          continue;
25        end;
26    end;
```

Terminal Output:

```
PROGRAM DERET ANGKA
Masukkan nilai N: 15
1. Ganjil
2. Genap
Pilih kategori: 2
2 4 6 8 12 14
```




```
6 begin
20   begin
24     writeln;
25   end;
26
27   if (milih = 2) and (i mod 2 <> 0) then
28   begin
29     i := i + 1;
30     continue;
31   end;
32
33   if i mod 5 = 0 then
34   begin
35     i := i + 1;
36     continue;
37   end;
38
39   write(i, ' ');
40
41   i := i + 1;
42 end;
43 readln;
44
45 end.
```

Problems Output Terminal Ports

Terminal

PROGRAM DERET ANGKA
Masukkan nilai N: 15
1. Ganjil
2. Genap
Pilih kategori: 2
2 4 6 8 12 14

4. Kalkulator




```
1 program Soal4_KalkulatorAesthetic;
2
3 var
4   pilih: integer;
5   a, b, hasil: real;
6   hasilDiv, hasilMod: integer;
7   ulang: char;
8
9 begin
10  repeat
11    writeln("KALKULATOR SEDERHANA");
12    writeln("1. Penjumlahan");
13    writeln("2. Pengurangan");
14    writeln("3. Perkalian");
15    writeln("4. Pembagian Real");
16    writeln("5. DIV & MOD");
17
18    write('Pilih operasi: ');
19    readln(pilih);
20
21    write('Masukkan angka pertama: ');
22    readln(a);
23
24    write('Masukkan angka kedua: ');
25    readln(b);
26
27    case pilih of
28      1:
29        begin
30          hasil := a + b;
31          writeln('Hasil = ', hasil:0:2);
32        end;
```

Problems Output Terminal Ports

Terminal


Masukkan angka kedua: 22



```
9  begin
10  repeat
27  case pilih of
28  1:
34  2:
35  begin
36  hasil := a - b;
37  writeln('Hasil = ', hasil:0:2);
38  end;
39
40  3:
41  begin
42  hasil := a * b;
43  writeln('Hasil = ', hasil:0:2);
44  end;
45
46  4:
47  begin
48  if b <> 0 then
49  begin
50  hasil := a / b;
51  writeln('Hasil = ', hasil:0:2);
52  end
53  else
54  writeln('Tidak dapat membagi dengan 0.');

Masukkan angka kedua: ??


```



```
57  5:
58  begin
59  hasilDiv := trunc(a) div trunc(b);
60  hasilMod := trunc(a) mod trunc(b);
61
62  writeln('Hasil DIV = ', hasilDiv);
63  writeln('Hasil MOD = ', hasilMod);
64  end;
65
66  else
67  writeln('Pilihan tidak tersedia.');

Masukkan angka kedua: ??


```

The screenshot shows a Pascal IDE with a file explorer on the left and a code editor on the right. The file explorer shows a project named 'Tugas_Cheyshia' with a sub-project 'ProjekBesar'. The code editor shows a Pascal program named 'Soal4_261401038_CheyshiaDawatiSinaga.pas'. The program is a simple calculator that asks the user for two numbers and performs a calculation based on the user's choice of operation. The terminal window shows the output of the program, which includes the list of operations and the result of the calculation.

```
DP 5 > ProjekBesar > Soal4_261401038_CheyshiaDawatiSinaga.pas
9  begin
10  repeat
11      write('Apakah ingin melakukan perhitungan lagi? (Y/T): ');
12      readln(ulang);
13      writeln;
14  until (ulang = 'T') or (ulang = 't');
15  writeln('Program selesai.');
```

78 lines compiled, 0.0 sec, 44112 bytes code, 3396 bytes data
KALKULATOR SEDERHANA
1. Penjumlahan
2. Pengurangan
3. Perkalian
4. Pembagian Real
5. DIV & MOD
Pilih operasi: 3
Masukkan angka pertama: 21
Masukkan angka kedua: 22
Hasil = 462.00

Apakah ingin melakukan perhitungan lagi? (Y/T): T
Program selesai.

5. Nilai Mahasiswa

The screenshot shows a Pascal IDE with a file explorer on the left and a code editor on the right. The file explorer shows a project named 'Tugas_Cheyshia' with a sub-project 'ProjekBesar'. The code editor shows a Pascal program named 'Soal5_261401038_CheyshiaDawatiSinaga.pas'. The program is a student grade calculation program that asks the user for the number of students and the number of assignments, then calculates the total score and the number of students who passed. The terminal window shows the output of the program, which includes the total score and the number of students who passed.

```
DP 5 > ProjekBesar > Soal5_261401038_CheyshiaDawatiSinaga.pas
1  program Soal5_NilaiMahasiswaImut;
2
3  var
4      M, N, i, j: integer;
5      nilai, total, rata_rata: real;
6      Lulus, TidakLulus: integer;
7
8  begin
9      writeln('REKAPITULASI NILAI MAHASISWA');
10
11      write('Masukkan jumlah mahasiswa: ');
12      readln(M);
13
14      write('Masukkan jumlah tugas: ');
15      readln(N);
16
17      Lulus := 0;
18      TidakLulus := 0;
19
20      for i := 1 to M do
21      begin
22          total := 0;
23
24          writeln;
25          writeln('Mahasiswa ke-', i);
26
27          for j := 1 to N do
28              begin
```

Total LULUS : 2
Total TIDAK LULUS : 0

```
Soal5_261401038_CheyshiaDawatiSinaga.pas
DP 5 > ProjekBesar > Soal5_261401038_CheyshiaDawatiSinaga.pas
8 begin
21 begin
28     begin
29         write('Nilai tugas ke-', j, ': ');
30         readln(nilai);
31     end;
32     total := total + nilai;
33 end;
34
35 rata_rata := total / N;
36
37 writeln('Rata-rata = ', rata_rata:0:2);
38
39 if rata_rata >= 65 then
40 begin
41     writeln('Status = LULUS');
42     lulus := lulus + 1;
43 end
44 else
45 begin
46     writeln('Status = TIDAK LULUS');
47     tidaklulus := tidaklulus + 1;
48 end;
49 end;
50
51 writeln;
52 writeln('HASIL AKHIR');
53 writeln('Total LULUS      : ', lulus);
54 writeln('Total TIDAK LULUS : ', tidaklulus);
55 end.
```

Problems Output Terminal Ports

Terminal

Total LULUS : 2
Total TIDAK LULUS : 0

```
Soal5_261401038_CheyshiaDawatiSinaga.pas
DP 5 > ProjekBesar > Soal5_261401038_CheyshiaDawatiSinaga.pas
49 end;
50
51 writeln;
52 writeln('HASIL AKHIR');
53 writeln('Total LULUS      : ', lulus);
54 writeln('Total TIDAK LULUS : ', tidaklulus);
55 end.
56 readln;
57 end.
```

Problems Output Terminal Ports

Terminal


REKAPITULASI NILAI MAHASISWA
Masukkan jumlah mahasiswa: 2
Masukkan jumlah tugas: 3

Mahasiswa ke-1
Nilai tugas ke-1: 100
Nilai tugas ke-2: 95
Nilai tugas ke-3: 90
Rata-rata = 95.00
Status = LULUS

Mahasiswa ke-2
Nilai tugas ke-1: 90
Nilai tugas ke-2: 97
Nilai tugas ke-3: 98
Rata-rata = 95.00
Status = LULUS

=== HASIL AKHIR ===
Total LULUS : 2
Total TIDAK LULUS : 0


6. Nilai Akhir



```
1 program Soal6_NilaiAkhirYeyy;
2
3 var
4     Tugas, UTS, UAS, Kehadiran, NilaiAkhir: real;
5     Indeks: char;
6
7 begin
8     writeln('PENENTUAN NILAI AKHIR');
9
10    write('Masukkan nilai tugas: ');
11    readln(tugas);
12
13    write('Masukkan nilai UTS: ');
14    readln(UTS);
15
16    write('Masukkan nilai UAS: ');
17    readln(UAS);
18
19    write('Masukkan persentase kehadiran: ');
20    readln(kehadiran);
21
22    nilaiAkhir := (Tugas * 0.30) +
23                (UTS * 0.30) +
24                (UAS * 0.40);
25
26    writeln;
27    writeln('Nilai Akhir = ', NilaiAkhir:0:2);
28
```

Terminal Output:

```
Masukkan nilai UTS: 93
Masukkan nilai UAS: 95
Masukkan persentase kehadiran: 100
```




```
27 begin
28     writeln('Nilai Akhir = ', NilaiAkhir:0:2);
29
30     if (NilaiAkhir >= 85) then
31         indeks := 'A'
32     else if (NilaiAkhir >= 75) then
33         indeks := 'B'
34     else if (NilaiAkhir >= 60) then
35         indeks := 'C'
36     else if (NilaiAkhir >= 50) then
37         indeks := 'D'
38     else
39         indeks := 'E';
40
41     writeln('Indeks Huruf = ', Indeks);
42
43     if (NilaiAkhir >= 60) and (Kehadiran >= 80) then
44         writeln('Status = LULUS')
45     else
46         writeln('Status = TIDAK LULUS');
47     readln;
48 end.
```

Terminal Output:

```
Masukkan nilai tugas: 100
Masukkan nilai UTS: 93
Masukkan nilai UAS: 95
Masukkan persentase kehadiran: 100

Nilai Akhir = 95.90
Indeks Huruf = A
Status = LULUS
```


7. Tarif Parkir



```
1 program Soal7_BayarParkir;
2
3 var
4     kode: char;
5     jam: integer;
6     tarif: integer;
7
8 begin
9     writeln('PROGRAM TARIF PARKIR');
10
11     write('Masukkan kode kendaraan (M/K/B): ');
12     readln(kode);
13
14     write('Masukkan lama parkir (jam): ');
15     readln(jam);
16
17     case kode of
18         'M', 'm':
19             begin
20                 if jam > 10 then
21                     tarif := 30000
22                 else if jam = 1 then
23                     tarif := 5000
24                 else
25                     tarif := 5000 + ((jam - 1) * 3000);
26             end;
27     end;
```

Terminal Output:

```
PROGRAM TARIF PARKIR
Masukkan kode kendaraan (M/K/B): B
Masukkan lama parkir (jam): 3
Total tarif parkir = Rp20000
```



```
8 begin
17 case kode of
18     'M', 'm':
19         begin
20             if jam > 10 then
21                 tarif := 10000
22             else if jam = 1 then
23                 tarif := 2000
24             else
25                 tarif := 2000 + ((jam - 1) * 1000);
26             end;
27         end;
28     'K', 'k':
29         begin
30             if jam > 10 then
31                 tarif := 10000
32             else if jam = 1 then
33                 tarif := 2000
34             else
35                 tarif := 2000 + ((jam - 1) * 1000);
36             end;
37         end;
38     'B', 'b':
39         begin
40             if jam > 10 then
41                 tarif := 50000
42             else if jam = 1 then
43                 tarif := 10000
44             else
45                 tarif := 10000 + ((jam - 1) * 5000);
46             end;
47         end;
48     else
49         begin
50             writeln('Kode kendaraan tidak valid.');

Terminal Output:



```
PROGRAM TARIF PARKIR
Masukkan Kode kendaraan (M/K/B): B
Masukkan lama parkir (jam): 3
Total tarif parkir = Rp20000
```


```

The screenshot shows the VS Code interface with a Pascal program for calculating parking fees. The Explorer panel on the left shows a project structure with folders 'Tugas_Cheyshia' and 'ProjekBesar', and several files including 'Soal7_261401038_CheyshiaDawatiSinaga.pas'. The main editor displays the code for 'Soal7_261401038_CheyshiaDawatiSinaga.pas', which uses a case statement to calculate parking fees based on vehicle type ('B' for motorcycle, 'K' for car) and duration. The Terminal panel at the bottom shows the output of the program, indicating 58 lines compiled, 0.0 seconds execution time, and 31168 bytes of code. The output also shows a warning issued and the program's execution flow: 'PROGRAM TARIF PARKIR', 'Masukkan kode kendaraan (M/K/B): B', 'Masukkan lama parkir (jam): 3', and 'Total tarif parkir = Rp20000'.

```
8 begin
17 case kode of
38 'B', 'b':
39 begin
42 case jam of
44 else
45 |tarif := 10000 + ((jam - 1) * 5000);
46 end;
47
48 else
49 begin
50 writeln('Kode kendaraan tidak valid.');
```

51 readln;
52 exit;
53 end;
54 end;
55 writeln('Total tarif parkir = Rp', tarif);
56 readln;
57 end.

Problems Output Terminal Ports

> Terminal

58 lines compiled, 0.0 sec, 31168 bytes code, 1332 bytes data
1 warning(s) issued
PROGRAM TARIF PARKIR
Masukkan kode kendaraan (M/K/B): B
Masukkan lama parkir (jam): 3
Total tarif parkir = Rp20000

8. Gaji

The screenshot shows the VS Code interface with a Pascal program for calculating employee wages. The Explorer panel on the left shows a project structure with folders 'Tugas_Cheyshia' and 'ProjekBesar', and several files including 'Soal8_261401038_CheyshiaDawatiSinaga.pas'. The main editor displays the code for 'Soal8_261401038_CheyshiaDawatiSinaga.pas', which uses a case statement to calculate wages based on employee category ('A', 'B', 'C') and total working hours. The Terminal panel at the bottom shows the output of the program, indicating 58 lines compiled, 0.0 seconds execution time, and 31168 bytes of code. The output also shows a warning issued and the program's execution flow: 'PROGRAM GAJI KARYAWAN', 'Masukkan golongan (A/B/C): A', and 'Masukkan total jam kerja: 56'.

```
1 program Soal8_AkhirnyaCair;
2
3 var
4 golongan: char;
5 jamKerja, jamLembur: integer;
6 gajiPokok, lembur, bonus, TotalGaji: real;
7
8 begin
9 writeln('PROGRAM GAJI KARYAWAN');
```

10
11 write('Masukkan golongan (A/B/C): ');
12 readln(golongan);
13
14 write('Masukkan total jam kerja: ');
15 readln(jamKerja);
16
17 case golongan of
18 'A', 'a':
19 |gajiPokok := 1500000;
20
21 'B', 'b':
22 |gajiPokok := 2000000;
23
24 'C', 'c':
25 |gajiPokok := 2500000;
26
27 else
28 begin
29 writeln('Golongan tidak valid.');

Problems Output Terminal Ports

> Terminal

Masukkan golongan (A/B/C): A
Masukkan total jam kerja: 56

```
DP 5 > Projek8esar > Soal8_261401038_CheyshiaDawatiSinaga.pas
8 begin
17 case golongan of
27 else
28 begin
29 writeln('Golongan tidak valid.');
```

```
30 readln;
31 exit;
32 end;
33 end;
34
35 if JamKerja > 40 then
36   JamLembur := JamKerja - 40
37 else
38   JamLembur := 0;
39
40 lembur := JamLembur * 20000;
41
42 bonus := 0;
43
44 if ((golongan = 'C') or (golongan = 'c')) and (JamKerja > 50) then
45   bonus := 100000;
46
47 TotalGaji := GajiPokok + lembur + bonus;
48
49 writeln;
50 writeln('Gaji Pokok : Rp', GajiPokok:0:2);
51 writeln('Lembur : Rp', lembur:0:2);
52 writeln('Bonus : Rp', bonus:0:2);
53 writeln('Total Gaji : Rp', TotalGaji:0:2);
```

Problems Output Terminal Ports

Terminal

Masukkan golongan (A/B/C): A
Masukkan total jam kerja: 56

```
DP 5 > Projek8esar > Soal8_261401038_CheyshiaDawatiSinaga.pas
8 begin
43
44 if ((golongan = 'C') or (golongan = 'c')) and (JamKerja > 50) then
45   bonus := 100000;
46
47 TotalGaji := GajiPokok + lembur + bonus;
48
49 writeln;
50 writeln('Gaji Pokok : Rp', GajiPokok:0:2);
51 writeln('Lembur : Rp', lembur:0:2);
52 writeln('Bonus : Rp', bonus:0:2);
53 writeln('Total Gaji : Rp', TotalGaji:0:2);
54
55 readln;
56 end.
```


Problems Output Terminal Ports

Terminal

55 lines compiled, 0.0 sec, 39504 bytes code, 2500 bytes data
PROGRAM GAJI KARYAWAN
Masukkan golongan (A/B/C): A
Masukkan total jam kerja: 56

Gaji Pokok : Rp1500000.00
Lembur : Rp320000.00
Bonus : Rp0.00
Total Gaji : Rp1820000.00

9. Nama Bulan, berapa hari??




The screenshot shows an IDE with a file explorer on the left containing a project named 'Tugas_Cheyshia'. The main editor displays the code for 'Soal9_Berapahari.pas'. The code defines variables for year, month, and number of days, and includes a case statement to determine the number of days in a given month. The terminal shows the program's output for the year 2026 and month 5, resulting in 31 days.

```
1 program Soal9_Berapahari;
2
3 var
4     tahun, bulan, BanyakHari: integer;
5     kabisat: boolean;
6
7 begin
8     writeln('PROGRAM JUMLAH HARI');
9
10    write('Masukkan tahun: ');
11    readln(tahun);
12
13    write('Masukkan nomor bulan (1-12): ');
14    readln(bulan);
15
16    { Menentukan tahun kabisat }
17    kabisat := ((tahun mod 400 = 0) or
18               ((tahun mod 4 = 0) and (tahun mod 100 <> 0)));
19
20    case bulan of
21        1, 3, 5, 7, 8, 10, 12:
22            BanyakHari := 31;
23        4, 6, 9, 11:
24            BanyakHari := 30;
```

Terminal Output:

```
Linking Soal9_261401038_CheyshiaDawatiSinaga.exe
45 lines compiled, 0.0 sec, 31072 bytes code, 1332 bytes data
PROGRAM JUMLAH HARI
Masukkan tahun: 2026
Masukkan nomor bulan (1-12): 5
Jumlah hari = 31
```




The screenshot shows the same IDE with the code for 'Soal9_Berapahari.pas' updated. The code now includes a branch for invalid months (1-12) that prints an error message and exits. The terminal output remains the same as the previous screenshot, showing the program's execution for the year 2026 and month 5, resulting in 31 days.

```
7 begin
8     case bulan of
9         1, 3, 5, 7, 8, 10, 12:
10             BanyakHari := 31;
11         4, 6, 9, 11:
12             BanyakHari := 30;
13         2:
14             begin
15                 if kabisat then
16                     BanyakHari := 29
17                 else
18                     BanyakHari := 28;
19             end;
20         else
21             begin
22                 writeln('Nomor bulan tidak valid.');
```

Terminal Output:

```
Linking Soal9_261401038_CheyshiaDawatiSinaga.exe
45 lines compiled, 0.0 sec, 31072 bytes code, 1332 bytes data
PROGRAM JUMLAH HARI
Masukkan tahun: 2026
Masukkan nomor bulan (1-12): 5
Jumlah hari = 31
```

10. Pemilihan Hari



The screenshot shows a Pascal IDE with a project named 'Tugas_Cheyshia'. The Explorer panel on the left shows a folder 'ProjekBesar' containing several files, including 'Soal10_261401038_CheyshiaDawatiSinaga.pas'. The main editor displays the source code for this file. The code is a Pascal program that prompts the user to enter a number (1-7) and then prints the corresponding day of the week. The code is as follows:

```
1 program Soal10_HariHariIndah;
2
3 var
4     nomor: integer;
5
6 begin
7     writeln('PROGRAM NAMA HARI');
8
9     write('Masukkan nomor hari (1-7): ');
10    readln(nomor);
11
12    case nomor of
13        1: writeln('Hari Senin');
14        2: writeln('Hari Selasa');
15        3: writeln('Hari Rabu');
16        4: writeln('Hari Kamis');
17        5: writeln('Hari Jumat');
18        6: writeln('Hari Sabtu');
19        7: writeln('Hari Minggu');
20
21    else
22        writeln('Nomor hari tidak valid.');
```

The Terminal panel at the bottom shows the output of the program:

```
Linking Soal10_261401038_CheyshiaDawatiSinaga.exe
25 lines compiled, 0.0 sec, 30656 bytes code, 1332 bytes data
PROGRAM NAMA HARI
Masukkan nomor hari (1-7): 4
Hari Kamis
```