

DealLink

Investment Memorandum (IM) Feature — Replit Developer Handoff
Prepared: May 14, 2026 | Version: 1.0 | Status: Ready for development

Critical: This document describes new features to be added to an existing, live Replit codebase. Do NOT refactor, rename, or delete any existing files, routes, database tables, or components. Only ADD new files, new routes, new tables, and new UI components as specified. Every change must be tested in isolation before touching adjacent existing functionality.

Project	DealLink — Investment Memorandum (IM) viral sharing feature
Existing stack	Replit — confirm exact framework/DB with team before starting (Next.js / Node / PostgreSQL assumed — verify)
Twilio	Already integrated in codebase. Use existing Twilio client — do NOT create a new one
Auth	Existing auth system in place for wholesalers. New buyer auth is additive — separate table, separate flow
Scope	V1 feature. Zero changes to existing wholesaler portal, pipeline, properties, offers, or marketplace modules
Priority	High. Target launch Friday. Offers and Import CSV also in parallel — coordinate with team to avoid merge conflicts

1. Feature Overview

What is being built and why

The IM (Investment Memorandum) feature is a viral deal-sharing and user acquisition system. A wholesaler clicks 'Share deal' on any of their properties. The platform generates a unique shareable link. When that link is shared on Facebook (or any channel), it renders a rich preview card with the property photo, address, and price. Clicking the link takes the viewer through a 3-step lightweight signup gate (name → phone → SMS verify). After verifying, the user lands on a buyer-facing deal page (the IM) showing full deal analysis. Simultaneously, their account is created and the deal is saved to 'Deals shared with me' in their dashboard. A persistent banner asks if they are a wholesaler — one click unlocks the full wholesaler feature set. This creates a self-filling acquisition funnel: every shared deal is a signup opportunity.

Key insight: the IM link is the acquisition mechanism. Every wholesaler on the platform becomes a distribution channel. The gate (3-step signup) must be frictionless. Any bug in this flow directly costs user signups.

2. Complete User Flow

Step-by-step from Facebook to dashboard

1 **Wholesaler shares deal**

Wholesaler clicks 'Share IM' on a deal in their Properties section. Platform generates a unique URL: `deallink.io/deal/[deal-slug]`. This URL is copied to clipboard and shared on Facebook, SMS, email, etc.

2 **Facebook rich preview renders**

The shared URL must return proper Open Graph meta tags so Facebook renders a preview card with: property hero image (`og:image`), address + price as title (`og:title`), deal summary as description (`og:description`), `deallink.io` as domain. This requires the `/deal/[slug]` route to serve OG meta tags server-side.

3 **Viewer clicks link — Gate Step 1**

User lands on `deallink.io/deal/[slug]`. If not authenticated, they see the gate. Step 1: full-screen centered card. Progress bar shows 3 steps. Deal pill shows address + asking price. Single input: first name. CTA button: 'Next'. Terms of service link below.

4 **Gate Step 2 — Phone number**

Step 2: same layout. Progress bar advances. Input: phone number with country code selector (default US +1). CTA button: 'Send code'. On click: call `POST /api/auth/buyer/send-code`. Twilio sends 6-digit SMS. Advance to step 3. Back button returns to step 1.

5 **Gate Step 3 — SMS verify**

Step 3: same layout. Progress bar completes. 6-box code entry grid (auto-advance on each digit). CTA: 'Verify & view deal'. On submit: call `POST /api/auth/buyer/verify-code`. On success: create buyer account, set session/JWT, redirect to deal IM page. Resend code link available. Back returns to step 2.

6 **Deal IM page renders**

User now sees the full Investment Memorandum for the deal they clicked. This is a buyer-facing read-only page. See Section 5 for full IM spec. The deal is automatically saved to the user's 'Deals shared with me' list.

7 **User lands on dashboard**

After viewing the IM, user can navigate to their dashboard. Dashboard shows: wholesaler prompt banner at top, metric cards (deals shared with me, offers submitted, best spread seen), 'Deals shared with me' section listing all deals accessed via IM links.

8

Wholesaler unlock (optional)

If user clicks 'Yes, unlock' on the wholesaler banner: their account gains `wholesaler_enabled = true`. Sidebar nav expands to show: Properties, Pipeline, Buyers List, Public Profile. Green confirmation banner replaces the prompt. No new account created — same account, feature flag flipped.

3. Database Changes

New tables and columns only — do not modify existing tables

Critical: Do NOT alter any existing tables. Only CREATE new tables and ADD new columns as listed below. Run migrations in a development/staging environment first and verify before applying to production.

3.1 New table: `buyer_accounts`

Stores accounts created through the IM gate flow. Completely separate from the existing wholesaler users table.

Column	Type	Constraint	Notes
<code>id</code>	UUID	PRIMARY KEY	Auto-generated
<code>name</code>	VARCHAR(100)	NOT NULL	From gate step 1
<code>phone</code>	VARCHAR(20)	NOT NULL UNIQUE	E.164 format e.g. +13055550172
<code>phone_verified</code>	BOOLEAN	DEFAULT false	Set true after SMS verify
<code>wholesaler_enabled</code>	BOOLEAN	DEFAULT false	Set true when user clicks unlock
<code>created_at</code>	TIMESTAMP	DEFAULT NOW()	Account creation time
<code>last_seen_at</code>	TIMESTAMP	NULLABLE	Updated on each login

3.2 New table: `sms_verification_codes`

Temporary codes sent via Twilio. Expire after 10 minutes. Deleted after successful verification.

Column	Type	Constraint	Notes
<code>id</code>	UUID	PRIMARY KEY	Auto-generated
<code>phone</code>	VARCHAR(20)	NOT NULL	E.164 format
<code>code</code>	VARCHAR(6)	NOT NULL	6-digit code
<code>expires_at</code>	TIMESTAMP	NOT NULL	NOW() + 10 minutes

attempts	INT	DEFAULT 0	Max 5 attempts then block
created_at	TIMESTAMP	DEFAULT NOW()	

3.3 New table: shared_deals_log

Records which deals were accessed by which buyer via an IM link. Powers 'Deals shared with me' dashboard section.

Column	Type	Constraint	Notes
id	UUID	PRIMARY KEY	Auto-generated
buyer_id	UUID	FK → buyer_accounts.id	The buyer who accessed the deal
deal_id	UUID	FK → deals.id	Existing deals table — FK only, no changes to deals table
accessed_at	TIMESTAMP	DEFAULT NOW()	When the buyer first viewed the IM
offer_submitted	BOOLEAN	DEFAULT false	Updated when offer submitted (future)

3.4 New column on existing deals table

Warning: This is the only change to an existing table. Add one nullable column — no other modifications.

Column	Type	Constraint	Notes
im_slug	VARCHAR(100)	UNIQUE, NULLABLE	URL-safe slug for IM link e.g. '555-test-st-cleveland'. Auto-generated on first share click. NULL until wholesaler shares the deal.
im_show_arv	BOOLEAN	DEFAULT true	IM visibility toggle
im_show_asking	BOOLEAN	DEFAULT true	IM visibility toggle
im_show_repair	BOOLEAN	DEFAULT true	IM visibility toggle
im_show_mao	BOOLEAN	DEFAULT false	Hidden by default — sensitive
im_show_contact	BOOLEAN	DEFAULT true	IM visibility toggle

4. New API Endpoints

Add these routes — do not modify existing routes

Critical: All new routes must be prefixed with `/api/im/` or `/api/auth/buyer/` to avoid any collision with existing routes. Verify no existing route uses these paths before creating.

4.1 Open Graph / IM page routes

Endpoint	Method	Description
<code>/deal/[slug]</code>	GET	Public page. If unauthenticated buyer: render gate UI. If authenticated buyer: render IM page. Must serve OG meta tags server-side for Facebook preview.
<code>/api/im/deal/[slug]</code>	GET	Returns deal data for IM page (buyer-safe fields only — no private notes, no internal fields). Requires buyer auth.
<code>/api/im/generate-slug</code>	POST	Called when wholesaler clicks 'Share IM'. Generates <code>im_slug</code> for the deal if not already set. Returns full shareable URL. Requires wholesaler auth.
<code>/api/im/toggle</code>	POST	Updates <code>im_show_*</code> visibility toggles for a deal. Body: { <code>deal_id</code> , <code>field</code> , <code>value</code> }. Requires wholesaler auth.

4.2 Buyer auth routes

Endpoint	Method	Description
<code>/api/auth/buyer/send-code</code>	POST	Body: { <code>name</code> , <code>phone</code> }. Creates/updates <code>buyer_accounts</code> record (unverified). Generates 6-digit code, stores in <code>sms_verification_codes</code> , sends via existing Twilio client. Returns: { <code>success</code> : true }.
<code>/api/auth/buyer/verify-code</code>	POST	Body: { <code>phone</code> , <code>code</code> }. Checks code against <code>sms_verification_codes</code> . Validates expiry and attempt count. On success: sets <code>phone_verified=true</code> , creates session/JWT, deletes code record. Returns: { <code>token</code> , <code>buyer_id</code> }.
<code>/api/auth/buyer/resend-code</code>	POST	Body: { <code>phone</code> }. Deletes existing code for phone, generates new one, resends SMS. Rate limit: max 3 resends per phone per hour.
<code>/api/auth/buyer/unlock-wholesaler</code>	POST	Body: { <code>buyer_id</code> }. Sets <code>wholesaler_enabled=true</code> on <code>buyer_accounts</code> . Requires buyer auth. Returns updated account.

4.3 Buyer dashboard routes

Endpoint	Method	Description
<code>/api/buyer/dashboard</code>	GET	Returns: <code>deals_shared_with_me</code> count, <code>offers_submitted</code> count, <code>best_spread_seen</code> . Requires buyer auth.

<code>/api/buyer/shared-deals</code>	GET	Returns paginated list of deals from <code>shared_deals_log</code> for the authenticated buyer. Joins with <code>deals</code> table for display fields.
<code>/api/buyer/log-view</code>	POST	Body: <code>{ deal_id }</code> . Creates or updates <code>shared_deals_log</code> record. Called automatically when buyer views an IM page. Requires buyer auth.

5. Investment Memorandum Page Spec

What the buyer sees after verifying

Warning: The IM page is buyer-facing. It must NEVER show: private notes (`long_notes` field), wholesaler's internal deal notes, cost basis, or any field not explicitly listed below.

5.1 Page sections (top to bottom)

Hero image

Property photo if uploaded. Fallback: placeholder building icon. Deal status badge overlaid top-left (New / Marketed / Under Contract). 'Powered by DealLink' watermark bottom-right (free tier). White-label: replace watermark with wholesaler logo/name (paid tier — flag for V2, use DealLink branding for now).

Property header

Street address (hide street number if `im_show_street_number` = false). City, state · Property type · Beds/baths · Sqft. Spread badge top-right.

Stats grid (3 columns)

Show/hide each based on toggle flags: Asking price (`im_show_asking`), ARV (`im_show_arv`), Spread (always shown if asking + ARV shown), Sqft (always shown), Access type (lockbox/appointment/vacant), Occupancy status.

Deal analysis box

Show only if `im_show_repair` = true. Rows: ARV, Repair estimate, Holding/closing costs, Investor profit (70% rule). Total row: MAO. Hide MAO row specifically if `im_show_mao` = false (default).

Public description

The `short_description` field from the deal. This is the wholesaler's public-facing description. Never show `long_notes` (private field).

Wholesaler profile strip

Avatar initials circle, @handle, city/region. 'Submit offer' CTA button (links to offer flow — separate feature).

Footer

'Powered by DealLink' text link. Terms of service link.

5.2 Open Graph meta tags (required for Facebook preview)

The `/deal/[slug]` route must return these meta tags in the HTML head on server-side render:

Tag	Value
<code>og:title</code>	555 Test St, Cleveland — \$8,000 asking / \$90,000 ARV
<code>og:description</code>	SFR · 3bd/2ba · 1,200 sqft · \$82,000 spread. View full deal analysis on DealLink.
<code>og:image</code>	Full URL to property hero image. Fallback to DealLink default image.
<code>og:url</code>	Full canonical URL of the deal page
<code>og:type</code>	website
<code>og:site_name</code>	DealLink
<code>twitter:card</code>	summary_large_image

6. New Frontend Components

Create these as new files — do not edit existing components

All new components go in a new `/components/im/` directory and new pages go in `/pages/deal/` (or equivalent for your framework). This isolation prevents any risk to existing components.

GateStep1Name.jsx

Full-screen gate. Props: `onNext(name)`. Shows: DealLink logo, deal pill, heading, name input, Next button, ToS link. No other content.

GateStep2Phone.jsx

Full-screen gate. Props: `name`, `onNext(phone)`, `onBack`. Shows: progress bar (step 1 done), deal pill, heading, country code selector + phone input, Send code button, Back button.

GateStep3Verify.jsx

Full-screen gate. Props: `phone`, `onNext()`, `onBack`, `onResend`. Shows: progress bar (steps 1+2 done), deal pill, heading, 6-box code grid (auto-advance), Verify button, Back button, Resend link.

IMPage.jsx

Buyer-facing deal page. Props: `deal` (object with buyer-safe fields only). Renders all IM sections per Section 5 spec. Read-only — no edit controls.

IMToggles.jsx

Wholesaler-facing toggle panel. Shown in the existing deal edit page. Props: `deal_id`, `toggles` (object). Renders toggle rows for each `im_show_*` field. Calls `/api/im/toggle` on change. Add to existing deal edit page as a new collapsible section — do not refactor the edit page.

ShareIMButton.jsx

Button component for wholesaler's deal view. On click: calls `/api/im/generate-slug`, copies resulting URL to clipboard, shows 'Link copied!' toast. Add to existing deal detail page — do not refactor it.

BuyerDashboard.jsx

New page for buyer portal. Shows: wholesaler prompt banner (if `wholesaler_enabled=false`), metric cards, Deals shared with me list. Separate from existing wholesaler dashboard.

WholesalerUnlockBanner.jsx

Banner component. Props: `onUnlock()`. Shown at top of BuyerDashboard if `wholesaler_enabled=false`. On click calls `/api/auth/buyer/unlock-wholesaler` and refreshes account state.

7. Twilio SMS Integration

Use the existing Twilio client — do not create a new one

Critical: Twilio is already integrated in the codebase. Find the existing Twilio client instance and reuse it. Do NOT install a new Twilio package, do NOT create new API keys, do NOT create a new client. Reusing the existing client ensures the same phone number/sender ID is used across all SMS flows.

7.1 Finding the existing Twilio client

- Search the codebase for 'twilio' to locate the existing client instantiation
- It will likely be in a file like `/lib/twilio.js`, `/utils/sms.js`, or `/services/twilio.js`
- Import that existing client/function into your new `send-code` and `resend-code` route handlers

7.2 SMS code generation logic

1 Generate code

Use `crypto.randomInt(100000, 999999).toString()` for a cryptographically random 6-digit code. Do NOT use `Math.random()`.

2 Store code

INSERT into `sms_verification_codes`: { phone, code, expires_at: NOW() + 10min, attempts: 0 }. If a record already exists for this phone, DELETE the old one first.

3 Send SMS

Use existing Twilio client to send: 'Your DealLink verification code is: [CODE]. Expires in 10 minutes.'

4 Verify code

On POST `/verify-code`: find record by phone. Check `expires_at > NOW()`. Check `attempts < 5`. If code matches: delete record, mark `phone_verified=true`, return success. If code wrong: increment attempts, return error. If `attempts >= 5`: delete record, return 'too many attempts'.

5

Rate limiting

Max 3 send-code requests per phone per hour. Track in sms_verification_codes created_at. Return 429 if exceeded.

8. Buyer Auth & Session Management

Separate from existing wholesaler auth

Warning: Buyer auth is completely separate from wholesaler auth. Do not share session tokens, middleware, or auth checks between the two systems. A buyer JWT must never grant access to wholesaler-only routes and vice versa.

8.1 JWT structure for buyers

On successful verification, issue a signed JWT with payload:

```
{ "sub": "[buyer_id]", "type": "buyer", "phone": "+13055550172", "iat": [timestamp],  
  "exp": [timestamp + 30 days] }
```

8.2 Buyer auth middleware

Create a new middleware function verifyBuyerToken (separate from existing verifyWholesalerToken or equivalent). Apply it to all /api/buyer/* and /api/im/* routes that require authentication.

8.3 Wholesaler unlock flag

When buyer clicks 'Yes, unlock wholesaler tools': set wholesaler_enabled=true on buyer_accounts. On the frontend, re-fetch the account object and conditionally render the wholesaler nav items. This is a frontend conditional render — no new routes, no new tables. The buyer_accounts.wholesaler_enabled flag drives it all.

9. Placement of Share IM Button in Existing UI

Additive only — no refactoring

The Share IM button and Visibility Toggles panel are the only additions to existing UI pages. They must be added as isolated new components dropped into existing pages — not by rewriting or restructuring those pages.

9.1 Deal detail / edit page

- Add to the top-right action area of the existing deal edit page, alongside any existing action buttons
- Add as a new collapsible section at the bottom of the existing deal edit form, below all existing fields
- Do NOT move, rename, or restructure any existing fields or sections on this page

9.2 Dashboard (wholesaler)

- No changes to the existing wholesaler dashboard
- The buyer dashboard (/buyer/dashboard) is a completely new page/route

10. Deal Slug Generation

For clean shareable URLs

When a wholesaler clicks 'Share IM' for the first time on a deal, generate a URL-safe slug:

```
function generateSlug(address, city) {  
  const raw = `${address}-${city}`.toLowerCase()  
  const slug = raw.replace(/^[a-z0-9]+/g, "-").replace(/^-|-$/g, "")  
  // Check uniqueness against im_slug column  
  // If collision, append -2, -3 etc  
  return slug // e.g. "555-test-st-cleveland"  
}
```

Store the slug in `deals.im_slug`. Once set, it never changes — the URL must remain stable so shared links don't break.

Warning: Once `im_slug` is set on a deal record, it must NEVER be changed or regenerated. Changing it breaks all previously shared links.

11. Testing Checklist

Every item must pass before merging to main

Critical: Test every item below in a staging/preview environment before merging to production. Have a second developer QA the gate flow end-to-end on a real mobile device using a real phone number before launch.

11.1 Database

- [] `buyer_accounts` table created with all columns
- [] `sms_verification_codes` table created with all columns
- [] `shared_deals_log` table created with all columns
- [] `im_slug` and `im_show_*` columns added to `deals` table
- [] FK constraints verified (`shared_deals_log` → `buyer_accounts`, `deals`)
- [] Migration ran clean with zero errors on staging

11.2 Gate flow — happy path

- [] Visiting `/deal/[valid-slug]` while unauthenticated shows Gate Step 1
- [] Entering name and clicking Next advances to Gate Step 2
- [] Back button on Step 2 returns to Step 1 with name retained
- [] Entering phone and clicking Send code — SMS received within 30 seconds
- [] Entering correct 6-digit code advances to IM page
- [] Back button on Step 3 returns to Step 2

- [] Resend code link sends a new code and invalidates the old one
- [] IM page shows correct deal data with all toggled-on fields
- [] Deal appears in buyer's 'Deals shared with me' after viewing
- [] Visiting /deal/[slug] again while authenticated skips the gate

11.3 Gate flow — edge cases

- [] Wrong verification code shows error, does not advance
- [] 5 wrong attempts blocks further attempts with clear message
- [] Expired code (after 10 min) shows expiry message
- [] Invalid/non-existent slug returns 404 page
- [] SMS rate limit (3 sends/hour) returns friendly error on 4th attempt
- [] Phone number already registered — existing account used, not duplicate created

11.4 Open Graph / Facebook preview

- [] og:title, og:description, og:image, og:url tags present in page source
- [] Facebook Sharing Debugger (developers.facebook.com/tools/debug) shows correct preview
- [] og:image URL is publicly accessible (not behind auth)
- [] Preview renders correctly on mobile Facebook app

11.5 IM page content

- [] Private notes (long_notes) never appear on IM page
- [] im_show_mao=false hides MAO row from deal analysis box
- [] im_show_arv=false hides ARV stat and removes spread calculation
- [] im_show_contact=false hides wholesaler profile strip
- [] All toggles save correctly and reflect immediately on IM page
- [] 'Powered by DealLink' watermark visible on free tier

11.6 Wholesaler unlock

- [] Clicking 'Yes, unlock' sets wholesaler_enabled=true
- [] Wholesaler nav items appear immediately after unlock without page refresh
- [] Green confirmation banner replaces the prompt banner
- [] Wholesaler_enabled flag persists after logout and login
- [] Buyer JWT does not grant access to wholesaler-only API routes

11.7 Existing functionality (regression)

- [] Existing wholesaler login/logout unaffected
- [] Existing deal create/edit/delete unaffected
- [] Existing pipeline unaffected
- [] Existing buyers list unaffected
- [] Existing marketplace unaffected

- [] Existing public profile page unaffected
 - [] Existing analytics unaffected
 - [] No console errors on any existing page after changes deployed
-

12. Deployment Order

Exact sequence to follow

- 1 Run DB migration on staging**
Apply all new table and column migrations to staging database. Verify zero errors. Check all new tables exist with correct schema using a DB client.
- 2 Deploy backend to staging**
Deploy new API routes to staging. Verify all new endpoints return expected responses using Postman or equivalent. Verify existing endpoints still work.
- 3 Deploy frontend to staging**
Deploy new components and pages. QA the full gate flow end-to-end on desktop and mobile. Have a second person test with a real phone number.
- 4 Facebook OG test**
Paste staging deal URL into Facebook Sharing Debugger. Confirm preview renders correctly. Fix any OG tag issues before production deploy.
- 5 Run full regression test**
Run every item in Section 11 on staging. All items must pass.
- 6 Backup production DB**
Take a full backup of the production database before any production deployment. Confirm backup is restorable.
- 7 Run DB migration on production**
Apply migrations to production DB. Monitor for errors. If any error: stop and restore from backup immediately.
- 8 Deploy to production**
Deploy backend then frontend. Smoke test gate flow on production with a real phone number. Confirm 'Deals shared with me' populates correctly.
- 9 Monitor for 30 minutes**
Watch server logs for errors after production deploy. Check Twilio dashboard to confirm SMS sending. Verify no existing wholesaler workflows are broken.

13. Do Not Touch

Existing modules that must not be modified

Critical: Any changes to the following modules are out of scope for this feature. If you find a bug in one of these while working on the IM feature, flag it separately — do not fix it as part of this PR.

Module	Notes
Wholesaler authentication	Existing login, logout, session management for wholesalers
Properties module	Existing deal creation, editing, deletion (only add ShareIMButton and IMToggles as drops-in)
Pipeline module	No changes
Offers module	Being built in parallel — coordinate on merge to avoid conflicts
Marketplace module	No changes
Buyers List module	No changes
Leads module	No changes
Analytics module	No changes
Public profile page	No changes
Import CSV	Being built in parallel — coordinate on merge
AI Deal Blast	V2 — no changes
God Mode	V2 — no changes
Artemis Mode	V2 — no changes
Handoff module	V2 — no changes

This handoff document was generated from a live product discovery session and reflects all decisions made as of the date above. If any requirement is unclear, ask before building — assumptions in the wrong direction on an existing live codebase can be costly to reverse.

DealLink IM Feature Handoff — Confidential
Generated May 14, 2026 via Claude AI product session