[5948]-203

M.C.A. - I (Management)

IT - 23 : ADVANCED INTERNET TECHNOLOGIES (2020 Pattern) (Semester - 11)

Instructions to the candidates: All questions are compulsory.
2) Draw near and labeled diagram wherever necessary. Q1) Choose the correct option (½ mark each) a) Choose the item below that is not semantic element for text in HTML5. i) <wbr/> ii) <time> iii) <mark> iii) iii) iiii) iiii) iiii) iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii</mark></time>
a) Choose the item below that is not semantic element for text in HTML5. i) <wbr/> ii) <time> iii) <time> iii) <mark> iv) <article> b)is not a HTML5 tag. i) <source/> ii) <video> iii) <canvas> c) Which of the property in CSS used to change the background color of an element is i) bgcolor ii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) ::after ii) :disabled iii) :default iv) :checked e) Have to start Node REPL?</canvas></video></article></mark></time></time>
a) Choose the item below that is not semantic element for text in HTML5. i) <wbr/> ii) <ti>iii) <ti>iii) <ti>iii) </ti> iii) <mark> iii) <mark> iv) <article> b)is not a HTML5 tag. i) <source/> ii) <video> iii) <video> iii) <slider> iv) <canvas> c) Which of the property in CSS used to change the background color of an element is i) bgcolor ii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?</canvas></slider></video></video></article></mark></mark></ti></ti>
a) Choose the item below that is not semantic element for text in HTML5. i) <wbr/> ii) <ti>iii) <ti>iii) <ti>iii) </ti> iii) <mark> iii) <mark> iv) <article> b)is not a HTML5 tag. i) <source/> ii) <video> iii) <video> iii) <slider> iv) <canvas> c) Which of the property in CSS used to change the background color of an element is i) bgcolor ii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?</canvas></slider></video></video></article></mark></mark></ti></ti>
ii) <wbr/> iii) <mark> ii) <time> iii) <mark> iv) <article> b)is not a HTML5 tag. i) <source/> ii) <video> iii) <slider> iv) <canvas> c) Which of the property in CSS used to change the background color of an element is i) bgcolor ii) color iii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) ::after ii) :disabled iii) :default iv) : checked e) Have to start Node REPL?</canvas></slider></video></article></mark></time></mark>
iii) <mark> iv) <article> b)is not a HTML5 tag. i) <source/> ii) <vidco> iii) <slider> iv) <canvas> c) Which of the property in CSS used to change the background color of an element is i) bgcolor ii) background-color iii) background-color iii) background-color iii) after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?</canvas></slider></vidco></article></mark>
b)is not a HTML5 tag. i) <source/> ii) <vidco> iii), <slider> iv) <canvas> c) Which of the property in CSS used to change the background color of an element isi) bgcolor ii) color iii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?</canvas></slider></vidco>
ii) <source/> iii) <video> iii) <slider> iv) <canvas> c) Which of the property in CSS used to change the background color of an element is i) bgcolor ii) color iii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?</canvas></slider></video>
iii) <slider> iv) <canvas> c) Which of the property in CSS used to change the background color of an element is i) bgcolor ii) color iii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?</canvas></slider>
c) Which of the property in CSS used to change the background color of an element is i) bgcolor ii) color iii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?
i) bgcolor ii) color iii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?
i) bgcolor ii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?
iii) background-color iv) All of the above d) Which selector is used to selects the elements that are the default among a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?
d) Which selector is used to selects the elements that are the default among a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?
a set of similar elements? i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?
i) :: after ii) : disabled iii) : default iv) : checked e) Have to start Node REPL?
e) Have to start Node REPL?
e) Have to start Node REPL?
1) \$ node start II) \$ node
iii) \$ node repl iv) \$ node console
f) How to get an absolute path?
i) Os.resolve ('main. js')
ii), Path. resolve ('main. js')
iii) fs. resolve ('main. js')
iv) None of the above
g) Which module is required for operating system specific operations?
i) OS module ii) fs module
iii) net module iv) None of the mentioned

		hich command will show all the	modu	iles installed globally?
S			ii)	\$ npm Is
	i) ;;;	\$ node Is- g	iv)	
	111) Jinde 13 g		
i)	RI	EPL is for		
	i)	Research Eval Program Learn	n ii)	Read Eval Print Loop
	iii)	Read Earn Point Learn	iv)	Read Eval Point Loop
j)	W	hat is the use of angular controlle	ers in	the application?
	i) .	angular controller are used for	rcon	trolling the data
	ii)	angular controller are used for	r disp	playing the data
	The state of the state of	Both of the above are correct		
		None of the above		
k)		nich of the following is an advan		of Angulars JS?
	i)	AngularJS code is unit testabl		
	ii)	AngularJS provides reusable		
	ш)	of concerns.	nject	ion and makes use of seperation
	iv)	All of the mentioned		
)		alarJS is a framework	k.	
		HTML	ii)	Java
-	iii) .	Javascript	iv)	SQL
n)	On w	hich of the architectural patter	m An	igularJS is based?
	0	Observer pattern	ii)	Decorater patteren
	iii)	MVC architecture pattern	iv)	MVVM architectural pattern
1)	Selec	et the directive which hide or sl	iows	the HTML element.
	i)	ng-list	ii)	ng- hidi
	iii)	ng- copy	iv)	ng- open
0)	In Pl	HP array index starts with posi	tion_	
	i)	1	ii)	0
	iii)	2	iv)	-1
p)		is not a variable scope in l	PHP.	lay- signer the same and
	1)	Extern	ii)	Local
	iii)	Static	iv)	Global
q)	Wha	t is tue use of isset () function	in Pl	(P)
	i)	It is used to check whether var	iable	is set are not
		It is used to check whether var		
		It is used to check whether var		
		None of the mentioned		autour 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	,			The View of the Land of the Land

r)	i) &&	l com-
	ii) //	
s)	iii) /**/ iv) both b &	c
5)	Which of the following is the correct way of defini	ing a variable in PHP?
	variable name = value;	
	marite value;	
	iii) \$ Variable = name = value;	
	iv) \$ Variable name as value;	
1)	Which of the following is tue use fo strlen() funct	ion in PHP?
	i) It returns the type of string	
	ii) It returns the lengtu of string	
	iii) It returns the value of string	
	iv.) It returns both value & type of string	
	the state of the state of the state of	
Q2) a)	What is Node is module? Explain its types in brief.	[5]
b)	Write a program to demonstrate ngif. & ngswitch s	
	OR	tatements. [5]
a)	What are different services in angular?	
b)		[5]
U)	Write a program to read the query string using url pr	roperty in Node js.[5]
(23) a) 1	What is NPM? How packages installed locally and	globally? [5]
b) C	Create angular program which will demonstrate the	a usage of component
d	lirective.	
		[5]
	OR	
a) W	/hat are the Typesoript components?	[5]
b) W	rite a program using NPM which will convert ente	ered string into lower
	se & upper case.	[5]
		121

Q4)	a) Explain <audio> and <canvas> tags in HTML5 with suitable ex</canvas></audio>	amples.
		[4]
1	b) Write a PHP script to demonstrate variables in PHP. Use Globa	als, local
	& global keyword to access variables.	[4]
C	Differentiate between include & require	121
	OR	
a	What are semantic elements and how it works in HTML5?	[4]
b)	Write a PHP script to demonstrate any 4 operators.	[4]
c)	West in the second seco	
c)	What is Vor- dump() function in PHP?	121
Q5) a)	What are selectors in CSS2 Earlain with with the	140
2-, -,	What are selectors in CSS? Explain with suitable example.	141
b)	Write a PHP script to disply employees belongs to IT depa- salary is in between 30, 000 - 80, 000 and store found r	
	another table.	16
	(Assume suitable table structure)	
	OR	
a)	What is CSS framework? What are the different sorts of ess fi	
		i41
10	Write a PHP script & insert at least 5 records into it & upda	ite specific
b)	record in database. Assume student table with required fields i	n database.
	record in database. Assume student table with required	[6]



Total No. of C	uestions	:	5)
----------------	----------	---	----

P6985

[5865] -203

SEAT No.: 222 51 [Total No. of Pages : 4

F.Y.M.C.A - (Management Faculty)

IT - 23 : ADVANCED INTERNET TECHNOLOGIES (2020 Pattern) (Semester - II)

	(2020 Pattern) (Schlester Max. Marks : 50
Time: 21/2 H	ours)
Instructions	to the candidates: I questions are compulsory.
1) All	questions are compusory. raw near & labeled diagrams wherever necessary.
2) Di	
	[10]
Q1) Choo	se the correct option (1/2 mark each).
1)	An article element contains
	b) image
	a) Audio None of the above
	C) Text or embedded content d) None of the above What is the correct syntax of doctype in html 5? What is the correct syntax of doctype html>
2)	What is the correct syntax of doctype html>
	c) html selector applies styles to elements that must be addressed before
3)	selector applies sole
	submission. (b) : required
	a) : must
	c) : must-be Which of the following CSS property is used to set the background
	of the following CSS property is used to set the
4)	
	image of an element b) background - image
	a) background - attachment b) background - mage
	c) background to serve static resources in Node. Is:
5)	c) background - color d) none of the color choose the module which is used to serve static resources in Node.js? Choose the module which is used to serve static color
5)	
	a) http
	c) node - resource singual the Node is express
	c) node - resource Which of the following command is used to install the Node.js express
6)	Which of the follows
	module? b) \$node install express
	a) Snpm install express
	d) Suprimode
	c) \$install express
	PTO

7) Node. js is written in	c, Python, Javascript
a) C, C++, Javascript	C, C++, PHP
8) The Node. js modules can be exp	b) module
a) expose	
CI CADOLLO	
9) Which method of fs module is us	led to open a me.
a) fs. open (path, flags [, mode]	odel call back)
b) fs. openFile (path, flags [,mo	
 c) fs. openRath (path, flags [,n d) none of the above 	lodej, can back)
and the	correct syntax for writing AngularJS
expressions?	correct syntax for writing Angulars
1 20	b) {{expression}}
ALSO CALL	d) [expression]
11) Which of the following syntax is	used to create a module in AngularJS?
a) var myModule = angular, mo	odule ()
b) var myModule = new Modu	le (E
c) module ("app", []);	199
d) none of the above	Commence to the second
12) Using you can share data be	etween controller and
-) Scope	b) . Services
c) Factory	d) \$ Rootsoon
13) directive is used to start an a	angularJs application
a) ng-init	ng-app
c) ng-controller	ng-model
14) is not a validation directive i	n anoular IC
a) ng-app	angularis.
b) ng-required	and co
c) ng-minlength	The state of the s
d) ng-pattern	17 B
15) Variable name in PHP starts with.	A CONTRACTOR OF THE PARTY OF TH
a) !(Exclamation)	Eg. 10
(and the state of	(Dollar)
VI (XIAmpersond)	d) #(Hash)
	Service and murph
	Control operation
51 - 203	

16)	Wh	nich of the following is used to dis	splay the output in PHP?
	a)	Echo b)	Write
	c)	Print	Both (a) & (c)
17)	Wh	nich of the following is the correct	t way to create a function in PHP?
	a)	Create myFunction(~)	
	b)	New-function myFunction()	
	c)	Function-myFunction()	
	d)	Create function myFunction()	of the same and the little of
18)	W	hich of the following function is	used to set cookie in PHP?
	a)	Createcookie () b)	
	c)	Setcookie () d)	None of the above
19) PI	IP stands for	3
	a)	Hypertext Preprocessor b)	Pretext Hypertext Preprocessor
	c)	Personal Home Processor d)	None of the above
2	V (0	What will be the output of the follow	ving program?
	<	?php	
		\$ var 1 = "Hello";	
		S var 2 = "World";	Moliginal Maria Maria
	. 2	echo \$var1, \$var2;	
	a	Lang B.	
	Ь		
	c)) Hello World	
	d)) Hello + World	
2) a)	E	xplain Event handling in Node. js	with suitable example 151
b)	W	rite a program to display string in	appercase & lowercase using Angular
	JS	S filters.	[5]
		OR	147 .0.
a)	. E:	xplain ng-app, ng-model and hg-b	ind with suitable example. [5]
b)	W	rite a program for multiplication	of 2 numbers using event handling in
	no	ode. js. Call multiplication function	n as an event call. [5]

Scanned by PDF Scanner

Q3) a) What is Node. js? Explain its working & features?	
b) Create a login form both username 6	[5]
b) Create a login form, both username & password fields are mand after entering the values transfer user control to next web page shows the control of the c	
message as "You have login successfully". (Use ng-href & ng-require	d) [5]
Charles and Charle	-).[0]
OR	
a) Explain routing in AngularJS with suitable example.	161
b) Write a program to show current date and time voice	[5]
in node is	[5]
Contain and a Contain to the Contain the C	[5]
Q4) a) Explain video & svg tag in HTML 5 with suitable example.	[4]
b) Write a pHp script to demonstrate multidiamensional arrays.	[4]
c) What is cookie & session in PHP	[2]
OR S	121
a) What is HTML5. Explain its features and advantages.	141
b) Write a PHP script to create a database using MYSQL.	[4]
c) What is Define function in PMP.	[2]
	1-,
(5) a) What is pseudo classes in CSS explain with suitable example.	[4]
b) Write a PHP script to design a form for exam registration. Insert 5	records
in database and display all the inserted records on new page.	76]
OR	1
a) What are the objectives of CSS architecture.	[4]
b) Write a PHP script to design a form to reschedule the journey	dates of
flights and display the updated information on new web page.	[6]
The state of the s	
Et O	
the state of	
the same of the sa	
The state of the second st	
The Alabana is the month and the Alabana is the same and	
- 7	
(4)	

Suryadatta Education Foundation's

Suryadatta Group of Institutes, Pune End Term Examination-June 2022

MCA-I (SEM - I): A.Y. 2021-22

Subject: Advanced Internet Technologies

Subject Code: IT-23

Date: 05/08/2022


Total Marks: 50

Time: 10:00 AM to 12:30 PM

Note: All questions are Compulsory

Q 1) Select the correct alternative	[0.5*20=20Mark]
1input element defines a field for entering URL. a. <input type="radio"/> b. <input type="color"/> c. <input type="URL"/> d. <input type="ULR"/>	2. Which of the following statements are true? a. Node js is a server side language b. Node js is a client side language c. Both client side language & server side language d. None of the above
3. ———input element defines a BROWSE BUTTON TO UPLOAD FILE a. <input type="file"/> b. <input type="browse"/> c. < input type=upload> d. <input type="file-upload"/>	4-Which of the following method of fs module is used to get file information? a. fs.open(path, flags , mode , callback) b. fs.stat(path, callback) c. fs.readFile(path, flags[, mode], callback) d. None of the above.
of <audio> tag specifies that the audio output should be muted. a. src b. muted c. loop</audio>	a. Global b. Local c. Global Function d. Local to object
d. controls The PHP code is embedded with HTML tags using a. php? b. <#php?> c. <sphp?></sphp?>	Bootstrap is Free-front end framework a. True b. False

. To draw on the canvas, 16. What is Callback? authors must first obtain a a) The callback is a technique in which reference to a context using a method calls back the caller method. the b) The callback is an asynchronous method of the canvas equivalent for a function. interface element. c) Both of the above. a. getImageData b. toDataURL c. getContext d. restore B. Which of the following is 2 Which of the following the correct syntax for command is used to start a referring the external style REPL session? sheet? a) \$ node a. <style src = example.css> b) \$ node start b. <style src = "example.css" > c) \$ node repl c. <stylesheet> example.css d) \$ node console </stylesheet> d. <link rel="stylesheet" type="text/css" href="example.css"> 19. User defined function H:Which of the following is the declared with ---correct syntax for writing keyword? AngularJS expressions? a. Function a. (expression) b. Myfunction b. {{expression}} c. Echo c. {{{expression}}} d. None of these. d. [expression] ----string function in PHP 16. Which of the following syntax converts the first character of is used to create a module in each word in a string to AngularJS? uppercase a. varmyModule= a. ucwords() angular.module(); b. uc words() b. var myModule= c. up word() d. upwords() Module(); c. module("app", []); d. None of the above 18 Which of the following ess property -method in php is used to is used to define a delay before an check whether variable has



Q3) Answer the following a) Define Scope in AngularJS. b) Enlist the features of Laravel framework. c) Write a program to display following canvas. [10 marks] Q4) Answer the following: a) Enlist array and explain declaration of array with any one example, b) Explain REPL features in Node JS with example c) Write a PHP Program to insert a roll number ,name, age, division and gender into database using HTML Post Method in form Q4) Answer the following: a) What is angular JS? What are the key features of Angular . b) Explain the steps of database connectivity in PHP c) Write a PHP function to count the total number of vowels (a,e,i,o,u) from the string. Accept a string by using HTML form. Q 5) Write short notes (Attempt any Two): a) \$_COOKIES b) S SESSION d) Web server creation in Node JS c) Type script in Angular JS

