

# Quarterly Business Review (QBR)

Executive Operations & Infrastructure Performance Report — Jubilant Foodworks Ltd (JFL)

372

MONITORED ASSETS

97.93%

JFL SWITCH UPTIME

92.85/100

HEALTH SCORE

95.16%

SLA COMPLIANCE

Reporting Period: 1 August 2026 – 31 August 2026

Verified SSOT Data Engine • Confidential

# Executive Summary & Network Health

Jubilant Foodworks Ltd (JFL) — Strategic Operations Overview

📅 1 August 2026 – 31 August 2026

|                                                                                                               |                                                                                |                                                                                             |                                                                                                    |
|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| <div>TOTAL INFRASTRUCTURE</div> <div>372 Devices</div> <div>8 Sites (142 Switches / 224 APs / 72 Stock)</div> | <div>JFL SWITCH UPTIME %</div> <div>97.93%</div> <div>Target SLA: 99.30%</div> | <div>PROACTIVE SWITCH UPTIME %</div> <div>98.80%</div> <div>Net Working Time Deducted</div> | <div>INFRASTRUCTURE HEALTH SCORE</div> <div>92.85/100</div> <div>Good (86.83% Incident-Free)</div> |
|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|

## Primary Executive Findings & RCA Drivers

|                                                                         |                                                                    |
|-------------------------------------------------------------------------|--------------------------------------------------------------------|
| <div>PRIMARY RCA DRIVER (SWITCHES)</div> <div>Device Power Issues</div> | <div>PRIMARY RCA DRIVER (APS)</div> <div>Device Power Issues</div> |
|-------------------------------------------------------------------------|--------------------------------------------------------------------|

## Executive Operational Narrative

During the **1 August 2026 – 31 August 2026** reporting period, network operations for **Jubilant Foodworks Ltd (JFL)** maintained robust availability across all **372** monitored network assets, achieving an Executive Health Score of **92.85/100 (Good)** and a **95.16% SLA Compliance Rate** across incident resolution records. Switch infrastructure availability averaged **97.93%** against the contractual **99.30% SLA Target**.

# Site Executive Performance Summary Table

Site-by-Site Device Count, Switch Uptimes, AP Incidents & Primary RCA Drivers

1 August 2026 – 31 August 2026

| Site Location | No of Devices | Proactive Switch Uptime | JFL Switch Uptime | Primary RCA Driver (Switches)    | AP Incidents (Unique) | Primary RCA Driver (APS)         |
|---------------|---------------|-------------------------|-------------------|----------------------------------|-----------------------|----------------------------------|
| Bangalore     | 182           | 99.93%                  | 98.41%            | Device Power Issues              | 1 / 1                 | New Configuration                |
| Greater Noida | 122           | 99.89%                  | 73.97%            | New Configuration                | 49 / 23               | Device Power Issues              |
| Guwahati      | 5             | 99.98%                  | 100.00%           | Device Boot Issues               | 0 / 0                 | Stable Operations (No Incidents) |
| Hyderabad     | 16            | 100.00%                 | 100.00%           | Stable Operations (No Incidents) | 7 / 6                 | Device Power Issues              |
| Mohali        | 19            | 100.00%                 | 100.00%           | Stable Operations (No Incidents) | 5 / 5                 | Device Power Issues              |
| Mumbai-DC     | 8             | 100.00%                 | 100.00%           | Stable Operations (No Incidents) | 0 / 0                 | Stable Operations (No Incidents) |
| Nagpur        | 10            | 99.96%                  | 93.02%            | Client Side Activity             | 0 / 0                 | Stable Operations (No Incidents) |
| Noida         | 82            | 99.41%                  | 99.41%            | Stable Operations (No Incidents) | 0 / 0                 | Stable Operations (No Incidents) |

## Contractual SLA Boundary & Hold Policy

**Note:** Utility power cuts, store cabling activities, and third-party ISP outages are categorized transparently as local site dependencies and isolated from MSP SLA penalty deductions.

### Location-Specific Breakdown of Switches, APs, Stock Inventory & Incident Metrics

**1 August 2026 – 31 August 2026**

182 Monitored Assets (50 SW / 78 AP / 54 Stock)

98.41%

1 / 1

## Device Power Issues

## New Configuration

122 Monitored Assets (42 SW / 72 AP / 8 Stock)

73.97%

49 / 23

## New Configuration

## Device Power Issues

## 100.00%

0 / 0

## Device Boot Issues

### Stable Operations (No Incidents)

## 100.00%

7 / 6

### Stable Operations (No Incidents)

## Device Power Issues

## 100.00%

5 / 5

### Stable Operations (No Incidents)

## Device Power Issues

100.00%

0 / 0

### Stable Operations (No Incidents)

### Stable Operations (No Incidents)

## Nagpur

## Noida

10 Monitored Assets (4 SW / 6 AP / 0 Stock)

JFL SWITCH UPTIME

93.02%

AP INCIDENTS (UNIQUE)

0 / 0

PRIMARY RCA (SWITCHES)

Client Side Activity

PRIMARY RCA (APS)

Stable Operations (No Incidents)

82 Monitored Assets (40 SW / 36 AP / 6 Stock)

JFL SWITCH UPTIME

99.41%

AP INCIDENTS (UNIQUE)

0 / 0

PRIMARY RCA (SWITCHES)

Stable Operations (No Incidents)

PRIMARY RCA (APS)

Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

1 AP Incidents

Primary RCA: New Configuration

RACK-WISE SWITCH UPTIME %

| RACK#         | OVERALL PERCENTAGE OF RACK-WISE |
|---------------|---------------------------------|
| CORE          | 100.00%                         |
| GF-R1         | 100.00%                         |
| 1F-R1         | 100.00%                         |
| Z1-SIDE PLANT | 100.00%                         |
| SIDE-PLANT1   | 100.00%                         |
| 2F-R4         | 100.00%                         |
| GF-R5         | 100.00%                         |
| MZ-R2         | 100.00%                         |
| MZ-R1         | 100.00%                         |
| GF-ETP        | 100.00%                         |
| 1F-R4         | 100.00%                         |
| 1F-R5         | 99.97%                          |
| GF-R6         | 100.00%                         |
| GF-R4         | 100.00%                         |
| GF-R3         | 100.00%                         |
| 2F-R5         | 100.00%                         |
| GF-R2         | 100.00%                         |
| 1F-R3         | 100.00%                         |
| 1F-R2         | 99.99%                          |
| GF-UTILITY    | 100.00%                         |
| HEALTHCARE    | 99.60%                          |
| 2F-R2         | 100.00%                         |
| SEC-CAB       | 99.98%                          |
| 2F-R1         | 100.00%                         |



SITE REVIEW • Bangalore — Switch Uptime Report (Page 1 of 3)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.93%

SWITCHES MONITORED

50

PRIMARY RCA DRIVER

Device Power Issues

SWITCH AT 100% UPTIME

44

| S.N | LOCATION  | HOSTNAME      | SERIAL NO.     | DEVICE TYPE | RACK NO.      | PROACTIVE -UPTIME% |
|-----|-----------|---------------|----------------|-------------|---------------|--------------------|
| 1   | Bangalore | CORE-1        | Q2DW-EM6A-8GPL | SW          | CORE          | 100.00%            |
| 2   | Bangalore | CORE-2        | Q2DW-FPMF-3AL6 | SW          | CORE          | 100.00%            |
| 3   | Bangalore | GF-R1-SW3     | Q2EW-3S9C-VJRW | SW          | GF-R1         | 100.00%            |
| 4   | Bangalore | 1F-R1-SW4     | Q2EW-5R5B-HEY9 | SW          | 1F-R1         | 100.00%            |
| 5   | Bangalore | Z1-SIDE PLANT | Q2MW-CRVX-WJD3 | SW          | Z1-SIDE PLANT | 100.00%            |
| 6   | Bangalore | SIDE-PLANT1   | Q2MW-DT66-3HKL | SW          | SIDE-PLANT1   | 100.00%            |
| 7   | Bangalore | 2F-R4-SW2     | Q2QW-ARKH-HCRT | SW          | 2F-R4         | 100.00%            |
| 8   | Bangalore | 2F-R4-SW1     | Q2QW-ATN2-HDQK | SW          | 2F-R4         | 100.00%            |
| 9   | Bangalore | 2F-R4-SW3     | Q2QW-BAYV-J6K5 | SW          | 2F-R4         | 100.00%            |
| 10  | Bangalore | GF-R5-SW3     | Q2QW-BWS8-7ULR | SW          | GF-R5         | 100.00%            |
| 11  | Bangalore | MZ-R2-SW1     | Q2QW-BWVG-Y4ZU | SW          | MZ-R2         | 100.00%            |
| 12  | Bangalore | MZ-R1-SW      | Q2QW-BWVB-HTLP | SW          | MZ-R1         | 100.00%            |
| 13  | Bangalore | GF-R5-SW1     | Q2QW-BYNP-CGVJ | SW          | GF-R5         | 100.00%            |
| 14  | Bangalore | GF-R5-SW2     | Q2QW-BZ2C-GWN7 | SW          | GF-R5         | 100.00%            |
| 15  | Bangalore | GF-ETP-SW1    | Q2QW-CAJU-QVKD | SW          | GF-ETP        | 100.00%            |
| 16  | Bangalore | 1F-R4-SW2     | Q2QW-CAKK-KNXD | SW          | 1F-R4         | 100.00%            |
| 17  | Bangalore | 1F-R5-SW1     | Q2QW-CANP-QCYR | SW          | 1F-R5         | 99.96%             |
| 18  | Bangalore | GF-R6-SW1     | Q2QW-CLQ3-BXHC | SW          | GF-R6         | 100.00%            |
| 19  | Bangalore | GF-R4-SW1     | Q2QW-CNV8-9Q8Y | SW          | GF-R4         | 100.00%            |
| 20  | Bangalore | GF-R3-SW3     | Q2QW-CQPR-WJYV | SW          | GF-R3         | 100.00%            |
| 21  | Bangalore | GF-R3-SW1     | Q2QW-CQR4-DPMQ | SW          | GF-R3         | 100.00%            |
| 22  | Bangalore | 1F-R5-SW2     | Q2QW-CQSG-6X85 | SW          | 1F-R5         | 100.00%            |



SITE REVIEW • Bangalore — Switch Uptime Report (Page 2 of 3)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.93%

SWITCHES MONITORED

50

PRIMARY RCA DRIVER

Device Power Issues

SWITCH AT 100% UPTIME

44

| S.N | LOCATION  | HOSTNAME       | SERIAL NO.     | DEVICE TYPE | RACK NO.   | PROACTIVE -UPTIME% |
|-----|-----------|----------------|----------------|-------------|------------|--------------------|
| 23  | Bangalore | 2F-R5-SW1      | Q2QW-CTCG-QKDE | SW          | 2F-R5      | 100.00%            |
| 24  | Bangalore | GF-R2-SW1      | Q2QW-CTDD-3Z86 | SW          | GF-R2      | 100.00%            |
| 25  | Bangalore | 1F-R3-SW1      | Q2QW-CTFE-E2WF | SW          | 1F-R3      | 100.00%            |
| 26  | Bangalore | 1F-R4-SW1      | Q2QW-CTFM-KEQZ | SW          | 1F-R4      | 100.00%            |
| 27  | Bangalore | 1F-R3-SW2      | Q2QW-CTFW-5K36 | SW          | 1F-R3      | 100.00%            |
| 28  | Bangalore | GF-R3-SW2      | Q2QW-CTG2-RX56 | SW          | GF-R3      | 100.00%            |
| 29  | Bangalore | 2F-R5-SW2      | Q2QW-CTMF-ZXMF | SW          | 2F-R5      | 100.00%            |
| 30  | Bangalore | GF-R4-SW3      | Q2QW-D8UN-JHM7 | SW          | GF-R4      | 100.00%            |
| 31  | Bangalore | GF-R4-SW2      | Q2QW-DC3Q-MPWQ | SW          | GF-R4      | 100.00%            |
| 32  | Bangalore | 1F-R5-SW4      | Q2QW-EX7M-X9M6 | SW          | 1F-R5      | 99.96%             |
| 33  | Bangalore | GF-R2-SW2      | Q2QW-CAKR-LDFB | SW          | GF-R2      | 100.00%            |
| 34  | Bangalore | 1F-R2-SW1      | Q2QW-EXJY-SE64 | SW          | 1F-R2      | 99.99%             |
| 35  | Bangalore | GF-UTILITY-SW1 | Q2QW-EXXK-QDZ3 | SW          | GF-UTILITY | 100.00%            |
| 36  | Bangalore | HEALTHCARE     | Q2QW-EY63-C2SF | SW          | HEALTHCARE | 99.60%             |
| 37  | Bangalore | 2F-R2-SW2      | Q2QW-FB9E-UCQL | SW          | 2F-R2      | 100.00%            |
| 38  | Bangalore | SEC-CAB-SW2    | Q2QW-FCH3-EMVG | SW          | SEC-CAB    | 100.00%            |
| 39  | Bangalore | SEC-CAB-SW1    | Q2QW-FCJL-LJS8 | SW          | SEC-CAB    | 99.96%             |
| 40  | Bangalore | 1F-R5-SW3      | Q2QW-GPBW-SLG9 | SW          | 1F-R5      | 99.96%             |
| 41  | Bangalore | GF-R6-SW2      | Q2QW-GUDX-25NY | SW          | GF-R6      | 100.00%            |
| 42  | Bangalore | GF-UTILITY-SW2 | Q2QW-GVT2-QANK | SW          | GF-UTILITY | 100.00%            |
| 43  | Bangalore | GF-R2-SW3      | Q2QW-H6CN-W8LR | SW          | GF-R2      | 100.00%            |
| 44  | Bangalore | 2F-R1-SW1      | Q2ZP-A3JU-5GR5 | SW          | 2F-R1      | 100.00%            |



SITE REVIEW • Bangalore — Switch Uptime Report (Page 3 of 3)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.93%

SWITCHES MONITORED

50

PRIMARY RCA DRIVER

Device Power Issues

SWITCH AT 100% UPTIME

44

| S.N | LOCATION  | HOSTNAME  | SERIAL NO.     | DEVICE TYPE | RACK NO. | PROACTIVE -UPTIME% |
|-----|-----------|-----------|----------------|-------------|----------|--------------------|
| 45  | Bangalore | 1F-R1-SW3 | Q2ZP-AP5E-Z83L | SW          | 1F-R1    | 100.00%            |
| 46  | Bangalore | 2F-R1-SW2 | Q2ZP-AYJY-GU4V | SW          | 2F-R1    | 100.00%            |
| 47  | Bangalore | GF-R1-SW2 | Q2ZP-AZ5F-V97Y | SW          | GF-R1    | 100.00%            |
| 48  | Bangalore | 1F-R1-SW1 | Q2ZP-D2D2-VFQK | SW          | 1F-R1    | 100.00%            |
| 49  | Bangalore | 1F-R1-SW2 | Q2ZP-D47G-NGKY | SW          | 1F-R1    | 100.00%            |
| 50  | Bangalore | GF-R1-SW1 | Q2ZP-D487-83QR | SW          | GF-R1    | 100.00%            |

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 1 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

1

MET CASES

1

BREACH CASES

0

PRIMARY RCA DRIVER

New Configuration

| S NO | LOCATION  | HOSTNAME                     | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|-----------|------------------------------|----------------|-------------|-----------------|----------------------------------|
| 1    | Bangalore | GF-AP2-UTILITY-SW1-12P       | Q3AC-2Q7D-JCGF | AP          | 0               | Stable Operations (No Incidents) |
| 2    | Bangalore | 1F-AP11-R05-SW02-40P         | Q3AC-3CVE-NZNV | AP          | 0               | Stable Operations (No Incidents) |
| 3    | Bangalore | GF-AP32-R05-SW02-31P         | Q3AC-3HFB-L9N6 | AP          | 0               | Stable Operations (No Incidents) |
| 4    | Bangalore | GF-AP35-R04-SW02-13P         | Q3AC-59QF-LNTG | AP          | 0               | Stable Operations (No Incidents) |
| 5    | Bangalore | GF-AP17-R06-SW01-04P         | Q3AC-5CB9-8CUH | AP          | 0               | Stable Operations (No Incidents) |
| 6    | Bangalore | 2F-AP11-R05-SW01-40P         | Q3AC-5WMD-2PG2 | AP          | 0               | Stable Operations (No Incidents) |
| 7    | Bangalore | GF-AP20-R03-SW02-40P         | Q3AC-6HKW-LC8E | AP          | 0               | Stable Operations (No Incidents) |
| 8    | Bangalore | 2F-AP19-R04-Helthcare-1P     | Q3AC-75JU-8592 | AP          | 0               | Stable Operations (No Incidents) |
| 9    | Bangalore | GF-AP1-UTILITY-SW1-4P        | Q3AC-8NA9-73L4 | AP          | 0               | Stable Operations (No Incidents) |
| 10   | Bangalore | GF-AP41-R03-SW02-44P         | Q3AC-8RQX-XQUG | AP          | 0               | Stable Operations (No Incidents) |
| 11   | Bangalore | 2F-AP20-R4-SW2-45P           | Q3AC-9EFV-95CH | AP          | 0               | Stable Operations (No Incidents) |
| 12   | Bangalore | GF-AP16-R02-SW01-14P         | Q3AC-AUFV-SSNE | AP          | 0               | Stable Operations (No Incidents) |
| 13   | Bangalore | GF-AP14-R02-SW01-16P         | Q3AC-B3CZ-8UKC | AP          | 0               | Stable Operations (No Incidents) |
| 14   | Bangalore | SEASONING_BOARD_ROOM         | Q3AC-C3XA-8AX4 | AP          | 0               | Stable Operations (No Incidents) |
| 15   | Bangalore | 2F-AP18-R4-SW2-8P            | Q3AC-C4P4-JNC9 | AP          | 0               | Stable Operations (No Incidents) |
| 16   | Bangalore | 1F-AP06-R05-SW04-4P          | Q3AC-DFLX-KHLR | AP          | 0               | Stable Operations (No Incidents) |
| 17   | Bangalore | GF-AP09-R02-SW01-22P         | Q3AC-DK8K-8UBR | AP          | 0               | Stable Operations (No Incidents) |
| 18   | Bangalore | SEC-CAB-GF-AP03-R01-SW01-06P | Q3AC-DTQ8-WQMM | AP          | 0               | Stable Operations (No Incidents) |
| 19   | Bangalore | 1F-AP13-R04-SW02-13P         | Q3AC-DZAX-3FNP | AP          | 0               | Stable Operations (No Incidents) |
| 20   | Bangalore | 1F-AP10-R05-SW02-44P         | Q3AC-E8LA-PVD4 | AP          | 0               | Stable Operations (No Incidents) |
| 21   | Bangalore | GF-AP13-R06-SW01-47P         | Q3AC-E984-BXYN | AP          | 0               | Stable Operations (No Incidents) |
| 22   | Bangalore | GF-AP46-R2-SW1-35P           | Q3AC-FZXU-BF4E | AP          | 0               | Stable Operations (No Incidents) |



SITE REVIEW • Bangalore — AP Incidents & RCA (Page 2 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

1

MET CASES

1

BREACH CASES

0

PRIMARY RCA DRIVER

New Configuration

| S NO | LOCATION  | HOSTNAME                     | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|-----------|------------------------------|----------------|-------------|-----------------|----------------------------------|
| 23   | Bangalore | 1F-AP25-R02-SW01-3P          | Q3AC-H9SR-3N44 | AP          | 0               | Stable Operations (No Incidents) |
| 24   | Bangalore | CK QC Lab                    | Q3AC-HG28-SMQY | AP          | 0               | Stable Operations (No Incidents) |
| 25   | Bangalore | SEC-CAB-1F-AP02-R01-SW01-10P | Q3AC-HV2N-AG28 | AP          | 0               | Stable Operations (No Incidents) |
| 26   | Bangalore | GF-AP05-R01-SW02-41P         | Q3AC-J4UC-SDJU | AP          | 0               | Stable Operations (No Incidents) |
| 27   | Bangalore | 2F-AP04-R4-SW3-24P           | Q3AC-JN66-PSGV | AP          | 0               | Stable Operations (No Incidents) |
| 28   | Bangalore | GF-AP07-R01-SW01-04P         | Q3AC-KMBJ-UJFL | AP          | 0               | Stable Operations (No Incidents) |
| 29   | Bangalore | 2F-AP28-R02-SW02-31P         | Q3AC-LJA3-YXHT | AP          | 0               | Stable Operations (No Incidents) |
| 30   | Bangalore | GF-AP15-R06-SW01-02P         | Q3AC-MNA8-TMWD | AP          | 0               | Stable Operations (No Incidents) |
| 31   | Bangalore | GF-AP46-R02-SW01-26P         | Q3AC-MPDZ-UTHS | AP          | 0               | Stable Operations (No Incidents) |
| 32   | Bangalore | GF-AP29-R04-SW02-23P         | Q3AC-NC4G-DUA2 | AP          | 0               | Stable Operations (No Incidents) |
| 33   | Bangalore | GF-AP37-R04-SW02-17P         | Q3AC-P4G8-N73U | AP          | 0               | Stable Operations (No Incidents) |
| 34   | Bangalore | 2F-AP12-R5-SW2-4P            | Q3AC-PGZ6-YM5F | AP          | 0               | Stable Operations (No Incidents) |
| 35   | Bangalore | GF-AP12-R02-SW01-18P         | Q3AC-PV6N-6QRC | AP          | 0               | Stable Operations (No Incidents) |
| 36   | Bangalore | GF-AP31-R05-SW02-37P         | Q3AC-PZ4U-KKTC | AP          | 0               | Stable Operations (No Incidents) |
| 37   | Bangalore | GF-AP21-R03-SW2-30P          | Q3AC-QG3A-P7EA | AP          | 0               | Stable Operations (No Incidents) |
| 38   | Bangalore | 1F-AP07-R05-SW04-17P         | Q3AC-QSJ4-9L25 | AP          | 0               | Stable Operations (No Incidents) |
| 39   | Bangalore | GF-AP18-R06-SW01-06P         | Q3AC-QVDT-2CJX | AP          | 0               | Stable Operations (No Incidents) |
| 40   | Bangalore | SEC-CAB-GF-AP01-R01-SW01-02P | Q3AC-RDT3-Y62C | AP          | 0               | Stable Operations (No Incidents) |
| 41   | Bangalore | GF-AP11-R02-SW01-20P         | Q3AC-RPEZ-GQKD | AP          | 0               | Stable Operations (No Incidents) |
| 42   | Bangalore | 1F-AP14-R04-SW02-11P         | Q3AC-RQJS-FY3M | AP          | 0               | Stable Operations (No Incidents) |
| 43   | Bangalore | GF-AP08-R06-SW01-37P         | Q3AC-SFX9-92AT | AP          | 0               | Stable Operations (No Incidents) |
| 44   | Bangalore | 2F-AP29-R02-SW02-44P         | Q3AC-TQXL-MJ4E | AP          | 0               | Stable Operations (No Incidents) |



SITE REVIEW • Bangalore — AP Incidents & RCA (Page 3 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

1

MET CASES

1

BREACH CASES

0

PRIMARY RCA DRIVER

New Configuration

| S NO | LOCATION  | HOSTNAME                     | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|-----------|------------------------------|----------------|-------------|-----------------|----------------------------------|
| 45   | Bangalore | GF-AP23-R3-SW2-38P           | Q3AC-TXSV-U4XB | AP          | 0               | Stable Operations (No Incidents) |
| 46   | Bangalore | SEC-CAB-1F-AP01-R01-SW01-08P | Q3AC-UWPC-8RNF | AP          | 0               | Stable Operations (No Incidents) |
| 47   | Bangalore | MZ-AP03-R01-SW01-17P         | Q3AC-V7R5-ECG9 | AP          | 0               | Stable Operations (No Incidents) |
| 48   | Bangalore | GF-AP39-R04-SW02-15P         | Q3AC-W6MK-P7AJ | AP          | 0               | Stable Operations (No Incidents) |
| 49   | Bangalore | MZ-AP6-R02-SW01-35P          | Q3AC-W7XL-SNU2 | AP          | 0               | Stable Operations (No Incidents) |
| 50   | Bangalore | 1F-AP09-R05-SW02-36P         | Q3AC-WRR3-U9YN | AP          | 0               | Stable Operations (No Incidents) |
| 51   | Bangalore | GF-AP33-R05-SW02-33P         | Q3AC-WX2V-AT4T | AP          | 0               | Stable Operations (No Incidents) |
| 52   | Bangalore | GF-AP40-R03-SW03-6P          | Q3AC-XXBM-8XSL | AP          | 0               | Stable Operations (No Incidents) |
| 53   | Bangalore | 1F-AP26-R5-SW02-34P          | Q3AC-Y2HS-V29M | AP          | 1               | New Configuration                |
| 54   | Bangalore | GF-AP06-R02-SW01-24P         | Q3AC-Y7GE-YS64 | AP          | 0               | Stable Operations (No Incidents) |
| 55   | Bangalore | GF-AP10-R06-SW01-41P         | Q3AC-YEDW-G7SA | AP          | 0               | Stable Operations (No Incidents) |
| 56   | Bangalore | SEC-CAB-GF-AP02-R01-SW01-04P | Q3AC-YHHC-Q634 | AP          | 0               | Stable Operations (No Incidents) |
| 57   | Bangalore | 1F-AP12-R04-SW02-9P          | Q3AC-ZNCZ-HDNM | AP          | 0               | Stable Operations (No Incidents) |
| 58   | Bangalore | CK Office                    | Q3AC-86YA-CET5 | AP          | 0               | Stable Operations (No Incidents) |
| 59   | Bangalore | CK Production Hall           | Q3KD-MNV6-9TD4 | AP          | 0               | Stable Operations (No Incidents) |
| 60   | Bangalore | GF-AP24-R06-SW01-39P         | Q3AE-PGHB-B4B5 | AP          | 0               | Stable Operations (No Incidents) |
| 61   | Bangalore | GF-AP22-R06-SW01-43P         | Q3AE-VET4-ADEA | AP          | 0               | Stable Operations (No Incidents) |
| 62   | Bangalore | GF-AP01-R01-SW02-33P         | Q5AE-36RN-AZWJ | AP          | 0               | Stable Operations (No Incidents) |
| 63   | Bangalore | 1F-AP01-R01-SW02-9P          | Q5AE-4AJX-9QNQ | AP          | 0               | Stable Operations (No Incidents) |
| 64   | Bangalore | MZ-AP2-R01-SW-4P             | Q5AE-66KK-GPLP | AP          | 0               | Stable Operations (No Incidents) |
| 65   | Bangalore | 2F-AP30-R01-SW02-7P          | Q5AE-6ZST-KJTQ | AP          | 0               | Stable Operations (No Incidents) |
| 66   | Bangalore | 2F-AP1-R01-SW01-10P          | Q5AE-B5XG-EY4R | AP          | 0               | Stable Operations (No Incidents) |



SITE REVIEW • Bangalore — AP Incidents & RCA (Page 4 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

1

MET CASES

1

BREACH CASES

0

PRIMARY RCA DRIVER

New Configuration

| S NO | LOCATION  | HOSTNAME             | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|-----------|----------------------|----------------|-------------|-----------------|----------------------------------|
| 67   | Bangalore | 2F-AP2-R01-SW02-9P   | Q5AE-C2BB-FR69 | AP          | 0               | Stable Operations (No Incidents) |
| 68   | Bangalore | GF-AP03-R01-SW02-39P | Q5AE-C77W-8YW3 | AP          | 0               | Stable Operations (No Incidents) |
| 69   | Bangalore | 2F-AP3-R01-SW02-17P  | Q5AE-ECWU-JBL5 | AP          | 0               | Stable Operations (No Incidents) |
| 70   | Bangalore | GF-AP19-R02-SW02-29P | Q5AE-JY3B-Q967 | AP          | 0               | Stable Operations (No Incidents) |
| 71   | Bangalore | GF-AP01-ETP-SW1-10P  | Q5AE-KNH9-5GV8 | AP          | 0               | Stable Operations (No Incidents) |
| 72   | Bangalore | MZ-AP1-R01-SW-6P     | Q5AE-P2XG-J4BA | AP          | 0               | Stable Operations (No Incidents) |
| 73   | Bangalore | GF-AP45-R03-SW03-30P | Q5AE-PYMV-RZ5Y | AP          | 0               | Stable Operations (No Incidents) |
| 74   | Bangalore | 1F-AP03-R01-SW02-13P | Q5AE-RFTG-FLJB | AP          | 0               | Stable Operations (No Incidents) |
| 75   | Bangalore | 1F-AP02-R01-SW02-11P | Q5AE-VNZM-SECF | AP          | 0               | Stable Operations (No Incidents) |
| 76   | Bangalore | GF-AP02-R01-SW03-21P | Q5AE-XMUU-7VL8 | AP          | 0               | Stable Operations (No Incidents) |
| 77   | Bangalore | 1F-AP04-R01-SW02-15P | Q5AE-XQRM-Z6P2 | AP          | 0               | Stable Operations (No Incidents) |
| 78   | Bangalore | MZ-AP7-R02-SW01-5P   | Q5AE-Y9U3-MTM2 | AP          | 0               | Stable Operations (No Incidents) |


ACCESS POINT BREAKDOWN

49 AP Incidents

Primary RCA: Device Power Issues

RACK-WISE SWITCH UPTIME %

| RACK#                | OVERALL PERCENTAGE OF RACK-WISE |
|----------------------|---------------------------------|
| Core                 | 50.00%                          |
| JFL-GNSC-TR-AC-SW-01 | 100.00%                         |
| JFL-GNSC-BP-AC-SW-01 | 100.00%                         |
| JFL-GNSC-TP-AC-SW-01 | 30.48%                          |
| JFL-GNSC-LT-AC-SW-01 | 100.00%                         |
| JFL-GNSC-PO-AC-SW-01 | 100.00%                         |
| JFL-GNSC-RE-AC-SW-01 | 100.00%                         |
| Main Rack            | 99.99%                          |
| JFL-GNSC-GF-AC-SW-03 | 99.95%                          |
| JFL-GNSC-DA-AC-SW-03 | 100.00%                         |
| JFL-GNSC-CLC-SW-03   | 100.00%                         |
| JFL-GNSC-RO-SW01     | 100.00%                         |
| JFL-GNSC-CK-AC-SW-02 | 100.00%                         |
| JFL-GNMC-2F-AC-ST-01 | 100.00%                         |
| JFL-GNMC-TR-AV-SW-01 | 100.00%                         |
| JFL-GNMC-3F-AC-ST-01 | 100.00%                         |
| JFL-GNMC-GF-AC-ST-01 | 100.00%                         |
| JFL-GNMC-EG-AC-ST-01 | 100.00%                         |
| JFL-GNMC-ER-AC-SW-01 | 99.97%                          |
| JFL-GNMC-MR-AC-SW-01 | 100.00%                         |
| JFL-GNMC-MR-AC-SW-03 | 100.00%                         |
| JFL-GNMC-NCK-SW-02   | 100.00%                         |
| JFL-GNMC-DA-AC-ST-01 | 100.00%                         |
| JFL-GNMC-CK-AC-SW-01 | 100.00%                         |



| RACK#                | OVERALL PERCENTAGE OF RACK-WISE |
|----------------------|---------------------------------|
| JFL-GNMC-SR-AC-SW-01 | 100.00%                         |
| JFL-GNMC-EG-AC-SW-01 | 100.00%                         |
| JFL-GNMC-LT-AC-SW-01 | 100.00%                         |
| JFL-GNMC-DA-AC-SW-01 | 100.00%                         |

SITE REVIEW • Greater Noida — Switch Uptime Report (Page 1 of 2)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.89%

SWITCHES MONITORED

42

PRIMARY RCA DRIVER

New Configuration

SWITCH AT 100% UPTIME

37

| S.N | LOCATION      | HOSTNAME                   | SERIAL NO.     | DEVICE TYPE | RACK NO.                | PROACTIVE -UPTIME% |
|-----|---------------|----------------------------|----------------|-------------|-------------------------|--------------------|
| 1   | Greater Noida | JFL-GNSC-CORE-SW-ST-01 [2] | Q5TN-DGC5-M8QZ | SW          | Core                    | 100.00%            |
| 2   | Greater Noida | JFL-GNSC-CORE-SW-ST-01 [1] | Q5TN-NF5F-N32X | SW          | Core                    | 0.00%              |
| 3   | Greater Noida | JFL-GNSC-TR-AC-SW-01       | FJC29021TWN    | SW          | JFL-GNSC-TR-AC-SW-01    | 100.00%            |
| 4   | Greater Noida | JFL-GNSC-BP-AC-SW-01       | FJC290222AL    | SW          | JFL-GNSC-BP-AC-SW-01    | 100.00%            |
| 5   | Greater Noida | JFL-GNSC-TP-AC-SW-01       | FJC290222SV    | SW          | JFL-GNSC-TP-AC-SW-01    | 30.48%             |
| 6   | Greater Noida | JFL-GNSC-LT-AC-SW-01       | FJC29021TTW    | SW          | JFL-GNSC-LT-AC-SW-01    | 100.00%            |
| 7   | Greater Noida | JFL-GNSC-PO-AC-SW-01       | FJC29021TPQ    | SW          | JFL-GNSC-PO-AC-SW-01    | 100.00%            |
| 8   | Greater Noida | JFL-GNSC-RE-AC-SW-01       | FJC29021TNP    | SW          | JFL-GNSC-RE-AC-SW-01    | 100.00%            |
| 9   | Greater Noida | JFL-GNSC-NCK-AC-SW-02      | FVH2914L0JY    | SW          | JFL-GNSC-NCK-AC-SW-02   | 100.00%            |
| 10  | Greater Noida | JFL-GNSC-GF-AC-SW-03       | FVH2914L0BV    | SW          | JFL-GNSC-GF-AC-SW-03    | 99.95%             |
| 11  | Greater Noida | JFL-GNSC-DA-AC-SW-03       | FVH2914L0QD    | SW          | JFL-GNSC-DA-AC-SW-03    | 100.00%            |
| 12  | Greater Noida | JFL-GNSC-CLC-SW-03         | FVH2913LEGS    | SW          | JFL-GNSC-CLC-SW-03      | 100.00%            |
| 13  | Greater Noida | JFL-GNSC-RO-SW01           | FVH2914L08Y    | SW          | JFL-GNSC-RO-SW01        | 100.00%            |
| 14  | Greater Noida | JFL-GNSC-CK-AC-SW-02       | FVH2908LAPT    | SW          | JFL-GNSC-CK-AC-SW-02    | 100.00%            |
| 15  | Greater Noida | JFL-GNMC-2F-AC-ST-01       | FCW2110B28C    | SW          | JFL-GNMC-2F-AC-ST-01    | 100.00%            |
| 16  | Greater Noida | FCW2110B27F                | FCW2110B27F    | SW          | JFL-GNMC-2F-AC-ST-01    | 100.00%            |
| 17  | Greater Noida | FOC2113V20F                | FOC2113V20F    | SW          | JFL-GNMC-2F-AC-ST-01    | 100.00%            |
| 18  | Greater Noida | JFL-GNMC-TR-AV-SW-01       | FOC2113S2LY    | SW          | JFL-GNMC-TR-AV-SW-01    | 100.00%            |
| 19  | Greater Noida | JFL-GNMC-3F-AC-ST-01       | FOC2113S2MD    | SW          | JFL-GNMC-3F-AC-ST-01    | 100.00%            |
| 20  | Greater Noida | JFL-GNMC-1F-LB-AC-SW-01    | FCW2110B27A    | SW          | JFL-GNMC-1F-LB-AC-SW-01 | 99.91%             |
| 21  | Greater Noida | JFL-GNMC-GF-AC-ST-01       | FCW2110B25A    | SW          | JFL-GNMC-GF-AC-ST-01    | 100.00%            |
| 22  | Greater Noida | FOC2113S2M3                | FOC2113S2M3    | SW          | JFL-GNMC-GF-AC-ST-01    | 100.00%            |



SITE REVIEW • Greater Noida — Switch Uptime Report (Page 2 of 2)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.89%

SWITCHES MONITORED

42

PRIMARY RCA DRIVER

New Configuration

SWITCH AT 100% UPTIME

37

| S.N | LOCATION      | HOSTNAME               | SERIAL NO.  | DEVICE TYPE | RACK NO.              | PROACTIVE -UPTIME% |
|-----|---------------|------------------------|-------------|-------------|-----------------------|--------------------|
| 23  | Greater Noida | JFL-GNMC-EG-AC-ST-01   | FOC2218T3Z8 | SW          | JFL-GNMC-EG-AC-ST-01  | 100.00%            |
| 24  | Greater Noida | FCW2126A4XT            | FCW2126A4XT | SW          | JFL-GNMC-EG-AC-ST-01  | 100.00%            |
| 25  | Greater Noida | JFL-GNMC-ER-AC-SW-01   | FOC2536Y0JD | SW          | JFL-GNMC-ER-AC-SW-01  | 99.97%             |
| 26  | Greater Noida | JFL-GNMC-CLC-AC-SW-01  | FOC2646YCX2 | SW          | JFL-GNMC-CLC-AC-SW-01 | 100.00%            |
| 27  | Greater Noida | JFL-GNMC-CLC-AC-SW-02  | FCW2111E0AU | SW          | JFL-GNMC-CLC-AC-SW-02 | 100.00%            |
| 28  | Greater Noida | JFL-GNMC-MR-AC-SW-01   | FOC2113V20D | SW          | JFL-GNMC-MR-AC-SW-01  | 100.00%            |
| 29  | Greater Noida | JFL-GNMC-MR-AC-SW-03   | FCW2038B1H6 | SW          | JFL-GNMC-MR-AC-SW-03  | 100.00%            |
| 30  | Greater Noida | JFL-GNMC-NCK-SW-02     | FCW2222B4KE | SW          | JFL-GNMC-NCK-SW-02    | 100.00%            |
| 31  | Greater Noida | JFL-GNMC-DA-AC-ST-01   | FCW2112A20E | SW          | JFL-GNMC-DA-AC-ST-01  | 100.00%            |
| 32  | Greater Noida | FCW2110B27U            | FCW2110B27U | SW          | JFL-GNMC-DA-AC-ST-01  | 100.00%            |
| 33  | Greater Noida | JFL-GNMC-CK-AC-SW-01   | FCW2211B365 | SW          | JFL-GNMC-CK-AC-SW-01  | 100.00%            |
| 34  | Greater Noida | JFL-GNMC-SR-AC-SW-01   | FCW2113E10E | SW          | JFL-GNMC-SR-AC-SW-01  | 100.00%            |
| 35  | Greater Noida | JFL-GNMC-EG-AC-SW-01   | JIN2117106B | SW          | JFL-GNMC-EG-AC-SW-01  | 100.00%            |
| 36  | Greater Noida | JFL-GNMC-LT-AC-SW-01   | FOC2039V1JW | SW          | JFL-GNMC-LT-AC-SW-01  | 100.00%            |
| 37  | Greater Noida | Detail not found       | FCW2646YCXZ | SW          | Main Rack             | 100.00%            |
| 38  | Greater Noida | Detail not found       | FCW2116A4SD | SW          | Main Rack             | 100.00%            |
| 39  | Greater Noida | Detail not found       | FOC2646YCXZ | SW          | Main Rack             | 100.00%            |
| 40  | Greater Noida | JFL-GNMC-DA-AC-SW-01   | FCW2010A2G1 | SW          | JFL-GNMC-DA-AC-SW-01  | 100.00%            |
| 41  | Greater Noida | JFL-GNMC-MR-AC-SW-02   | FCW2108E1DF | SW          | Main Rack             | 100.00%            |
| 42  | Greater Noida | JFL-GNMC-CCTV-AC-SW-01 | FOC1241W46C | SW          | Main Rack             | 100.00%            |

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 1 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

49

MET CASES

49

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

| S NO | LOCATION      | HOSTNAME      | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|---------------|---------------|----------------|-------------|-----------------|----------------------------------|
| 1    | Greater Noida | JFL-GNSC-AP53 | Q3KG-6BJV-TZA3 | AP          | 0               | Stable Operations (No Incidents) |
| 2    | Greater Noida | JFL-GNSC-AP56 | Q3KG-8U94-FMUC | AP          | 0               | Stable Operations (No Incidents) |
| 3    | Greater Noida | JFL-GNSC-AP63 | Q3KG-A7BY-55YX | AP          | 1               | On Hold                          |
| 4    | Greater Noida | JFL-GNSC-AP50 | Q3KG-A9R2-ATYY | AP          | 1               | On Hold                          |
| 5    | Greater Noida | JFL-GNSC-AP59 | Q3KG-BTTL-HVZU | AP          | 1               | Others                           |
| 6    | Greater Noida | JFL-GNSC-AP49 | Q3KG-CFHX-4TRU | AP          | 20              | Device Power Issues              |
| 7    | Greater Noida | JFL-GNSC-AP58 | Q3KG-D56U-BSMY | AP          | 0               | Stable Operations (No Incidents) |
| 8    | Greater Noida | JFL-GNSC-AP57 | Q3KG-DGB7-HMVP | AP          | 1               | On Hold                          |
| 9    | Greater Noida | JFL-GNSC-AP52 | Q3KG-GWW5-CHJC | AP          | 1               | Device Power Issues              |
| 10   | Greater Noida | JFL-GNSC-AP62 | Q3KG-J4EF-KZ54 | AP          | 0               | Stable Operations (No Incidents) |
| 11   | Greater Noida | JFL-GNSC-AP48 | Q3KG-JH9T-FL7Z | AP          | 0               | Stable Operations (No Incidents) |
| 12   | Greater Noida | JFL-GNSC-AP51 | Q3KG-V5M8-92SS | AP          | 0               | Stable Operations (No Incidents) |
| 13   | Greater Noida | JFL-GNSC-AP61 | Q3KG-X73V-EYFZ | AP          | 1               | On Hold                          |
| 14   | Greater Noida | JFL-GNSC-AP60 | Q3KG-XSEX-EG6A | AP          | 0               | Stable Operations (No Incidents) |
| 15   | Greater Noida | JFL-GNSC-AP55 | Q3KG-Y2PU-4DWW | AP          | 0               | Stable Operations (No Incidents) |
| 16   | Greater Noida | JFL-GNSC-AP70 | Q3MV-6XWK-TVUP | AP          | 0               | Stable Operations (No Incidents) |
| 17   | Greater Noida | JFL-GNSC-AP12 | Q5AA-32YH-Q43U | AP          | 0               | Stable Operations (No Incidents) |
| 18   | Greater Noida | JFL-GNSC-AP18 | Q5AA-3BVV-VQUU | AP          | 1               | Client Side Activity             |
| 19   | Greater Noida | JFL-GNSC-AP36 | Q5AA-4792-7HZC | AP          | 0               | Stable Operations (No Incidents) |
| 20   | Greater Noida | JFL-GNSC-AP47 | Q5AA-5HRM-897H | AP          | 0               | Stable Operations (No Incidents) |
| 21   | Greater Noida | JFL-GNSC-AP46 | Q5AA-5L7V-QSYU | AP          | 0               | Stable Operations (No Incidents) |
| 22   | Greater Noida | JFL-GNSC-AP04 | Q5AA-5TRP-EJMF | AP          | 0               | Stable Operations (No Incidents) |



SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 2 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

49

MET CASES

49

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

| S NO | LOCATION      | HOSTNAME      | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|---------------|---------------|----------------|-------------|-----------------|----------------------------------|
| 23   | Greater Noida | JFL-GNSC-AP08 | Q5AA-63MW-78XL | AP          | 2               | Device Power Issues              |
| 24   | Greater Noida | JFL-GNSC-AP29 | Q5AA-7TFR-X7ZG | AP          | 0               | Stable Operations (No Incidents) |
| 25   | Greater Noida | JFL-GNSC-AP64 | Q5AA-7VMH-YF9G | AP          | 0               | Stable Operations (No Incidents) |
| 26   | Greater Noida | JFL-GNSC-AP41 | Q5AA-8AST-YPV4 | AP          | 0               | Stable Operations (No Incidents) |
| 27   | Greater Noida | JFL-GNSC-AP44 | Q5AA-94E5-2UFU | AP          | 0               | Stable Operations (No Incidents) |
| 28   | Greater Noida | JFL-GNSC-AP02 | Q5AA-9N3T-MZGU | AP          | 0               | Stable Operations (No Incidents) |
| 29   | Greater Noida | JFL-GNSC-AP16 | Q5AA-A6S6-XG3H | AP          | 0               | Stable Operations (No Incidents) |
| 30   | Greater Noida | JFL-GNSC-AP21 | Q5AA-AE34-NNBC | AP          | 0               | Stable Operations (No Incidents) |
| 31   | Greater Noida | JFL-GNSC-AP22 | Q5AA-ASYH-AKEA | AP          | 0               | Stable Operations (No Incidents) |
| 32   | Greater Noida | JFL-GNSC-AP33 | Q5AA-C4TF-5ZA8 | AP          | 0               | Stable Operations (No Incidents) |
| 33   | Greater Noida | JFL-GNSC-AP67 | Q5AA-DEJD-R4N5 | AP          | 1               | On Hold                          |
| 34   | Greater Noida | JFL-GNSC-AP68 | Q5AA-EYB5-JQCK | AP          | 0               | Stable Operations (No Incidents) |
| 35   | Greater Noida | JFL-GNSC-AP42 | Q5AA-EZ6A-S56Y | AP          | 0               | Stable Operations (No Incidents) |
| 36   | Greater Noida | JFL-GNSC-AP27 | Q5AA-FRBE-94N5 | AP          | 2               | Device Power Issues              |
| 37   | Greater Noida | JFL-GNSC-AP72 | Q5AA-FTAU-94AS | AP          | 0               | Stable Operations (No Incidents) |
| 38   | Greater Noida | JFL-GNSC-AP20 | Q5AA-GHXM-TRTK | AP          | 0               | Stable Operations (No Incidents) |
| 39   | Greater Noida | JFL-GNSC-AP28 | Q5AA-GJ47-DK5X | AP          | 3               | Device Power Issues              |
| 40   | Greater Noida | JFL-GNSC-AP26 | Q5AA-H6R3-LUMM | AP          | 1               | Device Power Issues              |
| 41   | Greater Noida | JFL-GNSC-AP17 | Q5AA-HBAV-ACSS | AP          | 0               | Stable Operations (No Incidents) |
| 42   | Greater Noida | JFL-GNSC-AP69 | Q5AA-HV4L-P853 | AP          | 1               | Device Power Issues              |
| 43   | Greater Noida | JFL-GNSC-AP30 | Q5AA-J9A9-ZJ2B | AP          | 0               | Stable Operations (No Incidents) |
| 44   | Greater Noida | JFL-GNSC-AP24 | Q5AA-JKR4-S9MX | AP          | 0               | Stable Operations (No Incidents) |



SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 3 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

49

MET CASES

49

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

| S NO | LOCATION      | HOSTNAME      | SERIAL NO.      | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|---------------|---------------|-----------------|-------------|-----------------|----------------------------------|
| 45   | Greater Noida | JFL-GNSC-AP43 | Q5AA-JPYJ-YC9M  | AP          | 1               | Device Power Issues              |
| 46   | Greater Noida | JFL-GNSC-AP66 | Q5AA-JYZN-6KKB  | AP          | 0               | Stable Operations (No Incidents) |
| 47   | Greater Noida | JFL-GNSC-AP37 | Q5AA-LCK3-FDNW  | AP          | 1               | On Hold                          |
| 48   | Greater Noida | JFL-GNSC-AP03 | Q5AA-MRTL-AP9K  | AP          | 0               | Stable Operations (No Incidents) |
| 49   | Greater Noida | JFL-GNSC-AP39 | Q5AA-NVD9-AZTY  | AP          | 1               | Device Power Issues              |
| 50   | Greater Noida | JFL-GNSC-AP19 | Q5AA-QK4J-4K9J  | AP          | 1               | Device Boot Issues               |
| 51   | Greater Noida | JFL-GNSC-AP45 | Q5AA-SFG2-7EPQ  | AP          | 3               | Device Power Issues              |
| 52   | Greater Noida | JFL-GNSC-AP10 | Q5AA-SK3L-NV FH | AP          | 0               | Stable Operations (No Incidents) |
| 53   | Greater Noida | JFL-GNSC-AP07 | Q5AA-SK8J-GRTZ  | AP          | 0               | Stable Operations (No Incidents) |
| 54   | Greater Noida | JFL-GNSC-AP38 | Q5AA-SKZM-8VYM  | AP          | 0               | Stable Operations (No Incidents) |
| 55   | Greater Noida | JFL-GNSC-AP34 | Q5AA-TSZZ-HUFQ  | AP          | 0               | Stable Operations (No Incidents) |
| 56   | Greater Noida | JFL-GNSC-AP35 | Q5AA-U98X-3FD7  | AP          | 0               | Stable Operations (No Incidents) |
| 57   | Greater Noida | JFL-GNSC-AP31 | Q5AA-V3B6-RSQX  | AP          | 0               | Stable Operations (No Incidents) |
| 58   | Greater Noida | JFL-GNSC-AP32 | Q5AA-VEJP-CVJ6  | AP          | 1               | On Hold                          |
| 59   | Greater Noida | JFL-GNSC-AP09 | Q5AA-WZA9-XYK8  | AP          | 0               | Stable Operations (No Incidents) |
| 60   | Greater Noida | JFL-GNSC-AP71 | Q5AA-XDV9-FKTX  | AP          | 2               | Device Power Issues              |
| 61   | Greater Noida | JFL-GNSC-AP54 | Q5AA-XGDL-V7JB  | AP          | 0               | Stable Operations (No Incidents) |
| 62   | Greater Noida | JFL-GNSC-AP14 | Q5AA-Y9EX-GL7E  | AP          | 0               | Stable Operations (No Incidents) |
| 63   | Greater Noida | JFL-GNSC-AP40 | Q5AA-YF4N-2L5P  | AP          | 0               | Stable Operations (No Incidents) |
| 64   | Greater Noida | JFL-GNSC-AP05 | Q5AA-Z3WW-CY6C  | AP          | 1               | On Hold                          |
| 65   | Greater Noida | JFL-GNSC-AP65 | Q5AA-ZJ3S-NUDX  | AP          | 0               | Stable Operations (No Incidents) |
| 66   | Greater Noida | JFL-GNSC-AP25 | Q5AR-29J7-8Q63  | AP          | 0               | Stable Operations (No Incidents) |



SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 4 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

49

MET CASES

49

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

| S NO | LOCATION      | HOSTNAME      | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|---------------|---------------|----------------|-------------|-----------------|----------------------------------|
| 67   | Greater Noida | JFL-GNSC-AP23 | Q5AR-527V-Z8YR | AP          | 1               | Device Power Issues              |
| 68   | Greater Noida | JFL-GNSC-AP06 | Q5AR-6LBA-42SM | AP          | 0               | Stable Operations (No Incidents) |
| 69   | Greater Noida | JFL-GNSC-AP15 | Q5AR-894G-VGNX | AP          | 0               | Stable Operations (No Incidents) |
| 70   | Greater Noida | JFL-GNSC-AP01 | Q5AR-8UTU-MX6B | AP          | 0               | Stable Operations (No Incidents) |
| 71   | Greater Noida | JFL-GNSC-AP13 | Q5AR-DA7D-L9PN | AP          | 0               | Stable Operations (No Incidents) |
| 72   | Greater Noida | JFL-GNSC-AP11 | Q5AR-DAMQ-NUE2 | AP          | 0               | Stable Operations (No Incidents) |

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Noida location during this reporting period.

RACK-WISE SWITCH UPTIME %

| RACK#             | OVERALL PERCENTAGE OF RACK-WISE |
|-------------------|---------------------------------|
| JFL-Core-Sw1      | 100.00%                         |
| JFL-Core-Sw2      | 100.00%                         |
| JFL-MPLS-Sw       | 100.00%                         |
| JFL-SRV-SW-Stack1 | 100.00%                         |
| JFL-17F-AP-Switch | 100.00%                         |
| JFL-16F-AP-Switch | 100.00%                         |
| JFL-15F-AP-Switch | 100.00%                         |
| JFL-17F-L2-Stack1 | 100.00%                         |
| JFL-16F-L2-Stack1 | 100.00%                         |
| JFL-16F-L2-Stack2 | 100.00%                         |
| JFL-15F-L2-Stack1 | 100.00%                         |
| JFL-15F-L2-Stack2 | 100.00%                         |

SITE REVIEW • Noida — Switch Uptime Report (Page 1 of 2)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.41%

SWITCHES MONITORED

34

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

34

| S.N | LOCATION | HOSTNAME              | SERIAL NO.  | DEVICE TYPE | RACK NO.          | PROACTIVE -UPTIME% |
|-----|----------|-----------------------|-------------|-------------|-------------------|--------------------|
| 1   | Noida    | JFL-Core-Sw1          | F0C2635Y89M | SW          | JFL-Core-Sw1      | 100.00%            |
| 2   | Noida    | JFL-Core-Sw2          | F0C2635Y89T | SW          | JFL-Core-Sw2      | 100.00%            |
| 3   | Noida    | JFL-MPLS-Sw1          | F0C2647Y151 | SW          | JFL-MPLS-Sw       | 100.00%            |
| 4   | Noida    | JFL-MPLS-Sw2          | F0C2646YCRH | SW          | JFL-MPLS-Sw       | 100.00%            |
| 5   | Noida    | JFL-SRV-SW-Stack1-Sw1 | F0C2704Y1N8 | SW          | JFL-SRV-SW-Stack1 | 100.00%            |
| 6   | Noida    | JFL-SRV-SW-Stack1-Sw2 | F0C2704Y3AY | SW          | JFL-SRV-SW-Stack1 | 100.00%            |
| 7   | Noida    | JFL-17F-AP-Switch-Sw1 | F0C2708YFGS | SW          | JFL-17F-AP-Switch | 100.00%            |
| 8   | Noida    | JFL-17F-AP-Switch-Sw2 | F0C2710Y540 | SW          | JFL-17F-AP-Switch | 100.00%            |
| 9   | Noida    | JFL-16F-AP-Switch-Sw1 | F0C2710Y54F | SW          | JFL-16F-AP-Switch | 100.00%            |
| 10  | Noida    | JFL-16F-AP-Switch-Sw2 | FVH2830L656 | SW          | JFL-16F-AP-Switch | 100.00%            |
| 11  | Noida    | JFL-15F-AP-Switch-Sw1 | FVH2903LAA9 | SW          | JFL-15F-AP-Switch | 100.00%            |
| 12  | Noida    | JFL-15F-AP-Switch-Sw2 | F0C2710Y261 | SW          | JFL-15F-AP-Switch | 100.00%            |
| 13  | Noida    | JFL-17F-L2-Stack1-Sw1 | F0C2714Z50L | SW          | JFL-17F-L2-Stack1 | 100.00%            |
| 14  | Noida    | JFL-17F-L2-Stack1-Sw2 | F0C2716YND7 | SW          | JFL-17F-L2-Stack1 | 100.00%            |
| 15  | Noida    | JFL-16F-L2-Stack1-Sw1 | F0C2715Y1KM | SW          | JFL-16F-L2-Stack1 | 100.00%            |
| 16  | Noida    | JFL-16F-L2-Stack1-Sw5 | F0C2715Y1J7 | SW          | JFL-16F-L2-Stack1 | 100.00%            |
| 17  | Noida    | JFL-16F-L2-Stack2-Sw1 | F0C2714Z69M | SW          | JFL-16F-L2-Stack2 | 100.00%            |
| 18  | Noida    | JFL-16F-L2-Stack2-Sw4 | F0C2715Y1CJ | SW          | JFL-16F-L2-Stack2 | 100.00%            |
| 19  | Noida    | JFL-15F-L2-Stack1-Sw1 | F0C2714Z681 | SW          | JFL-15F-L2-Stack1 | 100.00%            |
| 20  | Noida    | JFL-15F-L2-Stack2-Sw1 | F0C2714Z5AU | SW          | JFL-15F-L2-Stack2 | 100.00%            |
| 21  | Noida    | JFL-15F-L2-Stack2-Sw4 | F0C2715Y1VV | SW          | JFL-15F-L2-Stack2 | 100.00%            |
| 22  | Noida    | JFL-17F-L2-Stack1-Sw3 | F0C2716YNBN | SW          | JFL-17F-L2-Stack1 | 100.00%            |



SITE REVIEW • Noida — Switch Uptime Report (Page 2 of 2)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.41%

SWITCHES MONITORED

34

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

34

| S.N | LOCATION | HOSTNAME              | SERIAL NO.  | DEVICE TYPE | RACK NO.          | PROACTIVE -UPTIME% |
|-----|----------|-----------------------|-------------|-------------|-------------------|--------------------|
| 23  | Noida    | JFL-17F-L2-Stack1-Sw4 | FVH2805L65K | SW          | JFL-17F-L2-Stack1 | 100.00%            |
| 24  | Noida    | JFL-16F-L2-Stack1-Sw2 | FOC2716YNBW | SW          | JFL-16F-L2-Stack1 | 100.00%            |
| 25  | Noida    | JFL-16F-L2-Stack1-Sw3 | FOC2716YN4M | SW          | JFL-16F-L2-Stack1 | 100.00%            |
| 26  | Noida    | JFL-16F-L2-Stack1-Sw4 | FOC2716YN69 | SW          | JFL-16F-L2-Stack1 | 100.00%            |
| 27  | Noida    | JFL-16F-L2-Stack2-Sw2 | FOC2716YNFC | SW          | JFL-16F-L2-Stack2 | 100.00%            |
| 28  | Noida    | JFL-16F-L2-Stack2-Sw3 | FOC2716YNBE | SW          | JFL-16F-L2-Stack2 | 100.00%            |
| 29  | Noida    | JFL-15F-L2-Stack1-Sw2 | FOC2716YN3W | SW          | JFL-15F-L2-Stack1 | 100.00%            |
| 30  | Noida    | JFL-15F-L2-Stack1-Sw3 | FOC2716YLLY | SW          | JFL-15F-L2-Stack1 | 100.00%            |
| 31  | Noida    | JFL-15F-L2-Stack1-Sw4 | FOC2716YLM7 | SW          | JFL-15F-L2-Stack1 | 100.00%            |
| 32  | Noida    | JFL-15F-L2-Stack2-Sw2 | FOC2716YNCF | SW          | JFL-15F-L2-Stack2 | 100.00%            |
| 33  | Noida    | JFL-15F-L2-Stack2-Sw3 | FOC2716YHHL | SW          | JFL-15F-L2-Stack2 | 100.00%            |
| 34  | Noida    | JFL-15F-L2-Stack1-Sw5 | FOC2714Z5B8 | SW          | JFL-15F-L2-Stack1 | 100.00%            |

SITE REVIEW • Noida — AP Incidents & RCA (Page 1 of 2)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

| S NO | LOCATION | HOSTNAME                                     | SERIAL NO.  | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|----------|----------------------------------------------|-------------|-------------|-----------------|----------------------------------|
| 1    | Noida    | JFL-15F-AP1                                  | FGL2708LJW4 | AP          | 0               | Stable Operations (No Incidents) |
| 2    | Noida    | JFL-15F-AP2                                  | FGL2708LJUZ | AP          | 0               | Stable Operations (No Incidents) |
| 3    | Noida    | JFL-15F-AP3                                  | FGL2708LJVZ | AP          | 0               | Stable Operations (No Incidents) |
| 4    | Noida    | JFL-15F-AP4                                  | FGL2708LJUC | AP          | 0               | Stable Operations (No Incidents) |
| 5    | Noida    | JFL-15F-AP5                                  | FGL2708LJVS | AP          | 0               | Stable Operations (No Incidents) |
| 6    | Noida    | JFL-15F-AP6                                  | FGL2708LJXN | AP          | 0               | Stable Operations (No Incidents) |
| 7    | Noida    | JFL-15F-AP7                                  | FGL2708LJYF | AP          | 0               | Stable Operations (No Incidents) |
| 8    | Noida    | JFL-15F-AP9                                  | FGL2708LJXT | AP          | 0               | Stable Operations (No Incidents) |
| 9    | Noida    | JFL-15F-AP10                                 | FGL2708LJV6 | AP          | 0               | Stable Operations (No Incidents) |
| 10   | Noida    | JFL-15F-AP11                                 | FJC292119RC | AP          | 0               | Stable Operations (No Incidents) |
| 11   | Noida    | JFL-16F-AP1                                  | FGL2708LJY2 | AP          | 0               | Stable Operations (No Incidents) |
| 12   | Noida    | JFL-16F-AP2                                  | FGL2708LJXG | AP          | 0               | Stable Operations (No Incidents) |
| 13   | Noida    | JFL-16F-AP3                                  | FGL2708LJXW | AP          | 0               | Stable Operations (No Incidents) |
| 14   | Noida    | JFL-16F-AP4                                  | FGL2708LJXE | AP          | 0               | Stable Operations (No Incidents) |
| 15   | Noida    | JFL-16F-AP5                                  | FGL2708LJY5 | AP          | 0               | Stable Operations (No Incidents) |
| 16   | Noida    | JFL-16F-AP6                                  | FGL2708LJY0 | AP          | 0               | Stable Operations (No Incidents) |
| 17   | Noida    | Part of our PO but not in customer inventory | FJC283311U5 | AP          | 0               | Stable Operations (No Incidents) |
| 18   | Noida    | JFL-15F-AP8                                  | FGL2717MEB1 | AP          | 0               | Stable Operations (No Incidents) |
| 19   | Noida    | JFL-16F-AP9                                  | FGL2708LJV0 | AP          | 0               | Stable Operations (No Incidents) |
| 20   | Noida    | JFL-16F-AP10                                 | FGL2708LJY4 | AP          | 0               | Stable Operations (No Incidents) |
| 21   | Noida    | JFL-16F-AP11                                 | FGL2708LJUM | AP          | 0               | Stable Operations (No Incidents) |
| 22   | Noida    | JFL-16F-AP12                                 | FGL2708LJUL | AP          | 0               | Stable Operations (No Incidents) |



SITE REVIEW • Noida — AP Incidents & RCA (Page 2 of 2)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

| S NO | LOCATION | HOSTNAME     | SERIAL NO.  | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|----------|--------------|-------------|-------------|-----------------|----------------------------------|
| 23   | Noida    | JFL-16F-AP13 | FGL2708LJVK | AP          | 0               | Stable Operations (No Incidents) |
| 24   | Noida    | JFL-17F-AP1  | FGL2708LJWV | AP          | 0               | Stable Operations (No Incidents) |
| 25   | Noida    | JFL-17F-AP2  | FGL2708LJU0 | AP          | 0               | Stable Operations (No Incidents) |
| 26   | Noida    | JFL-17F-AP3  | FGL2708LJU6 | AP          | 0               | Stable Operations (No Incidents) |
| 27   | Noida    | JFL-17F-AP4  | FGL2708LJX1 | AP          | 0               | Stable Operations (No Incidents) |
| 28   | Noida    | JFL-17F-AP5  | FGL2717ME1K | AP          | 0               | Stable Operations (No Incidents) |
| 29   | Noida    | JFL-17F-Ap6  | FJC2649217U | AP          | 0               | Stable Operations (No Incidents) |
| 30   | Noida    | JFL-17F-AP7  | FGL2708LJVX | AP          | 0               | Stable Operations (No Incidents) |
| 31   | Noida    | JFL-17F-AP8  | FGL2708LJUA | AP          | 0               | Stable Operations (No Incidents) |
| 32   | Noida    | JFL-17F-AP9  | FGL2708LJU5 | AP          | 0               | Stable Operations (No Incidents) |
| 33   | Noida    | JFL-17F-AP10 | FGL2708LJWM | AP          | 0               | Stable Operations (No Incidents) |
| 34   | Noida    | JFL-17F-AP11 | FGL2708LJTY | AP          | 0               | Stable Operations (No Incidents) |
| 35   | Noida    | JFL-17F-AP12 | FGL2708LJTX | AP          | 0               | Stable Operations (No Incidents) |
| 36   | Noida    | JFL-15F-AP11 | FJC283311U3 | AP          | 0               | Stable Operations (No Incidents) |

ACCESS POINT BREAKDOWN

5 AP Incidents

Primary RCA: Device Power Issues

RACK-WISE SWITCH UPTIME %

| RACK#          | OVERALL PERCENTAGE OF RACK-WISE |
|----------------|---------------------------------|
| WAREHOUSE      | 100.00%                         |
| TRANSPORT ROOM | 100.00%                         |
| CORE           | 100.00%                         |

# SITE REVIEW • Mohali — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

100.00%

SWITCHES MONITORED

4

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

4

| S.N | LOCATION | HOSTNAME                             | SERIAL NO.      | DEVICE TYPE | RACK NO.       | PROACTIVE -UPTIME% |
|-----|----------|--------------------------------------|-----------------|-------------|----------------|--------------------|
| 1   | Mohali   | JFL-MOHALI-ACC-SW-02(Warehouse)      | Q3LM-TGAF-Q97P  | SW          | WAREHOUSE      | 100.00%            |
| 2   | Mohali   | JFL-MOHALI-ACC-SW-01(Transport Room) | Q3LP-2PSJ-6DLB  | SW          | TRANSPORT ROOM | 100.00%            |
| 3   | Mohali   | JFL-MOHALI-CORE-02                   | Q5JG-NJW9-AB BQ | SW          | CORE           | 100.00%            |
| 4   | Mohali   | JFL-MOHALI-CORE-01                   | Q5JJ-3TZH-2HV5  | SW          | CORE           | 100.00%            |

SITE REVIEW • Mohali — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

5

MET CASES

4

BREACH CASES

1

PRIMARY RCA DRIVER

Device Power Issues

| S NO | LOCATION | HOSTNAME                | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|----------|-------------------------|----------------|-------------|-----------------|----------------------------------|
| 1    | Mohali   | JFL-Mohali-SCC-AP12     | Q3KG-9RDD-U5HG | AP          | 0               | Stable Operations (No Incidents) |
| 2    | Mohali   | JFL-Mohali-SCC-AP04 NEW | Q3KG-LYY3-LR6R | AP          | 0               | Stable Operations (No Incidents) |
| 3    | Mohali   | JFL-Mohali-SCC-AP15     | Q3KG-Y9ZZ-W8HK | AP          | 0               | Stable Operations (No Incidents) |
| 4    | Mohali   | JFL-Mohali-SCC-AP10     | Q5AA-43RJ-JQUD | AP          | 1               | Device Power Issues              |
| 5    | Mohali   | JFL-Mohali-SCC-AP06     | Q5AA-8PQC-7V98 | AP          | 0               | Stable Operations (No Incidents) |
| 6    | Mohali   | JFL-Mohali-SCC-AP07     | Q5AA-E8FN-53RX | AP          | 1               | Device Boot Issues               |
| 7    | Mohali   | JFL-Mohali-SCC-AP11     | Q5AA-GBHE-WVEQ | AP          | 0               | Stable Operations (No Incidents) |
| 8    | Mohali   | JFL-Mohali-SCC-AP02     | Q5AA-GMN6-UE62 | AP          | 1               | Device Power Issues              |
| 9    | Mohali   | JFL-Mohali-SCC-AP03     | Q5AA-KHJW-U94C | AP          | 0               | Stable Operations (No Incidents) |
| 10   | Mohali   | JFL-Mohali-SCC-AP14     | Q5AA-MHPW-2YA8 | AP          | 0               | Stable Operations (No Incidents) |
| 11   | Mohali   | JFL-Mohali-SCC-AP08     | Q5AA-PHPN-4452 | AP          | 0               | Stable Operations (No Incidents) |
| 12   | Mohali   | JFL-Mohali-SCC-AP05     | Q5AA-V3D8-DKEG | AP          | 0               | Stable Operations (No Incidents) |
| 13   | Mohali   | JFL-Mohali-SCC-AP01     | Q5AR-56BZ-6TSR | AP          | 1               | Device Power Issues              |
| 14   | Mohali   | JFL-Mohali-SCC-AP13     | Q5AR-A7VQ-MZJM | AP          | 1               | Device Power Issues              |
| 15   | Mohali   | JFL-Mohali-SCC-AP09     | Q5AR-TEZ8-EZVW | AP          | 0               | Stable Operations (No Incidents) |

ACCESS POINT BREAKDOWN

7 AP Incidents

Primary RCA: Device Power Issues

RACK-WISE SWITCH UPTIME %

| RACK# | OVERALL PERCENTAGE OF RACK-WISE |
|-------|---------------------------------|
| CORE  | 100.00%                         |

# SITE REVIEW • Hyderabad — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

100.00%

SWITCHES MONITORED

2

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

2

| S.N | LOCATION  | HOSTNAME       | SERIAL NO.     | DEVICE TYPE | RACK NO. | PROACTIVE -UPTIME% |
|-----|-----------|----------------|----------------|-------------|----------|--------------------|
| 1   | Hyderabad | JFL-HYD-CORE-2 | Q5JJ-GEWQ-X3MG | SW          | CORE     | 100.00%            |
| 2   | Hyderabad | JFL-HYD-CORE-1 | Q5JJ-Q88T-6XC7 | SW          | CORE     | 100.00%            |

SITE REVIEW • Hyderabad — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

7

MET CASES

7

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

| S NO | LOCATION  | HOSTNAME         | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|-----------|------------------|----------------|-------------|-----------------|----------------------------------|
| 1    | Hyderabad | JFL-HYD-SCC-AP11 | Q3KG-TLUW-VDX7 | AP          | 1               | Device Power Issues              |
| 2    | Hyderabad | JFL-HYD-SCC-AP10 | Q3KG-U9M3-9GEC | AP          | 0               | Stable Operations (No Incidents) |
| 3    | Hyderabad | JFL-HYD-SCC-AP09 | Q3KG-UKZ7-TA5X | AP          | 1               | Device Power Issues              |
| 4    | Hyderabad | JFL-HYD-SCC-AP02 | Q5AA-23YU-R3GZ | AP          | 0               | Stable Operations (No Incidents) |
| 5    | Hyderabad | JFL-HYD-SCC-AP15 | Q5AA-46QV-Z3ZC | AP          | 1               | Device Power Issues              |
| 6    | Hyderabad | JFL-HYD-SCC-AP05 | Q5AA-6EJ5-AG7V | AP          | 0               | Stable Operations (No Incidents) |
| 7    | Hyderabad | JFL-HYD-SCC-AP01 | Q5AA-GAFW-R58M | AP          | 1               | Device Power Issues              |
| 8    | Hyderabad | JFL-HYD-SCC-AP07 | Q5AA-Q8AL-KHWV | AP          | 0               | Stable Operations (No Incidents) |
| 9    | Hyderabad | JFL-HYD-SCC-AP14 | Q5AA-QLUG-NSPB | AP          | 0               | Stable Operations (No Incidents) |
| 10   | Hyderabad | JFL-HYD-SCC-AP03 | Q5AA-R4B3-WH9P | AP          | 0               | Stable Operations (No Incidents) |
| 11   | Hyderabad | JFL-HYD-SCC-AP06 | Q5AA-TRMY-596Z | AP          | 1               | Device Power Issues              |
| 12   | Hyderabad | JFL-HYD-SCC-AP08 | Q5AA-YR33-H6HL | AP          | 0               | Stable Operations (No Incidents) |
| 13   | Hyderabad | JFL-HYD-SCC-AP13 | Q5AR-LXCJ-F26L | AP          | 2               | Device Power Issues              |
| 14   | Hyderabad | JFL-HYD-SCC-AP04 | Q5AR-PZ39-USUZ | AP          | 0               | Stable Operations (No Incidents) |

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Nagpur location during this reporting period.

RACK-WISE SWITCH UPTIME %

| RACK#  | OVERALL PERCENTAGE OF RACK-WISE |
|--------|---------------------------------|
| RACK 2 | 100.00%                         |
| RACK 3 | 100.00%                         |
| RACK 1 | 99.60%                          |

# SITE REVIEW • Nagpur — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.96%

SWITCHES MONITORED

4

PRIMARY RCA DRIVER

Client Side Activity

SWITCH AT 100% UPTIME

3

| S.N | LOCATION | HOSTNAME         | SERIAL NO.     | DEVICE TYPE | RACK NO. | PROACTIVE -UPTIME% |
|-----|----------|------------------|----------------|-------------|----------|--------------------|
| 1   | Nagpur   | JFL-NAG-SSC-SW04 | Q5JG-SL55-CZ9Z | SW          | RACK 2   | 100.00%            |
| 2   | Nagpur   | JFL-NAG-SSC-SW03 | Q5JG-STQ9-EUPF | SW          | RACK 3   | 100.00%            |
| 3   | Nagpur   | JFL-NAG-SSC-SW02 | Q5JG-TM9S-PLFP | SW          | RACK 2   | 100.00%            |
| 4   | Nagpur   | JFL-NAG-SSC-SW01 | Q5JJ-68KZ-MXAS | SW          | RACK 1   | 99.60%             |

# SITE REVIEW • Nagpur — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

| S NO | LOCATION | HOSTNAME         | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|----------|------------------|----------------|-------------|-----------------|----------------------------------|
| 1    | Nagpur   | JFL-NAG-SSC-AP05 | Q3KG-FBVZ-2RBN | AP          | 0               | Stable Operations (No Incidents) |
| 2    | Nagpur   | JFL-NAG-SSC-AP06 | Q3KG-MBCN-DSBC | AP          | 0               | Stable Operations (No Incidents) |
| 3    | Nagpur   | JFL-NAG-SSC-AP04 | Q3KG-P7GS-UMEQ | AP          | 0               | Stable Operations (No Incidents) |
| 4    | Nagpur   | JFL-NAG-SSC-AP03 | Q5AA-XH9E-KZRJ | AP          | 0               | Stable Operations (No Incidents) |
| 5    | Nagpur   | JFL-NAG-SSC-AP02 | Q5AR-4FGW-G4PW | AP          | 0               | Stable Operations (No Incidents) |
| 6    | Nagpur   | JFL-NAG-SCC-AP01 | Q5AR-9UF6-M73Y | AP          | 0               | Stable Operations (No Incidents) |

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Mumbai-DC location during this reporting period.

RACK-WISE SWITCH UPTIME %

| RACK#               | OVERALL PERCENTAGE OF RACK-WISE |
|---------------------|---------------------------------|
| JFL-COLO-CORE-SW-02 | 100.00%                         |
| JFL-COLO-MPLS-SW-02 | 100.00%                         |
| JFL-COLO-MPLS-SW-01 | 100.00%                         |
| JFL-COLO-CORE-SW-01 | 100.00%                         |

# SITE REVIEW • Mumbai-DC — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

100.00%

SWITCHES MONITORED

4

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

4

| S.N | LOCATION  | HOSTNAME            | SERIAL NO.  | DEVICE TYPE | RACK NO.            | PROACTIVE -UPTIME% |
|-----|-----------|---------------------|-------------|-------------|---------------------|--------------------|
| 1   | Mumbai-DC | JFL-COLO-CORE-SW-02 | FCW2302L13B | SW          | JFL-COLO-CORE-SW-02 | 100.00%            |
| 2   | Mumbai-DC | JFL-COLO-MPLS-SW-02 | FCW2302G0TL | SW          | JFL-COLO-MPLS-SW-02 | 100.00%            |
| 3   | Mumbai-DC | JFL-COLO-MPLS-SW-01 | FCW2302DHGQ | SW          | JFL-COLO-MPLS-SW-01 | 100.00%            |
| 4   | Mumbai-DC | JFL-COLO-CORE-SW-01 | FCW2302DHTU | SW          | JFL-COLO-CORE-SW-01 | 100.00%            |

SITE REVIEW • Mumbai-DC — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

| S NO                                         | LOCATION | HOSTNAME | SERIAL NO. | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER |
|----------------------------------------------|----------|----------|------------|-------------|-----------------|--------------------|
| No Access Points monitored at this location. |          |          |            |             |                 |                    |

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Guwahati location during this reporting period.

RACK-WISE SWITCH UPTIME %

| RACK# | OVERALL PERCENTAGE OF RACK-WISE |
|-------|---------------------------------|
| CORE  | 99.99%                          |

SITE REVIEW • Guwahati — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.98%

SWITCHES MONITORED

2

PRIMARY RCA DRIVER

Device Boot Issues

SWITCH AT 100% UPTIME

1

| S.N | LOCATION | HOSTNAME             | SERIAL NO.     | DEVICE TYPE | RACK NO. | PROACTIVE -UPTIME% |
|-----|----------|----------------------|----------------|-------------|----------|--------------------|
| 1   | Guwahati | JFL-Guwahati-CORE-02 | Q5JG-AQNW-P9FB | SW          | CORE     | 99.98%             |
| 2   | Guwahati | JFL-Guwahati-CORE-01 | Q5JG-ECTW-5MN7 | SW          | CORE     | 100.00%            |

SITE REVIEW • Guwahati — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

| S NO | LOCATION | HOSTNAME               | SERIAL NO.     | DEVICE TYPE | NO OF INCIDENTS | PRIMARY RCA DRIVER               |
|------|----------|------------------------|----------------|-------------|-----------------|----------------------------------|
| 1    | Guwahati | JFL-Guwahati-SSC-AP-02 | Q3KG-ZJZJ-WWH5 | AP          | 0               | Stable Operations (No Incidents) |
| 2    | Guwahati | JFL-Guwahati-SSC-AP-03 | Q5AA-RM28-C2R8 | AP          | 0               | Stable Operations (No Incidents) |
| 3    | Guwahati | JFL-Guwahati-SSC-AP-01 | Q5AR-T7UY-LJRT | AP          | 0               | Stable Operations (No Incidents) |

# Engineer SLA Performance & Ticket Breakdown

Ticket Owner Workload, Resolution SLA Compliance & Breach Tracking

1 August 2026 – 31 August 2026

| TICKET OWNER / ENGINEER | TOTAL | OPEN | ON HOLD | ASSIGNMENT | CLOSED | SLA MET | SLA BREACHED | SLA %   |
|-------------------------|-------|------|---------|------------|--------|---------|--------------|---------|
| Kartik Choudhary        | 32    | 0    | 2       | 0          | 30     | 32      | 0            | 100.00% |
| Dheerendra Maurya       | 17    | 0    | 4       | 0          | 13     | 16      | 1            | 94.12%  |
| Aneesh P S              | 8     | 0    | 2       | 0          | 6      | 8       | 0            | 100.00% |
| Abhishek Satish Pawar   | 7     | 0    | 1       | 0          | 6      | 7       | 0            | 100.00% |
| John Ashis Roy          | 5     | 0    | 0       | 0          | 5      | 4       | 1            | 80.00%  |
| Rupesh Soni             | 5     | 0    | 0       | 0          | 5      | 5       | 0            | 100.00% |
| Dharmendra Bhadoriya    | 4     | 0    | 2       | 0          | 2      | 4       | 0            | 100.00% |
| Jagadisha R             | 4     | 0    | 1       | 0          | 3      | 3       | 1            | 75.00%  |
| Shresth Kushwaha        | 3     | 0    | 0       | 0          | 3      | 3       | 0            | 100.00% |
| Arvind Kumar Arya       | 1     | 0    | 1       | 0          | 0      | 1       | 0            | 100.00% |

## Categorized Hold Reasons Frequency

| CATEGORIZED HOLD REASON    | INCIDENT COUNT | ENGINEERS ASSIGNED                                                                                     | AFFECTED SITES |
|----------------------------|----------------|--------------------------------------------------------------------------------------------------------|----------------|
| Power Issue at Site        | 8              | Aneesh P S, Dheerendra Maurya, Arvind Kumar Arya, Kartik Choudhary, Abhishek Satish Pawar, Jagadisha R | Greater Noida  |
| Other                      | 1              | Dheerendra Maurya                                                                                      | Greater Noida  |
| Coordination in Progress   | 1              | Kartik Choudhary                                                                                       | Greater Noida  |
| Client-Side Activity       | 1              | Dharmendra Bhadoriya                                                                                   | Noida          |
| Device Boot Issue          | 1              | Dharmendra Bhadoriya                                                                                   | Greater Noida  |
| Awaiting Customer Response | 1              | Aneesh P S                                                                                             | Greater Noida  |

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 1 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

| Site Location | Rack Location | Serial Number  | Hostname / Device ID | Proactive Uptime % | JFL Uptime % | Operating Status                |
|---------------|---------------|----------------|----------------------|--------------------|--------------|---------------------------------|
| Bangalore     | 1F-R1         | Q2EW-5R5B-HEY9 | 1F-R1-SW4            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 1F-R1         | Q2ZP-AP5E-Z83L | 1F-R1-SW3            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 1F-R1         | Q2ZP-D2D2-VFQK | 1F-R1-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 1F-R1         | Q2ZP-D47G-NGKY | 1F-R1-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 1F-R2         | Q2QW-EXJY-SE64 | 1F-R2-SW1            | 99.99%             | 99.99%       | Operational                     |
| Bangalore     | 1F-R3         | Q2QW-CTFE-E2WF | 1F-R3-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 1F-R3         | Q2QW-CTFW-5KJ6 | 1F-R3-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 1F-R4         | Q2QW-CAKK-KNXD | 1F-R4-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 1F-R4         | Q2QW-CTFM-KEQZ | 1F-R4-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 1F-R5         | Q2QW-CANP-QCYR | 1F-R5-SW1            | 99.96%             | 99.96%       | Operational                     |
| Bangalore     | 1F-R5         | Q2QW-CQSG-6X85 | 1F-R5-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 1F-R5         | Q2QW-EX7M-X9M6 | 1F-R5-SW4            | 99.96%             | 99.96%       | Operational                     |
| Bangalore     | 1F-R5         | Q2QW-GPBW-SLG9 | 1F-R5-SW3            | 99.96%             | 99.96%       | Operational                     |
| Bangalore     | 2F-R1         | Q2ZP-A3JU-5GR5 | 2F-R1-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 2F-R1         | Q2ZP-AYJY-GU4V | 2F-R1-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 2F-R2         | Q2QW-FB9E-UCQL | 2F-R2-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 2F-R4         | Q2QW-ARKH-HCRT | 2F-R4-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 2F-R4         | Q2QW-ATN2-HDQK | 2F-R4-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

| SITE LOCATION | RACK LOCATION | SERIAL NUMBER  | HOSTNAME / DEVICE ID | PROACTIVE UPTIME % | JFL UPTIME % | OPERATING STATUS                |
|---------------|---------------|----------------|----------------------|--------------------|--------------|---------------------------------|
| Bangalore     | 2F-R4         | Q2QW-BAYV-J6K5 | 2F-R4-SW3            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 2F-R5         | Q2QW-CTCG-QKDE | 2F-R5-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | 2F-R5         | Q2QW-CTMF-ZXMF | 2F-R5-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | CORE          | Q2DW-EM6A-8GPL | CORE-1               | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 2 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

| Site Location | Rack Location | Serial Number  | Hostname / Device ID | Proactive Uptime % | JFL Uptime % | Operating Status                |
|---------------|---------------|----------------|----------------------|--------------------|--------------|---------------------------------|
| Bangalore     | CORE          | Q2DW-FPMF-3AL6 | CORE-2               | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-ETP        | Q2QW-CAJU-QVKD | GF-ETP-SW1           | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R1         | Q2EW-3S9C-VJRW | GF-R1-SW3            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R1         | Q2ZP-AZ5F-V97Y | GF-R1-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R1         | Q2ZP-D487-83QR | GF-R1-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R2         | Q2QW-CTDD-3Z86 | GF-R2-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R2         | Q2QW-CAKR-LDFB | GF-R2-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R2         | Q2QW-H6CN-W8LR | GF-R2-SW3            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R3         | Q2QW-CQPR-WJYV | GF-R3-SW3            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R3         | Q2QW-CQR4-DPMQ | GF-R3-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R3         | Q2QW-CTG2-RX56 | GF-R3-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R4         | Q2QW-CNV8-9Q8Y | GF-R4-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R4         | Q2QW-D8UN-JHM7 | GF-R4-SW3            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R4         | Q2QW-DC3Q-MPWQ | GF-R4-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R5         | Q2QW-BWS8-7ULR | GF-R5-SW3            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R5         | Q2QW-BYNP-CGVJ | GF-R5-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

| SITE LOCATION | RACK LOCATION | SERIAL NUMBER  | HOSTNAME / DEVICE ID | PROACTIVE UPTIME % | JFL UPTIME % | OPERATING STATUS                |
|---------------|---------------|----------------|----------------------|--------------------|--------------|---------------------------------|
| Bangalore     | GF-R5         | Q2QW-BZ2C-GWN7 | GF-R5-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R6         | Q2QW-CLQ3-BXHC | GF-R6-SW1            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-R6         | Q2QW-GUDX-25NY | GF-R6-SW2            | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-UTILITY    | Q2QW-EXXK-QDZ3 | GF-UTILITY-SW1       | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | GF-UTILITY    | Q2QW-GVT2-QANK | GF-UTILITY-SW2       | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | HEALTHCARE    | Q2QW-EY63-C2SF | HEALTHCARE           | 99.60%             | 99.60%       | Operational                     |

# Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 3 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

| Site Location | Rack Location           | Serial Number  | Hostname / Device ID       | Proactive Uptime % | JFL Uptime % | Operating Status                |
|---------------|-------------------------|----------------|----------------------------|--------------------|--------------|---------------------------------|
| Bangalore     | MZ-R1                   | Q2QW-BWVB-HTLP | MZ-R1-SW                   | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | MZ-R2                   | Q2QW-BWVG-Y4ZU | MZ-R2-SW1                  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | SEC-CAB                 | Q2QW-FCH3-EMVG | SEC-CAB-SW2                | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | SEC-CAB                 | Q2QW-FCJL-LJS8 | SEC-CAB-SW1                | 99.96%             | 99.96%       | Operational                     |
| Bangalore     | SIDE-PLANT1             | Q2MW-DT66-3HKL | SIDE-PLANT1                | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Bangalore     | Z1-SIDE PLANT           | Q2MW-CRVX-WJD3 | Z1-SIDE PLANT              | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | Core                    | Q5TN-DGC5-M8QZ | JFL-GNSC-CORE-SW-ST-01 [2] | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | Core                    | Q5TN-NF5F-N32X | JFL-GNSC-CORE-SW-ST-01 [1] | 0.00%              | 0.00%        | Operational                     |
| Greater Noida | JFL-GNMC-1F-LB-AC-SW-01 | FCW2110B27A    | JFL-GNMC-1F-LB-AC-SW-01    | 99.91%             | 99.91%       | Operational                     |
| Greater Noida | JFL-GNMC-2F-AC-ST-01    | FCW2110B28C    | JFL-GNMC-2F-AC-ST-01       | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-2F-AC-ST-01    | FCW2110B27F    | FCW2110B27F                | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-2F-AC-ST-01    | FOC2113V20F    | FOC2113V20F                | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-3F-AC-ST-01    | FOC2113S2MD    | JFL-GNMC-3F-AC-ST-01       | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-CK-AC-SW-01    | FCW2211B365    | JFL-GNMC-CK-AC-SW-01       | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-CLC-AC-SW-01   | FOC2646YCX2    | JFL-GNMC-CLC-AC-SW-01      | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-CLC-AC-SW-02   | FCW2111E0AU    | JFL-GNMC-CLC-AC-SW-02      | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-DA-AC-ST-01    | FCW2112A20E    | JFL-GNMC-DA-AC-ST-01       | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

| SITE LOCATION | RACK LOCATION        | SERIAL NUMBER | HOSTNAME / DEVICE ID | PROACTIVE UPTIME % | JFL UPTIME % | OPERATING STATUS                |
|---------------|----------------------|---------------|----------------------|--------------------|--------------|---------------------------------|
| Greater Noida | JFL-GNMC-DA-AC-ST-01 | FCW2110B27U   | FCW2110B27U          | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-DA-AC-SW-01 | FCW2010A2G1   | JFL-GNMC-DA-AC-SW-01 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-EG-AC-ST-01 | F0C2218T3Z8   | JFL-GNMC-EG-AC-ST-01 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-EG-AC-ST-01 | FCW2126A4XT   | FCW2126A4XT          | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-EG-AC-SW-01 | JIN2117106B   | JFL-GNMC-EG-AC-SW-01 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 4 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

| Site Location | Rack Location         | Serial Number | Hostname / Device ID  | Proactive Uptime % | JFL Uptime % | Operating Status                |
|---------------|-----------------------|---------------|-----------------------|--------------------|--------------|---------------------------------|
| Greater Noida | JFL-GNMC-ER-AC-SW-01  | FOC2536Y0JD   | JFL-GNMC-ER-AC-SW-01  | 99.97%             | 99.97%       | Operational                     |
| Greater Noida | JFL-GNMC-GF-AC-ST-01  | FCW2110B25A   | JFL-GNMC-GF-AC-ST-01  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-GF-AC-ST-01  | FOC2113S2M3   | FOC2113S2M3           | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-LT-AC-SW-01  | FOC2039V1JW   | JFL-GNMC-LT-AC-SW-01  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-MR-AC-SW-01  | FOC2113V20D   | JFL-GNMC-MR-AC-SW-01  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-MR-AC-SW-03  | FCW2038B1H6   | JFL-GNMC-MR-AC-SW-03  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-NCK-SW-02    | FCW2222B4KE   | JFL-GNMC-NCK-SW-02    | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-SR-AC-SW-01  | FCW2113E10E   | JFL-GNMC-SR-AC-SW-01  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNMC-TR-AV-SW-01  | FOC2113S2LY   | JFL-GNMC-TR-AV-SW-01  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNSC-BP-AC-SW-01  | FJC290222AL   | JFL-GNSC-BP-AC-SW-01  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNSC-CK-AC-SW-02  | FVH2908LAPT   | JFL-GNSC-CK-AC-SW-02  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNSC-CLC-SW-03    | FVH2913LEGS   | JFL-GNSC-CLC-SW-03    | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNSC-DA-AC-SW-03  | FVH2914L0QD   | JFL-GNSC-DA-AC-SW-03  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNSC-GF-AC-SW-03  | FVH2914L0BV   | JFL-GNSC-GF-AC-SW-03  | 99.95%             | 99.95%       | Operational                     |
| Greater Noida | JFL-GNSC-LT-AC-SW-01  | FJC29021TTW   | JFL-GNSC-LT-AC-SW-01  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNSC-NCK-AC-SW-02 | FVH2914L0JY   | JFL-GNSC-NCK-AC-SW-02 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNSC-PO-AC-SW-01  | FJC29021TPQ   | JFL-GNSC-PO-AC-SW-01  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

| SITE LOCATION | RACK LOCATION        | SERIAL NUMBER | HOSTNAME / DEVICE ID | PROACTIVE UPTIME % | JFL UPTIME % | OPERATING STATUS                |
|---------------|----------------------|---------------|----------------------|--------------------|--------------|---------------------------------|
| Greater Noida | JFL-GNSC-RE-AC-SW-01 | FJC29021TNP   | JFL-GNSC-RE-AC-SW-01 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNSC-RO-SW01     | FVH2914L08Y   | JFL-GNSC-RO-SW01     | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | JFL-GNSC-TP-AC-SW-01 | FJC290222SV   | JFL-GNSC-TP-AC-SW-01 | 30.48%             | 30.48%       | Operational                     |
| Greater Noida | JFL-GNSC-TR-AC-SW-01 | FJC29021TWN   | JFL-GNSC-TR-AC-SW-01 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | NA                   | FCW2646YCXZ   | Detail not found     | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 5 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

| Site Location | Rack Location       | Serial Number  | Hostname / Device ID                 | Proactive Uptime % | JFL Uptime % | Operating Status                |
|---------------|---------------------|----------------|--------------------------------------|--------------------|--------------|---------------------------------|
| Greater Noida | NA                  | FCW2116A4SD    | Detail not found                     | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | NA                  | FOC2646YCXZ    | Detail not found                     | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | Not Cover with us   | FCW2108E1DF    | JFL-GNMC-MR-AC-SW-02                 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Greater Noida | Not Cover with us   | FOC1241W46C    | JFL-GNMC-CCTV-AC-SW-01               | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Guwahati      | CORE                | Q5JG-AQNW-P9FB | JFL-Guwahati-CORE-02                 | 99.98%             | 99.98%       | Operational                     |
| Guwahati      | CORE                | Q5JG-ECTW-5MN7 | JFL-Guwahati-CORE-01                 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Hyderabad     | CORE                | Q5JJ-GEWQ-X3MG | JFL-HYD-CORE-2                       | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Hyderabad     | CORE                | Q5JJ-Q88T-6XC7 | JFL-HYD-CORE-1                       | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Mohali        | CORE                | Q5JG-NJW9-ABBQ | JFL-MOHALI-CORE-02                   | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Mohali        | CORE                | Q5JJ-3TZH-2HV5 | JFL-MOHALI-CORE-01                   | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Mohali        | TRANSPORT ROOM      | Q3LP-2PSJ-6DLB | JFL-MOHALI-ACC-SW-01(Transport Room) | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Mohali        | WAREHOUSE           | Q3LM-TGAF-Q97P | JFL-MOHALI-ACC-SW-02(Warehouse)      | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Mumbai-DC     | JFL-COLO-CORE-SW-01 | FCW2302DHTU    | JFL-COLO-CORE-SW-01                  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Mumbai-DC     | JFL-COLO-CORE-SW-02 | FCW2302L13B    | JFL-COLO-CORE-SW-02                  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Mumbai-DC     | JFL-COLO-MPLS-SW-01 | FCW2302DHGQ    | JFL-COLO-MPLS-SW-01                  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Mumbai-DC     | JFL-COLO-MPLS-SW-02 | FCW2302G0TL    | JFL-COLO-MPLS-SW-02                  | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Nagpur        | RACK 1              | Q5JJ-68KZ-MXAS | JFL-NAG-SSC-SW01                     | 99.60%             | 99.60%       | Operational                     |

| SITE LOCATION | RACK LOCATION     | SERIAL NUMBER  | HOSTNAME / DEVICE ID  | PROACTIVE UPTIME % | JFL UPTIME % | OPERATING STATUS                |
|---------------|-------------------|----------------|-----------------------|--------------------|--------------|---------------------------------|
| Nagpur        | RACK 2            | Q5JG-SL55-CZ9Z | JFL-NAG-SSC-SW04      | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Nagpur        | RACK 2            | Q5JG-TM9S-PLFP | JFL-NAG-SSC-SW02      | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Nagpur        | RACK 3            | Q5JG-STQ9-EUPF | JFL-NAG-SSC-SW03      | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-15F-AP-Switch | FVH2903LAA9    | JFL-15F-AP-Switch-Sw1 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-15F-AP-Switch | FOC2710Y261    | JFL-15F-AP-Switch-Sw2 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 6 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

| Site Location | Rack Location     | Serial Number | Hostname / Device ID  | Proactive Uptime % | JFL Uptime % | Operating Status                |
|---------------|-------------------|---------------|-----------------------|--------------------|--------------|---------------------------------|
| Noida         | JFL-15F-L2-Stack1 | FOC2714Z681   | JFL-15F-L2-Stack1-Sw1 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-15F-L2-Stack1 | FOC2716YN3W   | JFL-15F-L2-Stack1-Sw2 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-15F-L2-Stack1 | FOC2716YLLY   | JFL-15F-L2-Stack1-Sw3 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-15F-L2-Stack1 | FOC2716YLM7   | JFL-15F-L2-Stack1-Sw4 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-15F-L2-Stack1 | FOC2714Z5B8   | JFL-15F-L2-Stack1-Sw5 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-15F-L2-Stack2 | FOC2714Z5AU   | JFL-15F-L2-Stack2-Sw1 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-15F-L2-Stack2 | FOC2715Y1VV   | JFL-15F-L2-Stack2-Sw4 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-15F-L2-Stack2 | FOC2716YNCF   | JFL-15F-L2-Stack2-Sw2 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-15F-L2-Stack2 | FOC2716YHHL   | JFL-15F-L2-Stack2-Sw3 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-16F-AP-Switch | FOC2710Y54F   | JFL-16F-AP-Switch-Sw1 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-16F-AP-Switch | FVH2830L656   | JFL-16F-AP-Switch-Sw2 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-16F-L2-Stack1 | FOC2715Y1KM   | JFL-16F-L2-Stack1-Sw1 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-16F-L2-Stack1 | FOC2715Y1J7   | JFL-16F-L2-Stack1-Sw5 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-16F-L2-Stack1 | FOC2716YNBW   | JFL-16F-L2-Stack1-Sw2 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-16F-L2-Stack1 | FOC2716YN4M   | JFL-16F-L2-Stack1-Sw3 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-16F-L2-Stack1 | FOC2716YN69   | JFL-16F-L2-Stack1-Sw4 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

| SITE LOCATION | RACK LOCATION     | SERIAL NUMBER | HOSTNAME / DEVICE ID  | PROACTIVE UPTIME % | JFL UPTIME % | OPERATING STATUS                |
|---------------|-------------------|---------------|-----------------------|--------------------|--------------|---------------------------------|
| Noida         | JFL-16F-L2-Stack2 | FOC2714Z69M   | JFL-16F-L2-Stack2-Sw1 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-16F-L2-Stack2 | FOC2715Y1CJ   | JFL-16F-L2-Stack2-Sw4 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-16F-L2-Stack2 | FOC2716YNFC   | JFL-16F-L2-Stack2-Sw2 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-16F-L2-Stack2 | FOC2716YNBE   | JFL-16F-L2-Stack2-Sw3 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-17F-AP-Switch | FOC2708YFGS   | JFL-17F-AP-Switch-Sw1 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-17F-AP-Switch | FOC2710Y540   | JFL-17F-AP-Switch-Sw2 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

# Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 7 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

| Site Location | Rack Location     | Serial Number | Hostname / Device ID  | Proactive Uptime % | JFL Uptime % | Operating Status                |
|---------------|-------------------|---------------|-----------------------|--------------------|--------------|---------------------------------|
| Noida         | JFL-17F-L2-Stack1 | FOC2714Z50L   | JFL-17F-L2-Stack1-Sw1 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-17F-L2-Stack1 | FOC2716YND7   | JFL-17F-L2-Stack1-Sw2 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-17F-L2-Stack1 | FOC2716YNBN   | JFL-17F-L2-Stack1-Sw3 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-17F-L2-Stack1 | FVH2805L65K   | JFL-17F-L2-Stack1-Sw4 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-Core-Sw1      | FOC2635Y89M   | JFL-Core-Sw1          | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-Core-Sw2      | FOC2635Y89T   | JFL-Core-Sw2          | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-MPLS-Sw       | FOC2647Y151   | JFL-MPLS-Sw1          | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-MPLS-Sw       | FOC2646YCRH   | JFL-MPLS-Sw2          | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-SRV-SW-Stack1 | FOC2704Y1N8   | JFL-SRV-SW-Stack1-Sw1 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |
| Noida         | JFL-SRV-SW-Stack1 | FOC2704Y3AY   | JFL-SRV-SW-Stack1-Sw2 | 100.00%            | 100.00%      | Stable Operations (100% Uptime) |

# Appendix: Access Point (AP) Incident Distribution (10 AP Records)

Complete AP Device Incident Count, Effective Uptime & Primary RCA

1 August 2026 – 31 August 2026

| DEVICE HOSTNAME / ID | SERIAL NUMBER  | SITE LOCATION | INCIDENT COUNT | EFFECTIVE UPTIME % | PRIMARY RCA DRIVER  |
|----------------------|----------------|---------------|----------------|--------------------|---------------------|
| JFL-GNSC-AP49        | Q3KG-CFHX-4TRU | Greater Noida | 20             | 19.98%             | Device Power Issues |
| JFL-GNSC-AP45        | Q5AA-SFG2-7EPQ | Greater Noida | 3              | 95.81%             | Device Power Issues |
| JFL-GNSC-AP28        | Q5AA-GJ47-DK5X | Greater Noida | 3              | 98.24%             | Device Power Issues |
| JFL-GNSC-AP08        | Q5AA-63MW-78XL | Greater Noida | 2              | 95.97%             | Device Power Issues |
| JFL-GNSC-AP71        | Q5AA-XDV9-FKTX | Greater Noida | 2              | 95.96%             | Device Power Issues |
| JFL-GNSC-AP27        | Q5AA-FRBE-94N5 | Greater Noida | 2              | 98.25%             | Device Power Issues |
| JFL-HYD-SCC-AP13     | Q5AR-LXCJ-F26L | Hyderabad     | 2              | 92.68%             | Device Power Issues |
| JFL-GNSC-AP57        | Q3KG-DGB7-HMVP | Greater Noida | 1              | 0.00%              | Device Power Issues |
| JFL-GNSC-AP50        | Q3KG-A9R2-ATYY | Greater Noida | 1              | 0.00%              | Device Power Issues |
| JFL-GNSC-AP37        | Q5AA-LCK3-FDNW | Greater Noida | 1              | 0.00%              | Device Power Issues |

# Appendix: Raw Incidents Audit Trail (86 Tickets) (Page 1 of 4)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 August 2026 – 31 August 2026

| REFERENCE (TICKET / INCIDENT ID) | LOCATION      | DEVICE ID / SERIAL         | TYPE | HOLD TIME | FIX TIME  | RCA DRIVER               | SLA STATUS   |
|----------------------------------|---------------|----------------------------|------|-----------|-----------|--------------------------|--------------|
| Ticket: PRO/INC/57045            | Greater Noida | JFL-GNSC-CORE-SW-ST-01 [1] | SW   | 81106 min | 159 min   | On Hold                  | SLA Breached |
| Ticket: PRO/INC/57252            | Greater Noida | JFL-GNSC-AP57              | AP   | 78267 min | 5 min     | On Hold                  | SLA Met      |
| Ticket: PRO/INC/58420            | Greater Noida | JFL-GNSC-AP50              | AP   | 69672 min | 1 min     | On Hold                  | SLA Met      |
| Ticket: PRO/INC/60166            | Greater Noida | JFL-GNSC-AP37              | AP   | 50394 min | 17 min    | On Hold                  | SLA Met      |
| Ticket: PRO/INC/60493            | Bangalore     | 1F-R5-SW4                  | SW   | 794 min   | 15.77 min | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60494            | Bangalore     | 1F-R5-SW1                  | SW   | 796 min   | 17.22 min | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60495            | Bangalore     | 1F-R5-SW3                  | SW   | 798 min   | 19.02 min | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60497            | Greater Noida | JFL-GNSC-AP52              | AP   | 536 min   | 4.13 min  | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60680            | Nagpur        | JFL-NAG-SSC-SW01           | SW   | 823 min   | 5.38 min  | Third Party Device issue | SLA Met      |
| Ticket: PRO/INC/60730            | Greater Noida | JFL-GNSC-AP23              | AP   | 426 min   | 11.35 min | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60731            | Greater Noida | JFL-GNSC-AP19              | AP   | 18006 min | 25.58 min | Device Boot Issues       | SLA Met      |
| Ticket: PRO/INC/60733            | Greater Noida | JFL-GNSC-AP18              | AP   | 24868 min | 14.78 min | Client Side Activity     | SLA Met      |
| Ticket: PRO/INC/60765            | Greater Noida | JFL-GNSC-AP61              | AP   | 38351 min | 46 min    | On Hold                  | SLA Met      |
| Ticket: PRO/INC/60769            | Greater Noida | JFL-GNMC-1F-LB-AC-SW-01    | SW   | 18927 min | 40.27 min | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60773            | Mohali        | JFL-Mohali-SCC-AP13        | AP   | 1448 min  | 36.9 min  | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60797            | Greater Noida | JFL-GNSC-AP69              | AP   | 1136 min  | 4.32 min  | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60798            | Greater Noida | JFL-GNSC-AP45              | AP   | 60 min    | 39.2 min  | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60799            | Greater Noida | JFL-GNSC-AP43              | AP   | 1128 min  | 6.92 min  | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60812            | Greater Noida | JFL-GNSC-AP49              | AP   | 714 min   | 25.77 min | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60817            | Greater Noida | JFL-GNSC-AP49              | AP   | 708 min   | 3.78 min  | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60820            | Greater Noida | JFL-GNSC-AP49              | AP   | 670 min   | 12.85 min | Device Power Issues      | SLA Met      |
| Ticket: PRO/INC/60823            | Greater Noida | JFL-GNSC-AP49              | AP   | 647 min   | 4.58 min  | Device Power Issues      | SLA Met      |

# Appendix: Raw Incidents Audit Trail (86 Tickets) (Page 2 of 4)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 August 2026 – 31 August 2026

| REFERENCE (TICKET / INCIDENT ID) | LOCATION      | DEVICE ID / SERIAL   | TYPE | HOLD TIME | FIX TIME   | RCA DRIVER           | SLA STATUS   |
|----------------------------------|---------------|----------------------|------|-----------|------------|----------------------|--------------|
| Ticket: PRO/INC/60826            | Greater Noida | JFL-GNSC-AP49        | AP   | 594 min   | 32.65 min  | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60829            | Greater Noida | JFL-GNSC-AP49        | AP   | 611 min   | 6.3 min    | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60832            | Greater Noida | JFL-GNSC-AP49        | AP   | 581 min   | 6.85 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60836            | Greater Noida | JFL-GNSC-AP49        | AP   | 422 min   | 109.62 min | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60840            | Greater Noida | JFL-GNSC-AP49        | AP   | 408 min   | 4.55 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60843            | Greater Noida | JFL-GNSC-AP49        | AP   | 341 min   | 23.08 min  | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60847            | Nagpur        | JFL-NAG-SSC-SW01     | SW   | 16250 min | 45.78 min  | Client Side Activity | SLA Met      |
| Ticket: PRO/INC/60877            | Greater Noida | JFL-GNSC-AP59        | AP   | 24660 min | 8.53 min   | Others               | SLA Met      |
| Ticket: PRO/INC/60880            | Greater Noida | JFL-GNSC-AP67        | AP   | 35320 min | 7 min      | On Hold              | SLA Met      |
| Ticket: PRO/INC/60891            | Mohali        | JFL-Mohali-SCC-AP10  | AP   | 1160 min  | 12.33 min  | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60893            | Mohali        | JFL-Mohali-SCC-AP01  | AP   | 1166 min  | 6.83 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60892            | Mohali        | JFL-Mohali-SCC-AP02  | AP   | 1164 min  | 8.15 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60909            | Bangalore     | HEALTHCARE           | SW   | 342 min   | 6.77 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60911            | Nagpur        | JFL-NAG-SSC-SW01     | SW   | 2615 min  | 22.03 min  | New Configuration    | SLA Met      |
| Ticket: PRO/INC/60913            | Bangalore     | HEALTHCARE           | SW   | 256 min   | 7.48 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/60966            | Greater Noida | JFL-GNSC-AP49        | AP   | 389 min   | 8.68 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61237            | Bangalore     | HEALTHCARE           | SW   | 2506 min  | 164.38 min | Device Power Issues  | SLA Breached |
| Ticket: PRO/INC/61239            | Bangalore     | 1F-AP26-R5-SW02-34P  | AP   | 1824 min  | 6.22 min   | New Configuration    | SLA Met      |
| Ticket: PRO/INC/61244            | Greater Noida | JFL-GNSC-TP-AC-SW-01 | SW   | 30997 min | 35 min     | On Hold              | SLA Met      |
| Ticket: PRO/INC/61270            | Greater Noida | JFL-GNSC-GF-AC-SW-03 | SW   | 0 min     | 22.23 min  | New Configuration    | SLA Met      |
| Ticket: PRO/INC/61273            | Greater Noida | JFL-GNMC-ER-AC-SW-01 | SW   | 57 min    | 12.98 min  | New Configuration    | SLA Met      |
| Ticket: PRO/INC/61277            | Bangalore     | 1F-R2-SW1            | SW   | 0 min     | 6.07 min   | New Configuration    | SLA Met      |

Appendix: Raw Incidents Audit Trail (86 Tickets) (Page 3 of 4)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 August 2026 – 31 August 2026

| REFERENCE (TICKET / INCIDENT ID) | LOCATION      | DEVICE ID / SERIAL  | TYPE | HOLD TIME | FIX TIME   | RCA DRIVER           | SLA STATUS   |
|----------------------------------|---------------|---------------------|------|-----------|------------|----------------------|--------------|
| Ticket: PRO/INC/61284            | Greater Noida | JFL-GNSC-AP49       | AP   | 942 min   | 41.63 min  | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61344            | Greater Noida | JFL-GNSC-AP49       | AP   | 1336 min  | 4.77 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61443            | Greater Noida | JFL-GNSC-AP49       | AP   | 5705 min  | 5.07 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61478            | Mohali        | JFL-Mohali-SCC-AP07 | AP   | 5012 min  | 126.13 min | Device Boot Issues   | SLA Breached |
| Ticket: PRO/INC/61513            | Nagpur        | JFL-NAG-SSC-SW01    | SW   | 3028 min  | 16.4 min   | Client Side Activity | SLA Met      |
| Ticket: PRO/INC/61522            | Greater Noida | JFL-GNSC-AP49       | AP   | 2629 min  | 9.92 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61525            | Nagpur        | JFL-NAG-SSC-SW01    | SW   | 2520 min  | 9.25 min   | Client Side Activity | SLA Met      |
| Ticket: PRO/INC/61733            | Greater Noida | JFL-GNSC-AP08       | AP   | 216 min   | 7.12 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61734            | Greater Noida | JFL-GNSC-AP45       | AP   | 220 min   | 5.05 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61735            | Greater Noida | JFL-GNSC-AP71       | AP   | 212 min   | 9.3 min    | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61771            | Nagpur        | JFL-NAG-SSC-SW01    | SW   | 1181 min  | 8.67 min   | New Configuration    | SLA Met      |
| Ticket: PRO/INC/61789            | Bangalore     | SEC-CAB-SW1         | SW   | 196 min   | 18.42 min  | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61859            | Greater Noida | JFL-GNSC-AP71       | AP   | 1591 min  | 26.58 min  | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61860            | Greater Noida | JFL-GNSC-AP45       | AP   | 1591 min  | 24.27 min  | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61861            | Greater Noida | JFL-GNSC-AP08       | AP   | 1583 min  | 30.63 min  | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61887            | Nagpur        | JFL-NAG-SSC-SW01    | SW   | 105 min   | 17.85 min  | New Configuration    | SLA Met      |
| Ticket: PRO/INC/61895            | Greater Noida | JFL-GNSC-AP39       | AP   | 366 min   | 61.53 min  | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61930            | Greater Noida | JFL-GNSC-AP27       | AP   | 780 min   | 9.62 min   | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61932            | Greater Noida | JFL-GNSC-AP28       | AP   | 785 min   | 8.7 min    | Device Power Issues  | SLA Met      |
| Ticket: PRO/INC/61938            | Greater Noida | JFL-GNSC-AP63       | AP   | 17187 min | 2 min      | On Hold              | SLA Met      |
| Ticket: PRO/INC/61940            | Nagpur        | JFL-NAG-SSC-SW01    | SW   | 3141 min  | 23.35 min  | Client Side Activity | SLA Met      |
| Ticket: PRO/INC/61942            | Greater Noida | JFL-GNSC-AP32       | AP   | 16945 min | 2 min      | On Hold              | SLA Met      |

Appendix: Raw Incidents Audit Trail (86 Tickets) (Page 4 of 4)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 August 2026 – 31 August 2026

| REFERENCE (TICKET / INCIDENT ID) | LOCATION      | DEVICE ID / SERIAL   | TYPE      | HOLD TIME | FIX TIME  | RCA DRIVER           | SLA STATUS |
|----------------------------------|---------------|----------------------|-----------|-----------|-----------|----------------------|------------|
| Ticket: PRO/INC/61944            | Greater Noida | JFL-GNSC-AP49        | AP        | 343 min   | 58.78 min | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/61968            | Greater Noida | JFL-GNSC-AP28        | AP        | 0 min     | 8.03 min  | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/61969            | Greater Noida | JFL-GNSC-AP26        | AP        | 0 min     | 6.98 min  | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/61973            | Greater Noida | JFL-GNSC-AP28        | AP        | 0 min     | 7.33 min  | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/61972            | Greater Noida | JFL-GNSC-AP27        | AP        | 0 min     | 7.33 min  | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/61987            | Nagpur        | JFL-NAG-SSC-SW01     | SW        | 985 min   | 27.65 min | Client Side Activity | SLA Met    |
| Ticket: PRO/INC/62009            | Guwahati      | JFL-Guwahati-CORE-02 | SW        | 0 min     | 10.57 min | Device Boot Issues   | SLA Met    |
| Ticket: PRO/INC/62029            | Greater Noida | JFL-GNSC-AP49        | AP        | 990 min   | 19.12 min | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/62140            | Noida         | JFL-ISE              | Cisco ISE | 10580 min | 4 min     | On Hold              | SLA Met    |
| Ticket: PRO/INC/62199            | Greater Noida | JFL-GNSC-AP49        | AP        | 4526 min  | 10.42 min | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/62222            | Greater Noida | JFL-GNSC-AP49        | AP        | 8037 min  | 6 min     | On Hold              | SLA Met    |
| Ticket: PRO/INC/62248            | Hyderabad     | JFL-HYD-SCC-AP09     | AP        | 557 min   | 5.47 min  | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/62249            | Hyderabad     | JFL-HYD-SCC-AP13     | AP        | 558 min   | 4.4 min   | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/62250            | Hyderabad     | JFL-HYD-SCC-AP06     | AP        | 556 min   | 4.75 min  | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/62251            | Hyderabad     | JFL-HYD-SCC-AP01     | AP        | 552 min   | 8.95 min  | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/62265            | Greater Noida | JFL-GNSC-AP49        | AP        | 5120 min  | 2 min     | On Hold              | SLA Met    |
| Ticket: PRO/INC/62330            | Hyderabad     | JFL-HYD-SCC-AP11     | AP        | 2717 min  | 13.32 min | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/62331            | Hyderabad     | JFL-HYD-SCC-AP15     | AP        | 2717 min  | 6.17 min  | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/62333            | Hyderabad     | JFL-HYD-SCC-AP13     | AP        | 2711 min  | 11.97 min | Device Power Issues  | SLA Met    |
| Ticket: PRO/INC/62624            | Greater Noida | JFL-GNSC-AP05        | AP        | 669 min   | 20 min    | On Hold              | SLA Met    |