

Quarterly Business Review (QBR)

Executive Operations & Infrastructure Performance Report — Jubilant Foodworks Ltd (JFL)

371

MONITORED ASSETS

99.31%

JFL SWITCH UPTIME

99.61/100

HEALTH SCORE

73.58%

SLA COMPLIANCE

Reporting Period: 1 August 2026 – 31 August 2026

Verified SSOT Data Engine • Confidential

Executive Summary & Network Health

Jubilant Foodworks Ltd (JFL) — Strategic Operations Overview

📅 1 August 2026 – 31 August 2026

TOTAL INFRASTRUCTURE

371 Devices

8 Sites (142 Switches / 223 APs / 73 Stock)

JFL SWITCH UPTIME %

99.31%

Target SLA: 99.30%

PROACTIVE SWITCH UPTIME %

99.93%

Net Working Time Deducted

INFRASTRUCTURE HEALTH SCORE

99.61/100

Excellent (100.00% Incident-Free)

Primary Executive Findings & RCA Drivers

PRIMARY RCA DRIVER (SWITCHES)

Stable Operations (No Incidents)

PRIMARY RCA DRIVER (APS)

Stable Operations (No Incidents)

Executive Operational Narrative

During the **1 August 2026 – 31 August 2026** reporting period, network operations for **Jubilant Foodworks Ltd (JFL)** maintained robust availability across all **371** monitored network assets, achieving an Executive Health Score of **99.61/100 (Excellent)** and a **73.58% SLA Compliance Rate** across incident resolution records. Switch infrastructure availability averaged **99.31%** against the contractual **99.30% SLA Target**.

Site Executive Performance Summary Table

Site-by-Site Device Count, Switch Uptimes, AP Incidents & Primary RCA Drivers

1 August 2026 – 31 August 2026

Site Location	No of Devices	Proactive Switch Uptime	JFL Switch Uptime	Primary RCA Driver (Switches)	AP Incidents (Unique)	Primary RCA Driver (APS)
Bangalore	182	99.83%	98.89%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Greater Noida	122	100.00%	100.00%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Guwahati	5	99.99%	99.05%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Hyderabad	16	100.00%	100.00%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Mohali	19	99.75%	98.35%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Mumbai-DC	8	100.00%	100.00%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Nagpur	10	99.99%	98.23%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Noida	82	100.00%	100.00%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)

Contractual SLA Boundary & Hold Policy

Note: Utility power cuts, store cabling activities, and third-party ISP outages are categorized transparently as local site dependencies and isolated from MSP SLA penalty deductions.

Location-Specific Breakdown of Switches, APs, Stock Inventory & Incident Metrics

1 August 2026 – 31 August 2026

182 Monitored Assets (49 SW / 78 AP / 55 Stock)

98.89%

0 / 0

Stable Operations (No Incidents)

Stable Operations (No Incidents)

122 Monitored Assets (42 SW / 72 AP / 8 Stock)

100.00%

0 / 0

Stable Operations (No Incidents)

Stable Operations (No Incidents)

99.05%

0 / 0

Stable Operations (No Incidents)

Stable Operations (No Incidents)

100.00%

0 / 0

Stable Operations (No Incidents)

Stable Operations (No Incidents)

98.35%

0 / 0

Stable Operations (No Incidents)

Stable Operations (No Incidents)

100.00%

0 / 0

Stable Operations (No Incidents)

Stable Operations (No Incidents)

Nagpur

Noida

10 Monitored Assets (4 SW / 6 AP / 0 Stock)

JFL SWITCH UPTIME

98.23%

AP INCIDENTS (UNIQUE)

0 / 0

PRIMARY RCA (SWITCHES)

Stable Operations (No Incidents)

PRIMARY RCA (APS)

Stable Operations (No Incidents)

82 Monitored Assets (41 SW / 35 AP / 6 Stock)

JFL SWITCH UPTIME

100.00%

AP INCIDENTS (UNIQUE)

0 / 0

PRIMARY RCA (SWITCHES)

Stable Operations (No Incidents)

PRIMARY RCA (APS)

Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Bangalore location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
CORE	96.02%
GF-R1	99.99%
1F-R1	100.00%
SIDE-PLANT1	99.99%
2F-R4	99.99%
GF-R5	100.00%
MZ-R2	99.99%
MZ-R1	100.00%
GF-ETP	99.99%
1F-R4	100.00%
1F-R5	99.99%
GF-R6	100.00%
GF-R4	99.99%
GF-R3	100.00%
2F-R5	100.00%
GF-R2	100.00%
1F-R3	99.99%
1F-R2	100.00%
GF-UTILITY	100.00%
HEALTHCARE	99.99%
2F-R2	100.00%
SEC-CAB	99.99%
2F-R1	100.00%

SITE REVIEW • Bangalore — Switch Uptime Report (Page 1 of 3)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.83%

SWITCHES MONITORED

49

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

27

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Bangalore	CORE-1	Q2DW-EM6A-8GPL	SW	CORE	92.05%
2	Bangalore	CORE-2	Q2DW-FPMF-3AL6	SW	CORE	99.99%
3	Bangalore	GF-R1-SW3	Q2EW-3S9C-VJRW	SW	GF-R1	100.00%
4	Bangalore	1F-R1-SW4	Q2EW-5R5B-HEY9	SW	1F-R1	100.00%
5	Bangalore	SIDE-PLANT1	Q2MW-DT66-3HKL	SW	SIDE-PLANT1	99.99%
6	Bangalore	2F-R4-SW2	Q2QW-ARKH-HCRT	SW	2F-R4	99.99%
7	Bangalore	2F-R4-SW1	Q2QW-ATN2-HDQK	SW	2F-R4	100.00%
8	Bangalore	2F-R4-SW3	Q2QW-BAYV-J6K5	SW	2F-R4	99.99%
9	Bangalore	GF-R5-SW3	Q2QW-BWS8-7ULR	SW	GF-R5	99.99%
10	Bangalore	MZ-R2-SW1	Q2QW-BWVG-Y4ZU	SW	MZ-R2	99.99%
11	Bangalore	MZ-R1-SW	Q2QW-BWVB-HTLP	SW	MZ-R1	100.00%
12	Bangalore	GF-R5-SW1	Q2QW-BYNP-CGVJ	SW	GF-R5	100.00%
13	Bangalore	GF-R5-SW2	Q2QW-BZ2C-GWN7	SW	GF-R5	100.00%
14	Bangalore	GF-ETP-SW1	Q2QW-CAJU-QVKD	SW	GF-ETP	99.99%
15	Bangalore	1F-R4-SW2	Q2QW-CAKK-KNXD	SW	1F-R4	99.99%
16	Bangalore	1F-R5-SW1	Q2QW-CANP-QCYR	SW	1F-R5	100.00%
17	Bangalore	GF-R6-SW1	Q2QW-CLQ3-BXHC	SW	GF-R6	100.00%
18	Bangalore	GF-R4-SW1	Q2QW-CNV8-9Q8Y	SW	GF-R4	99.99%
19	Bangalore	GF-R3-SW3	Q2QW-CQPR-WJYV	SW	GF-R3	100.00%
20	Bangalore	GF-R3-SW1	Q2QW-CQR4-DPMQ	SW	GF-R3	100.00%
21	Bangalore	1F-R5-SW2	Q2QW-CQSG-6X85	SW	1F-R5	99.99%
22	Bangalore	2F-R5-SW1	Q2QW-CTCG-QKDE	SW	2F-R5	99.99%

SITE REVIEW • Bangalore — Switch Uptime Report (Page 2 of 3)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.83%

SWITCHES MONITORED

49

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

27

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE - UPTIME%
23	Bangalore	GF-R2-SW1	Q2QW-CTDD-3Z86	SW	GF-R2	100.00%
24	Bangalore	1F-R3-SW1	Q2QW-CTFE-E2WF	SW	1F-R3	99.99%
25	Bangalore	1F-R4-SW1	Q2QW-CTFM-KEQZ	SW	1F-R4	100.00%
26	Bangalore	1F-R3-SW2	Q2QW-CTFW-5KJ6	SW	1F-R3	99.99%
27	Bangalore	GF-R3-SW2	Q2QW-CTG2-RX56	SW	GF-R3	100.00%
28	Bangalore	2F-R5-SW2	Q2QW-CTMF-ZXMF	SW	2F-R5	100.00%
29	Bangalore	GF-R4-SW3	Q2QW-D8UN-JHM7	SW	GF-R4	100.00%
30	Bangalore	GF-R4-SW2	Q2QW-DC3Q-MPWQ	SW	GF-R4	99.99%
31	Bangalore	1F-R5-SW4	Q2QW-EX7M-X9M6	SW	1F-R5	99.99%
32	Bangalore	GF-R2-SW2	Q2QW-CAKR-LDFB	SW	GF-R2	100.00%
33	Bangalore	1F-R2-SW1	Q2QW-EXJY-SE64	SW	1F-R2	100.00%
34	Bangalore	GF-UTILITY-SW1	Q2QW-EXXK-QDZ3	SW	GF-UTILITY	100.00%
35	Bangalore	HEALTHCARE	Q2QW-EY63-C2SF	SW	HEALTHCARE	99.99%
36	Bangalore	2F-R2-SW2	Q2QW-FB9E-UCQL	SW	2F-R2	100.00%
37	Bangalore	SEC-CAB-SW2	Q2QW-FCH3-EMVG	SW	SEC-CAB	99.99%
38	Bangalore	SEC-CAB-SW1	Q2QW-FCJL-LJS8	SW	SEC-CAB	99.99%
39	Bangalore	1F-R5-SW3	Q2QW-GPBW-SLG9	SW	1F-R5	99.99%
40	Bangalore	GF-R6-SW2	Q2QW-GUDX-25NY	SW	GF-R6	100.00%
41	Bangalore	GF-UTILITY-SW2	Q2QW-GVT2-QANK	SW	GF-UTILITY	100.00%
42	Bangalore	GF-R2-SW3	Q2QW-H6CN-W8LR	SW	GF-R2	100.00%
43	Bangalore	2F-R1-SW1	Q2ZP-A3JU-5GR5	SW	2F-R1	100.00%
44	Bangalore	1F-R1-SW3	Q2ZP-AP5E-Z83L	SW	1F-R1	100.00%

SITE REVIEW • Bangalore — Switch Uptime Report (Page 3 of 3)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.83%

SWITCHES MONITORED

49

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

27

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
45	Bangalore	2F-R1-SW2	Q2ZP-AYJY-GU4V	SW	2F-R1	100.00%
46	Bangalore	GF-R1-SW2	Q2ZP-AZ5F-V97Y	SW	GF-R1	99.99%
47	Bangalore	1F-R1-SW1	Q2ZP-D2D2-VFQK	SW	1F-R1	100.00%
48	Bangalore	1F-R1-SW2	Q2ZP-D47G-NGKY	SW	1F-R1	100.00%
49	Bangalore	GF-R1-SW1	Q2ZP-D487-83QR	SW	GF-R1	99.99%

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 1 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Bangalore	GF-AP2-UTILITY-SW1-12P	Q3AC-2Q7D-JCGF	AP	0	Stable Operations (No Incidents)
2	Bangalore	1F-AP11-R05-SW02-40P	Q3AC-3CVE-NZNV	AP	0	Stable Operations (No Incidents)
3	Bangalore	GF-AP32-R05-SW02-31P	Q3AC-3HFB-L9N6	AP	0	Stable Operations (No Incidents)
4	Bangalore	GF-AP35-R04-SW02-13P	Q3AC-59QF-LNTG	AP	0	Stable Operations (No Incidents)
5	Bangalore	GF-AP17-R06-SW01-04P	Q3AC-5CB9-8CUH	AP	0	Stable Operations (No Incidents)
6	Bangalore	2F-AP11-R05-SW01-40P	Q3AC-5WMD-2PG2	AP	0	Stable Operations (No Incidents)
7	Bangalore	GF-AP20-R03-SW02-40P	Q3AC-6HKW-LC8E	AP	0	Stable Operations (No Incidents)
8	Bangalore	2F-AP19-R04-Helthcare-1P	Q3AC-75JU-8592	AP	0	Stable Operations (No Incidents)
9	Bangalore	GF-AP1-UTILITY-SW1-4P	Q3AC-8NA9-73L4	AP	0	Stable Operations (No Incidents)
10	Bangalore	GF-AP41-R03-SW02-44P	Q3AC-8RQX-XQUG	AP	0	Stable Operations (No Incidents)
11	Bangalore	2F-AP20-R4-SW2-45P	Q3AC-9EFV-95CH	AP	0	Stable Operations (No Incidents)
12	Bangalore	GF-AP16-R02-SW01-14P	Q3AC-AUFV-SSNE	AP	0	Stable Operations (No Incidents)
13	Bangalore	GF-AP14-R02-SW01-16P	Q3AC-B3CZ-8UKC	AP	0	Stable Operations (No Incidents)
14	Bangalore	SEASONING_BOARD_ROOM	Q3AC-C3XA-8AX4	AP	0	Stable Operations (No Incidents)
15	Bangalore	2F-AP18-R4-SW2-8P	Q3AC-C4P4-JNC9	AP	0	Stable Operations (No Incidents)
16	Bangalore	1F-AP06-R05-SW04-4P	Q3AC-DFLX-KHLR	AP	0	Stable Operations (No Incidents)
17	Bangalore	GF-AP09-R02-SW01-22P	Q3AC-DK8K-8UBR	AP	0	Stable Operations (No Incidents)
18	Bangalore	SEC-CAB-GF-AP03-R01-SW01-06P	Q3AC-DTQ8-WQMM	AP	0	Stable Operations (No Incidents)
19	Bangalore	1F-AP13-R04-SW02-13P	Q3AC-DZAX-3FNP	AP	0	Stable Operations (No Incidents)
20	Bangalore	1F-AP10-R05-SW02-44P	Q3AC-E8LA-PVD4	AP	0	Stable Operations (No Incidents)
21	Bangalore	GF-AP13-R06-SW01-47P	Q3AC-E984-BXYN	AP	0	Stable Operations (No Incidents)
22	Bangalore	GF-AP46-R2-SW1-35P	Q3AC-FZXU-BF4E	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 2 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
23	Bangalore	1F-AP25-R02-SW01-3P	Q3AC-H9SR-3N44	AP	0	Stable Operations (No Incidents)
24	Bangalore	CK QC Lab	Q3AC-HG28-SMQY	AP	0	Stable Operations (No Incidents)
25	Bangalore	SEC-CAB-1F-AP02-R01-SW01-10P	Q3AC-HV2N-AG28	AP	0	Stable Operations (No Incidents)
26	Bangalore	GF-AP05-R01-SW02-41P	Q3AC-J4UC-SDJU	AP	0	Stable Operations (No Incidents)
27	Bangalore	2F-AP04-R4-SW3-24P	Q3AC-JN66-PSGV	AP	0	Stable Operations (No Incidents)
28	Bangalore	GF-AP07-R01-SW01-04P	Q3AC-KMBJ-UJFL	AP	0	Stable Operations (No Incidents)
29	Bangalore	2F-AP28-R02-SW02-31P	Q3AC-LJA3-YXHT	AP	0	Stable Operations (No Incidents)
30	Bangalore	GF-AP15-R06-SW01-02P	Q3AC-MNA8-TMWD	AP	0	Stable Operations (No Incidents)
31	Bangalore	GF-AP46-R02-SW01-26P	Q3AC-MPDZ-UTHS	AP	0	Stable Operations (No Incidents)
32	Bangalore	GF-AP29-R04-SW02-23P	Q3AC-NC4G-DUA2	AP	0	Stable Operations (No Incidents)
33	Bangalore	GF-AP37-R04-SW02-17P	Q3AC-P4G8-N73U	AP	0	Stable Operations (No Incidents)
34	Bangalore	2F-AP12-R5-SW2-4P	Q3AC-PGZ6-YM5F	AP	0	Stable Operations (No Incidents)
35	Bangalore	GF-AP12-R02-SW01-18P	Q3AC-PV6N-6QRC	AP	0	Stable Operations (No Incidents)
36	Bangalore	GF-AP31-R05-SW02-37P	Q3AC-PZ4U-KKTC	AP	0	Stable Operations (No Incidents)
37	Bangalore	GF-AP21-R03-SW2-30P	Q3AC-QG3A-P7EA	AP	0	Stable Operations (No Incidents)
38	Bangalore	1F-AP07-R05-SW04-17P	Q3AC-QSJ4-9L25	AP	0	Stable Operations (No Incidents)
39	Bangalore	GF-AP18-R06-SW01-06P	Q3AC-QVDT-2CJX	AP	0	Stable Operations (No Incidents)
40	Bangalore	SEC-CAB-GF-AP01-R01-SW01-02P	Q3AC-RDT3-Y62C	AP	0	Stable Operations (No Incidents)
41	Bangalore	GF-AP11-R02-SW01-20P	Q3AC-RPEZ-GQKD	AP	0	Stable Operations (No Incidents)
42	Bangalore	1F-AP14-R04-SW02-11P	Q3AC-RQJS-FY3M	AP	0	Stable Operations (No Incidents)
43	Bangalore	GF-AP08-R06-SW01-37P	Q3AC-SFX9-92AT	AP	0	Stable Operations (No Incidents)
44	Bangalore	2F-AP29-R02-SW02-44P	Q3AC-TQXL-MJ4E	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 3 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
45	Bangalore	GF-AP23-R3-SW2-38P	Q3AC-TXSV-U4XB	AP	0	Stable Operations (No Incidents)
46	Bangalore	SEC-CAB-1F-AP01-R01-SW01-08P	Q3AC-UWPC-8RNF	AP	0	Stable Operations (No Incidents)
47	Bangalore	MZ-AP03-R01-SW01-17P	Q3AC-V7R5-ECG9	AP	0	Stable Operations (No Incidents)
48	Bangalore	GF-AP39-R04-SW02-15P	Q3AC-W6MK-P7AJ	AP	0	Stable Operations (No Incidents)
49	Bangalore	MZ-AP6-R02-SW01-35P	Q3AC-W7XL-SNU2	AP	0	Stable Operations (No Incidents)
50	Bangalore	1F-AP09-R05-SW02-36P	Q3AC-WRR3-U9YN	AP	0	Stable Operations (No Incidents)
51	Bangalore	GF-AP33-R05-SW02-33P	Q3AC-WX2V-AT4T	AP	0	Stable Operations (No Incidents)
52	Bangalore	GF-AP40-R03-SW03-6P	Q3AC-XXBM-8XSL	AP	0	Stable Operations (No Incidents)
53	Bangalore	1F-AP26-R5-SW02-34P	Q3AC-Y2HS-V29M	AP	0	Stable Operations (No Incidents)
54	Bangalore	GF-AP06-R02-SW01-24P	Q3AC-Y7GE-YS64	AP	0	Stable Operations (No Incidents)
55	Bangalore	GF-AP10-R06-SW01-41P	Q3AC-YEDW-G7SA	AP	0	Stable Operations (No Incidents)
56	Bangalore	SEC-CAB-GF-AP02-R01-SW01-04P	Q3AC-YHHC-Q634	AP	0	Stable Operations (No Incidents)
57	Bangalore	1F-AP12-R04-SW02-9P	Q3AC-ZNCZ-HDNM	AP	0	Stable Operations (No Incidents)
58	Bangalore	CK Office	Q3AC-86YA-CET5	AP	0	Stable Operations (No Incidents)
59	Bangalore	CK Production Hall	Q3KD-MNV6-9TD4	AP	0	Stable Operations (No Incidents)
60	Bangalore	GF-AP24-R06-SW01-39P	Q3AE-PGHB-B4B5	AP	0	Stable Operations (No Incidents)
61	Bangalore	GF-AP22-R06-SW01-43P	Q3AE-VET4-ADEA	AP	0	Stable Operations (No Incidents)
62	Bangalore	GF-AP01-R01-SW02-33P	Q5AE-36RN-AZWJ	AP	0	Stable Operations (No Incidents)
63	Bangalore	1F-AP01-R01-SW02-9P	Q5AE-4AJX-9QNQ	AP	0	Stable Operations (No Incidents)
64	Bangalore	MZ-AP2-R01-SW-4P	Q5AE-66KK-GPLP	AP	0	Stable Operations (No Incidents)
65	Bangalore	2F-AP30-R01-SW02-7P	Q5AE-6ZST-KJTQ	AP	0	Stable Operations (No Incidents)
66	Bangalore	2F-AP1-R01-SW01-10P	Q5AE-B5XG-EY4R	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 4 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)


S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
67	Bangalore	2F-AP2-R01-SW02-9P	Q5AE-C2BB-FR69	AP	0	Stable Operations (No Incidents)
68	Bangalore	GF-AP03-R01-SW02-39P	Q5AE-C77W-8YW3	AP	0	Stable Operations (No Incidents)
69	Bangalore	2F-AP3-R01-SW02-17P	Q5AE-ECWU-JBL5	AP	0	Stable Operations (No Incidents)
70	Bangalore	GF-AP19-R02-SW02-29P	Q5AE-JY3B-Q967	AP	0	Stable Operations (No Incidents)
71	Bangalore	GF-AP01-ETP-SW1-10P	Q5AE-KNH9-5GV8	AP	0	Stable Operations (No Incidents)
72	Bangalore	MZ-AP1-R01-SW-6P	Q5AE-P2XG-J4BA	AP	0	Stable Operations (No Incidents)
73	Bangalore	GF-AP45-R03-SW03-30P	Q5AE-PYMV-RZ5Y	AP	0	Stable Operations (No Incidents)
74	Bangalore	1F-AP03-R01-SW02-13P	Q5AE-RFTG-FLJB	AP	0	Stable Operations (No Incidents)
75	Bangalore	1F-AP02-R01-SW02-11P	Q5AE-VNZM-SECF	AP	0	Stable Operations (No Incidents)
76	Bangalore	GF-AP02-R01-SW03-21P	Q5AE-XMUU-7VL8	AP	0	Stable Operations (No Incidents)
77	Bangalore	1F-AP04-R01-SW02-15P	Q5AE-XQRM-Z6P2	AP	0	Stable Operations (No Incidents)
78	Bangalore	MZ-AP7-R02-SW01-5P	Q5AE-Y9U3-MTM2	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Greater Noida location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
Core	100.00%
JFL-GNSC-TR-AC-SW-01	100.00%
JFL-GNSC-BP-AC-SW-01	100.00%
JFL-GNSC-TP-AC-SW-01	99.99%
JFL-GNSC-LT-AC-SW-01	100.00%
JFL-GNSC-PO-AC-SW-01	100.00%
JFL-GNSC-RE-AC-SW-01	100.00%
Main Rack	100.00%
JFL-GNSC-GF-AC-SW-03	100.00%
JFL-GNSC-DA-AC-SW-03	100.00%
JFL-GNSC-CLC-SW-03	100.00%
JFL-GNSC-RO-SW01	100.00%
JFL-GNSC-CK-AC-SW-02	100.00%
JFL-GNMC-2F-AC-ST-01	100.00%
JFL-GNMC-TR-AV-SW-01	100.00%
JFL-GNMC-3F-AC-ST-01	100.00%
JFL-GNMC-GF-AC-ST-01	100.00%
JFL-GNMC-EG-AC-ST-01	99.99%
JFL-GNMC-ER-AC-SW-01	100.00%
JFL-GNMC-MR-AC-SW-01	100.00%
JFL-GNMC-MR-AC-SW-03	100.00%
JFL-GNMC-NCK-SW-02	100.00%
JFL-GNMC-DA-AC-ST-01	100.00%
JFL-GNMC-CK-AC-SW-01	99.97%



RACK#	OVERALL PERCENTAGE OF RACK-WISE
JFL-GNMC-SR-AC-SW-01	100.00%
JFL-GNMC-EG-AC-SW-01	99.83%
JFL-GNMC-LT-AC-SW-01	99.81%
JFL-GNMC-DA-AC-SW-01	100.00%

SITE REVIEW • Greater Noida — Switch Uptime Report (Page 1 of 2)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

100.00%

SWITCHES MONITORED

42

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

37

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [2]	Q5TN-DGC5-M8QZ	SW	Core	100.00%
2	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [1]	Q5TN-NF5F-N32X	SW	Core	100.00%
3	Greater Noida	JFL-GNSC-TR-AC-SW-01	FJC29021TWN	SW	JFL-GNSC-TR-AC-SW-01	100.00%
4	Greater Noida	JFL-GNSC-BP-AC-SW-01	FJC290222AL	SW	JFL-GNSC-BP-AC-SW-01	100.00%
5	Greater Noida	JFL-GNSC-TP-AC-SW-01	FJC290222SV	SW	JFL-GNSC-TP-AC-SW-01	99.99%
6	Greater Noida	JFL-GNSC-LT-AC-SW-01	FJC29021TTW	SW	JFL-GNSC-LT-AC-SW-01	100.00%
7	Greater Noida	JFL-GNSC-PO-AC-SW-01	FJC29021TPQ	SW	JFL-GNSC-PO-AC-SW-01	100.00%
8	Greater Noida	JFL-GNSC-RE-AC-SW-01	FJC29021TNP	SW	JFL-GNSC-RE-AC-SW-01	100.00%
9	Greater Noida	JFL-GNSC-NCK-AC-SW-02	FVH2914L0JY	SW	JFL-GNSC-NCK-AC-SW-02	100.00%
10	Greater Noida	JFL-GNSC-GF-AC-SW-03	FVH2914L0BV	SW	JFL-GNSC-GF-AC-SW-03	100.00%
11	Greater Noida	JFL-GNSC-DA-AC-SW-03	FVH2914L0QD	SW	JFL-GNSC-DA-AC-SW-03	100.00%
12	Greater Noida	JFL-GNSC-CLC-SW-03	FVH2913LEGS	SW	JFL-GNSC-CLC-SW-03	100.00%
13	Greater Noida	JFL-GNSC-RO-SW01	FVH2914L08Y	SW	JFL-GNSC-RO-SW01	100.00%
14	Greater Noida	JFL-GNSC-CK-AC-SW-02	FVH2908LAPT	SW	JFL-GNSC-CK-AC-SW-02	100.00%
15	Greater Noida	JFL-GNMC-2F-AC-ST-01	FCW2110B28C	SW	JFL-GNMC-2F-AC-ST-01	100.00%
16	Greater Noida	FCW2110B27F	FCW2110B27F	SW	JFL-GNMC-2F-AC-ST-01	100.00%
17	Greater Noida	FOC2113V20F	FOC2113V20F	SW	JFL-GNMC-2F-AC-ST-01	100.00%
18	Greater Noida	JFL-GNMC-TR-AV-SW-01	FOC2113S2LY	SW	JFL-GNMC-TR-AV-SW-01	100.00%
19	Greater Noida	JFL-GNMC-3F-AC-ST-01	FOC2113S2MD	SW	JFL-GNMC-3F-AC-ST-01	100.00%
20	Greater Noida	JFL-GNMC-1F-LB-AC-SW-01	FCW2110B27A	SW	JFL-GNMC-1F-LB-AC-SW-01	100.00%
21	Greater Noida	JFL-GNMC-GF-AC-ST-01	FCW2110B25A	SW	JFL-GNMC-GF-AC-ST-01	100.00%
22	Greater Noida	FOC2113S2M3	FOC2113S2M3	SW	JFL-GNMC-GF-AC-ST-01	100.00%

SITE REVIEW • Greater Noida — Switch Uptime Report (Page 2 of 2)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

100.00%

SWITCHES MONITORED

42

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

37

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
23	Greater Noida	JFL-GNMC-EG-AC-ST-01	FOC2218T3Z8	SW	JFL-GNMC-EG-AC-ST-01	99.98%
24	Greater Noida	FCW2126A4XT	FCW2126A4XT	SW	JFL-GNMC-EG-AC-ST-01	100.00%
25	Greater Noida	JFL-GNMC-ER-AC-SW-01	FOC2536Y0JD	SW	JFL-GNMC-ER-AC-SW-01	100.00%
26	Greater Noida	JFL-GNMC-CLC-AC-SW-01	FOC2646YCX2	SW	JFL-GNMC-CLC-AC-SW-01	100.00%
27	Greater Noida	JFL-GNMC-CLC-AC-SW-02	FCW2111E0AU	SW	JFL-GNMC-CLC-AC-SW-02	100.00%
28	Greater Noida	JFL-GNMC-MR-AC-SW-01	FOC2113V20D	SW	JFL-GNMC-MR-AC-SW-01	100.00%
29	Greater Noida	JFL-GNMC-MR-AC-SW-03	FCW2038B1H6	SW	JFL-GNMC-MR-AC-SW-03	100.00%
30	Greater Noida	JFL-GNMC-NCK-SW-02	FCW2222B4KE	SW	JFL-GNMC-NCK-SW-02	100.00%
31	Greater Noida	JFL-GNMC-DA-AC-ST-01	FCW2112A20E	SW	JFL-GNMC-DA-AC-ST-01	100.00%
32	Greater Noida	FCW2110B27U	FCW2110B27U	SW	JFL-GNMC-DA-AC-ST-01	100.00%
33	Greater Noida	JFL-GNMC-CK-AC-SW-01	FCW2211B365	SW	JFL-GNMC-CK-AC-SW-01	99.97%
34	Greater Noida	JFL-GNMC-SR-AC-SW-01	FCW2113E10E	SW	JFL-GNMC-SR-AC-SW-01	100.00%
35	Greater Noida	JFL-GNMC-EG-AC-SW-01	JIN2117106B	SW	JFL-GNMC-EG-AC-SW-01	99.83%
36	Greater Noida	JFL-GNMC-LT-AC-SW-01	FOC2039V1JW	SW	JFL-GNMC-LT-AC-SW-01	99.81%
37	Greater Noida	Detail not found	FCW2646YCXZ	SW	Main Rack	100.00%
38	Greater Noida	Detail not found	FCW2116A4SD	SW	Main Rack	100.00%
39	Greater Noida	Detail not found	FOC2646YCXZ	SW	Main Rack	100.00%
40	Greater Noida	JFL-GNMC-DA-AC-SW-01	FCW2010A2G1	SW	JFL-GNMC-DA-AC-SW-01	100.00%
41	Greater Noida	JFL-GNMC-MR-AC-SW-02	FCW2108E1DF	SW	Main Rack	100.00%
42	Greater Noida	JFL-GNMC-CCTV-AC-SW-01	FOC1241W46C	SW	Main Rack	100.00%

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 1 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Greater Noida	JFL-GNSC-AP53	Q3KG-6BJV-TZA3	AP	0	Stable Operations (No Incidents)
2	Greater Noida	JFL-GNSC-AP56	Q3KG-8U94-FMUC	AP	0	Stable Operations (No Incidents)
3	Greater Noida	JFL-GNSC-AP63	Q3KG-A7BY-55YX	AP	0	Stable Operations (No Incidents)
4	Greater Noida	JFL-GNSC-AP50	Q3KG-A9R2-ATYY	AP	0	Stable Operations (No Incidents)
5	Greater Noida	JFL-GNSC-AP59	Q3KG-BTTL-HVZU	AP	0	Stable Operations (No Incidents)
6	Greater Noida	JFL-GNSC-AP49	Q3KG-CFHX-4TRU	AP	0	Stable Operations (No Incidents)
7	Greater Noida	JFL-GNSC-AP58	Q3KG-D56U-BSMY	AP	0	Stable Operations (No Incidents)
8	Greater Noida	JFL-GNSC-AP57	Q3KG-DGB7-HMVP	AP	0	Stable Operations (No Incidents)
9	Greater Noida	JFL-GNSC-AP52	Q3KG-GWW5-CHJC	AP	0	Stable Operations (No Incidents)
10	Greater Noida	JFL-GNSC-AP62	Q3KG-J4EF-KZ54	AP	0	Stable Operations (No Incidents)
11	Greater Noida	JFL-GNSC-AP48	Q3KG-JH9T-FL7Z	AP	0	Stable Operations (No Incidents)
12	Greater Noida	JFL-GNSC-AP51	Q3KG-V5M8-92SS	AP	0	Stable Operations (No Incidents)
13	Greater Noida	JFL-GNSC-AP61	Q3KG-X73V-EYFZ	AP	0	Stable Operations (No Incidents)
14	Greater Noida	JFL-GNSC-AP60	Q3KG-XSEX-EG6A	AP	0	Stable Operations (No Incidents)
15	Greater Noida	JFL-GNSC-AP55	Q3KG-Y2PU-4DWW	AP	0	Stable Operations (No Incidents)
16	Greater Noida	JFL-GNSC-AP70	Q3MV-6XWK-TVUP	AP	0	Stable Operations (No Incidents)
17	Greater Noida	JFL-GNSC-AP12	Q5AA-32YH-Q43U	AP	0	Stable Operations (No Incidents)
18	Greater Noida	JFL-GNSC-AP18	Q5AA-3BVV-VQUU	AP	0	Stable Operations (No Incidents)
19	Greater Noida	JFL-GNSC-AP36	Q5AA-4792-7HZC	AP	0	Stable Operations (No Incidents)
20	Greater Noida	JFL-GNSC-AP47	Q5AA-5HRM-897H	AP	0	Stable Operations (No Incidents)
21	Greater Noida	JFL-GNSC-AP46	Q5AA-5L7V-QSYU	AP	0	Stable Operations (No Incidents)
22	Greater Noida	JFL-GNSC-AP04	Q5AA-5TRP-EJMF	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 2 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
23	Greater Noida	JFL-GNSC-AP08	Q5AA-63MW-78XL	AP	0	Stable Operations (No Incidents)
24	Greater Noida	JFL-GNSC-AP29	Q5AA-7TFR-X7ZG	AP	0	Stable Operations (No Incidents)
25	Greater Noida	JFL-GNSC-AP64	Q5AA-7VMH-YF9G	AP	0	Stable Operations (No Incidents)
26	Greater Noida	JFL-GNSC-AP41	Q5AA-8AST-YPV4	AP	0	Stable Operations (No Incidents)
27	Greater Noida	JFL-GNSC-AP44	Q5AA-94E5-2UFU	AP	0	Stable Operations (No Incidents)
28	Greater Noida	JFL-GNSC-AP02	Q5AA-9N3T-MZGU	AP	0	Stable Operations (No Incidents)
29	Greater Noida	JFL-GNSC-AP16	Q5AA-A6S6-XG3H	AP	0	Stable Operations (No Incidents)
30	Greater Noida	JFL-GNSC-AP21	Q5AA-AE34-NNBC	AP	0	Stable Operations (No Incidents)
31	Greater Noida	JFL-GNSC-AP22	Q5AA-ASYH-AKEA	AP	0	Stable Operations (No Incidents)
32	Greater Noida	JFL-GNSC-AP33	Q5AA-C4TF-5ZA8	AP	0	Stable Operations (No Incidents)
33	Greater Noida	JFL-GNSC-AP67	Q5AA-DEJD-R4N5	AP	0	Stable Operations (No Incidents)
34	Greater Noida	JFL-GNSC-AP68	Q5AA-EYB5-JQCK	AP	0	Stable Operations (No Incidents)
35	Greater Noida	JFL-GNSC-AP42	Q5AA-EZ6A-S56Y	AP	0	Stable Operations (No Incidents)
36	Greater Noida	JFL-GNSC-AP27	Q5AA-FRBE-94N5	AP	0	Stable Operations (No Incidents)
37	Greater Noida	JFL-GNSC-AP72	Q5AA-FTAU-94AS	AP	0	Stable Operations (No Incidents)
38	Greater Noida	JFL-GNSC-AP20	Q5AA-GHXM-TRTK	AP	0	Stable Operations (No Incidents)
39	Greater Noida	JFL-GNSC-AP28	Q5AA-GJ47-DK5X	AP	0	Stable Operations (No Incidents)
40	Greater Noida	JFL-GNSC-AP26	Q5AA-H6R3-LUMM	AP	0	Stable Operations (No Incidents)
41	Greater Noida	JFL-GNSC-AP17	Q5AA-HBAV-ACSS	AP	0	Stable Operations (No Incidents)
42	Greater Noida	JFL-GNSC-AP69	Q5AA-HV4L-P853	AP	0	Stable Operations (No Incidents)
43	Greater Noida	JFL-GNSC-AP30	Q5AA-J9A9-ZJ2B	AP	0	Stable Operations (No Incidents)
44	Greater Noida	JFL-GNSC-AP24	Q5AA-JKR4-S9MX	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 3 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
45	Greater Noida	JFL-GNSC-AP43	Q5AA-JPYJ-YC9M	AP	0	Stable Operations (No Incidents)
46	Greater Noida	JFL-GNSC-AP66	Q5AA-JYZN-6KKB	AP	0	Stable Operations (No Incidents)
47	Greater Noida	JFL-GNSC-AP37	Q5AA-LCK3-FDNW	AP	0	Stable Operations (No Incidents)
48	Greater Noida	JFL-GNSC-AP03	Q5AA-MRTL-AP9K	AP	0	Stable Operations (No Incidents)
49	Greater Noida	JFL-GNSC-AP39	Q5AA-NVD9-AZTY	AP	0	Stable Operations (No Incidents)
50	Greater Noida	JFL-GNSC-AP19	Q5AA-QK4J-4K9J	AP	0	Stable Operations (No Incidents)
51	Greater Noida	JFL-GNSC-AP45	Q5AA-SFG2-7EPQ	AP	0	Stable Operations (No Incidents)
52	Greater Noida	JFL-GNSC-AP10	Q5AA-SK3L-NV FH	AP	0	Stable Operations (No Incidents)
53	Greater Noida	JFL-GNSC-AP07	Q5AA-SK8J-GRTZ	AP	0	Stable Operations (No Incidents)
54	Greater Noida	JFL-GNSC-AP38	Q5AA-SKZM-8VYM	AP	0	Stable Operations (No Incidents)
55	Greater Noida	JFL-GNSC-AP34	Q5AA-TSZZ-HUFQ	AP	0	Stable Operations (No Incidents)
56	Greater Noida	JFL-GNSC-AP35	Q5AA-U98X-3FD7	AP	0	Stable Operations (No Incidents)
57	Greater Noida	JFL-GNSC-AP31	Q5AA-V3B6-RSQX	AP	0	Stable Operations (No Incidents)
58	Greater Noida	JFL-GNSC-AP32	Q5AA-VEJP-CVJ6	AP	0	Stable Operations (No Incidents)
59	Greater Noida	JFL-GNSC-AP09	Q5AA-WZA9-XYK8	AP	0	Stable Operations (No Incidents)
60	Greater Noida	JFL-GNSC-AP71	Q5AA-XDV9-FKTX	AP	0	Stable Operations (No Incidents)
61	Greater Noida	JFL-GNSC-AP54	Q5AA-XGDL-V7JB	AP	0	Stable Operations (No Incidents)
62	Greater Noida	JFL-GNSC-AP14	Q5AA-Y9EX-GL7E	AP	0	Stable Operations (No Incidents)
63	Greater Noida	JFL-GNSC-AP40	Q5AA-YF4N-2L5P	AP	0	Stable Operations (No Incidents)
64	Greater Noida	JFL-GNSC-AP05	Q5AA-Z3WW-CY6C	AP	0	Stable Operations (No Incidents)
65	Greater Noida	JFL-GNSC-AP65	Q5AA-ZJ3S-NUDX	AP	0	Stable Operations (No Incidents)
66	Greater Noida	JFL-GNSC-AP25	Q5AR-29J7-8Q63	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 4 of 4)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
67	Greater Noida	JFL-GNSC-AP23	Q5AR-527V-Z8YR	AP	0	Stable Operations (No Incidents)
68	Greater Noida	JFL-GNSC-AP06	Q5AR-6LBA-42SM	AP	0	Stable Operations (No Incidents)
69	Greater Noida	JFL-GNSC-AP15	Q5AR-894G-VGNX	AP	0	Stable Operations (No Incidents)
70	Greater Noida	JFL-GNSC-AP01	Q5AR-8UTU-MX6B	AP	0	Stable Operations (No Incidents)
71	Greater Noida	JFL-GNSC-AP13	Q5AR-DA7D-L9PN	AP	0	Stable Operations (No Incidents)
72	Greater Noida	JFL-GNSC-AP11	Q5AR-DAMQ-NUE2	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Noida location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
JFL-Core-Sw1	100.00%
JFL-Core-Sw2	100.00%
JFL-MPLS-Sw	100.00%
JFL-SRV-SW-Stack1	100.00%
JFL-17F-AP-Switch	100.00%
JFL-16F-AP-Switch	100.00%
JFL-15F-AP-Switch	100.00%
JFL-17F-L2-Stack1	100.00%
JFL-16F-L2-Stack1	100.00%
JFL-16F-L2-Stack2	100.00%
JFL-15F-L2-Stack1	100.00%
Main Rack	100.00%
JFL-15F-L2-Stack2	100.00%

SITE REVIEW • Noida — Switch Uptime Report (Page 1 of 2)

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

100.00%

SWITCHES MONITORED

35

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

35

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Noida	JFL-Core-Sw1	F0C2635Y89M	SW	JFL-Core-Sw1	100.00%
2	Noida	JFL-Core-Sw2	F0C2635Y89T	SW	JFL-Core-Sw2	100.00%
3	Noida	JFL-MPLS-Sw1	F0C2647Y151	SW	JFL-MPLS-Sw	100.00%
4	Noida	JFL-MPLS-Sw2	F0C2646YCRH	SW	JFL-MPLS-Sw	100.00%
5	Noida	JFL-SRV-SW-Stack1-Sw1	F0C2704Y1N8	SW	JFL-SRV-SW-Stack1	100.00%
6	Noida	JFL-SRV-SW-Stack1-Sw2	F0C2704Y3AY	SW	JFL-SRV-SW-Stack1	100.00%
7	Noida	JFL-17F-AP-Switch-Sw1	F0C2708YFGS	SW	JFL-17F-AP-Switch	100.00%
8	Noida	JFL-17F-AP-Switch-Sw2	F0C2710Y540	SW	JFL-17F-AP-Switch	100.00%
9	Noida	JFL-16F-AP-Switch-Sw1	F0C2710Y54F	SW	JFL-16F-AP-Switch	100.00%
10	Noida	JFL-16F-AP-Switch-Sw2	FVH2830L656	SW	JFL-16F-AP-Switch	100.00%
11	Noida	JFL-15F-AP-Switch-Sw1	FVH2903LAA9	SW	JFL-15F-AP-Switch	100.00%
12	Noida	JFL-15F-AP-Switch-Sw2	F0C2710Y261	SW	JFL-15F-AP-Switch	100.00%
13	Noida	JFL-17F-L2-Stack1-Sw1	F0C2714Z50L	SW	JFL-17F-L2-Stack1	100.00%
14	Noida	JFL-17F-L2-Stack1-Sw2	F0C2716YND7	SW	JFL-17F-L2-Stack1	100.00%
15	Noida	JFL-16F-L2-Stack1-Sw1	F0C2715Y1KM	SW	JFL-16F-L2-Stack1	100.00%
16	Noida	JFL-16F-L2-Stack1-Sw5	F0C2715Y1J7	SW	JFL-16F-L2-Stack1	100.00%
17	Noida	JFL-16F-L2-Stack2-Sw1	F0C2714Z69M	SW	JFL-16F-L2-Stack2	100.00%
18	Noida	JFL-16F-L2-Stack2-Sw4	F0C2715Y1CJ	SW	JFL-16F-L2-Stack2	100.00%
19	Noida	JFL-15F-L2-Stack1-Sw1	F0C2714Z681	SW	JFL-15F-L2-Stack1	100.00%
20	Noida	NA	F0C2715Y1W3	SW	Main Rack	100.00%
21	Noida	JFL-15F-L2-Stack2-Sw1	F0C2714Z5AU	SW	JFL-15F-L2-Stack2	100.00%
22	Noida	JFL-15F-L2-Stack2-Sw4	F0C2715Y1VV	SW	JFL-15F-L2-Stack2	100.00%

AGGREGATED SWITCH UPTIME
100.00%

SWITCHES MONITORED
35

PRIMARY RCA DRIVER
Stable Operations (No Incidents)

SWITCH AT 100% UPTIME
35

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE - UPTIME%
23	Noida	JFL-17F-L2-Stack1-Sw3	FOC2716YNBN	SW	JFL-17F-L2-Stack1	100.00%
24	Noida	JFL-17F-L2-Stack1-Sw4	FVH2805L65K	SW	JFL-17F-L2-Stack1	100.00%
25	Noida	JFL-16F-L2-Stack1-Sw2	FOC2716YNBW	SW	JFL-16F-L2-Stack1	100.00%
26	Noida	JFL-16F-L2-Stack1-Sw3	FOC2716YN4M	SW	JFL-16F-L2-Stack1	100.00%
27	Noida	JFL-16F-L2-Stack1-Sw4	FOC2716YN69	SW	JFL-16F-L2-Stack1	100.00%
28	Noida	JFL-16F-L2-Stack2-Sw2	FOC2716YNFC	SW	JFL-16F-L2-Stack2	100.00%
29	Noida	JFL-16F-L2-Stack2-Sw3	FOC2716YNBE	SW	JFL-16F-L2-Stack2	100.00%
30	Noida	JFL-15F-L2-Stack1-Sw2	FOC2716YN3W	SW	JFL-15F-L2-Stack1	100.00%
31	Noida	JFL-15F-L2-Stack1-Sw3	FOC2716YLLY	SW	JFL-15F-L2-Stack1	100.00%
32	Noida	JFL-15F-L2-Stack1-Sw4	FOC2716YLM7	SW	JFL-15F-L2-Stack1	100.00%
33	Noida	JFL-15F-L2-Stack2-Sw2	FOC2716YNCF	SW	JFL-15F-L2-Stack2	100.00%
34	Noida	JFL-15F-L2-Stack2-Sw3	FOC2716YHHL	SW	JFL-15F-L2-Stack2	100.00%
35	Noida	JFL-15F-L2-Stack1-Sw5	FOC2714Z5B8	SW	JFL-15F-L2-Stack1	100.00%

SITE REVIEW • Noida — AP Incidents & RCA (Page 1 of 2)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Noida	JFL-15F-AP1	FGL2708LJW4	AP	0	Stable Operations (No Incidents)
2	Noida	JFL-15F-AP2	FGL2708LJUZ	AP	0	Stable Operations (No Incidents)
3	Noida	JFL-15F-AP3	FGL2708LJVZ	AP	0	Stable Operations (No Incidents)
4	Noida	JFL-15F-AP4	FGL2708LJUC	AP	0	Stable Operations (No Incidents)
5	Noida	JFL-15F-AP5	FGL2708LJVS	AP	0	Stable Operations (No Incidents)
6	Noida	JFL-15F-AP6	FGL2708LJXN	AP	0	Stable Operations (No Incidents)
7	Noida	JFL-15F-AP7	FGL2708LJYF	AP	0	Stable Operations (No Incidents)
8	Noida	JFL-15F-AP9	FGL2708LJXT	AP	0	Stable Operations (No Incidents)
9	Noida	JFL-15F-AP10	FGL2708LJV6	AP	0	Stable Operations (No Incidents)
10	Noida	JFL-16F-AP1	FGL2708LJY2	AP	0	Stable Operations (No Incidents)
11	Noida	JFL-16F-AP2	FGL2708LJXG	AP	0	Stable Operations (No Incidents)
12	Noida	JFL-16F-AP3	FGL2708LJXW	AP	0	Stable Operations (No Incidents)
13	Noida	JFL-16F-AP4	FGL2708LJXE	AP	0	Stable Operations (No Incidents)
14	Noida	JFL-16F-AP5	FGL2708LJY5	AP	0	Stable Operations (No Incidents)
15	Noida	JFL-16F-AP6	FGL2708LJY0	AP	0	Stable Operations (No Incidents)
16	Noida	NA	FJC283311U5	AP	0	Stable Operations (No Incidents)
17	Noida	JFL-15F-AP8	FGL2717MEB1	AP	0	Stable Operations (No Incidents)
18	Noida	JFL-16F-AP9	FGL2708LJV0	AP	0	Stable Operations (No Incidents)
19	Noida	JFL-16F-AP10	FGL2708LJY4	AP	0	Stable Operations (No Incidents)
20	Noida	JFL-16F-AP11	FGL2708LJUM	AP	0	Stable Operations (No Incidents)
21	Noida	JFL-16F-AP12	FGL2708LJUL	AP	0	Stable Operations (No Incidents)
22	Noida	JFL-16F-AP13	FGL2708LJVK	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Noida — AP Incidents & RCA (Page 2 of 2)

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
23	Noida	JFL-17F-AP1	FGL2708LJWV	AP	0	Stable Operations (No Incidents)
24	Noida	JFL-17F-AP2	FGL2708LJU0	AP	0	Stable Operations (No Incidents)
25	Noida	JFL-17F-AP3	FGL2708LJU6	AP	0	Stable Operations (No Incidents)
26	Noida	JFL-17F-AP4	FGL2708LJX1	AP	0	Stable Operations (No Incidents)
27	Noida	JFL-17F-AP5	FGL2717ME1K	AP	0	Stable Operations (No Incidents)
28	Noida	JFL-17F-AP6	FJC2649217U	AP	0	Stable Operations (No Incidents)
29	Noida	JFL-17F-AP7	FGL2708LJVX	AP	0	Stable Operations (No Incidents)
30	Noida	JFL-17F-AP8	FGL2708LJUA	AP	0	Stable Operations (No Incidents)
31	Noida	JFL-17F-AP9	FGL2708LJU5	AP	0	Stable Operations (No Incidents)
32	Noida	JFL-17F-AP10	FGL2708LJWM	AP	0	Stable Operations (No Incidents)
33	Noida	JFL-17F-AP11	FGL2708LJTY	AP	0	Stable Operations (No Incidents)
34	Noida	JFL-17F-AP12	FGL2708LJTX	AP	0	Stable Operations (No Incidents)
35	Noida	JFL-15F-AP11	FJC283311U3	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Mohali location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
WAREHOUSE	99.80%
TRANSPORT ROOM	99.91%
CORE	99.65%

SITE REVIEW • Mohali — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.75%

SWITCHES MONITORED

4

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

1

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Mohali	JFL-MOHALI-ACC-SW-02(Warehouse)	Q3LM-TGAF-Q97P	SW	WAREHOUSE	99.80%
2	Mohali	JFL-MOHALI-ACC-SW-01(Transport Room)	Q3LP-2PSJ-6DLB	SW	TRANSPORT ROOM	99.91%
3	Mohali	JFL-MOHALI-CORE-02	Q5JG-NJW9-ABBQ	SW	CORE	100.00%
4	Mohali	JFL-MOHALI-CORE-01	Q5JJ-3TZH-2HV5	SW	CORE	99.30%

SITE REVIEW • Mohali — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Mohali	JFL-Mohali-SCC-AP12	Q3KG-9RDD-U5HG	AP	0	Stable Operations (No Incidents)
2	Mohali	JFL-Mohali-SCC-AP04 NEW	Q3KG-LYY3-LR6R	AP	0	Stable Operations (No Incidents)
3	Mohali	JFL-Mohali-SCC-AP15	Q3KG-Y9ZZ-W8HK	AP	0	Stable Operations (No Incidents)
4	Mohali	JFL-Mohali-SCC-AP10	Q5AA-43RJ-JQUD	AP	0	Stable Operations (No Incidents)
5	Mohali	JFL-Mohali-SCC-AP06	Q5AA-8PQC-7V98	AP	0	Stable Operations (No Incidents)
6	Mohali	JFL-Mohali-SCC-AP07	Q5AA-E8FN-53RX	AP	0	Stable Operations (No Incidents)
7	Mohali	JFL-Mohali-SCC-AP11	Q5AA-GBHE-WVEQ	AP	0	Stable Operations (No Incidents)
8	Mohali	JFL-Mohali-SCC-AP02	Q5AA-GMN6-UE62	AP	0	Stable Operations (No Incidents)
9	Mohali	JFL-Mohali-SCC-AP03	Q5AA-KHJW-U94C	AP	0	Stable Operations (No Incidents)
10	Mohali	JFL-Mohali-SCC-AP14	Q5AA-MHPW-2YA8	AP	0	Stable Operations (No Incidents)
11	Mohali	JFL-Mohali-SCC-AP08	Q5AA-PHPN-4452	AP	0	Stable Operations (No Incidents)
12	Mohali	JFL-Mohali-SCC-AP05	Q5AA-V3D8-DKEG	AP	0	Stable Operations (No Incidents)
13	Mohali	JFL-Mohali-SCC-AP01	Q5AR-56BZ-6TSR	AP	0	Stable Operations (No Incidents)
14	Mohali	JFL-Mohali-SCC-AP13	Q5AR-A7VQ-MZJM	AP	0	Stable Operations (No Incidents)
15	Mohali	JFL-Mohali-SCC-AP09	Q5AR-TEZ8-EZVW	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Hyderabad location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
CORE	100.00%

SITE REVIEW • Hyderabad — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

100.00%

SWITCHES MONITORED

2

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

2

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Hyderabad	JFL-HYD-CORE-2	Q5JJ-GEWQ-X3MG	SW	CORE	100.00%
2	Hyderabad	JFL-HYD-CORE-1	Q5JJ-Q88T-6XC7	SW	CORE	100.00%

SITE REVIEW • Hyderabad — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Hyderabad	JFL-HYD-SCC-AP11	Q3KG-TLUW-VDX7	AP	0	Stable Operations (No Incidents)
2	Hyderabad	JFL-HYD-SCC-AP10	Q3KG-U9M3-9GEC	AP	0	Stable Operations (No Incidents)
3	Hyderabad	JFL-HYD-SCC-AP09	Q3KG-UKZ7-TA5X	AP	0	Stable Operations (No Incidents)
4	Hyderabad	JFL-HYD-SCC-AP02	Q5AA-23YU-R3GZ	AP	0	Stable Operations (No Incidents)
5	Hyderabad	JFL-HYD-SCC-AP15	Q5AA-46QV-Z3ZC	AP	0	Stable Operations (No Incidents)
6	Hyderabad	JFL-HYD-SCC-AP05	Q5AA-6EJ5-AG7V	AP	0	Stable Operations (No Incidents)
7	Hyderabad	JFL-HYD-SCC-AP01	Q5AA-GAFW-R58M	AP	0	Stable Operations (No Incidents)
8	Hyderabad	JFL-HYD-SCC-AP07	Q5AA-Q8AL-KHWV	AP	0	Stable Operations (No Incidents)
9	Hyderabad	JFL-HYD-SCC-AP14	Q5AA-QLUG-NSPB	AP	0	Stable Operations (No Incidents)
10	Hyderabad	JFL-HYD-SCC-AP03	Q5AA-R4B3-WH9P	AP	0	Stable Operations (No Incidents)
11	Hyderabad	JFL-HYD-SCC-AP06	Q5AA-TRMY-596Z	AP	0	Stable Operations (No Incidents)
12	Hyderabad	JFL-HYD-SCC-AP08	Q5AA-YR33-H6HL	AP	0	Stable Operations (No Incidents)
13	Hyderabad	JFL-HYD-SCC-AP13	Q5AR-LXCJ-F26L	AP	0	Stable Operations (No Incidents)
14	Hyderabad	JFL-HYD-SCC-AP04	Q5AR-PZ39-USUZ	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Nagpur location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
RACK 2	99.98%
RACK 3	99.99%
RACK 1	99.99%

SITE REVIEW • Nagpur — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.99%

SWITCHES MONITORED

4

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

0

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Nagpur	JFL-NAG-SSC-SW04	Q5JG-SL55-CZ9Z	SW	RACK 2	99.99%
2	Nagpur	JFL-NAG-SSC-SW03	Q5JG-STQ9-EUPF	SW	RACK 3	99.99%
3	Nagpur	JFL-NAG-SSC-SW02	Q5JG-TM9S-PLFP	SW	RACK 2	99.98%
4	Nagpur	JFL-NAG-SSC-SW01	Q5JJ-68KZ-MXAS	SW	RACK 1	99.99%

SITE REVIEW • Nagpur — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Nagpur	JFL-NAG-SSC-AP05	Q3KG-FBVZ-2RBN	AP	0	Stable Operations (No Incidents)
2	Nagpur	JFL-NAG-SSC-AP06	Q3KG-MBCN-DSBC	AP	0	Stable Operations (No Incidents)
3	Nagpur	JFL-NAG-SSC-AP04	Q3KG-P7GS-UMEQ	AP	0	Stable Operations (No Incidents)
4	Nagpur	JFL-NAG-SSC-AP03	Q5AA-XH9E-KZRJ	AP	0	Stable Operations (No Incidents)
5	Nagpur	JFL-NAG-SSC-AP02	Q5AR-4FGW-G4PW	AP	0	Stable Operations (No Incidents)
6	Nagpur	JFL-NAG-SCC-AP01	Q5AR-9UF6-M73Y	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Mumbai-DC location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
CORE	100.00%
JFL-COLO-MPLS-SW-02	100.00%
JFL-COLO-MPLS-SW-01	100.00%

SITE REVIEW • Mumbai-DC — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

100.00%

SWITCHES MONITORED

4

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

4

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Mumbai-DC	JFL-COLO-CORE-SW-02	FCW2302L13B	SW	CORE	100.00%
2	Mumbai-DC	JFL-COLO-MPLS-SW-02	FCW2302G0TL	SW	JFL-COLO-MPLS-SW-02	100.00%
3	Mumbai-DC	JFL-COLO-MPLS-SW-01	FCW2302DHGQ	SW	JFL-COLO-MPLS-SW-01	100.00%
4	Mumbai-DC	JFL-COLO-CORE-SW-01	FCW2302DHTU	SW	CORE	100.00%

SITE REVIEW • Mumbai-DC — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
No Access Points monitored at this location.						

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Guwahati location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
CORE	99.99%

SITE REVIEW • Guwahati — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 August 2026 – 31 August 2026

AGGREGATED SWITCH UPTIME

99.99%

SWITCHES MONITORED

2

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

0

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Guwahati	JFL-Guwahati-CORE-02	Q5JG-AQNW-P9FB	SW	CORE	99.99%
2	Guwahati	JFL-Guwahati-CORE-01	Q5JG-ECTW-5MN7	SW	CORE	99.99%

SITE REVIEW • Guwahati — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 August 2026 – 31 August 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Guwahati	JFL-Guwahati-SSC-AP-02	Q3KG-ZJZJ-WWH5	AP	0	Stable Operations (No Incidents)
2	Guwahati	JFL-Guwahati-SSC-AP-03	Q5AA-RM28-C2R8	AP	0	Stable Operations (No Incidents)
3	Guwahati	JFL-Guwahati-SSC-AP-01	Q5AR-T7UY-LJRT	AP	0	Stable Operations (No Incidents)

Engineer SLA Performance & Ticket Breakdown

Ticket Owner Workload, Resolution SLA Compliance & Breach Tracking

1 August 2026 – 31 August 2026

TICKET OWNER / ENGINEER	TOTAL	OPEN	ON HOLD	ASSIGNMENT	CLOSED	SLA MET	SLA BREACHED	SLA %
Dheerendra Maurya	1	0	1	0	0	0	0	0.00%

Categorized Hold Reasons Frequency

CATEGORIZED HOLD REASON	INCIDENT COUNT	ENGINEERS ASSIGNED	AFFECTED SITES
Other	1	Dheerendra Maurya	Greater Noida

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 1 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Bangalore	1F-R1	Q2EW-5R5B-HEY9	1F-R1-SW4	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R1	Q2ZP-AP5E-Z83L	1F-R1-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R1	Q2ZP-D2D2-VFQK	1F-R1-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R1	Q2ZP-D47G-NGKY	1F-R1-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R2	Q2QW-EXJY-SE64	1F-R2-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R3	Q2QW-CTFE-E2WF	1F-R3-SW1	99.99%	99.99%	Operational
Bangalore	1F-R3	Q2QW-CTFW-5KJ6	1F-R3-SW2	99.99%	99.99%	Operational
Bangalore	1F-R4	Q2QW-CAKK-KNXD	1F-R4-SW2	99.99%	99.99%	Operational
Bangalore	1F-R4	Q2QW-CTFM-KEQZ	1F-R4-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R5	Q2QW-CANP-QCYR	1F-R5-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R5	Q2QW-CQSG-6X85	1F-R5-SW2	99.99%	99.99%	Operational
Bangalore	1F-R5	Q2QW-EX7M-X9M6	1F-R5-SW4	99.99%	99.99%	Operational
Bangalore	1F-R5	Q2QW-GPBW-SLG9	1F-R5-SW3	99.99%	99.99%	Operational
Bangalore	2F-R1	Q2ZP-A3JU-5GR5	2F-R1-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R1	Q2ZP-AYJY-GU4V	2F-R1-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R2	Q2QW-FB9E-UCQL	2F-R2-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R4	Q2QW-ARKH-HCRT	2F-R4-SW2	99.99%	99.99%	Operational
Bangalore	2F-R4	Q2QW-ATN2-HDQK	2F-R4-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R4	Q2QW-BAYV-J6K5	2F-R4-SW3	99.99%	99.99%	Operational
Bangalore	2F-R5	Q2QW-CTCG-QKDE	2F-R5-SW1	99.99%	99.99%	Operational

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Bangalore	2F-R5	Q2QW-CTMF-ZXMF	2F-R5-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	CORE	Q2DW-EM6A-8GPL	CORE-1	92.05%	92.05%	Operational

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 2 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Bangalore	CORE	Q2DW-FPMF-3AL6	CORE-2	99.99%	99.99%	Operational
Bangalore	GF-ETP	Q2QW-CAJU-QVKD	GF-ETP-SW1	99.99%	99.99%	Operational
Bangalore	GF-R1	Q2EW-3S9C-VJRW	GF-R1-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R1	Q2ZP-AZ5F-V97Y	GF-R1-SW2	99.99%	99.99%	Operational
Bangalore	GF-R1	Q2ZP-D487-83QR	GF-R1-SW1	99.99%	99.99%	Operational
Bangalore	GF-R2	Q2QW-CTDD-3Z86	GF-R2-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R2	Q2QW-CAKR-LDFB	GF-R2-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R2	Q2QW-H6CN-W8LR	GF-R2-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R3	Q2QW-CQPR-WJYV	GF-R3-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R3	Q2QW-CQR4-DPMQ	GF-R3-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R3	Q2QW-CTG2-RX56	GF-R3-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R4	Q2QW-CNV8-9Q8Y	GF-R4-SW1	99.99%	99.99%	Operational
Bangalore	GF-R4	Q2QW-D8UN-JHM7	GF-R4-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R4	Q2QW-DC3Q-MPWQ	GF-R4-SW2	99.99%	99.99%	Operational
Bangalore	GF-R5	Q2QW-BWS8-7ULR	GF-R5-SW3	99.99%	99.99%	Operational
Bangalore	GF-R5	Q2QW-BYNP-CGVJ	GF-R5-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R5	Q2QW-BZ2C-GWN7	GF-R5-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R6	Q2QW-CLQ3-BXHC	GF-R6-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R6	Q2QW-GUDX-25NY	GF-R6-SW2	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Bangalore	GF-UTILITY	Q2QW-EXXK-QDZ3	GF-UTILITY-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-UTILITY	Q2QW-GVT2-QANK	GF-UTILITY-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	HEALTHCARE	Q2QW-EY63-C2SF	HEALTHCARE	99.99%	99.99%	Operational

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 3 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Bangalore	MZ-R1	Q2QW-BWWB-HTLP	MZ-R1-SW	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	MZ-R2	Q2QW-BWVG-Y4ZU	MZ-R2-SW1	99.99%	99.99%	Operational
Bangalore	SEC-CAB	Q2QW-FCH3-EMVG	SEC-CAB-SW2	99.99%	99.99%	Operational
Bangalore	SEC-CAB	Q2QW-FCJL-LJS8	SEC-CAB-SW1	99.99%	99.99%	Operational
Bangalore	SIDE-PLANT1	Q2MW-DT66-3HKL	SIDE-PLANT1	99.99%	99.99%	Operational
Greater Noida	Core	Q5TN-DGC5-M8QZ	JFL-GNSC-CORE-SW-ST-01 [2]	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Core	Q5TN-NF5F-N32X	JFL-GNSC-CORE-SW-ST-01 [1]	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-1F-LB-AC-SW-01	FCW2110B27A	JFL-GNMC-1F-LB-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-2F-AC-ST-01	FCW2110B28C	JFL-GNMC-2F-AC-ST-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-2F-AC-ST-01	FCW2110B27F	FCW2110B27F	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-2F-AC-ST-01	FOC2113V20F	FOC2113V20F	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-3F-AC-ST-01	FOC2113S2MD	JFL-GNMC-3F-AC-ST-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-CK-AC-SW-01	FCW2211B365	JFL-GNMC-CK-AC-SW-01	99.97%	99.97%	Operational
Greater Noida	JFL-GNMC-CLC-AC-SW-01	FOC2646YCX2	JFL-GNMC-CLC-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-CLC-AC-SW-02	FCW2111E0AU	JFL-GNMC-CLC-AC-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-DA-AC-ST-01	FCW2112A20E	JFL-GNMC-DA-AC-ST-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-DA-AC-ST-01	FCW2110B27U	FCW2110B27U	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-DA-AC-SW-01	FCW2010A2G1	JFL-GNMC-DA-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-EG-AC-ST-01	FOC2218T3Z8	JFL-GNMC-EG-AC-ST-01	99.98%	99.98%	Operational

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Greater Noida	JFL-GNMC-EG-AC-ST-01	FCW2126A4XT	FCW2126A4XT	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-EG-AC-SW-01	JIN2117106B	JFL-GNMC-EG-AC-SW-01	99.83%	99.83%	Operational
Greater Noida	JFL-GNMC-ER-AC-SW-01	FOC2536Y0JD	JFL-GNMC-ER-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 4 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Greater Noida	JFL-GNMC-GF-AC-ST-01	FCW2110B25A	JFL-GNMC-GF-AC-ST-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-GF-AC-ST-01	FOC2113S2M3	FOC2113S2M3	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-LT-AC-SW-01	FOC2039V1JW	JFL-GNMC-LT-AC-SW-01	99.81%	99.81%	Operational
Greater Noida	JFL-GNMC-MR-AC-SW-01	FOC2113V20D	JFL-GNMC-MR-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-MR-AC-SW-03	FCW2038B1H6	JFL-GNMC-MR-AC-SW-03	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-NCK-SW-02	FCW2222B4KE	JFL-GNMC-NCK-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-SR-AC-SW-01	FCW2113E10E	JFL-GNMC-SR-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-TR-AV-SW-01	FOC2113S2LY	JFL-GNMC-TR-AV-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-BP-AC-SW-01	FJC290222AL	JFL-GNSC-BP-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-CK-AC-SW-02	FVH2908LAPT	JFL-GNSC-CK-AC-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-CLC-SW-03	FVH2913LEGS	JFL-GNSC-CLC-SW-03	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-DA-AC-SW-03	FVH2914L0QD	JFL-GNSC-DA-AC-SW-03	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-GF-AC-SW-03	FVH2914L0BV	JFL-GNSC-GF-AC-SW-03	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-LT-AC-SW-01	FJC29021TTW	JFL-GNSC-LT-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-NCK-AC-SW-02	FVH2914L0JY	JFL-GNSC-NCK-AC-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-PO-AC-SW-01	FJC29021TPQ	JFL-GNSC-PO-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-RE-AC-SW-01	FJC29021TNP	JFL-GNSC-RE-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Greater Noida	JFL-GNSC-RO-SW01	FVH2914L08Y	JFL-GNSC-RO-SW01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-TP-AC-SW-01	FJC290222SV	JFL-GNSC-TP-AC-SW-01	99.99%	99.99%	Operational
Greater Noida	JFL-GNSC-TR-AC-SW-01	FJC29021TWN	JFL-GNSC-TR-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	NA	FCW2646YCXZ	Detail not found	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	NA	FCW2116A4SD	Detail not found	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 5 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Greater Noida	NA	FOC2646YCXZ	Detail not found	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Not Cover with us	FCW2108E1DF	JFL-GNMC-MR-AC-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Not Cover with us	FOC1241W46C	JFL-GNMC-CCTV-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Guwahati	CORE	Q5JG-AQNW-P9FB	JFL-Guwahati-CORE-02	99.99%	99.99%	Operational
Guwahati	CORE	Q5JG-ECTW-5MN7	JFL-Guwahati-CORE-01	99.99%	99.99%	Operational
Hyderabad	CORE	Q5JJ-GEWQ-X3MG	JFL-HYD-CORE-2	100.00%	100.00%	Stable Operations (100% Uptime)
Hyderabad	CORE	Q5JJ-Q88T-6XC7	JFL-HYD-CORE-1	100.00%	100.00%	Stable Operations (100% Uptime)
Mohali	CORE	Q5JG-NJW9-ABBQ	JFL-MOHALI-CORE-02	100.00%	100.00%	Stable Operations (100% Uptime)
Mohali	CORE	Q5JJ-3TZH-2HV5	JFL-MOHALI-CORE-01	99.30%	99.30%	Operational
Mohali	TRANSPORT ROOM	Q3LP-2PSJ-6DLB	JFL-MOHALI-ACC-SW-01(Transport Room)	99.91%	99.91%	Operational
Mohali	WAREHOUSE	Q3LM-TGAF-Q97P	JFL-MOHALI-ACC-SW-02(Warehouse)	99.80%	99.80%	Operational
Mumbai-DC	CORE	FCW2302L13B	JFL-COLO-CORE-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai-DC	CORE	FCW2302DHTU	JFL-COLO-CORE-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai-DC	JFL-COLO-MPLS-SW-01	FCW2302DHGQ	JFL-COLO-MPLS-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai-DC	JFL-COLO-MPLS-SW-02	FCW2302G0TL	JFL-COLO-MPLS-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Nagpur	RACK 1	Q5JJ-68KZ-MXAS	JFL-NAG-SSC-SW01	99.99%	99.99%	Operational
Nagpur	RACK 2	Q5JG-SL55-CZ9Z	JFL-NAG-SSC-SW04	99.99%	99.99%	Operational
Nagpur	RACK 2	Q5JG-TM9S-PLFP	JFL-NAG-SSC-SW02	99.98%	99.98%	Operational
Nagpur	RACK 3	Q5JG-STQ9-EUPF	JFL-NAG-SSC-SW03	99.99%	99.99%	Operational

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Noida	JFL-15F-AP-Switch	FVH2903LAA9	JFL-15F-AP-Switch-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-AP-Switch	F0C2710Y261	JFL-15F-AP-Switch-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack1	F0C2714Z681	JFL-15F-L2-Stack1-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 6 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Noida	JFL-15F-L2-Stack1	FOC2716YN3W	JFL-15F-L2-Stack1-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack1	FOC2716YLLY	JFL-15F-L2-Stack1-Sw3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack1	FOC2716YLM7	JFL-15F-L2-Stack1-Sw4	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack1	FOC2714Z5B8	JFL-15F-L2-Stack1-Sw5	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack2	FOC2714Z5AU	JFL-15F-L2-Stack2-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack2	FOC2715Y1VV	JFL-15F-L2-Stack2-Sw4	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack2	FOC2716YNCF	JFL-15F-L2-Stack2-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack2	FOC2716YHHL	JFL-15F-L2-Stack2-Sw3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-AP-Switch	FOC2710Y54F	JFL-16F-AP-Switch-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-AP-Switch	FVH2830L656	JFL-16F-AP-Switch-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack1	FOC2715Y1KM	JFL-16F-L2-Stack1-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack1	FOC2715Y1J7	JFL-16F-L2-Stack1-Sw5	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack1	FOC2716YNBW	JFL-16F-L2-Stack1-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack1	FOC2716YN4M	JFL-16F-L2-Stack1-Sw3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack1	FOC2716YN69	JFL-16F-L2-Stack1-Sw4	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack2	FOC2714Z69M	JFL-16F-L2-Stack2-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Noida	JFL-16F-L2-Stack2	FOC2715Y1CJ	JFL-16F-L2-Stack2-Sw4	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack2	FOC2716YNFC	JFL-16F-L2-Stack2-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack2	FOC2716YNBE	JFL-16F-L2-Stack2-Sw3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-17F-AP-Switch	FOC2708YFGS	JFL-17F-AP-Switch-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-17F-AP-Switch	FOC2710Y540	JFL-17F-AP-Switch-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-17F-L2-Stack1	FOC2714Z50L	JFL-17F-L2-Stack1-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 7 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 August 2026 – 31 August 2026

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Noida	JFL-17F-L2-Stack1	FOC2716YND7	JFL-17F-L2-Stack1-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-17F-L2-Stack1	FOC2716YNBN	JFL-17F-L2-Stack1-Sw3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-17F-L2-Stack1	FVH2805L65K	JFL-17F-L2-Stack1-Sw4	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-Core-Sw1	FOC2635Y89M	JFL-Core-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-Core-Sw2	FOC2635Y89T	JFL-Core-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-MPLS-Sw	FOC2647Y151	JFL-MPLS-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-MPLS-Sw	FOC2646YCRH	JFL-MPLS-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-SRV-SW-Stack1	FOC2704Y1N8	JFL-SRV-SW-Stack1-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-SRV-SW-Stack1	FOC2704Y3AY	JFL-SRV-SW-Stack1-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	NA	FOC2715Y1W3	NA	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Access Point (AP) Incident Distribution (0 AP Records)

Complete AP Device Incident Count, Effective Uptime & Primary RCA

1 August 2026 – 31 August 2026

DEVICE HOSTNAME / ID	SERIAL NUMBER	SITE LOCATION	INCIDENT COUNT	EFFECTIVE UPTIME %	PRIMARY RCA DRIVER
No AP outages recorded during period. Operations 100% Stable.					

Appendix: Raw Incidents Audit Trail (1 Tickets)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 August 2026 – 31 August 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/57045	Greater Noida	1	SW	0 min	min	Unknown	SLA Met