

Quarterly Business Review (QBR)

Executive Operations & Infrastructure Performance Report — Jubilant Foodworks Ltd (JFL)

434

MONITORED ASSETS

95.04%

JFL SWITCH UPTIME

85.47/100

HEALTH SCORE

94.70%

SLA COMPLIANCE

Reporting Period: 7 April 2026 – 6 July 2026

Verified SSOT Data Engine • Confidential

Executive Summary & Network Health

Jubilant Foodworks Ltd (JFL) — Strategic Operations Overview

7 April 2026 – 6 July 2026

TOTAL INFRASTRUCTURE

434 Devices

8 Sites (151 Switches / 277 APs / 0 Stock)

JFL SWITCH UPTIME %

95.04%

Target SLA: 99.30%

PROACTIVE SWITCH UPTIME %

99.63%

Net Working Time Deducted

INFRASTRUCTURE HEALTH SCORE

85.47/100

Good (66.36% Incident-Free)

Primary Executive Findings & RCA Drivers

PRIMARY RCA DRIVER (SWITCHES)

Device Power Issues

PRIMARY RCA DRIVER (APS)

Device Power Issues

Executive Operational Narrative

During the 7 April 2026 – 6 July 2026 reporting period, network operations for Jubilant Foodworks Ltd (JFL) maintained robust availability across all 434 monitored network assets, achieving an Executive Health Score of 85.47/100 (Good) and a 94.70% SLA Compliance Rate across incident resolution records. Switch infrastructure availability averaged 95.04% against the contractual 99.30% SLA Target.

Site Executive Performance Summary Table

Site-by-Site Device Count, Switch Uptimes, AP Incidents & Primary RCA Drivers

7 April 2026 – 6 July 2026

Site Location	No of Devices	Proactive Switch Uptime	JFL Switch Uptime	Primary RCA Driver (Switches)	AP Incidents (Unique)	Primary RCA Driver (APS)
Bangalore	182	99.79%	97.80%	Device Power Issues	31 / 25	Device Power Issues
Greater Noida	113	99.96%	97.03%	New Configuration	175 / 56	Device Power Issues
Guwahati	5	99.99%	99.09%	Device Power Issues	10 / 2	Device Power Issues
Hyderabad	16	100.00%	100.00%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Mohali	19	99.81%	97.31%	Client Side Activity	42 / 16	Device Power Issues
Mumbai	8	100.00%	100.00%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Nagpur	10	99.99%	96.64%	Third Party Device issue	4 / 4	Client Side Activity
Noida	81	100.00%	100.00%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)

Contractual SLA Boundary & Hold Policy

Note: Utility power cuts, store cabling activities, and third-party ISP outages are categorized transparently as local site dependencies and isolated from MSP SLA penalty deductions.

Site Operational Inspection (8 Monitored Sites)

Location-Specific Breakdown of Switches, APs, Stock Inventory & Incident Metrics

7 April 2026 – 6 July 2026

Bangalore

182 Monitored Assets (60 SW / 122 AP / 0 Stock)

99.79%

JFL SWITCH UPTIME

97.80%

AP INCIDENTS (UNIQUE)

31 / 25

PRIMARY RCA (SWITCHES)

Device Power Issues

PRIMARY RCA (APS)

Device Power Issues

Greater Noida

113 Monitored Assets (38 SW / 75 AP / 0 Stock)

99.96%

JFL SWITCH UPTIME

97.03%

AP INCIDENTS (UNIQUE)

175 / 56

PRIMARY RCA (SWITCHES)

New Configuration

PRIMARY RCA (APS)

Device Power Issues

Guwahati

5 Monitored Assets (2 SW / 3 AP / 0 Stock)

99.99%

JFL SWITCH UPTIME

99.09%

AP INCIDENTS (UNIQUE)

10 / 2

PRIMARY RCA (SWITCHES)

Device Power Issues

PRIMARY RCA (APS)

Device Power Issues

Hyderabad

16 Monitored Assets (2 SW / 14 AP / 0 Stock)

100.00%

JFL SWITCH UPTIME

100.00%

AP INCIDENTS (UNIQUE)

0 / 0

PRIMARY RCA (SWITCHES)

Stable Operations (No Incidents)

PRIMARY RCA (APS)

Stable Operations (No Incidents)

Mohali

19 Monitored Assets (2 SW / 17 AP / 0 Stock)

99.81%

JFL SWITCH UPTIME

97.31%

AP INCIDENTS (UNIQUE)

42 / 16

PRIMARY RCA (SWITCHES)

Client Side Activity

PRIMARY RCA (APS)

Device Power Issues

Mumbai

8 Monitored Assets (8 SW / 0 AP / 0 Stock)

100.00%

JFL SWITCH UPTIME

100.00%

AP INCIDENTS (UNIQUE)

0 / 0

PRIMARY RCA (SWITCHES)

Stable Operations (No Incidents)

PRIMARY RCA (APS)

Stable Operations (No Incidents)

Nagpur

99.99%

Noida

100.00%

10 Monitored Assets (4 SW / 6 AP / 0 Stock)

JFL SWITCH UPTIME

96.64%

AP INCIDENTS (UNIQUE)

4 / 4

PRIMARY RCA (SWITCHES)

Third Party Device issue

PRIMARY RCA (APS)

Client Side Activity

81 Monitored Assets (41 SW / 40 AP / 0 Stock)

JFL SWITCH UPTIME

100.00%

AP INCIDENTS (UNIQUE)

0 / 0

PRIMARY RCA (SWITCHES)

Stable Operations (No Incidents)

PRIMARY RCA (APS)

Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

31 AP Incidents

Primary RCA: Device Power Issues

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
Main Rack	99.81%

SITE REVIEW • Bangalore — Switch Uptime Report (Page 1 of 3)

Individual Switch Operational Availability & Device Status

7 April 2026 – 6 July 2026

AGGREGATED SWITCH UPTIME

99.79%

SWITCHES MONITORED

60

PRIMARY RCA DRIVER

Device Power Issues

SWITCH AT 100% UPTIME

36

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Bangalore	CORE-1	Q2DW-EM6A-8GPL	SW	Main Rack	92.14%
2	Bangalore	CORE-2	Q2DW-FPMF-3AL6	SW	Main Rack	99.99%
3	Bangalore	Q2EW-3S9C-VJRW	Q2EW-3S9C-VJRW	SW	Main Rack	100.00%
4	Bangalore	Q2EW-5R5B-HEY9	Q2EW-5R5B-HEY9	SW	Main Rack	100.00%
5	Bangalore	Q2EW-68N6-HTZ7	Q2EW-68N6-HTZ7	SW	Main Rack	100.00%
6	Bangalore	Q2EW-78HY-BNUV	Q2EW-78HY-BNUV	SW	Main Rack	100.00%
7	Bangalore	Q2MW-CC67-WVEU	Q2MW-CC67-WVEU	SW	Main Rack	100.00%
8	Bangalore	Q2MW-CRVX-WJD3	Q2MW-CRVX-WJD3	SW	Main Rack	100.00%
9	Bangalore	Q2MW-DSWB-43BC	Q2MW-DSWB-43BC	SW	Main Rack	100.00%
10	Bangalore	SIDE-PLANT1	Q2MW-DT66-3HKL	SW	Main Rack	99.99%
11	Bangalore	2F-R4-SW2	Q2QW-ARKH-HCRT	SW	Main Rack	99.99%
12	Bangalore	Q2QW-ATN2-HDQK	Q2QW-ATN2-HDQK	SW	Main Rack	100.00%
13	Bangalore	2F-R4-SW3	Q2QW-BAYV-J6K5	SW	Main Rack	99.99%
14	Bangalore	GF-R5-SW3	Q2QW-BWS8-7ULR	SW	Main Rack	99.99%
15	Bangalore	MZ-R2-SW1	Q2QW-BWVG-Y4ZU	SW	Main Rack	99.99%
16	Bangalore	Q2QW-BWWB-HTLP	Q2QW-BWWB-HTLP	SW	Main Rack	100.00%
17	Bangalore	Q2QW-BYNP-CGVJ	Q2QW-BYNP-CGVJ	SW	Main Rack	100.00%
18	Bangalore	Q2QW-BZ2C-GWN7	Q2QW-BZ2C-GWN7	SW	Main Rack	100.00%
19	Bangalore	GF-ETP-SW1	Q2QW-CAJU-QVKD	SW	Main Rack	96.85%
20	Bangalore	1F-R4-SW2	Q2QW-CAKK-KNXD	SW	Main Rack	99.99%
21	Bangalore	Q2QW-983F-LNQL	Q2QW-983F-LNQL	SW	Main Rack	100.00%
22	Bangalore	1F-R5-SW1	Q2QW-CANP-QCYR	SW	Main Rack	100.00%

SITE REVIEW • Bangalore — Switch Uptime Report (Page 2 of 3)

Individual Switch Operational Availability & Device Status

7 April 2026 – 6 July 2026

AGGREGATED SWITCH UPTIME
99.79%

SWITCHES MONITORED
60

PRIMARY RCA DRIVER
Device Power Issues

SWITCH AT 100% UPTIME
36

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
23	Bangalore	Q2QW-CLPB-MZPN	Q2QW-CLPB-MZPN	SW	Main Rack	100.00%
24	Bangalore	Q2QW-CLQ3-BXHC	Q2QW-CLQ3-BXHC	SW	Main Rack	100.00%
25	Bangalore	GF-R4-SW1	Q2QW-CNV8-9Q8Y	SW	Main Rack	99.99%
26	Bangalore	Q2QW-CQPR-WJYV	Q2QW-CQPR-WJYV	SW	Main Rack	100.00%
27	Bangalore	Q2QW-CQR4-DPMQ	Q2QW-CQR4-DPMQ	SW	Main Rack	100.00%
28	Bangalore	1F-R5-SW2	Q2QW-CQSG-6X85	SW	Main Rack	99.99%
29	Bangalore	2F-R5-SW1	Q2QW-CTCG-QKDE	SW	Main Rack	99.99%
30	Bangalore	Q2QW-CTDD-3Z86	Q2QW-CTDD-3Z86	SW	Main Rack	100.00%
31	Bangalore	1F-R3-SW1	Q2QW-CTFE-E2WF	SW	Main Rack	99.98%
32	Bangalore	1F-R4-SW1	Q2QW-CTFM-KEQZ	SW	Main Rack	99.99%
33	Bangalore	1F-R3-SW2	Q2QW-CTFW-5KJ6	SW	Main Rack	99.99%
34	Bangalore	Q2QW-CTG2-RX56	Q2QW-CTG2-RX56	SW	Main Rack	100.00%
35	Bangalore	2F-R5-SW2	Q2QW-CTMF-ZXMF	SW	Main Rack	100.00%
36	Bangalore	Q2QW-D8UN-JHM7	Q2QW-D8UN-JHM7	SW	Main Rack	100.00%
37	Bangalore	GF-R4-SW2	Q2QW-DC3Q-MPWQ	SW	Main Rack	99.99%
38	Bangalore	1F-R5-SW4	Q2QW-EX7M-X9M6	SW	Main Rack	99.99%
39	Bangalore	Q2QW-CAKR-LDFB	Q2QW-CAKR-LDFB	SW	Main Rack	100.00%
40	Bangalore	Q2QW-EXJY-SE64	Q2QW-EXJY-SE64	SW	Main Rack	100.00%
41	Bangalore	GF-UTILITY-SW1	Q2QW-EXXK-QDZ3	SW	Main Rack	99.99%
42	Bangalore	HEALTHCARE	Q2QW-EY63-C2SF	SW	Main Rack	99.99%
43	Bangalore	Q2QW-EY8T-HNGL	Q2QW-EY8T-HNGL	SW	Main Rack	100.00%
44	Bangalore	Q2QW-FB9E-UCQL	Q2QW-FB9E-UCQL	SW	Main Rack	100.00%

SITE REVIEW • Bangalore — Switch Uptime Report (Page 3 of 3)

Individual Switch Operational Availability & Device Status

7 April 2026 – 6 July 2026

AGGREGATED SWITCH UPTIME
99.79%

SWITCHES MONITORED
60

PRIMARY RCA DRIVER
Device Power Issues

SWITCH AT 100% UPTIME
36

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE - UPTIME%
45	Bangalore	SEC-CAB-SW2	Q2QW-FCH3-EMVG	SW	Main Rack	99.96%
46	Bangalore	SEC-CAB-SW1	Q2QW-FCJL-LJS8	SW	Main Rack	99.97%
47	Bangalore	Q2QW-FGVW-W6XW	Q2QW-FGVW-W6XW	SW	Main Rack	100.00%
48	Bangalore	1F-R5-SW3	Q2QW-GPBW-SLG9	SW	Main Rack	99.99%
49	Bangalore	Q2QW-GPCV-Z8W9	Q2QW-GPCV-Z8W9	SW	Main Rack	100.00%
50	Bangalore	Q2QW-GUDX-25NY	Q2QW-GUDX-25NY	SW	Main Rack	100.00%
51	Bangalore	Q2QW-GVT2-QANK	Q2QW-GVT2-QANK	SW	Main Rack	100.00%
52	Bangalore	Q2QW-H6CN-W8LR	Q2QW-H6CN-W8LR	SW	Main Rack	100.00%
53	Bangalore	Q2ZP-A3JU-5GR5	Q2ZP-A3JU-5GR5	SW	Main Rack	100.00%
54	Bangalore	Q2ZP-AP5E-Z83L	Q2ZP-AP5E-Z83L	SW	Main Rack	100.00%
55	Bangalore	Q2ZP-AVUV-W7QU	Q2ZP-AVUV-W7QU	SW	Main Rack	100.00%
56	Bangalore	Q2ZP-AYJY-GU4V	Q2ZP-AYJY-GU4V	SW	Main Rack	100.00%
57	Bangalore	GF-R1-SW2	Q2ZP-AZ5F-V97Y	SW	Main Rack	99.99%
58	Bangalore	Q2ZP-D2D2-VFQK	Q2ZP-D2D2-VFQK	SW	Main Rack	100.00%
59	Bangalore	Q2ZP-D47G-NGKY	Q2ZP-D47G-NGKY	SW	Main Rack	100.00%
60	Bangalore	GF-R1-SW1	Q2ZP-D487-83QR	SW	Main Rack	99.99%

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 1 of 6)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

31

MET CASES

31

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Bangalore	Q3AC-23KQ-U6HE	Q3AC-23KQ-U6HE	AP	0	Stable Operations (No Incidents)
2	Bangalore	Q3AC-2DHR-W43S	Q3AC-2DHR-W43S	AP	0	Stable Operations (No Incidents)
3	Bangalore	Q3AC-2Q7D-JCGF	Q3AC-2Q7D-JCGF	AP	0	Stable Operations (No Incidents)
4	Bangalore	Q3AC-2W7H-MNPQ	Q3AC-2W7H-MNPQ	AP	0	Stable Operations (No Incidents)
5	Bangalore	Q3AC-3CVE-NZNV	Q3AC-3CVE-NZNV	AP	0	Stable Operations (No Incidents)
6	Bangalore	Q3AC-3HFB-L9N6	Q3AC-3HFB-L9N6	AP	0	Stable Operations (No Incidents)
7	Bangalore	Q3AC-3HWV-ECVT	Q3AC-3HWV-ECVT	AP	0	Stable Operations (No Incidents)
8	Bangalore	GF-AP35-R04-SW02-13P	Q3AC-59QF-LNTG	AP	1	Device Power Issues
9	Bangalore	Q3AC-5CB9-8CUH	Q3AC-5CB9-8CUH	AP	0	Stable Operations (No Incidents)
10	Bangalore	Q3AC-5WMD-2PG2	Q3AC-5WMD-2PG2	AP	0	Stable Operations (No Incidents)
11	Bangalore	Q3AC-5ZQ2-UJWD	Q3AC-5ZQ2-UJWD	AP	0	Stable Operations (No Incidents)
12	Bangalore	Q3AC-6HKW-LC8E	Q3AC-6HKW-LC8E	AP	0	Stable Operations (No Incidents)
13	Bangalore	Q3AC-75JU-8592	Q3AC-75JU-8592	AP	0	Stable Operations (No Incidents)
14	Bangalore	Q3AC-7E9E-E8QQ	Q3AC-7E9E-E8QQ	AP	0	Stable Operations (No Incidents)
15	Bangalore	Q3AC-8LZG-ZGWE	Q3AC-8LZG-ZGWE	AP	0	Stable Operations (No Incidents)
16	Bangalore	Q3AC-8NA9-73L4	Q3AC-8NA9-73L4	AP	0	Stable Operations (No Incidents)
17	Bangalore	Q3AC-8RQX-XQUG	Q3AC-8RQX-XQUG	AP	0	Stable Operations (No Incidents)
18	Bangalore	Q3AC-8RRH-Z8MA	Q3AC-8RRH-Z8MA	AP	0	Stable Operations (No Incidents)
19	Bangalore	2F-AP20-R4-SW2-45P	Q3AC-9EFV-95CH	AP	2	Device Power Issues
20	Bangalore	Q3AC-AL42-99XK	Q3AC-AL42-99XK	AP	0	Stable Operations (No Incidents)
21	Bangalore	Q3AC-AUFV-SSNE	Q3AC-AUFV-SSNE	AP	0	Stable Operations (No Incidents)
22	Bangalore	Q3AC-B3CZ-8UKC	Q3AC-B3CZ-8UKC	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 2 of 6)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

31

MET CASES

31

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
23	Bangalore	Q3AC-B69P-5U94	Q3AC-B69P-5U94	AP	0	Stable Operations (No Incidents)
24	Bangalore	Q3AC-C3XA-8AX4	Q3AC-C3XA-8AX4	AP	0	Stable Operations (No Incidents)
25	Bangalore	2F-AP18-R4-SW2-8P	Q3AC-C4P4-JNC9	AP	2	Device Power Issues
26	Bangalore	Q3AC-CBFG-FY3U	Q3AC-CBFG-FY3U	AP	0	Stable Operations (No Incidents)
27	Bangalore	Q3AC-DFLX-KHLR	Q3AC-DFLX-KHLR	AP	0	Stable Operations (No Incidents)
28	Bangalore	GF-AP09-R02-SW01-22P	Q3AC-DK8K-8UBR	AP	1	Device Power Issues
29	Bangalore	SEC-CAB-GF-AP03-R01-SW01-06P	Q3AC-DTQ8-WQMM	AP	1	Device Power Issues
30	Bangalore	1F-AP13-R04-SW02-13P	Q3AC-DZAX-3FNP	AP	1	Device Power Issues
31	Bangalore	Q3AC-E3JS-XN9C	Q3AC-E3JS-XN9C	AP	0	Stable Operations (No Incidents)
32	Bangalore	1F-AP10-R05-SW02-44P	Q3AC-E8LA-PVD4	AP	2	Device Power Issues
33	Bangalore	Q3AC-E984-BXYN	Q3AC-E984-BXYN	AP	0	Stable Operations (No Incidents)
34	Bangalore	Q3AC-ESTY-YK6L	Q3AC-ESTY-YK6L	AP	0	Stable Operations (No Incidents)
35	Bangalore	Q3AC-FAX6-YRJK	Q3AC-FAX6-YRJK	AP	0	Stable Operations (No Incidents)
36	Bangalore	Q3AC-FZXU-BF4E	Q3AC-FZXU-BF4E	AP	0	Stable Operations (No Incidents)
37	Bangalore	Q3AC-GK7K-PDN4	Q3AC-GK7K-PDN4	AP	0	Stable Operations (No Incidents)
38	Bangalore	Q3AC-H9SR-3N44	Q3AC-H9SR-3N44	AP	0	Stable Operations (No Incidents)
39	Bangalore	CK QC Lab	Q3AC-HG28-SMQY	AP	1	Device Power Issues
40	Bangalore	SEC-CAB-1F-AP02-R01-SW01-10P	Q3AC-HV2N-AG28	AP	1	Device Power Issues
41	Bangalore	Q3AC-J4UC-SDJU	Q3AC-J4UC-SDJU	AP	0	Stable Operations (No Incidents)
42	Bangalore	Q3AC-J9AF-Y736	Q3AC-J9AF-Y736	AP	0	Stable Operations (No Incidents)
43	Bangalore	Q3AC-JCE4-MCMS	Q3AC-JCE4-MCMS	AP	0	Stable Operations (No Incidents)
44	Bangalore	2F-AP04-R4-SW3-24P	Q3AC-JN66-PSGV	AP	1	Device Power Issues

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 3 of 6)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

31

MET CASES

31

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
45	Bangalore	Q3AC-K86Y-LU3D	Q3AC-K86Y-LU3D	AP	0	Stable Operations (No Incidents)
46	Bangalore	Q3AC-KMBJ-UJFL	Q3AC-KMBJ-UJFL	AP	0	Stable Operations (No Incidents)
47	Bangalore	Q3AC-LJA3-YXHT	Q3AC-LJA3-YXHT	AP	0	Stable Operations (No Incidents)
48	Bangalore	Q3AC-MNA8-TMWD	Q3AC-MNA8-TMWD	AP	0	Stable Operations (No Incidents)
49	Bangalore	GF-AP46-R02-SW01-26P	Q3AC-MPDZ-UTHS	AP	1	Device Power Issues
50	Bangalore	Q3AC-MPKF-FE8T	Q3AC-MPKF-FE8T	AP	1	Client Side Activity
51	Bangalore	Q3AC-MTLV-H3EL	Q3AC-MTLV-H3EL	AP	0	Stable Operations (No Incidents)
52	Bangalore	Q3AC-N7C4-HEF5	Q3AC-N7C4-HEF5	AP	0	Stable Operations (No Incidents)
53	Bangalore	GF-AP29-R04-SW02-23P	Q3AC-NC4G-DUA2	AP	1	Device Power Issues
54	Bangalore	Q3AC-NQ8Z-VVTC	Q3AC-NQ8Z-VVTC	AP	0	Stable Operations (No Incidents)
55	Bangalore	Q3AC-P4G8-N73U	Q3AC-P4G8-N73U	AP	0	Stable Operations (No Incidents)
56	Bangalore	2F-AP12-R5-SW2-4P	Q3AC-PGZ6-YM5F	AP	2	Device Power Issues
57	Bangalore	GF-AP12-R02-SW01-18P	Q3AC-PV6N-6QRC	AP	1	Device Power Issues
58	Bangalore	Q3AC-PZ4U-KKTC	Q3AC-PZ4U-KKTC	AP	0	Stable Operations (No Incidents)
59	Bangalore	Q3AC-QG3A-P7EA	Q3AC-QG3A-P7EA	AP	0	Stable Operations (No Incidents)
60	Bangalore	Q3AC-QPM8-AFTU	Q3AC-QPM8-AFTU	AP	0	Stable Operations (No Incidents)
61	Bangalore	Q3AC-QRFZ-VLYY	Q3AC-QRFZ-VLYY	AP	0	Stable Operations (No Incidents)
62	Bangalore	1F-AP07-R05-SW04-17P	Q3AC-QSJ4-9L25	AP	1	Device Power Issues
63	Bangalore	Q3AC-QVDT-2CJX	Q3AC-QVDT-2CJX	AP	0	Stable Operations (No Incidents)
64	Bangalore	SEC-CAB-GF-AP01-R01-SW01-02P	Q3AC-RDT3-Y62C	AP	1	Device Power Issues
65	Bangalore	Q3AC-RPEZ-GQKD	Q3AC-RPEZ-GQKD	AP	0	Stable Operations (No Incidents)
66	Bangalore	1F-AP14-R04-SW02-11P	Q3AC-RQJS-FY3M	AP	2	Device Power Issues

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 4 of 6)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

31

MET CASES

31

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
67	Bangalore	Q3AC-RTN3-EPKX	Q3AC-RTN3-EPKX	AP	0	Stable Operations (No Incidents)
68	Bangalore	Q3AC-SFX9-92AT	Q3AC-SFX9-92AT	AP	0	Stable Operations (No Incidents)
69	Bangalore	Q3AC-TQXL-MJ4E	Q3AC-TQXL-MJ4E	AP	0	Stable Operations (No Incidents)
70	Bangalore	Q3AC-TVTD-S24W	Q3AC-TVTD-S24W	AP	0	Stable Operations (No Incidents)
71	Bangalore	Q3AC-TXSV-U4XB	Q3AC-TXSV-U4XB	AP	0	Stable Operations (No Incidents)
72	Bangalore	Q3AC-UEH2-JUNY	Q3AC-UEH2-JUNY	AP	0	Stable Operations (No Incidents)
73	Bangalore	Q3AC-UPYY-PNVQ	Q3AC-UPYY-PNVQ	AP	0	Stable Operations (No Incidents)
74	Bangalore	Q3AC-UWPC-8RNF	Q3AC-UWPC-8RNF	AP	0	Stable Operations (No Incidents)
75	Bangalore	Q3AC-V7R5-ECG9	Q3AC-V7R5-ECG9	AP	0	Stable Operations (No Incidents)
76	Bangalore	GF-AP39-R04-SW02-15P	Q3AC-W6MK-P7AJ	AP	1	Device Power Issues
77	Bangalore	Q3AC-W7XL-SNU2	Q3AC-W7XL-SNU2	AP	0	Stable Operations (No Incidents)
78	Bangalore	Q3AC-WRR3-U9YN	Q3AC-WRR3-U9YN	AP	0	Stable Operations (No Incidents)
79	Bangalore	Q3AC-WX2V-AT4T	Q3AC-WX2V-AT4T	AP	0	Stable Operations (No Incidents)
80	Bangalore	Q3AC-X53T-GMNE	Q3AC-X53T-GMNE	AP	0	Stable Operations (No Incidents)
81	Bangalore	Q3AC-X66Q-USCT	Q3AC-X66Q-USCT	AP	0	Stable Operations (No Incidents)
82	Bangalore	Q3AC-XXBM-8XSL	Q3AC-XXBM-8XSL	AP	0	Stable Operations (No Incidents)
83	Bangalore	1F-AP26-R5-SW02-34P	Q3AC-Y2HS-V29M	AP	1	Device Power Issues
84	Bangalore	Q3AC-Y7GE-YS64	Q3AC-Y7GE-YS64	AP	0	Stable Operations (No Incidents)
85	Bangalore	Q3AC-YEDW-G7SA	Q3AC-YEDW-G7SA	AP	0	Stable Operations (No Incidents)
86	Bangalore	SEC-CAB-GF-AP02-R01-SW01-04P	Q3AC-YHHC-Q634	AP	1	Device Power Issues
87	Bangalore	Q3AC-YWED-SL3W	Q3AC-YWED-SL3W	AP	0	Stable Operations (No Incidents)
88	Bangalore	1F-AP12-R04-SW02-9P	Q3AC-ZNCZ-HDNM	AP	1	Device Power Issues

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 5 of 6)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

31

MET CASES

31

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
89	Bangalore	Q3AE-FT83-RWMH	Q3AE-FT83-RWMH	AP	0	Stable Operations (No Incidents)
90	Bangalore	Q3AE-GRCN-QXFW	Q3AE-GRCN-QXFW	AP	0	Stable Operations (No Incidents)
91	Bangalore	CK Office	Q3AC-86YA-CET5	AP	1	Device Power Issues
92	Bangalore	Q3KD-MNV6-9TD4	Q3KD-MNV6-9TD4	AP	0	Stable Operations (No Incidents)
93	Bangalore	Q3AE-HD3C-2C9C	Q3AE-HD3C-2C9C	AP	0	Stable Operations (No Incidents)
94	Bangalore	Q3AE-PGHB-B4B5	Q3AE-PGHB-B4B5	AP	0	Stable Operations (No Incidents)
95	Bangalore	Q3AE-VET4-ADEA	Q3AE-VET4-ADEA	AP	0	Stable Operations (No Incidents)
96	Bangalore	Q3AE-WGKL-3C27	Q3AE-WGKL-3C27	AP	0	Stable Operations (No Incidents)
97	Bangalore	Q5AE-36RN-AZWJ	Q5AE-36RN-AZWJ	AP	0	Stable Operations (No Incidents)
98	Bangalore	Q5AE-3DAZ-J39D	Q5AE-3DAZ-J39D	AP	0	Stable Operations (No Incidents)
99	Bangalore	Q5AE-4AJX-9QNQ	Q5AE-4AJX-9QNQ	AP	0	Stable Operations (No Incidents)
100	Bangalore	Q5AE-5HM3-5UFQ	Q5AE-5HM3-5UFQ	AP	0	Stable Operations (No Incidents)
101	Bangalore	Q5AE-66KK-GPLP	Q5AE-66KK-GPLP	AP	0	Stable Operations (No Incidents)
102	Bangalore	Q5AE-6ZST-KJTQ	Q5AE-6ZST-KJTQ	AP	0	Stable Operations (No Incidents)
103	Bangalore	Q5AE-8GP6-XQ63	Q5AE-8GP6-XQ63	AP	0	Stable Operations (No Incidents)
104	Bangalore	Q5AE-B5XG-EY4R	Q5AE-B5XG-EY4R	AP	0	Stable Operations (No Incidents)
105	Bangalore	Q5AE-BPE4-NTFW	Q5AE-BPE4-NTFW	AP	0	Stable Operations (No Incidents)
106	Bangalore	Q5AE-C2BB-FR69	Q5AE-C2BB-FR69	AP	0	Stable Operations (No Incidents)
107	Bangalore	GF-AP03-R01-SW02-39P	Q5AE-C77W-8YW3	AP	1	Device Power Issues
108	Bangalore	Q5AE-CZ63-5N3R	Q5AE-CZ63-5N3R	AP	0	Stable Operations (No Incidents)
109	Bangalore	Q5AE-DRNC-Q8JM	Q5AE-DRNC-Q8JM	AP	0	Stable Operations (No Incidents)
110	Bangalore	Q5AE-ECWU-JBL5	Q5AE-ECWU-JBL5	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 6 of 6)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

31

MET CASES

31

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
111	Bangalore	Q5AE-JY3B-Q967	Q5AE-JY3B-Q967	AP	0	Stable Operations (No Incidents)
112	Bangalore	GF-AP01-ETP-SW1-10P	Q5AE-KNH9-5GV8	AP	2	Device Power Issues
113	Bangalore	Q5AE-P2XG-J4BA	Q5AE-P2XG-J4BA	AP	0	Stable Operations (No Incidents)
114	Bangalore	Q5AE-PYMV-RZ5Y	Q5AE-PYMV-RZ5Y	AP	0	Stable Operations (No Incidents)
115	Bangalore	Q5AE-RCEA-RL75	Q5AE-RCEA-RL75	AP	0	Stable Operations (No Incidents)
116	Bangalore	Q5AE-RFTG-FLJB	Q5AE-RFTG-FLJB	AP	0	Stable Operations (No Incidents)
117	Bangalore	Q5AE-SHZC-5QSP	Q5AE-SHZC-5QSP	AP	0	Stable Operations (No Incidents)
118	Bangalore	Q5AE-ULJB-M9EQ	Q5AE-ULJB-M9EQ	AP	0	Stable Operations (No Incidents)
119	Bangalore	Q5AE-VNZM-SECF	Q5AE-VNZM-SECF	AP	0	Stable Operations (No Incidents)
120	Bangalore	Q5AE-XMUU-7VL8	Q5AE-XMUU-7VL8	AP	0	Stable Operations (No Incidents)
121	Bangalore	Q5AE-XQRM-Z6P2	Q5AE-XQRM-Z6P2	AP	0	Stable Operations (No Incidents)
122	Bangalore	Q5AE-Y9U3-MTM2	Q5AE-Y9U3-MTM2	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

168 AP Incidents

Primary RCA: Device Power Issues

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
Main Rack	99.84%

SITE REVIEW • Greater Noida — Switch Uptime Report (Page 1 of 2)

Individual Switch Operational Availability & Device Status

7 April 2026 – 6 July 2026

AGGREGATED SWITCH UPTIME

99.96%

SWITCHES MONITORED

38

PRIMARY RCA DRIVER

New Configuration

SWITCH AT 100% UPTIME

30

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [2]	Q5TN-DGC5-M8QZ	SW	Main Rack	100.00%
2	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [1]	Q5TN-NF5F-N32X	SW	Main Rack	99.99%
3	Greater Noida	FJC29021TWN	FJC29021TWN	SW	Main Rack	100.00%
4	Greater Noida	FJC290222AL	FJC290222AL	SW	Main Rack	100.00%
5	Greater Noida	JFL-GNSC-TP-AC-SW-01	FJC290222SV	SW	Main Rack	99.99%
6	Greater Noida	FJC29021TTW	FJC29021TTW	SW	Main Rack	100.00%
7	Greater Noida	FJC29021TPQ	FJC29021TPQ	SW	Main Rack	100.00%
8	Greater Noida	FJC29021TNP	FJC29021TNP	SW	Main Rack	100.00%
9	Greater Noida	FCW2110B28C	FCW2110B28C	SW	Main Rack	100.00%
10	Greater Noida	FCW2110B27F	FCW2110B27F	SW	Main Rack	100.00%
11	Greater Noida	FOC2113V20F	FOC2113V20F	SW	Main Rack	100.00%
12	Greater Noida	FOC2113S2LY	FOC2113S2LY	SW	Main Rack	100.00%
13	Greater Noida	FOC2113S2MD	FOC2113S2MD	SW	Main Rack	100.00%
14	Greater Noida	FCW2110B27A	FCW2110B27A	SW	Main Rack	100.00%
15	Greater Noida	JFL-GNMC-GF-AC-ST-01	FCW2110B25A	SW	Main Rack	94.27%
16	Greater Noida	FOC2113S2M3	FOC2113S2M3	SW	Main Rack	100.00%
17	Greater Noida	JFL-GNMC-EG-AC-ST-01	FOC2218T3Z8	SW	Main Rack	99.98%
18	Greater Noida	FCW2126A4XT	FCW2126A4XT	SW	Main Rack	100.00%
19	Greater Noida	FOC2536Y0JD	FOC2536Y0JD	SW	Main Rack	100.00%
20	Greater Noida	FOC2646YCX2	FOC2646YCX2	SW	Main Rack	100.00%
21	Greater Noida	FCW2111E0AU	FCW2111E0AU	SW	Main Rack	100.00%
22	Greater Noida	FOC2113V20D	FOC2113V20D	SW	Main Rack	100.00%

SITE REVIEW • Greater Noida — Switch Uptime Report (Page 2 of 2)

Individual Switch Operational Availability & Device Status

7 April 2026 – 6 July 2026

AGGREGATED SWITCH UPTIME

99.96%

SWITCHES MONITORED

38

PRIMARY RCA DRIVER

New Configuration

SWITCH AT 100% UPTIME

30

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE - UPTIME%
23	Greater Noida	FCW2038B1H6	FCW2038B1H6	SW	Main Rack	100.00%
24	Greater Noida	JFL-GNSC-GF-AC-ST-01 SW-2	FCW2110B27N	SW	Main Rack	99.97%
25	Greater Noida	FCW2112A20E	FCW2112A20E	SW	Main Rack	100.00%
26	Greater Noida	FCW2110B27U	FCW2110B27U	SW	Main Rack	100.00%
27	Greater Noida	JFL-GNMC-CK-AC-SW-01	FCW2211B365	SW	Main Rack	99.97%
28	Greater Noida	FCW2113E10E	FCW2113E10E	SW	Main Rack	100.00%
29	Greater Noida	JFL-GNMC-EG-AC-SW-01	JIN2117106B	SW	Main Rack	99.83%
30	Greater Noida	JFL-GNMC-LT-AC-SW-01	FOC2039V1JW	SW	Main Rack	99.82%
31	Greater Noida	FOC2017S0QN	FOC2017S0QN	SW	Main Rack	100.00%
32	Greater Noida	FCW2218B4Z2	FCW2218B4Z2	SW	Main Rack	100.00%
33	Greater Noida	FCW2303A6BS	FCW2303A6BS	SW	Main Rack	100.00%
34	Greater Noida	FOC2441L0ET	FOC2441L0ET	SW	Main Rack	100.00%
35	Greater Noida	FCW2646YCXZ	FCW2646YCXZ	SW	Main Rack	100.00%
36	Greater Noida	FCW2116A4SD	FCW2116A4SD	SW	Main Rack	100.00%
37	Greater Noida	FOC2646YCXZ	FOC2646YCXZ	SW	Main Rack	100.00%
38	Greater Noida	FCW2010A2G1	FCW2010A2G1	SW	Main Rack	100.00%

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 1 of 4)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

168

MET CASES

140

BREACH CASES

28

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Greater Noida	JFL-GNSC-AP53	Q3KG-6BJV-TZA3	AP	2	Device Power Issues
2	Greater Noida	JFL-GNSC-AP56	Q3KG-8U94-FMUC	AP	5	Device Power Issues
3	Greater Noida	Q3KG-A7BY-55YX	Q3KG-A7BY-55YX	AP	0	Stable Operations (No Incidents)
4	Greater Noida	JFL-GNSC-AP50	Q3KG-A9R2-ATYY	AP	5	Client Side Activity
5	Greater Noida	JFL-GNSC-AP59	Q3KG-BTTL-HVZU	AP	2	Device Power Issues
6	Greater Noida	JFL-GNSC-AP49	Q3KG-CFHX-4TRU	AP	1	Device Power Issues
7	Greater Noida	JFL-GNSC-AP58	Q3KG-D56U-BSMY	AP	1	Client Side Activity
8	Greater Noida	JFL-GNSC-AP57	Q3KG-DGB7-HMVP	AP	1	Client Side Activity
9	Greater Noida	JFL-GNSC-AP52	Q3KG-GWW5-CHJC	AP	9	Device Power Issues
10	Greater Noida	JFL-GNSC-AP62	Q3KG-J4EF-KZ54	AP	2	Device Power Issues
11	Greater Noida	JFL-GNSC-AP48	Q3KG-JH9T-FL7Z	AP	13	Device Power Issues
12	Greater Noida	Q3KG-V5M8-92SS	Q3KG-V5M8-92SS	AP	0	Stable Operations (No Incidents)
13	Greater Noida	JFL-GNSC-AP61	Q3KG-X73V-EYFZ	AP	1	Client Side Activity
14	Greater Noida	JFL-GNSC-AP60	Q3KG-XSEX-EG6A	AP	6	Device Power Issues
15	Greater Noida	JFL-GNSC-AP55	Q3KG-Y2PU-4DWW	AP	9	Device Power Issues
16	Greater Noida	1	Q3MV-6XWK-TVUP	AP	0	Stable Operations (No Incidents)
17	Greater Noida	Q5AA-32YH-Q43U	Q5AA-32YH-Q43U	AP	0	Stable Operations (No Incidents)
18	Greater Noida	JFL-GNSC-AP18	Q5AA-3BVV-VQUU	AP	1	Client Side Activity
19	Greater Noida	JFL-GNSC-AP36	Q5AA-4792-7HZC	AP	1	Device Power Issues
20	Greater Noida	Q5AA-5HRM-897H	Q5AA-5HRM-897H	AP	0	Stable Operations (No Incidents)
21	Greater Noida	JFL-GNSC-AP46	Q5AA-5L7V-QSYU	AP	1	Client Side Activity
22	Greater Noida	JFL-GNSC-AP04	Q5AA-5TRP-EJMF	AP	3	Device Power Issues

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 2 of 4)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

168

MET CASES

140

BREACH CASES

28

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
23	Greater Noida	JFL-GNSC-AP08	Q5AA-63MW-78XL	AP	1	Client Side Activity
24	Greater Noida	JFL-GNSC-AP29	Q5AA-7TFR-X7ZG	AP	2	Device Power Issues
25	Greater Noida	JFL-GNSC-AP64	Q5AA-7VMH-YF9G	AP	1	Client Side Activity
26	Greater Noida	JFL-GNSC-AP41	Q5AA-8AST-YPV4	AP	1	Client Side Activity
27	Greater Noida	JFL-GNSC-AP44	Q5AA-94E5-2UFU	AP	1	Client Side Activity
28	Greater Noida	JFL-GNSC-AP02	Q5AA-9N3T-MZGU	AP	1	Device Power Issues
29	Greater Noida	JFL-GNSC-AP16	Q5AA-A6S6-XG3H	AP	2	Client Side Activity
30	Greater Noida	JFL-GNSC-AP21	Q5AA-AE34-NNBC	AP	1	Device Power Issues
31	Greater Noida	JFL-GNSC-AP22	Q5AA-ASYH-AKEA	AP	6	Device Power Issues
32	Greater Noida	JFL-GNSC-AP33	Q5AA-C4TF-5ZA8	AP	2	Device Power Issues
33	Greater Noida	JFL-GNSC-AP67	Q5AA-DEJD-R4N5	AP	2	Client Side Activity
34	Greater Noida	Q5AA-EYB5-JQCK	Q5AA-EYB5-JQCK	AP	0	Stable Operations (No Incidents)
35	Greater Noida	JFL-GNSC-AP42	Q5AA-EZ6A-S56Y	AP	7	Device Power Issues
36	Greater Noida	JFL-GNSC-AP27	Q5AA-FRBE-94N5	AP	7	Device Power Issues
37	Greater Noida	1	Q5AA-FTAU-94AS	AP	0	Stable Operations (No Incidents)
38	Greater Noida	JFL-GNSC-AP20	Q5AA-GHXM-TRTK	AP	7	Device Power Issues
39	Greater Noida	JFL-GNSC-AP28	Q5AA-GJ47-DK5X	AP	5	Client Side Activity
40	Greater Noida	JFL-GNSC-AP26	Q5AA-H6R3-LUMM	AP	5	Client Side Activity
41	Greater Noida	Q5AA-HBAV-ACSS	Q5AA-HBAV-ACSS	AP	0	Stable Operations (No Incidents)
42	Greater Noida	JFL-GNSC-AP69	Q5AA-HV4L-P853	AP	1	Client Side Activity
43	Greater Noida	JFL-GNSC-AP30	Q5AA-J9A9-ZJ2B	AP	4	Device Power Issues
44	Greater Noida	JFL-GNSC-AP24	Q5AA-JKR4-S9MX	AP	4	Device Power Issues

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 3 of 4)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

168

MET CASES

140

BREACH CASES

28

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
45	Greater Noida	JFL-GNSC-AP43	Q5AA-JPYJ-YC9M	AP	1	Client Side Activity
46	Greater Noida	JFL-GNSC-AP66	Q5AA-JYZN-6KKB	AP	4	Device Power Issues
47	Greater Noida	JFL-GNSC-AP37	Q5AA-LCK3-FDNW	AP	7	Device Power Issues
48	Greater Noida	JFL-GNSC-AP03	Q5AA-MRTL-AP9K	AP	1	Client Side Activity
49	Greater Noida	JFL-GNSC-AP39	Q5AA-NVD9-AZTY	AP	1	Device Power Issues
50	Greater Noida	JFL-GNSC-AP19	Q5AA-QK4J-4K9J	AP	1	Client Side Activity
51	Greater Noida	JFL-GNSC-AP45	Q5AA-SFG2-7EPQ	AP	1	Client Side Activity
52	Greater Noida	JFL-GNSC-AP10	Q5AA-SK3L-NVFH	AP	1	Client Side Activity
53	Greater Noida	Q5AA-SK8J-GRTZ	Q5AA-SK8J-GRTZ	AP	0	Stable Operations (No Incidents)
54	Greater Noida	JFL-GNSC-AP38	Q5AA-SKZM-8VYM	AP	1	Client Side Activity
55	Greater Noida	JFL-GNSC-AP34	Q5AA-TSZZ-HUFQ	AP	3	Device Power Issues
56	Greater Noida	JFL-GNSC-AP35	Q5AA-U98X-3FD7	AP	3	Device Power Issues
57	Greater Noida	JFL-GNSC-AP31	Q5AA-V3B6-RSQX	AP	1	Client Side Activity
58	Greater Noida	Q5AA-VEJP-CVJ6	Q5AA-VEJP-CVJ6	AP	0	Stable Operations (No Incidents)
59	Greater Noida	Q5AA-WZA9-XYK8	Q5AA-WZA9-XYK8	AP	0	Stable Operations (No Incidents)
60	Greater Noida	JFL-GNSC-AP71	Q5AA-XDV9-FKTX	AP	1	Client Side Activity
61	Greater Noida	JFL-GNSC-AP54	Q5AA-XGDL-V7JB	AP	8	Device Power Issues
62	Greater Noida	JFL-GNSC-AP14	Q5AA-Y9EX-GL7E	AP	1	Client Side Activity
63	Greater Noida	JFL-GNSC-AP40	Q5AA-YF4N-2L5P	AP	1	Client Side Activity
64	Greater Noida	JFL-GNSC-AP05	Q5AA-Z3WW-CY6C	AP	1	Device Power Issues
65	Greater Noida	Q5AA-ZJ3S-NUDX	Q5AA-ZJ3S-NUDX	AP	0	Stable Operations (No Incidents)
66	Greater Noida	Q5AR-29J7-8Q63	Q5AR-29J7-8Q63	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 4 of 4)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

168

MET CASES

140

BREACH CASES

28

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
67	Greater Noida	Q5AR-4HHE-SHRQ	Q5AR-4HHE-SHRQ	AP	0	Stable Operations (No Incidents)
68	Greater Noida	JFL-GNSC-AP23	Q5AR-527V-Z8YR	AP	7	Client Side Activity
69	Greater Noida	JFL-GNSC-AP06	Q5AR-6LBA-42SM	AP	1	Device Power Issues
70	Greater Noida	Q5AR-6ZPA-KEDB	Q5AR-6ZPA-KEDB	AP	0	Stable Operations (No Incidents)
71	Greater Noida	Q5AR-894G-VGNX	Q5AR-894G-VGNX	AP	0	Stable Operations (No Incidents)
72	Greater Noida	Q5AR-8UTU-MX6B	Q5AR-8UTU-MX6B	AP	0	Stable Operations (No Incidents)
73	Greater Noida	Q5AR-DA7D-L9PN	Q5AR-DA7D-L9PN	AP	0	Stable Operations (No Incidents)
74	Greater Noida	Q5AR-DAMQ-NUE2	Q5AR-DAMQ-NUE2	AP	0	Stable Operations (No Incidents)
75	Greater Noida	Q5AR-U92E-8268	Q5AR-U92E-8268	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Noida location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
Main Rack	100.00%

AGGREGATED SWITCH UPTIME
100.00%

SWITCHES MONITORED
35

PRIMARY RCA DRIVER
Stable Operations (No Incidents)

SWITCH AT 100% UPTIME
35

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Noida	FOC2635Y89M	FOC2635Y89M	SW	Main Rack	100.00%
2	Noida	FOC2635Y89T	FOC2635Y89T	SW	Main Rack	100.00%
3	Noida	FOC2647Y151	FOC2647Y151	SW	Main Rack	100.00%
4	Noida	FOC2646YCRH	FOC2646YCRH	SW	Main Rack	100.00%
5	Noida	FOC2704Y1N8	FOC2704Y1N8	SW	Main Rack	100.00%
6	Noida	FOC2704Y3AY	FOC2704Y3AY	SW	Main Rack	100.00%
7	Noida	FOC2708YFGS	FOC2708YFGS	SW	Main Rack	100.00%
8	Noida	FOC2710Y540	FOC2710Y540	SW	Main Rack	100.00%
9	Noida	FOC2710Y54F	FOC2710Y54F	SW	Main Rack	100.00%
10	Noida	FOC2710Y54N	FOC2710Y54N	SW	Main Rack	100.00%
11	Noida	FOC2710Y261	FOC2710Y261	SW	Main Rack	100.00%
12	Noida	FOC2714Z50L	FOC2714Z50L	SW	Main Rack	100.00%
13	Noida	FOC2714Z4JS	FOC2714Z4JS	SW	Main Rack	100.00%
14	Noida	FOC2715Y1KM	FOC2715Y1KM	SW	Main Rack	100.00%
15	Noida	FOC2715Y1J7	FOC2715Y1J7	SW	Main Rack	100.00%
16	Noida	FOC2714Z69M	FOC2714Z69M	SW	Main Rack	100.00%
17	Noida	FOC2715Y1CJ	FOC2715Y1CJ	SW	Main Rack	100.00%
18	Noida	FOC2714Z681	FOC2714Z681	SW	Main Rack	100.00%
19	Noida	FOC2715Y1W3	FOC2715Y1W3	SW	Main Rack	100.00%
20	Noida	FOC2714Z5AU	FOC2714Z5AU	SW	Main Rack	100.00%
21	Noida	FOC2715Y1VV	FOC2715Y1VV	SW	Main Rack	100.00%
22	Noida	FOC2716YND7	FOC2716YND7	SW	Main Rack	100.00%

AGGREGATED SWITCH UPTIME
100.00%

SWITCHES MONITORED
35

PRIMARY RCA DRIVER
Stable Operations (No Incidents)

SWITCH AT 100% UPTIME
35

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
23	Noida	FOC2716YNBN	FOC2716YNBN	SW	Main Rack	100.00%
24	Noida	FOC2716YNBW	FOC2716YNBW	SW	Main Rack	100.00%
25	Noida	FOC2716YN4M	FOC2716YN4M	SW	Main Rack	100.00%
26	Noida	FOC2716YN69	FOC2716YN69	SW	Main Rack	100.00%
27	Noida	FOC2716YNFC	FOC2716YNFC	SW	Main Rack	100.00%
28	Noida	FOC2716YNBE	FOC2716YNBE	SW	Main Rack	100.00%
29	Noida	FOC2716YN3W	FOC2716YN3W	SW	Main Rack	100.00%
30	Noida	FOC2716YLLY	FOC2716YLLY	SW	Main Rack	100.00%
31	Noida	FOC2716YLM7	FOC2716YLM7	SW	Main Rack	100.00%
32	Noida	FOC2716YNCF	FOC2716YNCF	SW	Main Rack	100.00%
33	Noida	FOC2716YHHL	FOC2716YHHL	SW	Main Rack	100.00%
34	Noida	FOC2714Z5B8	FOC2714Z5B8	SW	Main Rack	100.00%
35	Noida	FOC2714Z4NF	FOC2714Z4NF	SW	Main Rack	100.00%

SITE REVIEW • Noida — AP Incidents & RCA (Page 1 of 2)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Noida	FGL2708LJW4	FGL2708LJW4	AP	0	Stable Operations (No Incidents)
2	Noida	FGL2708LJUZ	FGL2708LJUZ	AP	0	Stable Operations (No Incidents)
3	Noida	FGL2708LJVZ	FGL2708LJVZ	AP	0	Stable Operations (No Incidents)
4	Noida	FGL2708LJUC	FGL2708LJUC	AP	0	Stable Operations (No Incidents)
5	Noida	FGL2708LJVS	FGL2708LJVS	AP	0	Stable Operations (No Incidents)
6	Noida	FGL2708LJXN	FGL2708LJXN	AP	0	Stable Operations (No Incidents)
7	Noida	FGL2708LJYF	FGL2708LJYF	AP	0	Stable Operations (No Incidents)
8	Noida	FGL2708LJVN	FGL2708LJVN	AP	0	Stable Operations (No Incidents)
9	Noida	FGL2708LJXT	FGL2708LJXT	AP	0	Stable Operations (No Incidents)
10	Noida	FGL2708LJV6	FGL2708LJV6	AP	0	Stable Operations (No Incidents)
11	Noida	FGL2708LJWX	FGL2708LJWX	AP	0	Stable Operations (No Incidents)
12	Noida	FGL2708LJY2	FGL2708LJY2	AP	0	Stable Operations (No Incidents)
13	Noida	FGL2708LJXG	FGL2708LJXG	AP	0	Stable Operations (No Incidents)
14	Noida	FGL2708LJXW	FGL2708LJXW	AP	0	Stable Operations (No Incidents)
15	Noida	FGL2708LJXE	FGL2708LJXE	AP	0	Stable Operations (No Incidents)
16	Noida	FGL2708LJY5	FGL2708LJY5	AP	0	Stable Operations (No Incidents)
17	Noida	FGL2708LJY0	FGL2708LJY0	AP	0	Stable Operations (No Incidents)
18	Noida	FJC283311U5	FJC283311U5	AP	0	Stable Operations (No Incidents)
19	Noida	FGL2717MEB1	FGL2717MEB1	AP	0	Stable Operations (No Incidents)
20	Noida	FGL2708LJV0	FGL2708LJV0	AP	0	Stable Operations (No Incidents)
21	Noida	FGL2708LJY4	FGL2708LJY4	AP	0	Stable Operations (No Incidents)
22	Noida	FGL2708LJUM	FGL2708LJUM	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Noida — AP Incidents & RCA (Page 2 of 2)

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
23	Noida	FGL2708LJUL	FGL2708LJUL	AP	0	Stable Operations (No Incidents)
24	Noida	FGL2708LJVK	FGL2708LJVK	AP	0	Stable Operations (No Incidents)
25	Noida	FGL2708LJWV	FGL2708LJWV	AP	0	Stable Operations (No Incidents)
26	Noida	FGL2708LJU0	FGL2708LJU0	AP	0	Stable Operations (No Incidents)
27	Noida	FGL2708LJU6	FGL2708LJU6	AP	0	Stable Operations (No Incidents)
28	Noida	FGL2708LJX1	FGL2708LJX1	AP	0	Stable Operations (No Incidents)
29	Noida	FGL2717ME1K	FGL2717ME1K	AP	0	Stable Operations (No Incidents)
30	Noida	FJC2649217U	FJC2649217U	AP	0	Stable Operations (No Incidents)
31	Noida	FGL2708LJVX	FGL2708LJVX	AP	0	Stable Operations (No Incidents)
32	Noida	FGL2708LJUA	FGL2708LJUA	AP	0	Stable Operations (No Incidents)
33	Noida	FGL2708LJU5	FGL2708LJU5	AP	0	Stable Operations (No Incidents)
34	Noida	FGL2708LJWM	FGL2708LJWM	AP	0	Stable Operations (No Incidents)
35	Noida	FGL2708LJTY	FGL2708LJTY	AP	0	Stable Operations (No Incidents)
36	Noida	FGL2708LJTX	FGL2708LJTX	AP	0	Stable Operations (No Incidents)
37	Noida	FGL2708LJV5	FGL2708LJV5	AP	0	Stable Operations (No Incidents)
38	Noida	FGL2708LJUQ	FGL2708LJUQ	AP	0	Stable Operations (No Incidents)
39	Noida	FJC283311U3	FJC283311U3	AP	0	Stable Operations (No Incidents)
40	Noida	FGL2708LJUR	FGL2708LJUR	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

32 AP Incidents

Primary RCA: Device Power Issues

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
Main Rack	99.32%

SITE REVIEW • Mohali — Switch Uptime Report

Individual Switch Operational Availability & Device Status

7 April 2026 – 6 July 2026

AGGREGATED SWITCH UPTIME
99.81%

SWITCHES MONITORED
2

PRIMARY RCA DRIVER
Client Side Activity

SWITCH AT 100% UPTIME
0

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Mohali	JFL-MOHALI-CORE-02	Q5JG-NJW9-ABBQ	SW	Main Rack	99.99%
2	Mohali	JFL-MOHALI-CORE-01	Q5JJ-3TZH-2HV5	SW	Main Rack	98.66%

SITE REVIEW • Mohali — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

32

MET CASES

27

BREACH CASES

5

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Mohali	JFL-Mohali-SCC-AP12	Q3KG-9RDD-U5HG	AP	5	Device Power Issues
2	Mohali	Q3KG-LYY3-LR6R	Q3KG-LYY3-LR6R	AP	0	Stable Operations (No Incidents)
3	Mohali	JFL-Mohali-SCC-AP15	Q3KG-Y9ZZ-W8HK	AP	2	Device Power Issues
4	Mohali	JFL-MOHALI-ACC-SW-02	Q3LM-TGAF-Q97P	AP	0	Stable Operations (No Incidents)
5	Mohali	JFL-MOHALI-ACC-SW-01(Transport Room)	Q3LP-2PSJ-6DLB	AP	0	Stable Operations (No Incidents)
6	Mohali	JFL-Mohali-SCC-AP10	Q5AA-43RJ-JQUD	AP	1	Device Power Issues
7	Mohali	JFL-Mohali-SCC-AP06	Q5AA-8PQC-7V98	AP	2	Device Power Issues
8	Mohali	JFL-Mohali-SCC-AP07	Q5AA-E8FN-53RX	AP	2	Device Power Issues
9	Mohali	Q5AA-GBHE-WVEQ	Q5AA-GBHE-WVEQ	AP	0	Stable Operations (No Incidents)
10	Mohali	JFL-Mohali-SCC-AP02	Q5AA-GMN6-UE62	AP	1	Client Side Activity
11	Mohali	JFL-Mohali-SCC-AP03	Q5AA-KHJW-U94C	AP	2	Device Power Issues
12	Mohali	JFL-Mohali-SCC-AP14	Q5AA-MHPW-2YA8	AP	2	Device Power Issues
13	Mohali	JFL-Mohali-SCC-AP08	Q5AA-PHPN-4452	AP	1	Client Side Activity
14	Mohali	JFL-Mohali-SCC-AP05	Q5AA-V3D8-DKEG	AP	2	Client Side Activity
15	Mohali	JFL-Mohali-SCC-AP01	Q5AR-56BZ-6TSR	AP	2	Device Power Issues
16	Mohali	JFL-Mohali-SCC-AP13	Q5AR-A7VQ-MZJM	AP	5	Device Power Issues
17	Mohali	JFL-Mohali-SCC-AP09	Q5AR-TEZ8-EZVW	AP	2	Device Power Issues

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Hyderabad location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
Main Rack	100.00%

SITE REVIEW • Hyderabad — Switch Uptime Report

Individual Switch Operational Availability & Device Status

7 April 2026 – 6 July 2026

AGGREGATED SWITCH UPTIME
100.00%

SWITCHES MONITORED
2

PRIMARY RCA DRIVER
Stable Operations (No Incidents)

SWITCH AT 100% UPTIME
2

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Hyderabad	Q5JJ-GEWQ-X3MG	Q5JJ-GEWQ-X3MG	SW	Main Rack	100.00%
2	Hyderabad	Q5JJ-Q88T-6XC7	Q5JJ-Q88T-6XC7	SW	Main Rack	100.00%

SITE REVIEW • Hyderabad — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Hyderabad	Q3KG-TLUW-VDX7	Q3KG-TLUW-VDX7	AP	0	Stable Operations (No Incidents)
2	Hyderabad	Q3KG-U9M3-9GEC	Q3KG-U9M3-9GEC	AP	0	Stable Operations (No Incidents)
3	Hyderabad	Q3KG-UKZ7-TA5X	Q3KG-UKZ7-TA5X	AP	0	Stable Operations (No Incidents)
4	Hyderabad	Q5AA-23YU-R3GZ	Q5AA-23YU-R3GZ	AP	0	Stable Operations (No Incidents)
5	Hyderabad	Q5AA-46QV-Z3ZC	Q5AA-46QV-Z3ZC	AP	0	Stable Operations (No Incidents)
6	Hyderabad	Q5AA-6EJ5-AG7V	Q5AA-6EJ5-AG7V	AP	0	Stable Operations (No Incidents)
7	Hyderabad	Q5AA-GAFW-R58M	Q5AA-GAFW-R58M	AP	0	Stable Operations (No Incidents)
8	Hyderabad	Q5AA-Q8AL-KHWV	Q5AA-Q8AL-KHWV	AP	0	Stable Operations (No Incidents)
9	Hyderabad	Q5AA-QLUG-NSPB	Q5AA-QLUG-NSPB	AP	0	Stable Operations (No Incidents)
10	Hyderabad	Q5AA-R4B3-WH9P	Q5AA-R4B3-WH9P	AP	0	Stable Operations (No Incidents)
11	Hyderabad	Q5AA-TRMY-596Z	Q5AA-TRMY-596Z	AP	0	Stable Operations (No Incidents)
12	Hyderabad	Q5AA-YR33-H6HL	Q5AA-YR33-H6HL	AP	0	Stable Operations (No Incidents)
13	Hyderabad	Q5AR-LXCJ-F26L	Q5AR-LXCJ-F26L	AP	0	Stable Operations (No Incidents)
14	Hyderabad	Q5AR-PZ39-USUZ	Q5AR-PZ39-USUZ	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

4 AP Incidents

Primary RCA: Client Side Activity

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
Main Rack	99.88%

SITE REVIEW • Nagpur — Switch Uptime Report

Individual Switch Operational Availability & Device Status

7 April 2026 – 6 July 2026

AGGREGATED SWITCH UPTIME
99.99%

SWITCHES MONITORED
4

PRIMARY RCA DRIVER
Third Party Device issue

SWITCH AT 100% UPTIME
0

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Nagpur	JFL-NAG-SSC-SW04	Q5JG-SL55-CZ9Z	SW	Main Rack	99.97%
2	Nagpur	JFL-NAG-SSC-SW03	Q5JG-STQ9-EUPF	SW	Main Rack	99.98%
3	Nagpur	JFL-NAG-SSC-SW02	Q5JG-TM9S-PLFP	SW	Main Rack	99.87%
4	Nagpur	JFL-NAG-SSC-SW01	Q5JJ-68KZ-MXAS	SW	Main Rack	99.72%

SITE REVIEW • Nagpur — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

4

MET CASES

4

BREACH CASES

0

PRIMARY RCA DRIVER

Client Side Activity

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Nagpur	JFL-NAG-SSC-AP05	Q3KG-FBVZ-2RBN	AP	1	Device Boot Issues
2	Nagpur	JFL-NAG-SSC-AP06	Q3KG-MBCN-DSBC	AP	1	Client Side Activity
3	Nagpur	JFL-NAG-SSC-AP04	Q3KG-P7GS-UMEQ	AP	1	Client Side Activity
4	Nagpur	Q5AA-XH9E-KZRJ	Q5AA-XH9E-KZRJ	AP	0	Stable Operations (No Incidents)
5	Nagpur	JFL-NAG-SSC-AP02	Q5AR-4FGW-G4PW	AP	1	Client Side Activity
6	Nagpur	Q5AR-9UF6-M73Y	Q5AR-9UF6-M73Y	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Mumbai-DC location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
No rack data.	

SITE REVIEW • Mumbai-DC — Switch Uptime Report

Individual Switch Operational Availability & Device Status

7 April 2026 – 6 July 2026

AGGREGATED SWITCH UPTIME
100.00%

SWITCHES MONITORED
0

PRIMARY RCA DRIVER
Stable Operations (No Incidents)

SWITCH AT 100% UPTIME
0

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
No switches monitored at this location.						

SITE REVIEW • Mumbai-DC — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
No Access Points monitored at this location.						

ACCESS POINT BREAKDOWN

10 AP Incidents

Primary RCA: Device Power Issues

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
Main Rack	99.98%

SITE REVIEW • Guwahati — Switch Uptime Report

Individual Switch Operational Availability & Device Status

7 April 2026 – 6 July 2026

AGGREGATED SWITCH UPTIME
99.99%

SWITCHES MONITORED
2

PRIMARY RCA DRIVER
Device Power Issues

SWITCH AT 100% UPTIME
0

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Guwahati	JFL-Guwahati-CORE-02	Q5JG-AQNW-P9FB	SW	Main Rack	99.99%
2	Guwahati	JFL-Guwahati-CORE-01	Q5JG-ECTW-5MN7	SW	Main Rack	99.97%

SITE REVIEW • Guwahati — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

7 April 2026 – 6 July 2026

TOTAL NUMBER OF INCIDENTS
10

MET CASES
10

BREACH CASES
0

PRIMARY RCA DRIVER
Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Guwahati	JFL-Guwahati-SSC-AP-02	Q3KG-ZJZJ-WWH5	AP	4	Device Power Issues
2	Guwahati	JFL-Guwahati-SSC-AP-03	Q5AA-RM28-C2R8	AP	6	Client Side Activity
3	Guwahati	Q5AR-T7UY-LJRT	Q5AR-T7UY-LJRT	AP	0	Stable Operations (No Incidents)

Engineer SLA Performance & Ticket Breakdown

Ticket Owner Workload, Resolution SLA Compliance & Breach Tracking

7 April 2026 – 6 July 2026

TICKET OWNER / ENGINEER	TOTAL	OPEN	ON HOLD	ASSIGNMENT	CLOSED	SLA MET	SLA BREACHED	SLA %
Aneesh P S	58	0	0	0	58	58	0	100.00%
Dheerendra Maurya	56	0	1	0	55	54	1	96.43%
Jagadisha R	52	0	0	0	52	31	21	59.62%
Kartik Choudhary	43	1	0	0	42	42	1	97.67%
Abhishek Satish Pawar	41	0	0	0	41	41	0	100.00%
Dharmendra Bhadoriya	27	0	0	0	27	26	1	96.30%
Rohit Mourya	24	0	0	0	24	24	0	100.00%
Shresth Kushwaha	17	0	0	0	17	17	0	100.00%
Arvind Kumar Arya	16	0	0	0	16	16	0	100.00%
Chhitij Kumar Rai	13	0	0	0	13	4	9	30.77%
John Ashis Roy	10	0	0	0	10	3	7	30.00%

Categorized Hold Reasons Frequency

CATEGORIZED HOLD REASON	INCIDENT COUNT	ENGINEERS ASSIGNED	AFFECTED SITES
Other	1	Dheerendra Maurya	Greater Noida

Appendix: Switch Infrastructure & Rack Performance (151 Switches) (Page 1 of 7)

Complete Rack-wise Operational Uptime & Device Status

7 April 2026 – 6 July 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Bangalore	Main Rack	Q2DW-EM6A-8GPL	CORE-1	92.14%	92.14%	Operational
Bangalore	Main Rack	Q2DW-FPMF-3AL6	CORE-2	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2EW-3S9C-VJRW	Q2EW-3S9C-VJRW	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2EW-5R5B-HEY9	Q2EW-5R5B-HEY9	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2EW-68N6-HTZ7	Q2EW-68N6-HTZ7	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2EW-78HY-BNUV	Q2EW-78HY-BNUV	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2MW-CC67-WVEU	Q2MW-CC67-WVEU	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2MW-CRVX-WJD3	Q2MW-CRVX-WJD3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2MW-DSWB-43BC	Q2MW-DSWB-43BC	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2MW-DT66-3HKL	SIDE-PLANT1	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-ARKH-HCRT	2F-R4-SW2	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-ATN2-HDQK	Q2QW-ATN2-HDQK	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-BAYV-J6K5	2F-R4-SW3	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-BWS8-7ULR	GF-R5-SW3	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-BWVG-Y4ZU	MZ-R2-SW1	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-BWWB-HTLP	Q2QW-BWWB-HTLP	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-BYNP-CGVJ	Q2QW-BYNP-CGVJ	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-BZ2C-GWN7	Q2QW-BZ2C-GWN7	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-CAJU-QVKD	GF-ETP-SW1	96.85%	96.85%	Operational
Bangalore	Main Rack	Q2QW-CAKK-KNXD	1F-R4-SW2	99.99%	99.99%	Operational

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Bangalore	Main Rack	Q2QW-983F-LNQL	Q2QW-983F-LNQL	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-CANP-QCYR	1F-R5-SW1	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (151 Switches) (Page 2 of 7)

7 April 2026 – 6 July 2026

Complete Rack-wise Operational Uptime & Device Status

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Bangalore	Main Rack	Q2QW-CLPB-MZPN	Q2QW-CLPB-MZPN	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-CLQ3-BXHC	Q2QW-CLQ3-BXHC	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-CNV8-9Q8Y	GF-R4-SW1	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-CQPR-WJYV	Q2QW-CQPR-WJYV	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-CQR4-DPMQ	Q2QW-CQR4-DPMQ	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-CQSG-6X85	1F-R5-SW2	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-CTCG-QKDE	2F-R5-SW1	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-CTDD-3Z86	Q2QW-CTDD-3Z86	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-CTFE-E2WF	1F-R3-SW1	99.98%	99.98%	Operational
Bangalore	Main Rack	Q2QW-CTFM-KEQZ	1F-R4-SW1	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-CTFW-5KJ6	1F-R3-SW2	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-CTG2-RX56	Q2QW-CTG2-RX56	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-CTMF-ZXMF	2F-R5-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-D8UN-JHM7	Q2QW-D8UN-JHM7	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-DC3Q-MPWQ	GF-R4-SW2	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-EX7M-X9M6	1F-R5-SW4	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-CAKR-LDFB	Q2QW-CAKR-LDFB	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-EXJY-SE64	Q2QW-EXJY-SE64	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-EXXK-QDZ3	GF-UTILITY-SW1	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-EY63-C2SF	HEALTHCARE	99.99%	99.99%	Operational

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Bangalore	Main Rack	Q2QW-EY8T-HNGL	Q2QW-EY8T-HNGL	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-FB9E-UCQL	Q2QW-FB9E-UCQL	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (151 Switches) (Page 3 of 7)

7 April 2026 – 6 July 2026

Complete Rack-wise Operational Uptime & Device Status

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Bangalore	Main Rack	Q2QW-FCH3-EMVG	SEC-CAB-SW2	99.96%	99.96%	Operational
Bangalore	Main Rack	Q2QW-FCJL-LJS8	SEC-CAB-SW1	99.97%	99.97%	Operational
Bangalore	Main Rack	Q2QW-FGVW-W6XW	Q2QW-FGVW-W6XW	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-GPBW-SLG9	1F-R5-SW3	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2QW-GPCV-Z8W9	Q2QW-GPCV-Z8W9	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-GUDX-25NY	Q2QW-GUDX-25NY	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-GVT2-QANK	Q2QW-GVT2-QANK	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2QW-H6CN-W8LR	Q2QW-H6CN-W8LR	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2ZP-A3JU-5GR5	Q2ZP-A3JU-5GR5	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2ZP-AP5E-Z83L	Q2ZP-AP5E-Z83L	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2ZP-AVUV-W7QU	Q2ZP-AVUV-W7QU	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2ZP-AYJY-GU4V	Q2ZP-AYJY-GU4V	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2ZP-AZ5F-V97Y	GF-R1-SW2	99.99%	99.99%	Operational
Bangalore	Main Rack	Q2ZP-D2D2-VFQK	Q2ZP-D2D2-VFQK	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2ZP-D47G-NGKY	Q2ZP-D47G-NGKY	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Main Rack	Q2ZP-D487-83QR	GF-R1-SW1	99.99%	99.99%	Operational
Greater Noida	Main Rack	Q5TN-DGC5-M8QZ	JFL-GNSC-CORE-SW-ST-01 [2]	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	Q5TN-NF5F-N32X	JFL-GNSC-CORE-SW-ST-01 [1]	99.99%	99.99%	Operational
Greater Noida	Main Rack	FJC29021TWN	FJC29021TWN	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Greater Noida	Main Rack	FJC290222AL	FJC290222AL	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FJC290222SV	JFL-GNSC-TP-AC-SW-01	99.99%	99.99%	Operational
Greater Noida	Main Rack	FJC29021TTW	FJC29021TTW	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (151 Switches) (Page 4 of 7)

7 April 2026 – 6 July 2026

Complete Rack-wise Operational Uptime & Device Status

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Greater Noida	Main Rack	FJC29021TPQ	FJC29021TPQ	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FJC29021TNP	FJC29021TNP	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2110B28C	FCW2110B28C	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2110B27F	FCW2110B27F	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FOC2113V20F	FOC2113V20F	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FOC2113S2LY	FOC2113S2LY	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FOC2113S2MD	FOC2113S2MD	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2110B27A	FCW2110B27A	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2110B25A	JFL-GNMC-GF-AC-ST-01	94.27%	94.27%	Operational
Greater Noida	Main Rack	FOC2113S2M3	FOC2113S2M3	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FOC2218T3Z8	JFL-GNMC-EG-AC-ST-01	99.98%	99.98%	Operational
Greater Noida	Main Rack	FCW2126A4XT	FCW2126A4XT	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FOC2536Y0JD	FOC2536Y0JD	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FOC2646YCX2	FOC2646YCX2	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2111E0AU	FCW2111E0AU	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FOC2113V20D	FOC2113V20D	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2038B1H6	FCW2038B1H6	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Greater Noida	Main Rack	FCW2110B27N	JFL-GNSC-GF-AC-ST-01 SW-2	99.97%	99.97%	Operational
Greater Noida	Main Rack	FCW2112A20E	FCW2112A20E	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2110B27U	FCW2110B27U	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2211B365	JFL-GNMC-CK-AC-SW-01	99.97%	99.97%	Operational
Greater Noida	Main Rack	FCW2113E10E	FCW2113E10E	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (151 Switches) (Page 5 of 7)

7 April 2026 – 6 July 2026

Complete Rack-wise Operational Uptime & Device Status

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Greater Noida	Main Rack	JIN2117106B	JFL-GNMC-EG-AC-SW-01	99.83%	99.83%	Operational
Greater Noida	Main Rack	FOC2039V1JW	JFL-GNMC-LT-AC-SW-01	99.82%	99.82%	Operational
Greater Noida	Main Rack	FOC2017S0QN	FOC2017S0QN	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2218B4Z2	FCW2218B4Z2	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2303A6BS	FCW2303A6BS	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FOC2441L0ET	FOC2441L0ET	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2646YCXZ	FCW2646YCXZ	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2116A4SD	FCW2116A4SD	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FOC2646YCXZ	FOC2646YCXZ	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Main Rack	FCW2010A2G1	FCW2010A2G1	100.00%	100.00%	Stable Operations (100% Uptime)
Guwahati	Main Rack	Q5JG-AQNW-P9FB	JFL-Guwahati-CORE-02	99.99%	99.99%	Operational
Guwahati	Main Rack	Q5JG-ECTW-5MN7	JFL-Guwahati-CORE-01	99.97%	99.97%	Operational
Hyderabad	Main Rack	Q5JJ-GEWQ-X3MG	Q5JJ-GEWQ-X3MG	100.00%	100.00%	Stable Operations (100% Uptime)
Hyderabad	Main Rack	Q5JJ-Q88T-6XC7	Q5JJ-Q88T-6XC7	100.00%	100.00%	Stable Operations (100% Uptime)
Mohali	Main Rack	Q5JG-NJW9-ABBQ	JFL-MOHALI-CORE-02	99.99%	99.99%	Operational
Mohali	Main Rack	Q5JJ-3TZH-2HV5	JFL-MOHALI-CORE-01	98.66%	98.66%	Operational
Mumbai	Main Rack	FCW2302L13B	FCW2302L13B	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai	Main Rack	FCW2302G0TL	FCW2302G0TL	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai	Main Rack	FCW2302D0ZJ	FCW2302D0ZJ	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Mumbai	Main Rack	FCW2302D0Z7	FCW2302D0Z7	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai	Main Rack	FCW2302AHDZ	FCW2302AHDZ	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai	Main Rack	FCW2302DHGQ	FCW2302DHGQ	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (151 Switches) (Page 6 of 7)

7 April 2026 – 6 July 2026

Complete Rack-wise Operational Uptime & Device Status

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Mumbai	Main Rack	FOC2302U0WY	FOC2302U0WY	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai	Main Rack	FCW2302DHTU	FCW2302DHTU	100.00%	100.00%	Stable Operations (100% Uptime)
Nagpur	Main Rack	Q5JG-SL55-CZ9Z	JFL-NAG-SSC-SW04	99.97%	99.97%	Operational
Nagpur	Main Rack	Q5JG-STQ9-EUPF	JFL-NAG-SSC-SW03	99.98%	99.98%	Operational
Nagpur	Main Rack	Q5JG-TM9S-PLFP	JFL-NAG-SSC-SW02	99.87%	99.87%	Operational
Nagpur	Main Rack	Q5JJ-68KZ-MXAS	JFL-NAG-SSC-SW01	99.72%	99.72%	Operational
Noida	Main Rack	FOC2635Y89M	FOC2635Y89M	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2635Y89T	FOC2635Y89T	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2647Y151	FOC2647Y151	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2646YCRH	FOC2646YCRH	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2704Y1N8	FOC2704Y1N8	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2704Y3AY	FOC2704Y3AY	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2708YFGS	FOC2708YFGS	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2710Y540	FOC2710Y540	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2710Y54F	FOC2710Y54F	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2710Y54N	FOC2710Y54N	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2710Y261	FOC2710Y261	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2714Z50L	FOC2714Z50L	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Noida	Main Rack	FOC2714Z4JS	FOC2714Z4JS	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2715Y1KM	FOC2715Y1KM	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2715Y1J7	FOC2715Y1J7	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2714Z69M	FOC2714Z69M	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (151 Switches) (Page 7 of 7)

7 April 2026 – 6 July 2026

Complete Rack-wise Operational Uptime & Device Status

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Noida	Main Rack	FOC2715Y1CJ	FOC2715Y1CJ	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2714Z681	FOC2714Z681	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2715Y1W3	FOC2715Y1W3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2714Z5AU	FOC2714Z5AU	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2715Y1VV	FOC2715Y1VV	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YND7	FOC2716YND7	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YNBN	FOC2716YNBN	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YNBW	FOC2716YNBW	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YN4M	FOC2716YN4M	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YN69	FOC2716YN69	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YNFC	FOC2716YNFC	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YNBE	FOC2716YNBE	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YN3W	FOC2716YN3W	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YLLY	FOC2716YLLY	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YLM7	FOC2716YLM7	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2716YNCF	FOC2716YNCF	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Noida	Main Rack	FOC2716YHHL	FOC2716YHHL	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2714Z5B8	FOC2714Z5B8	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	Main Rack	FOC2714Z4NF	FOC2714Z4NF	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Access Point (AP) Incident Distribution (10 AP Records)

Complete AP Device Incident Count, Effective Uptime & Primary RCA

7 April 2026 – 6 July 2026

DEVICE HOSTNAME / ID	SERIAL NUMBER	SITE LOCATION	INCIDENT COUNT	EFFECTIVE UPTIME %	PRIMARY RCA DRIVER
JFL-GNSC-AP48	Q3KG-JH9T-FL7Z	Greater Noida	13	44.38%	Device Power Issues
JFL-GNSC-AP55	Q3KG-Y2PU-4DWW	Greater Noida	9	98.14%	Device Power Issues
JFL-GNSC-AP52	Q3KG-GWW5-CHJC	Greater Noida	9	53.50%	Device Power Issues
JFL-GNSC-AP54	Q5AA-XGDL-V7JB	Greater Noida	8	94.93%	Device Power Issues
1	Q3MV-6XWK-TVUP	Greater Noida	7	86.70%	Device Power Issues
JFL-MOHALI-ACC-SW-01(Transport Room)	Q3LP-2PSJ-6DLB	Mohali	7	71.41%	Device Power Issues
JFL-GNSC-AP27	Q5AA-FRBE-94N5	Greater Noida	7	95.77%	Device Power Issues
JFL-GNSC-AP37	Q5AA-LCK3-FDNW	Greater Noida	7	31.03%	Device Power Issues
JFL-GNSC-AP20	Q5AA-GHXM-TRTK	Greater Noida	7	77.48%	Device Power Issues
JFL-GNSC-AP42	Q5AA-EZ6A-S56Y	Greater Noida	7	87.81%	Device Power Issues

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 1 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/41590	Bangalore	SIDE-PLANT1	SW	180.82 min	11.37 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41597	Bangalore	GF-ETP-SW1	SW	35.7 min	11.38 min	New Configuration	SLA Met
Ticket: PRO/INC/41621	Guwahati	JFL-Guwahati-SSC-AP-03	AP	135.13 min	6.25 min	Client Side Activity	SLA Met
Ticket: PRO/INC/41635	Nagpur	JFL-NAG-SSC-SW01	SW	7578.73 min	8.48 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/41650	Bangalore	2F-AP20-R4-SW2-45P	AP	71.62 min	5.28 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41649	Bangalore	2F-AP18-R4-SW2-8P	AP	69.08 min	5.82 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41651	Bangalore	2F-AP12-R5-SW2-4P	AP	72.12 min	6.73 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41652	Bangalore	2F-R5-SW1	SW	79.48 min	14.25 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41653	Bangalore	2F-R5-SW2	SW	72.73 min	5.95 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41657	Bangalore	2F-AP04-R4-SW3-24P	AP	79.28 min	4.67 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41658	Bangalore	2F-AP20-R4-SW2-45P	AP	68.73 min	9.2 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41659	Bangalore	2F-R4-SW2	SW	58.27 min	8.8 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41660	Bangalore	2F-AP12-R5-SW2-4P	AP	47.17 min	15.52 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41661	Bangalore	2F-AP18-R4-SW2-8P	AP	45 min	15.68 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41715	Nagpur	JFL-NAG-SSC-SW01	SW	4035.25 min	9.15 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/41803	Mohali	JFL-MOHALI-ACC-SW-01(Transport Room)	SW	5636.7 min	9.37 min	Others	SLA Met
Ticket: PRO/INC/41933	Bangalore	SEC-CAB-GF-AP02-R01-SW01-04P	AP	84.18 min	7.97 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41932	Bangalore	SEC-CAB-GF-AP03-R01-SW01-06P	AP	83.07 min	8.08 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41934	Bangalore	SEC-CAB-SW1	SW	86.52 min	4.72 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41935	Bangalore	SEC-CAB-SW2	SW	86.45 min	5.62 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41992	Bangalore	2F-R4-SW3	SW	297.7 min	9.27 min	Device Power Issues	SLA Met
Ticket: PRO/INC/41993	Bangalore	GF-UTILITY-SW1	SW	299.15 min	8.53 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 2 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/42152	Bangalore	GF-UTILITY-SW1	SW	64378.73 min	3.92 min	Client Side Activity	SLA Met
Ticket: PRO/INC/42155	Greater Noida	JFL-GNSC-AP49	AP	186.12 min	7.93 min	Device Power Issues	SLA Met
Ticket: PRO/INC/42157	Greater Noida	JFL-GNSC-AP30	AP	185.53 min	9.37 min	Device Power Issues	SLA Met
Ticket: PRO/INC/42631	Guwahati	JFL-Guwahati-SSC-AP-02	AP	488.58 min	3.47 min	Device Power Issues	SLA Met
Ticket: PRO/INC/42633	Guwahati	JFL-Guwahati-CORE-01	SW	488.77 min	4.13 min	Device Power Issues	SLA Met
Ticket: PRO/INC/42634	Guwahati	JFL-Guwahati-SSC-AP-03	AP	488.9 min	4.78 min	Device Power Issues	SLA Met
Ticket: PRO/INC/42933	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [2]	SW	3190.58 min	3.53 min	Device Power Issues	SLA Met
Ticket: PRO/INC/43076	Mohali	JFL-MOHALI-ACC-SW-01(Transport Room)	SW	2121.33 min	6.78 min	Device Power Issues	SLA Met
Ticket: PRO/INC/43792	Bangalore	GF-AP01-ETP-SW1-10P	AP	4088.47 min	2.45 min	Device Power Issues	SLA Met
Ticket: PRO/INC/43795	Bangalore	GF-ETP-SW1	SW	4092 min	-2.87 min	Device Power Issues	SLA Met
Ticket: PRO/INC/44364	Bangalore	SEC-CAB-SW1	SW	0 min	21.38 min	New Configuration	SLA Met
Ticket: PRO/INC/44366	Bangalore	SEC-CAB-SW2	SW	0 min	15.63 min	New Configuration	SLA Met
Ticket: PRO/INC/44555	Greater Noida	JFL-GNSC-AP30	AP	0 min	7.57 min	Device Power Issues	SLA Met
Ticket: PRO/INC/44676	Nagpur	JFL-NAG-SSC-SW01	SW	37.25 min	7.43 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/44719	Greater Noida	JFL-GNSC-AP48	AP	14055.38 min	5.42 min	Device Power Issues	SLA Met
Ticket: PRO/INC/44727	Greater Noida	JFL-GNSC-AP48	AP	13940.92 min	5.28 min	Device Power Issues	SLA Met
Ticket: PRO/INC/44814	Bangalore	GF-AP01-ETP-SW1-10P	AP	16.27 min	8.8 min	Device Power Issues	SLA Met
Ticket: PRO/INC/44815	Bangalore	GF-ETP-SW1	SW	16.05 min	5.9 min	Device Power Issues	SLA Met
Ticket: PRO/INC/44824	Nagpur	JFL-NAG-SSC-SW01	SW	311.2 min	30.42 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/44850	Bangalore	1F-AP26-R5-SW02-34P	AP	12266.73 min	5.63 min	Device Power Issues	SLA Met
Ticket: PRO/INC/44851	Bangalore	1F-AP14-R04-SW02-11P	AP	12266.82 min	5.5 min	Device Power Issues	SLA Met
Ticket: PRO/INC/44853	Bangalore	1F-AP13-R04-SW02-13P	AP	12267.5 min	6.73 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 3 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/44852	Bangalore	1F-AP10-R05-SW02-44P	AP	12269.57 min	5.67 min	Device Power Issues	SLA Met
Ticket: PRO/INC/44988	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [1]	SW	4687.18 min	3.97 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45099	Mohali	JFL-Mohali-SCC-AP13	AP	1284.77 min	64.6 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45327	Greater Noida	JFL-GNSC-AP48	AP	109.78 min	10.53 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45359	Greater Noida	JFL-GNSC-AP55	AP	1.47 min	24.57 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45363	Greater Noida	JFL-GNSC-AP52	AP	17399.63 min	11.22 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45367	Greater Noida	JFL-GNSC-AP52	AP	353.43 min	53 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45370	Greater Noida	JFL-GNSC-AP52	AP	17309.37 min	6.87 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45373	Greater Noida	JFL-GNSC-AP60	AP	304.58 min	26.1 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45379	Greater Noida	JFL-GNSC-AP56	AP	308.37 min	17.3 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45381	Greater Noida	JFL-GNSC-AP55	AP	308.63 min	18.88 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45519	Greater Noida	JFL-GNSC-AP60	AP	0 min	12.77 min	Device Boot Issues	SLA Met
Ticket: PRO/INC/45518	Greater Noida	JFL-GNSC-AP55	AP	0 min	16.77 min	Device Boot Issues	SLA Met
Ticket: PRO/INC/45520	Greater Noida	JFL-GNSC-AP52	AP	0 min	18.62 min	Device Boot Issues	SLA Met
Ticket: PRO/INC/45528	Nagpur	JFL-NAG-SSC-SW01	SW	5788.08 min	25.05 min	New Configuration	SLA Met
Ticket: PRO/INC/45631	Guwahati	JFL-Guwahati-CORE-02	SW	1324.42 min	16.37 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45632	Guwahati	JFL-Guwahati-SSC-AP-02	AP	1320.47 min	15.32 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45951	Mohali	JFL-MOHALI-ACC-SW-01(Transport Room)	SW	12626 min	4.97 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45952	Mohali	JFL-Mohali-SCC-AP13	AP	12624.38 min	6.58 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45960	Mohali	JFL-MOHALI-ACC-SW-01(Transport Room)	SW	12561.45 min	4.88 min	Device Power Issues	SLA Met
Ticket: PRO/INC/45966	Nagpur	JFL-NAG-SSC-SW01	SW	20594.05 min	7.38 min	Client Side Activity	SLA Met
Ticket: PRO/INC/46268	Nagpur	JFL-NAG-SSC-SW02	SW	1534.65 min	29.48 min	New Configuration	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 4 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/46310	Nagpur	JFL-NAG-SSC-SW01	SW	6072.82 min	4.05 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/46727	Mohali	JFL-MOHALI-CORE-02	SW	2758.48 min	4.18 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46728	Mohali	JFL-MOHALI-ACC-SW-01(Transport Room)	SW	2761.17 min	6.43 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46729	Mohali	JFL-Mohali-SCC-AP14	AP	2759.9 min	7.7 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46730	Mohali	JFL-Mohali-SCC-AP12	AP	2762.92 min	8.58 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46798	Mohali	JFL-MOHALI-ACC-SW-02	SW	2659.47 min	11.05 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46799	Mohali	JFL-Mohali-SCC-AP07	AP	2661.78 min	12.58 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46800	Mohali	JFL-Mohali-SCC-AP06	AP	2664.87 min	9.45 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46815	Nagpur	JFL-NAG-SSC-SW02	SW	11524.92 min	27.27 min	Client Side Activity	SLA Met
Ticket: PRO/INC/46951	Greater Noida	JFL-GNSC-AP66	AP	2710.8 min	4.98 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46952	Greater Noida	JFL-GNSC-AP62	AP	2712.25 min	6.48 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46953	Greater Noida	JFL-GNSC-AP27	AP	2712.43 min	6.18 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46986	Greater Noida	JFL-GNSC-AP33	AP	2316.35 min	11.28 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46988	Greater Noida	JFL-GNSC-AP36	AP	2318.58 min	8.9 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46989	Greater Noida	JFL-GNSC-AP35	AP	2316.42 min	11.07 min	Device Power Issues	SLA Met
Ticket: PRO/INC/46990	Greater Noida	JFL-GNSC-AP59	AP	2320.7 min	6.78 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47068	Bangalore	1F-AP12-R04-SW02-9P	AP	2842.5 min	2.37 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47069	Bangalore	CK Office	AP	2843.32 min	5.5 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47070	Bangalore	1F-AP14-R04-SW02-11P	AP	2845.1 min	4.63 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47071	Bangalore	1F-R4-SW1	SW	2846.07 min	3.85 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47072	Bangalore	1F-R3-SW1	SW	2846.3 min	5.45 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47073	Bangalore	1F-R4-SW2	SW	1073.62 min	6.13 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 5 of 17)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

7 April 2026 – 6 July 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/47074	Bangalore	1F-R3-SW2	SW	1074.52 min	4.05 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47076	Nagpur	JFL-NAG-SSC-SW01	SW	7309.15 min	28.28 min	Client Side Activity	SLA Met
Ticket: PRO/INC/47240	Nagpur	JFL-NAG-SSC-SW01	SW	2916.77 min	16.48 min	Configuration Errors	SLA Met
Ticket: PRO/INC/47335	Greater Noida	JFL-GNSC-AP04	AP	4.9 min	11.62 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47336	Greater Noida	JFL-GNSC-AP66	AP	7.98 min	14.53 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47338	Greater Noida	JFL-GNSC-AP06	AP	12.83 min	12.48 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47339	Greater Noida	JFL-GNSC-AP05	AP	11.07 min	14.23 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47340	Greater Noida	JFL-GNSC-AP34	AP	6.17 min	11.08 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47359	Bangalore	GF-AP29-R04-SW02-23P	AP	973.23 min	8.42 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47360	Bangalore	GF-AP35-R04-SW02-13P	AP	970.17 min	10.48 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47358	Bangalore	GF-AP39-R04-SW02-15P	AP	977.25 min	7.4 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47361	Bangalore	GF-R4-SW2	SW	977.73 min	6.95 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47362	Bangalore	GF-R4-SW1	SW	980.62 min	6.9 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47366	Greater Noida	JFL-GNSC-AP48	AP	6553.25 min	7.07 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47426	Guwahati	JFL-Guwahati-SSC-AP-03	AP	0 min	18.2 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/47431	Guwahati	JFL-Guwahati-SSC-AP-02	AP	1505.95 min	14.02 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/47432	Guwahati	JFL-Guwahati-SSC-AP-03	AP	1509.33 min	10.53 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/47434	Guwahati	JFL-Guwahati-CORE-01	SW	1512.67 min	6.97 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/47474	Greater Noida	JFL-GNSC-AP48	AP	94.67 min	31.32 min	Device Boot Issues	SLA Met
Ticket: PRO/INC/47488	Greater Noida	JFL-GNSC-AP48	AP	2538.85 min	14.17 min	Client Side Activity	SLA Met
Ticket: PRO/INC/47491	Greater Noida	JFL-GNSC-AP48	AP	2538.98 min	8.42 min	Client Side Activity	SLA Met
Ticket: PRO/INC/47495	Greater Noida	JFL-GNSC-AP48	AP	2466.35 min	48.85 min	Client Side Activity	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 6 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/47516	Greater Noida	JFL-GNSC-AP30	AP	0 min	21.4 min	Device Boot Issues	SLA Met
Ticket: PRO/INC/47555	Greater Noida	JFL-GNSC-AP39	AP	1611.82 min	11.7 min	Device Power Issues	SLA Met
Ticket: PRO/INC/47575	Nagpur	JFL-NAG-SSC-SW01	SW	147.12 min	7.02 min	Client Side Activity	SLA Met
Ticket: PRO/INC/47846	Nagpur	JFL-NAG-SSC-SW01	SW	106.47 min	8.43 min	New Configuration	SLA Met
Ticket: PRO/INC/47898	Nagpur	JFL-NAG-SSC-SW01	SW	4843.2 min	6.1 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/47906	Nagpur	JFL-NAG-SSC-SW01	SW	16628.55 min	7.83 min	Others	SLA Met
Ticket: PRO/INC/47909	Nagpur	JFL-NAG-SSC-SW01	SW	4528.98 min	10.3 min	New Configuration	SLA Met
Ticket: PRO/INC/47925	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [1]	SW	10.2 min	6.4 min	Device Power Issues	SLA Met
Ticket: PRO/INC/48101	Greater Noida	JFL-GNSC-AP60	AP	745.27 min	5.67 min	Device Power Issues	SLA Met
Ticket: PRO/INC/48102	Greater Noida	JFL-GNSC-AP21	AP	742.35 min	5.58 min	Device Power Issues	SLA Met
Ticket: PRO/INC/48103	Greater Noida	JFL-GNSC-AP54	AP	748.53 min	4.4 min	Device Power Issues	SLA Met
Ticket: PRO/INC/48114	Greater Noida	JFL-GNMC-GF-AC-ST-01	SW	7506.55 min	-697.08 min	New Configuration	SLA Met
Ticket: PRO/INC/48116	Greater Noida	JFL-GNSC-AP50	AP	59021.08 min	24.22 min	Client Side Activity	SLA Met
Ticket: PRO/INC/48117	Greater Noida	JFL-GNSC-AP60	AP	0 min	34.72 min	Device Power Issues	SLA Met
Ticket: PRO/INC/48129	Greater Noida	JFL-GNSC-AP55	AP	192.25 min	4.48 min	Device Power Issues	SLA Met
Ticket: PRO/INC/48132	Greater Noida	JFL-GNSC-AP55	AP	182.45 min	3.95 min	Device Power Issues	SLA Met
Ticket: PRO/INC/48136	Greater Noida	JFL-GNSC-AP55	AP	95.27 min	5.18 min	Device Power Issues	SLA Met
Ticket: PRO/INC/48139	Greater Noida	JFL-GNSC-AP55	AP	72.27 min	7.3 min	Device Power Issues	SLA Met
Ticket: PRO/INC/48142	Mohali	JFL-Mohali-SCC-AP05	AP	743.53 min	3.7 min	Client Side Activity	SLA Met
Ticket: PRO/INC/48143	Mohali	JFL-MOHALI-CORE-02	SW	745.68 min	4.38 min	Client Side Activity	SLA Met
Ticket: PRO/INC/48470	Mohali	JFL-Mohali-SCC-AP06	AP	100.57 min	10.43 min	Client Side Activity	SLA Met
Ticket: PRO/INC/48471	Mohali	JFL-Mohali-SCC-AP12	AP	98.5 min	12.33 min	Client Side Activity	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 7 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/48472	Mohali	JFL-Mohali-SCC-AP04	AP	100.7 min	10.13 min	Client Side Activity	SLA Met
Ticket: PRO/INC/49255	Bangalore	HEALTHCARE	SW	0 min	10.18 min	New Configuration	SLA Met
Ticket: PRO/INC/49258	Bangalore	GF-ETP-SW1	SW	0.1 min	22.23 min	New Configuration	SLA Met
Ticket: PRO/INC/49435	Greater Noida	JFL-GNSC-AP37	AP	31497.6 min	44.78 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49441	Greater Noida	JFL-GNSC-AP20	AP	21353.67 min	39.92 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49443	Greater Noida	JFL-GNSC-AP48	AP	14114.93 min	69.12 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49447	Greater Noida	JFL-GNSC-AP02	AP	4020.25 min	63.65 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49450	Guwahati	JFL-Guwahati-SSC-AP-03	AP	2.82 min	5.92 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49451	Greater Noida	1	SW	4018.65 min	60.23 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49453	Greater Noida	1	SW	8599.48 min	8 min	New Configuration	SLA Met
Ticket: PRO/INC/49456	Greater Noida	JFL-GNSC-AP50	AP	14076.53 min	62.12 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49459	Greater Noida	JFL-GNSC-AP37	AP	31392.15 min	64.17 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49652	Greater Noida	JFL-GNMC-LT-AC-SW-01	SW	7388.15 min	240.45 min	New Configuration	SLA Breached
Ticket: PRO/INC/49653	Greater Noida	JFL-GNMC-EG-AC-SW-01	SW	9798.6 min	217.77 min	New Configuration	SLA Breached
Ticket: PRO/INC/49658	Greater Noida	JFL-GNSC-AP24	AP	2489.07 min	57.22 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49659	Greater Noida	JFL-GNSC-AP42	AP	2489.62 min	56.62 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49660	Greater Noida	JFL-GNSC-AP54	AP	2489.18 min	57.05 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49669	Greater Noida	JFL-GNSC-AP48	AP	7219.77 min	-709.82 min	Hardware Component Failures	SLA Met
Ticket: PRO/INC/49682	Nagpur	JFL-NAG-SSC-SW02	SW	7614.38 min	5.6 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/49684	Nagpur	JFL-NAG-SSC-SW02	SW	7574.42 min	34.47 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/49707	Greater Noida	JFL-GNSC-AP54	AP	7.05 min	4.15 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49709	Greater Noida	JFL-GNSC-AP22	AP	2.33 min	8.78 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 8 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/49733	Greater Noida	JFL-GNSC-AP22	AP	443.2 min	3.68 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49775	Greater Noida	JFL-GNSC-AP54	AP	1438.37 min	51.48 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49776	Greater Noida	JFL-GNSC-AP22	AP	1438 min	51.85 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49834	Greater Noida	JFL-GNMC-EG-AC-ST-01	SW	1752.65 min	20.43 min	New Configuration	SLA Met
Ticket: PRO/INC/49835	Greater Noida	JFL-GNSC-AP42	AP	1253.37 min	61.37 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49836	Greater Noida	JFL-GNSC-AP54	AP	1253.38 min	61.18 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49873	Greater Noida	JFL-GNSC-TP-AC-SW-01	SW	4425.57 min	18.03 min	New Configuration	SLA Met
Ticket: PRO/INC/49889	Greater Noida	JFL-GNSC-AP48	AP	4233.6 min	-696.85 min	Hardware Component Failures	SLA Met
Ticket: PRO/INC/49894	Greater Noida	JFL-GNSC-AP48	AP	4214.32 min	-708.5 min	Device Power Issues	SLA Met
Ticket: PRO/INC/49898	Nagpur	JFL-NAG-SSC-SW01	SW	8628.75 min	3.05 min	Client Side Activity	SLA Met
Ticket: PRO/INC/49903	Greater Noida	JFL-GNSC-AP08	AP	81 min	57.1 min	Client Side Activity	SLA Met
Ticket: PRO/INC/49905	Greater Noida	JFL-GNSC-AP03	AP	80.93 min	56.68 min	Client Side Activity	SLA Met
Ticket: PRO/INC/49907	Greater Noida	JFL-GNSC-AP69	AP	0 min	137.28 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49909	Greater Noida	JFL-GNSC-AP43	AP	0 min	137.97 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49910	Greater Noida	JFL-GNSC-AP71	AP	0 min	141.43 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49911	Greater Noida	JFL-GNSC-AP18	AP	0 min	143.08 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49913	Greater Noida	JFL-GNSC-AP20	AP	0 min	148.88 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49916	Greater Noida	1	SW	0 min	147.45 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49917	Greater Noida	JFL-GNSC-AP27	AP	0 min	147.28 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49922	Greater Noida	JFL-GNSC-AP28	AP	0 min	148.33 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49926	Greater Noida	JFL-GNSC-AP44	AP	0 min	150.4 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49928	Greater Noida	JFL-GNSC-AP14	AP	0 min	150.43 min	Client Side Activity	SLA Breached

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 9 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/49931	Greater Noida	JFL-GNSC-AP31	AP	0 min	153.25 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49932	Greater Noida	JFL-GNSC-AP37	AP	0 min	155.43 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49935	Greater Noida	JFL-GNSC-AP22	AP	0 min	158.43 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49934	Greater Noida	JFL-GNSC-AP54	AP	0 min	160.37 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49938	Greater Noida	JFL-GNSC-AP67	AP	0 min	165.5 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49937	Greater Noida	JFL-GNSC-AP38	AP	0 min	162.12 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49942	Greater Noida	JFL-GNSC-AP24	AP	0 min	166.75 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49941	Greater Noida	JFL-GNSC-AP66	AP	0 min	169.82 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49943	Greater Noida	JFL-GNSC-AP34	AP	0 min	170.7 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49946	Greater Noida	JFL-GNSC-AP40	AP	0 min	171.13 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49947	Greater Noida	JFL-GNSC-AP41	AP	0 min	171.42 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49949	Greater Noida	JFL-GNSC-AP42	AP	0 min	168.42 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49948	Greater Noida	JFL-GNSC-AP46	AP	0 min	166.42 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49950	Greater Noida	JFL-GNSC-AP35	AP	0 min	162.4 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49951	Greater Noida	JFL-GNSC-AP10	AP	0 min	160.25 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49953	Greater Noida	JFL-GNSC-AP64	AP	0 min	151.18 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49952	Greater Noida	JFL-GNSC-AP19	AP	0 min	154.18 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49956	Greater Noida	JFL-GNSC-AP30	AP	0 min	145.07 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49957	Greater Noida	JFL-GNSC-AP26	AP	0 min	148.07 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/49970	Nagpur	JFL-NAG-SSC-SW01	SW	5204.7 min	68.85 min	Others	SLA Met
Ticket: PRO/INC/49975	Greater Noida	JFL-GNSC-AP52	AP	0 min	32.33 min	Client Side Activity	SLA Met
Ticket: PRO/INC/49976	Greater Noida	JFL-GNSC-AP45	AP	0 min	23.3 min	Client Side Activity	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 10 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/49980	Greater Noida	JFL-GNSC-AP16	AP	0 min	29.12 min	Client Side Activity	SLA Met
Ticket: PRO/INC/50002	Greater Noida	JFL-GNSC-AP37	AP	870.8 min	64.42 min	Client Side Activity	SLA Met
Ticket: PRO/INC/50005	Greater Noida	1	SW	851.48 min	5.18 min	Client Side Activity	SLA Met
Ticket: PRO/INC/50007	Greater Noida	JFL-GNSC-AP20	AP	849.23 min	5.1 min	Client Side Activity	SLA Met
Ticket: PRO/INC/50011	Greater Noida	JFL-GNSC-AP20	AP	808.37 min	25.12 min	Client Side Activity	SLA Met
Ticket: PRO/INC/50014	Greater Noida	JFL-GNSC-AP48	AP	805.22 min	12.07 min	Client Side Activity	SLA Met
Ticket: PRO/INC/50017	Greater Noida	JFL-GNSC-AP50	AP	781.8 min	6.28 min	Client Side Activity	SLA Met
Ticket: PRO/INC/50541	Bangalore	GF-AP12-R02-SW01-18P	AP	5.42 min	9.35 min	Device Power Issues	SLA Met
Ticket: PRO/INC/50542	Bangalore	GF-AP09-R02-SW01-22P	AP	5.58 min	9.03 min	Device Power Issues	SLA Met
Ticket: PRO/INC/50543	Bangalore	GF-AP46-R02-SW01-26P	AP	5.97 min	6.6 min	Device Power Issues	SLA Met
Ticket: PRO/INC/50985	Greater Noida	JFL-GNSC-AP50	AP	174.2 min	8.1 min	Device Power Issues	SLA Met
Ticket: PRO/INC/51176	Nagpur	JFL-NAG-SSC-SW04	SW	24.42 min	12.03 min	Client Side Activity	SLA Met
Ticket: PRO/INC/51178	Nagpur	JFL-NAG-SSC-AP04	AP	30.73 min	4.73 min	Client Side Activity	SLA Met
Ticket: PRO/INC/51179	Nagpur	JFL-NAG-SSC-AP05	AP	394.83 min	8.63 min	Device Boot Issues	SLA Met
Ticket: PRO/INC/51181	Nagpur	JFL-NAG-SSC-AP06	AP	29.72 min	7.58 min	Client Side Activity	SLA Met
Ticket: PRO/INC/51183	Nagpur	JFL-NAG-SSC-SW03	SW	24.52 min	9.62 min	Client Side Activity	SLA Met
Ticket: PRO/INC/51184	Nagpur	JFL-NAG-SSC-SW01	SW	22.73 min	12.07 min	Client Side Activity	SLA Met
Ticket: PRO/INC/51185	Nagpur	JFL-NAG-SSC-AP02	AP	27.88 min	9.92 min	Client Side Activity	SLA Met
Ticket: PRO/INC/51191	Nagpur	JFL-NAG-SSC-SW01	SW	0 min	22.37 min	Device Power Issues	SLA Met
Ticket: PRO/INC/51194	Nagpur	JFL-NAG-SSC-SW02	SW	0 min	23.88 min	Client Side Activity	SLA Met
Ticket: PRO/INC/51196	Nagpur	JFL-NAG-SSC-SW04	SW	0 min	23.47 min	Client Side Activity	SLA Met
Ticket: PRO/INC/51198	Nagpur	JFL-NAG-SSC-SW03	SW	0 min	19.27 min	Client Side Activity	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 11 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/51593	Nagpur	JFL-NAG-SSC-SW01	SW	18741.95 min	8.62 min	Customer Delays or Unresponsiveness	SLA Met
Ticket: PRO/INC/51658	Nagpur	JFL-NAG-SSC-SW02	SW	499.92 min	9.57 min	New Configuration	SLA Met
Ticket: PRO/INC/51680	Nagpur	JFL-NAG-SSC-SW01	SW	79.15 min	6.57 min	New Configuration	SLA Met
Ticket: PRO/INC/51689	Nagpur	JFL-NAG-SSC-SW01	SW	70.13 min	4.4 min	New Configuration	SLA Met
Ticket: PRO/INC/51780	Bangalore	GF-R5-SW3	SW	13907.55 min	16.37 min	New Configuration	SLA Met
Ticket: PRO/INC/51782	Nagpur	JFL-NAG-SSC-SW02	SW	1475.55 min	28.22 min	Configuration Errors	SLA Met
Ticket: PRO/INC/51790	Bangalore	CORE-2	SW	8062.98 min	9.88 min	Others	SLA Met
Ticket: PRO/INC/51792	Bangalore	GF-R1-SW1	SW	812.13 min	6.9 min	Device Power Issues	SLA Met
Ticket: PRO/INC/51791	Bangalore	GF-R1-SW2	SW	812.48 min	7.77 min	Device Power Issues	SLA Met
Ticket: PRO/INC/51793	Bangalore	GF-AP03-R01-SW02-39P	AP	812.88 min	6.53 min	Device Power Issues	SLA Met
Ticket: PRO/INC/51925	Nagpur	JFL-NAG-SSC-SW01	SW	4596.25 min	24.28 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/51927	Nagpur	JFL-NAG-SSC-SW01	SW	4597.08 min	16.93 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/52387	Mohali	JFL-MOHALI-ACC-SW-01(Transport Room)	SW	203.87 min	4.97 min	Device Power Issues	SLA Met
Ticket: PRO/INC/52389	Mohali	JFL-Mohali-SCC-AP12	AP	216.83 min	8.98 min	Device Power Issues	SLA Met
Ticket: PRO/INC/52388	Mohali	JFL-Mohali-SCC-AP15	AP	198.02 min	9.8 min	Device Power Issues	SLA Met
Ticket: PRO/INC/52392	Mohali	JFL-Mohali-SCC-AP13	AP	196.2 min	13.3 min	Device Power Issues	SLA Met
Ticket: PRO/INC/52394	Mohali	JFL-MOHALI-ACC-SW-02	SW	194.35 min	10.98 min	Device Power Issues	SLA Met
Ticket: PRO/INC/52395	Mohali	JFL-Mohali-SCC-AP01	AP	191.62 min	14.72 min	Device Power Issues	SLA Met
Ticket: PRO/INC/52396	Mohali	JFL-Mohali-SCC-AP09	AP	190.47 min	16.7 min	Device Power Issues	SLA Met
Ticket: PRO/INC/52400	Mohali	JFL-Mohali-SCC-AP04	AP	190.33 min	12.17 min	Device Power Issues	SLA Met
Ticket: PRO/INC/52758	Mohali	JFL-Mohali-SCC-AP15	AP	1541.25 min	17.93 min	Device Power Issues	SLA Met
Ticket: PRO/INC/52757	Mohali	JFL-Mohali-SCC-AP12	AP	1497.63 min	16.55 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 12 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/52760	Mohali	JFL-Mohali-SCC-AP03	AP	1545.27 min	738.75 min	Device Power Issues	SLA Breached
Ticket: PRO/INC/52761	Mohali	JFL-MOHALI-ACC-SW-02	SW	1546.17 min	741.78 min	Device Power Issues	SLA Breached
Ticket: PRO/INC/52764	Mohali	JFL-Mohali-SCC-AP10	AP	1548.3 min	741.55 min	Device Power Issues	SLA Breached
Ticket: PRO/INC/52765	Mohali	JFL-MOHALI-ACC-SW-01(Transport Room)	SW	1549.15 min	742.53 min	Device Power Issues	SLA Breached
Ticket: PRO/INC/52768	Mohali	JFL-Mohali-SCC-AP07	AP	1550.88 min	744.65 min	Device Power Issues	SLA Breached
Ticket: PRO/INC/52770	Mohali	JFL-Mohali-SCC-AP13	AP	1552.08 min	745.28 min	Device Power Issues	SLA Breached
Ticket: PRO/INC/52771	Mohali	JFL-Mohali-SCC-AP01	AP	1552.57 min	746.73 min	Device Power Issues	SLA Breached
Ticket: PRO/INC/52797	Mohali	JFL-MOHALI-CORE-01	SW	0 min	1752.63 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/52986	Bangalore	MZ-R2-SW1	SW	4331.15 min	13.52 min	Others	SLA Met
Ticket: PRO/INC/52992	Greater Noida	JFL-GNSC-AP37	AP	11457.47 min	42.65 min	Device Power Issues	SLA Met
Ticket: PRO/INC/52996	Greater Noida	JFL-GNSC-AP20	AP	1259.63 min	83.63 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53024	Nagpur	JFL-NAG-SSC-SW02	SW	1830.02 min	13.88 min	Client Side Activity	SLA Met
Ticket: PRO/INC/53200	Greater Noida	JFL-GNSC-AP50	AP	10035.08 min	39.35 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53213	Greater Noida	JFL-GNSC-AP37	AP	9868.58 min	26.15 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53219	Greater Noida	1	SW	931.12 min	20.65 min	New Configuration	SLA Met
Ticket: PRO/INC/53224	Bangalore	1F-R5-SW1	SW	445.17 min	6.33 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53225	Bangalore	1F-R4-SW2	SW	442.78 min	9.57 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53226	Bangalore	1F-R5-SW3	SW	446.2 min	8.15 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53227	Bangalore	1F-R4-SW1	SW	450.32 min	7.02 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53229	Bangalore	1F-R5-SW4	SW	448.03 min	11.13 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53228	Bangalore	1F-R5-SW2	SW	441.43 min	13.73 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53230	Bangalore	1F-R3-SW2	SW	447.18 min	12.98 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 13 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/53231	Bangalore	1F-R3-SW1	SW	446.43 min	15.57 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53232	Bangalore	1F-AP07-R05-SW04-17P	AP	446.73 min	14.77 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53234	Bangalore	CK QC Lab	AP	446.05 min	17.28 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53233	Bangalore	1F-AP10-R05-SW02-44P	AP	448.47 min	15.87 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53237	Greater Noida	JFL-GNSC-AP55	AP	111.52 min	5.55 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53240	Greater Noida	JFL-GNSC-AP55	AP	1467.03 min	2.9 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53395	Bangalore	CORE-1	SW	0 min	10302.4 min	Client Side Activity	SLA Breached
Ticket: PRO/INC/53404	Mohali	JFL-Mohali-SCC-AP09	AP	694.48 min	5.58 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53405	Mohali	JFL-Mohali-SCC-AP03	AP	690.57 min	6.47 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53407	Mohali	JFL-Mohali-SCC-AP14	AP	686.13 min	6.78 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53623	Nagpur	JFL-NAG-SSC-SW01	SW	12.23 min	9.27 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/53628	Greater Noida	JFL-GNSC-AP53	AP	763.55 min	25.8 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53804	Bangalore	SEC-CAB-SW1	SW	10.48 min	9.5 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53805	Bangalore	SEC-CAB-SW2	SW	10.17 min	9.67 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53806	Bangalore	SEC-CAB-1F-AP02-R01-SW01-10P	AP	10.2 min	7.78 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53807	Bangalore	SEC-CAB-GF-AP01-R01-SW01-02P	AP	10.15 min	7.78 min	Device Power Issues	SLA Met
Ticket: PRO/INC/53814	Nagpur	JFL-NAG-SSC-SW01	SW	4258.45 min	4.08 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/55959	Greater Noida	JFL-GNMC-CK-AC-SW-01	SW	158.42 min	43.13 min	New Configuration	SLA Met
Ticket: PRO/INC/56034	Greater Noida	JFL-GNSC-AP16	AP	171.4 min	4.28 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56039	Greater Noida	JFL-GNSC-AP20	AP	2012.82 min	27.48 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56179	Greater Noida	JFL-GNSC-AP26	AP	998.87 min	36.53 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56180	Greater Noida	JFL-GNSC-AP27	AP	1024.77 min	4.63 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 14 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/56186	Guwahati	JFL-Guwahati-CORE-01	SW	1223.65 min	19.78 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56188	Guwahati	JFL-Guwahati-SSC-AP-02	AP	1.93 min	11.33 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56204	Greater Noida	JFL-GNSC-AP28	AP	262.08 min	-114.15 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56205	Greater Noida	JFL-GNSC-AP27	AP	84.77 min	9.02 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56212	Mohali	JFL-Mohali-SCC-AP12	AP	187.88 min	5.45 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56214	Greater Noida	JFL-GNSC-AP26	AP	112.57 min	40.1 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56215	Greater Noida	JFL-GNSC-AP27	AP	103.22 min	49.43 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56220	Greater Noida	JFL-GNSC-AP04	AP	53.9 min	24.4 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56221	Greater Noida	JFL-GNSC-AP29	AP	1020.6 min	18.7 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56229	Greater Noida	JFL-GNSC-GF-AC-ST-01 SW-2	SW	9721.65 min	34.8 min	Hardware Component Failures	SLA Met
Ticket: PRO/INC/56409	Bangalore	SEC-CAB-SW2	SW	0 min	16.83 min	New Configuration	SLA Met
Ticket: PRO/INC/56422	Bangalore	Q3AC-MPKF-FE8T	AP	5160.27 min	9.7 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56426	Greater Noida	JFL-GNSC-AP28	AP	10.8 min	4.97 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56427	Greater Noida	JFL-GNSC-AP26	AP	4.47 min	7.15 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56432	Nagpur	JFL-NAG-SSC-SW01	SW	6315.45 min	4.23 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/56582	Mohali	JFL-Mohali-SCC-AP04	AP	5799.25 min	12.65 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56618	Greater Noida	JFL-GNSC-AP22	AP	406.05 min	24.23 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56619	Greater Noida	JFL-GNSC-AP24	AP	410.5 min	19.77 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56620	Greater Noida	JFL-GNSC-AP42	AP	458.37 min	30.88 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56621	Greater Noida	JFL-GNSC-AP54	AP	407.08 min	25.02 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56630	Greater Noida	JFL-GNSC-AP56	AP	407.42 min	21.35 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56629	Greater Noida	JFL-GNSC-AP52	AP	408.08 min	21.68 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 15 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/56668	Greater Noida	JFL-GNSC-AP37	AP	5297.93 min	11.37 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56671	Greater Noida	JFL-GNSC-AP42	AP	45.05 min	14.73 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56675	Greater Noida	JFL-GNSC-AP23	AP	5084.15 min	5.02 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56679	Greater Noida	JFL-GNSC-AP23	AP	5033.52 min	4.1 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56684	Greater Noida	JFL-GNSC-AP20	AP	3231.58 min	22.87 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56778	Greater Noida	JFL-GNSC-AP28	AP	600.23 min	9.7 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56777	Greater Noida	JFL-GNSC-AP27	AP	604.13 min	8.8 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56826	Mohali	JFL-Mohali-SCC-AP02	AP	569.15 min	3.75 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56828	Mohali	JFL-Mohali-SCC-AP08	AP	570.97 min	5.77 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56827	Mohali	JFL-Mohali-SCC-AP05	AP	570.8 min	3.93 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56829	Mohali	JFL-Mohali-SCC-AP13	AP	574.67 min	8 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56834	Greater Noida	JFL-GNSC-AP26	AP	568 min	9.05 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56838	Greater Noida	JFL-GNSC-AP62	AP	4199.77 min	13.7 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56840	Greater Noida	JFL-GNSC-AP61	AP	4197.1 min	13.55 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56843	Greater Noida	JFL-GNSC-AP35	AP	4193.3 min	12.67 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56845	Greater Noida	JFL-GNSC-AP53	AP	4191.2 min	7.4 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56847	Greater Noida	JFL-GNSC-AP67	AP	4188.95 min	7.18 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56849	Greater Noida	JFL-GNSC-AP23	AP	4186.92 min	7.87 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56851	Greater Noida	JFL-GNSC-AP33	AP	4190.52 min	2.27 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56853	Greater Noida	JFL-GNSC-AP58	AP	4180.97 min	10.15 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56855	Greater Noida	JFL-GNSC-AP34	AP	4178.33 min	11.28 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56857	Greater Noida	JFL-GNSC-AP59	AP	4175.18 min	12.27 min	Client Side Activity	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 16 of 17)

7 April 2026 – 6 July 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/56859	Greater Noida	JFL-GNSC-AP57	AP	4178.87 min	7.07 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56862	Greater Noida	JFL-GNSC-AP56	AP	4172.02 min	8.08 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56861	Greater Noida	JFL-GNSC-AP22	AP	533.72 min	10.38 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56863	Greater Noida	JFL-GNSC-AP42	AP	534.58 min	11.35 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56866	Greater Noida	JFL-GNSC-AP66	AP	4167.37 min	10.55 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56885	Guwahati	JFL-Guwahati-CORE-01	SW	1326.63 min	2.95 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56886	Guwahati	JFL-Guwahati-SSC-AP-03	AP	1324.23 min	4.3 min	Device Power Issues	SLA Met
Ticket: PRO/INC/56890	Greater Noida	JFL-GNSC-AP56	AP	3833.6 min	6.07 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56889	Greater Noida	JFL-GNSC-AP52	AP	16949.68 min	6.98 min	Client Side Activity	SLA Met
Ticket: PRO/INC/56896	Greater Noida	JFL-GNSC-AP42	AP	11197.68 min	6.03 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57016	Greater Noida	JFL-GNSC-AP24	AP	304.28 min	11.05 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57017	Greater Noida	JFL-GNSC-AP54	AP	302.75 min	8.53 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57026	Greater Noida	JFL-GNSC-AP52	AP	5778.9 min	16.65 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57027	Greater Noida	JFL-GNSC-AP60	AP	2750.9 min	14.65 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57032	Greater Noida	JFL-GNSC-AP56	AP	2742.22 min	6.63 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57034	Greater Noida	JFL-GNSC-AP52	AP	2738.23 min	8.12 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57035	Greater Noida	JFL-GNSC-AP60	AP	253.92 min	12.43 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57045	Greater Noida	1	SW	0 min	min	Unknown	SLA Met
Ticket: PRO/INC/57056	Greater Noida	JFL-GNSC-AP27	AP	1019.53 min	25.78 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57057	Greater Noida	JFL-GNSC-AP28	AP	1019.35 min	25.95 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57063	Greater Noida	JFL-GNSC-AP04	AP	1015.42 min	23.03 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57064	Greater Noida	JFL-GNSC-AP29	AP	1013.37 min	25.08 min	Client Side Activity	SLA Met

Appendix: Raw Incidents Audit Trail (357 Tickets) (Page 17 of 17)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

7 April 2026 – 6 July 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/57071	Greater Noida	1	SW	2408.83 min	20.7 min	Client Side Activity	SLA Met
Ticket: PRO/INC/57103	Greater Noida	JFL-GNSC-AP23	AP	20.42 min	25.25 min	Device Power Issues	SLA Met
Ticket: PRO/INC/57109	Greater Noida	JFL-GNSC-AP23	AP	158.02 min	8.43 min	Device Power Issues	SLA Met
Ticket: PRO/INC/57112	Greater Noida	JFL-GNSC-AP23	AP	145.2 min	3.62 min	Device Power Issues	SLA Met
Ticket: PRO/INC/57115	Greater Noida	JFL-GNSC-AP23	AP	68.62 min	4.18 min	Device Power Issues	SLA Met