

Quarterly Business Review (QBR)

Executive Operations & Infrastructure Performance Report — Jubilant Foodworks Ltd (JFL)

372

MONITORED ASSETS

97.77%

JFL SWITCH UPTIME

87.26/100

HEALTH SCORE

86.29%

SLA COMPLIANCE

Reporting Period: 1 September 2026 – 30 September 2026

Verified SSOT Data Engine • Confidential

Executive Summary & Network Health

Jubilant Foodworks Ltd (JFL) — Strategic Operations Overview

 1 September 2026 – 30 September 2026

TOTAL INFRASTRUCTURE 372 Devices 8 Sites (142 Switches / 224 APs / 72 Stock)	JFL SWITCH UPTIME % 97.77% Target SLA: 99.30%	PROACTIVE SWITCH UPTIME % 98.94% Net Working Time Deducted	INFRASTRUCTURE HEALTH SCORE 87.26/100 Good (73.66% Incident-Free)
---	--	---	--

Primary Executive Findings & RCA Drivers

PRIMARY RCA DRIVER (SWITCHES) Device Power Issues	PRIMARY RCA DRIVER (APS) Device Power Issues
---	--

Executive Operational Narrative

During the 1 September 2026 – 30 September 2026 reporting period, network operations for Jubilant Foodworks Ltd (JFL) maintained robust availability across all 372 monitored network assets, achieving an Executive Health Score of 87.26/100 (Good) and a 86.29% SLA Compliance Rate across incident resolution records. Switch infrastructure availability averaged 97.77% against the contractual 99.30% SLA Target.

Site Executive Performance Summary Table

Site-by-Site Device Count, Switch Uptimes, AP Incidents & Primary RCA Drivers

1 September 2026 – 30 September 2026

SITE LOCATION	NO OF DEVICES	PROACTIVE SWITCH UPTIME	JFL SWITCH UPTIME	PRIMARY RCA DRIVER (SWITCHES)	AP INCIDENTS (UNIQUE)	PRIMARY RCA DRIVER (APS)
Bangalore	182	99.98%	98.54%	Device Power Issues	1 / 1	Configuration Errors
Greater Noida	122	99.98%	91.47%	Client Side Activity	92 / 48	Firmware or Software Bugs
Guwahati	5	99.95%	95.64%	Device Power Issues	35 / 3	Device Power Issues
Hyderabad	16	99.98%	99.56%	Device Power Issues	35 / 11	Device Power Issues
Mohali	19	99.98%	93.39%	Configuration Errors	20 / 13	Preventive Maintenance (PM) or Planned Upgrade
Mumbai-DC	8	100.00%	100.00%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Nagpur	10	99.97%	89.97%	Third Party Device issue	6 / 6	Firmware or Software Bugs
Noida	82	100.00%	100.00%	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)

Contractual SLA Boundary & Hold Policy

Note: Utility power cuts, store cabling activities, and third-party ISP outages are categorized transparently as local site dependencies and isolated from MSP SLA penalty deductions.

Location-Specific Breakdown of Switches, APs, Stock Inventory & Incident Metrics

1 September 2026 – 30 September 2026

99.98%

182 Monitored Assets (50 SW / 78 AP / 54 Stock)

98.54%

1 / 1

Device Power Issues

Configuration Errors

99.98%

122 Monitored Assets (42 SW / 72 AP / 8 Stock)

91.47%

92 / 48

Client Side Activity

Firmware or Software Bugs

99.95%

5 Monitored Assets (2 SW / 3 AP / 0 Stock)

95.64%

35 / 3

Device Power Issues

Device Power Issues

99.98%

16 Monitored Assets (2 SW / 14 AP / 0 Stock)

99.56%

35 / 11

Device Power Issues

Device Power Issues

99.98%

19 Monitored Assets (4 SW / 15 AP / 0 Stock)

93.39%

20 / 13

Configuration Errors

Preventive Maintenance (PM) or Planned Upgrade

100.00%

8 Monitored Assets (4 SW / 0 AP / 4 Stock)

100.00%

0 / 0

Stable Operations (No Incidents)

Stable Operations (No Incidents)

99.97%

100.00%

10 Monitored Assets (4 SW / 6 AP / 0 Stock)

JFL SWITCH UPTIME

89.97%

AP INCIDENTS (UNIQUE)

6 / 6

PRIMARY RCA (SWITCHES)

Third Party Device issue

PRIMARY RCA (APS)

Firmware or Software Bugs

82 Monitored Assets (40 SW / 36 AP / 6 Stock)

JFL SWITCH UPTIME

100.00%

AP INCIDENTS (UNIQUE)

0 / 0

PRIMARY RCA (SWITCHES)

Stable Operations (No Incidents)

PRIMARY RCA (APS)

Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

1 AP Incidents

Primary RCA: Configuration Errors

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
CORE	100.00%
GF-R1	100.00%
1F-R1	100.00%
Z1-SIDE PLANT	99.97%
SIDE-PLANT1	100.00%
2F-R4	100.00%
GF-R5	100.00%
MZ-R2	100.00%
MZ-R1	100.00%
GF-ETP	99.97%
1F-R4	100.00%
1F-R5	100.00%
GF-R6	100.00%
GF-R4	100.00%
GF-R3	100.00%
2F-R5	100.00%
GF-R2	100.00%
1F-R3	100.00%
1F-R2	100.00%
GF-UTILITY	100.00%
HEALTHCARE	99.96%
2F-R2	100.00%
SEC-CAB	99.97%
2F-R1	100.00%

SITE REVIEW • Bangalore — Switch Uptime Report (Page 1 of 3)

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME

99.98%

SWITCHES MONITORED

50

PRIMARY RCA DRIVER

Device Power Issues

SWITCH AT 100% UPTIME

45

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Bangalore	CORE-1	Q2DW-EM6A-8GPL	SW	CORE	100.00%
2	Bangalore	CORE-2	Q2DW-FPMF-3AL6	SW	CORE	100.00%
3	Bangalore	GF-R1-SW3	Q2EW-3S9C-VJRW	SW	GF-R1	100.00%
4	Bangalore	1F-R1-SW4	Q2EW-5R5B-HEY9	SW	1F-R1	100.00%
5	Bangalore	Z1-SIDE PLANT	Q2MW-CRVX-WJD3	SW	Z1-SIDE PLANT	99.97%
6	Bangalore	SIDE-PLANT1	Q2MW-DT66-3HKL	SW	SIDE-PLANT1	100.00%
7	Bangalore	2F-R4-SW2	Q2QW-ARKH-HCRT	SW	2F-R4	100.00%
8	Bangalore	2F-R4-SW1	Q2QW-ATN2-HDQK	SW	2F-R4	100.00%
9	Bangalore	2F-R4-SW3	Q2QW-BAYV-J6K5	SW	2F-R4	100.00%
10	Bangalore	GF-R5-SW3	Q2QW-BWS8-7ULR	SW	GF-R5	100.00%
11	Bangalore	MZ-R2-SW1	Q2QW-BWVG-Y4ZU	SW	MZ-R2	100.00%
12	Bangalore	MZ-R1-SW	Q2QW-BWVB-HTLP	SW	MZ-R1	100.00%
13	Bangalore	GF-R5-SW1	Q2QW-BYNP-CGVJ	SW	GF-R5	100.00%
14	Bangalore	GF-R5-SW2	Q2QW-BZ2C-GWN7	SW	GF-R5	100.00%
15	Bangalore	GF-ETP-SW1	Q2QW-CAJU-QVKD	SW	GF-ETP	99.97%
16	Bangalore	1F-R4-SW2	Q2QW-CAKK-KNXD	SW	1F-R4	100.00%
17	Bangalore	1F-R5-SW1	Q2QW-CANP-QCYR	SW	1F-R5	100.00%
18	Bangalore	GF-R6-SW1	Q2QW-CLQ3-BXHC	SW	GF-R6	100.00%
19	Bangalore	GF-R4-SW1	Q2QW-CNV8-9Q8Y	SW	GF-R4	100.00%
20	Bangalore	GF-R3-SW3	Q2QW-CQPR-WJYV	SW	GF-R3	100.00%
21	Bangalore	GF-R3-SW1	Q2QW-CQR4-DPMQ	SW	GF-R3	100.00%
22	Bangalore	1F-R5-SW2	Q2QW-CQSG-6X85	SW	1F-R5	100.00%

SITE REVIEW • Bangalore — Switch Uptime Report (Page 2 of 3)

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME
99.98%

SWITCHES MONITORED
50

PRIMARY RCA DRIVER
Device Power Issues

SWITCH AT 100% UPTIME
45

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
23	Bangalore	2F-R5-SW1	Q2QW-CTCG-QKDE	SW	2F-R5	100.00%
24	Bangalore	GF-R2-SW1	Q2QW-CTDD-3Z86	SW	GF-R2	100.00%
25	Bangalore	1F-R3-SW1	Q2QW-CTFE-E2WF	SW	1F-R3	100.00%
26	Bangalore	1F-R4-SW1	Q2QW-CTFM-KEQZ	SW	1F-R4	100.00%
27	Bangalore	1F-R3-SW2	Q2QW-CTFW-5K36	SW	1F-R3	100.00%
28	Bangalore	GF-R3-SW2	Q2QW-CTG2-RX56	SW	GF-R3	100.00%
29	Bangalore	2F-R5-SW2	Q2QW-CTMF-ZXMF	SW	2F-R5	100.00%
30	Bangalore	GF-R4-SW3	Q2QW-D8UN-JHM7	SW	GF-R4	100.00%
31	Bangalore	GF-R4-SW2	Q2QW-DC3Q-MPWQ	SW	GF-R4	100.00%
32	Bangalore	1F-R5-SW4	Q2QW-EX7M-X9M6	SW	1F-R5	100.00%
33	Bangalore	GF-R2-SW2	Q2QW-CAKR-LDFB	SW	GF-R2	100.00%
34	Bangalore	1F-R2-SW1	Q2QW-EXJY-SE64	SW	1F-R2	100.00%
35	Bangalore	GF-UTILITY-SW1	Q2QW-EXXK-QDZ3	SW	GF-UTILITY	100.00%
36	Bangalore	HEALTHCARE	Q2QW-EY63-C2SF	SW	HEALTHCARE	99.96%
37	Bangalore	2F-R2-SW2	Q2QW-FB9E-UCQL	SW	2F-R2	100.00%
38	Bangalore	SEC-CAB-SW2	Q2QW-FCH3-EMVG	SW	SEC-CAB	99.97%
39	Bangalore	SEC-CAB-SW1	Q2QW-FCJL-LJS8	SW	SEC-CAB	99.98%
40	Bangalore	1F-R5-SW3	Q2QW-GPBW-SLG9	SW	1F-R5	100.00%
41	Bangalore	GF-R6-SW2	Q2QW-GUDX-25NY	SW	GF-R6	100.00%
42	Bangalore	GF-UTILITY-SW2	Q2QW-GVT2-QANK	SW	GF-UTILITY	100.00%
43	Bangalore	GF-R2-SW3	Q2QW-H6CN-W8LR	SW	GF-R2	100.00%
44	Bangalore	2F-R1-SW1	Q2ZP-A3JU-5GR5	SW	2F-R1	100.00%

SITE REVIEW • Bangalore — Switch Uptime Report (Page 3 of 3)

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME

99.98%

SWITCHES MONITORED

50

PRIMARY RCA DRIVER

Device Power Issues

SWITCH AT 100% UPTIME

45

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
45	Bangalore	1F-R1-SW3	Q2ZP-AP5E-Z83L	SW	1F-R1	100.00%
46	Bangalore	2F-R1-SW2	Q2ZP-AYJY-GU4V	SW	2F-R1	100.00%
47	Bangalore	GF-R1-SW2	Q2ZP-AZ5F-V97Y	SW	GF-R1	100.00%
48	Bangalore	1F-R1-SW1	Q2ZP-D2D2-VFQK	SW	1F-R1	100.00%
49	Bangalore	1F-R1-SW2	Q2ZP-D47G-NGKY	SW	1F-R1	100.00%
50	Bangalore	GF-R1-SW1	Q2ZP-D487-83QR	SW	GF-R1	100.00%

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 1 of 4)

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

1

MET CASES

1

BREACH CASES

0

PRIMARY RCA DRIVER

Configuration Errors

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Bangalore	GF-AP2-UTILITY-SW1-12P	Q3AC-2Q7D-JCGF	AP	0	Stable Operations (No Incidents)
2	Bangalore	1F-AP11-R05-SW02-40P	Q3AC-3CVE-NZNV	AP	0	Stable Operations (No Incidents)
3	Bangalore	GF-AP32-R05-SW02-31P	Q3AC-3HFB-L9N6	AP	0	Stable Operations (No Incidents)
4	Bangalore	GF-AP35-R04-SW02-13P	Q3AC-59QF-LNTG	AP	0	Stable Operations (No Incidents)
5	Bangalore	GF-AP17-R06-SW01-04P	Q3AC-5CB9-8CUH	AP	0	Stable Operations (No Incidents)
6	Bangalore	2F-AP11-R05-SW01-40P	Q3AC-5WMD-2PG2	AP	0	Stable Operations (No Incidents)
7	Bangalore	GF-AP20-R03-SW02-40P	Q3AC-6HKW-LC8E	AP	0	Stable Operations (No Incidents)
8	Bangalore	2F-AP19-R04-Helthcare-1P	Q3AC-75JU-8592	AP	0	Stable Operations (No Incidents)
9	Bangalore	GF-AP1-UTILITY-SW1-4P	Q3AC-8NA9-73L4	AP	0	Stable Operations (No Incidents)
10	Bangalore	GF-AP41-R03-SW02-44P	Q3AC-8RQX-XQUG	AP	0	Stable Operations (No Incidents)
11	Bangalore	2F-AP20-R4-SW2-45P	Q3AC-9EFV-95CH	AP	0	Stable Operations (No Incidents)
12	Bangalore	GF-AP16-R02-SW01-14P	Q3AC-AUFV-SSNE	AP	0	Stable Operations (No Incidents)
13	Bangalore	GF-AP14-R02-SW01-16P	Q3AC-B3CZ-8UKC	AP	0	Stable Operations (No Incidents)
14	Bangalore	SEASONING_BOARD_ROOM	Q3AC-C3XA-8AX4	AP	0	Stable Operations (No Incidents)
15	Bangalore	2F-AP18-R4-SW2-8P	Q3AC-C4P4-JNC9	AP	0	Stable Operations (No Incidents)
16	Bangalore	1F-AP06-R05-SW04-4P	Q3AC-DFLX-KHLR	AP	0	Stable Operations (No Incidents)
17	Bangalore	GF-AP09-R02-SW01-22P	Q3AC-DK8K-8UBR	AP	0	Stable Operations (No Incidents)
18	Bangalore	SEC-CAB-GF-AP03-R01-SW01-06P	Q3AC-DTQ8-WQMM	AP	0	Stable Operations (No Incidents)
19	Bangalore	1F-AP13-R04-SW02-13P	Q3AC-DZAX-3FNP	AP	0	Stable Operations (No Incidents)
20	Bangalore	1F-AP10-R05-SW02-44P	Q3AC-E8LA-PVD4	AP	0	Stable Operations (No Incidents)
21	Bangalore	GF-AP13-R06-SW01-47P	Q3AC-E984-BXYN	AP	0	Stable Operations (No Incidents)
22	Bangalore	GF-AP46-R2-SW1-35P	Q3AC-FZXU-BF4E	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 2 of 4)

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

1

MET CASES

1

BREACH CASES

0

PRIMARY RCA DRIVER

Configuration Errors

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
23	Bangalore	1F-AP25-R02-SW01-3P	Q3AC-H9SR-3N44	AP	0	Stable Operations (No Incidents)
24	Bangalore	CK QC Lab	Q3AC-HG28-SMQY	AP	0	Stable Operations (No Incidents)
25	Bangalore	SEC-CAB-1F-AP02-R01-SW01-10P	Q3AC-HV2N-AG28	AP	0	Stable Operations (No Incidents)
26	Bangalore	GF-AP05-R01-SW02-41P	Q3AC-J4UC-SDJU	AP	0	Stable Operations (No Incidents)
27	Bangalore	2F-AP04-R4-SW3-24P	Q3AC-JN66-PSGV	AP	0	Stable Operations (No Incidents)
28	Bangalore	GF-AP07-R01-SW01-04P	Q3AC-KMBJ-UJFL	AP	0	Stable Operations (No Incidents)
29	Bangalore	2F-AP28-R02-SW02-31P	Q3AC-LJA3-YXHT	AP	0	Stable Operations (No Incidents)
30	Bangalore	GF-AP15-R06-SW01-02P	Q3AC-MNA8-TMWD	AP	0	Stable Operations (No Incidents)
31	Bangalore	GF-AP46-R02-SW01-26P	Q3AC-MPDZ-UTHS	AP	0	Stable Operations (No Incidents)
32	Bangalore	GF-AP29-R04-SW02-23P	Q3AC-NC4G-DUA2	AP	0	Stable Operations (No Incidents)
33	Bangalore	GF-AP37-R04-SW02-17P	Q3AC-P4G8-N73U	AP	0	Stable Operations (No Incidents)
34	Bangalore	2F-AP12-R5-SW2-4P	Q3AC-PGZ6-YM5F	AP	0	Stable Operations (No Incidents)
35	Bangalore	GF-AP12-R02-SW01-18P	Q3AC-PV6N-6QRC	AP	0	Stable Operations (No Incidents)
36	Bangalore	GF-AP31-R05-SW02-37P	Q3AC-PZ4U-KKTC	AP	0	Stable Operations (No Incidents)
37	Bangalore	GF-AP21-R03-SW2-30P	Q3AC-QG3A-P7EA	AP	0	Stable Operations (No Incidents)
38	Bangalore	1F-AP07-R05-SW04-17P	Q3AC-QSJ4-9L25	AP	0	Stable Operations (No Incidents)
39	Bangalore	GF-AP18-R06-SW01-06P	Q3AC-QVDT-2CJX	AP	0	Stable Operations (No Incidents)
40	Bangalore	SEC-CAB-GF-AP01-R01-SW01-02P	Q3AC-RDT3-Y62C	AP	0	Stable Operations (No Incidents)
41	Bangalore	GF-AP11-R02-SW01-20P	Q3AC-RPEZ-GQKD	AP	0	Stable Operations (No Incidents)
42	Bangalore	1F-AP14-R04-SW02-11P	Q3AC-RQJS-FY3M	AP	0	Stable Operations (No Incidents)
43	Bangalore	GF-AP08-R06-SW01-37P	Q3AC-SFX9-92AT	AP	0	Stable Operations (No Incidents)
44	Bangalore	2F-AP29-R02-SW02-44P	Q3AC-TQXL-MJ4E	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 3 of 4)

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

1

MET CASES

1

BREACH CASES

0

PRIMARY RCA DRIVER

Configuration Errors

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
45	Bangalore	GF-AP23-R3-SW2-38P	Q3AC-TXSV-U4XB	AP	0	Stable Operations (No Incidents)
46	Bangalore	SEC-CAB-1F-AP01-R01-SW01-08P	Q3AC-UWPC-8RNF	AP	0	Stable Operations (No Incidents)
47	Bangalore	MZ-AP03-R01-SW01-17P	Q3AC-V7R5-ECG9	AP	0	Stable Operations (No Incidents)
48	Bangalore	GF-AP39-R04-SW02-15P	Q3AC-W6MK-P7AJ	AP	0	Stable Operations (No Incidents)
49	Bangalore	MZ-AP6-R02-SW01-35P	Q3AC-W7XL-SNU2	AP	0	Stable Operations (No Incidents)
50	Bangalore	1F-AP09-R05-SW02-36P	Q3AC-WRR3-U9YN	AP	0	Stable Operations (No Incidents)
51	Bangalore	GF-AP33-R05-SW02-33P	Q3AC-WX2V-AT4T	AP	0	Stable Operations (No Incidents)
52	Bangalore	GF-AP40-R03-SW03-6P	Q3AC-XXBM-8XSL	AP	0	Stable Operations (No Incidents)
53	Bangalore	1F-AP26-R5-SW02-34P	Q3AC-Y2HS-V29M	AP	0	Stable Operations (No Incidents)
54	Bangalore	GF-AP06-R02-SW01-24P	Q3AC-Y7GE-YS64	AP	0	Stable Operations (No Incidents)
55	Bangalore	GF-AP10-R06-SW01-41P	Q3AC-YEDW-G7SA	AP	0	Stable Operations (No Incidents)
56	Bangalore	SEC-CAB-GF-AP02-R01-SW01-04P	Q3AC-YHHC-Q634	AP	0	Stable Operations (No Incidents)
57	Bangalore	1F-AP12-R04-SW02-9P	Q3AC-ZNCZ-HDNM	AP	0	Stable Operations (No Incidents)
58	Bangalore	CK Office	Q3AC-86YA-CET5	AP	0	Stable Operations (No Incidents)
59	Bangalore	CK Production Hall	Q3KD-MNV6-9TD4	AP	0	Stable Operations (No Incidents)
60	Bangalore	GF-AP24-R06-SW01-39P	Q3AE-PGHB-B4B5	AP	0	Stable Operations (No Incidents)
61	Bangalore	GF-AP22-R06-SW01-43P	Q3AE-VET4-ADEA	AP	0	Stable Operations (No Incidents)
62	Bangalore	GF-AP01-R01-SW02-33P	Q5AE-36RN-AZWJ	AP	0	Stable Operations (No Incidents)
63	Bangalore	1F-AP01-R01-SW02-9P	Q5AE-4AJX-9QNQ	AP	0	Stable Operations (No Incidents)
64	Bangalore	MZ-AP2-R01-SW-4P	Q5AE-66KK-GPLP	AP	0	Stable Operations (No Incidents)
65	Bangalore	2F-AP30-R01-SW02-7P	Q5AE-6ZST-KJTQ	AP	0	Stable Operations (No Incidents)
66	Bangalore	2F-AP1-R01-SW01-10P	Q5AE-B5XG-EY4R	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Bangalore — AP Incidents & RCA (Page 4 of 4)

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

1

MET CASES

1

BREACH CASES

0

PRIMARY RCA DRIVER

Configuration Errors

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
67	Bangalore	2F-AP2-R01-SW02-9P	Q5AE-C2BB-FR69	AP	0	Stable Operations (No Incidents)
68	Bangalore	GF-AP03-R01-SW02-39P	Q5AE-C77W-8YW3	AP	0	Stable Operations (No Incidents)
69	Bangalore	2F-AP3-R01-SW02-17P	Q5AE-ECWU-JBL5	AP	0	Stable Operations (No Incidents)
70	Bangalore	GF-AP19-R02-SW02-29P	Q5AE-JY3B-Q967	AP	0	Stable Operations (No Incidents)
71	Bangalore	GF-AP01-ETP-SW1-10P	Q5AE-KNH9-5GV8	AP	0	Stable Operations (No Incidents)
72	Bangalore	MZ-AP1-R01-SW-6P	Q5AE-P2XG-J4BA	AP	0	Stable Operations (No Incidents)
73	Bangalore	GF-AP45-R03-SW03-30P	Q5AE-PYMV-RZ5Y	AP	1	Configuration Errors
74	Bangalore	1F-AP03-R01-SW02-13P	Q5AE-RFTG-FLJB	AP	0	Stable Operations (No Incidents)
75	Bangalore	1F-AP02-R01-SW02-11P	Q5AE-VNZM-SECF	AP	0	Stable Operations (No Incidents)
76	Bangalore	GF-AP02-R01-SW03-21P	Q5AE-XMUU-7VL8	AP	0	Stable Operations (No Incidents)
77	Bangalore	1F-AP04-R01-SW02-15P	Q5AE-XQRM-Z6P2	AP	0	Stable Operations (No Incidents)
78	Bangalore	MZ-AP7-R02-SW01-5P	Q5AE-Y9U3-MTM2	AP	0	Stable Operations (No Incidents)


ACCESS POINT BREAKDOWN

92 AP Incidents

Primary RCA: Firmware or Software Bugs

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
Core	99.96%
JFL-GNSC-TR-AC-SW-01	100.00%
JFL-GNSC-BP-AC-SW-01	100.00%
JFL-GNSC-TP-AC-SW-01	0.00%
JFL-GNSC-LT-AC-SW-01	100.00%
JFL-GNSC-PO-AC-SW-01	100.00%
JFL-GNSC-RE-AC-SW-01	100.00%
Main Rack	100.00%
JFL-GNSC-GF-AC-SW-03	100.00%
JFL-GNSC-DA-AC-SW-03	100.00%
JFL-GNSC-CLC-SW-03	100.00%
JFL-GNSC-RO-SW01	100.00%
JFL-GNSC-CK-AC-SW-02	100.00%
JFL-GNMC-2F-AC-ST-01	100.00%
JFL-GNMC-TR-AV-SW-01	100.00%
JFL-GNMC-3F-AC-ST-01	100.00%
JFL-GNMC-GF-AC-ST-01	100.00%
JFL-GNMC-EG-AC-ST-01	100.00%
JFL-GNMC-ER-AC-SW-01	100.00%
JFL-GNMC-MR-AC-SW-01	100.00%
JFL-GNMC-MR-AC-SW-03	100.00%
JFL-GNMC-NCK-SW-02	100.00%
JFL-GNMC-DA-AC-ST-01	100.00%
JFL-GNMC-CK-AC-SW-01	100.00%



RACK#	OVERALL PERCENTAGE OF RACK-WISE
JFL-GNMC-SR-AC-SW-01	100.00%
JFL-GNMC-EG-AC-SW-01	100.00%
JFL-GNMC-LT-AC-SW-01	100.00%
JFL-GNMC-DA-AC-SW-01	100.00%

SITE REVIEW • Greater Noida — Switch Uptime Report (Page 1 of 2)

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME
99.98%

SWITCHES MONITORED
42

PRIMARY RCA DRIVER
Client Side Activity

SWITCH AT 100% UPTIME
39

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [2]	Q5TN-DGC5-M8QZ	SW	Core	99.95%
2	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [1]	Q5TN-NF5F-N32X	SW	Core	99.97%
3	Greater Noida	JFL-GNSC-TR-AC-SW-01	FJC29021TWN	SW	JFL-GNSC-TR-AC-SW-01	100.00%
4	Greater Noida	JFL-GNSC-BP-AC-SW-01	FJC290222AL	SW	JFL-GNSC-BP-AC-SW-01	100.00%
5	Greater Noida	JFL-GNSC-TP-AC-SW-01	FJC290222SV	SW	JFL-GNSC-TP-AC-SW-01	0.00%
6	Greater Noida	JFL-GNSC-LT-AC-SW-01	FJC29021TTW	SW	JFL-GNSC-LT-AC-SW-01	100.00%
7	Greater Noida	JFL-GNSC-PO-AC-SW-01	FJC29021TPQ	SW	JFL-GNSC-PO-AC-SW-01	100.00%
8	Greater Noida	JFL-GNSC-RE-AC-SW-01	FJC29021TNP	SW	JFL-GNSC-RE-AC-SW-01	100.00%
9	Greater Noida	JFL-GNSC-NCK-AC-SW-02	FVH2914L0JY	SW	JFL-GNSC-NCK-AC-SW-02	100.00%
10	Greater Noida	JFL-GNSC-GF-AC-SW-03	FVH2914L0BV	SW	JFL-GNSC-GF-AC-SW-03	100.00%
11	Greater Noida	JFL-GNSC-DA-AC-SW-03	FVH2914L0QD	SW	JFL-GNSC-DA-AC-SW-03	100.00%
12	Greater Noida	JFL-GNSC-CLC-SW-03	FVH2913LEGS	SW	JFL-GNSC-CLC-SW-03	100.00%
13	Greater Noida	JFL-GNSC-RO-SW01	FVH2914L08Y	SW	JFL-GNSC-RO-SW01	100.00%
14	Greater Noida	JFL-GNSC-CK-AC-SW-02	FVH2908LAPT	SW	JFL-GNSC-CK-AC-SW-02	100.00%
15	Greater Noida	JFL-GNMC-2F-AC-ST-01	FCW2110B28C	SW	JFL-GNMC-2F-AC-ST-01	100.00%
16	Greater Noida	FCW2110B27F	FCW2110B27F	SW	JFL-GNMC-2F-AC-ST-01	100.00%
17	Greater Noida	FOC2113V20F	FOC2113V20F	SW	JFL-GNMC-2F-AC-ST-01	100.00%
18	Greater Noida	JFL-GNMC-TR-AV-SW-01	FOC2113S2LY	SW	JFL-GNMC-TR-AV-SW-01	100.00%
19	Greater Noida	JFL-GNMC-3F-AC-ST-01	FOC2113S2MD	SW	JFL-GNMC-3F-AC-ST-01	100.00%
20	Greater Noida	JFL-GNMC-1F-LB-AC-SW-01	FCW2110B27A	SW	JFL-GNMC-1F-LB-AC-SW-01	100.00%
21	Greater Noida	JFL-GNMC-GF-AC-ST-01	FCW2110B25A	SW	JFL-GNMC-GF-AC-ST-01	100.00%
22	Greater Noida	FOC2113S2M3	FOC2113S2M3	SW	JFL-GNMC-GF-AC-ST-01	100.00%

SITE REVIEW • Greater Noida — Switch Uptime Report (Page 2 of 2)

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME
99.98%

SWITCHES MONITORED
42

PRIMARY RCA DRIVER
Client Side Activity

SWITCH AT 100% UPTIME
39

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
23	Greater Noida	JFL-GNMC-EG-AC-ST-01	F0C2218T3Z8	SW	JFL-GNMC-EG-AC-ST-01	100.00%
24	Greater Noida	FCW2126A4XT	FCW2126A4XT	SW	JFL-GNMC-EG-AC-ST-01	100.00%
25	Greater Noida	JFL-GNMC-ER-AC-SW-01	F0C2536Y0JD	SW	JFL-GNMC-ER-AC-SW-01	100.00%
26	Greater Noida	JFL-GNMC-CLC-AC-SW-01	F0C2646YCX2	SW	JFL-GNMC-CLC-AC-SW-01	100.00%
27	Greater Noida	JFL-GNMC-CLC-AC-SW-02	FCW2111E0AU	SW	JFL-GNMC-CLC-AC-SW-02	100.00%
28	Greater Noida	JFL-GNMC-MR-AC-SW-01	F0C2113V20D	SW	JFL-GNMC-MR-AC-SW-01	100.00%
29	Greater Noida	JFL-GNMC-MR-AC-SW-03	FCW2038B1H6	SW	JFL-GNMC-MR-AC-SW-03	100.00%
30	Greater Noida	JFL-GNMC-NCK-SW-02	FCW2222B4KE	SW	JFL-GNMC-NCK-SW-02	100.00%
31	Greater Noida	JFL-GNMC-DA-AC-ST-01	FCW2112A20E	SW	JFL-GNMC-DA-AC-ST-01	100.00%
32	Greater Noida	FCW2110B27U	FCW2110B27U	SW	JFL-GNMC-DA-AC-ST-01	100.00%
33	Greater Noida	JFL-GNMC-CK-AC-SW-01	FCW2211B365	SW	JFL-GNMC-CK-AC-SW-01	100.00%
34	Greater Noida	JFL-GNMC-SR-AC-SW-01	FCW2113E10E	SW	JFL-GNMC-SR-AC-SW-01	100.00%
35	Greater Noida	JFL-GNMC-EG-AC-SW-01	JIN2117106B	SW	JFL-GNMC-EG-AC-SW-01	100.00%
36	Greater Noida	JFL-GNMC-LT-AC-SW-01	F0C2039V1JW	SW	JFL-GNMC-LT-AC-SW-01	100.00%
37	Greater Noida	Detail not found	FCW2646YCXZ	SW	Main Rack	100.00%
38	Greater Noida	Detail not found	FCW2116A4SD	SW	Main Rack	100.00%
39	Greater Noida	Detail not found	F0C2646YCXZ	SW	Main Rack	100.00%
40	Greater Noida	JFL-GNMC-DA-AC-SW-01	FCW2010A2G1	SW	JFL-GNMC-DA-AC-SW-01	100.00%
41	Greater Noida	JFL-GNMC-MR-AC-SW-02	FCW2108E1DF	SW	Main Rack	100.00%
42	Greater Noida	JFL-GNMC-CCTV-AC-SW-01	F0C1241W46C	SW	Main Rack	100.00%

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 1 of 4)

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

92

MET CASES

92

BREACH CASES

0

PRIMARY RCA DRIVER

Firmware or Software Bugs

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Greater Noida	JFL-GNSC-AP53	Q3KG-6BJV-TZA3	AP	0	Stable Operations (No Incidents)
2	Greater Noida	JFL-GNSC-AP56	Q3KG-8U94-FMUC	AP	6	Firmware or Software Bugs
3	Greater Noida	JFL-GNSC-AP63	Q3KG-A7BY-55YX	AP	1	Unknown
4	Greater Noida	JFL-GNSC-AP50	Q3KG-A9R2-ATYY	AP	1	Unknown
5	Greater Noida	JFL-GNSC-AP59	Q3KG-BTTL-HVZU	AP	0	Stable Operations (No Incidents)
6	Greater Noida	JFL-GNSC-AP49	Q3KG-CFHX-4TRU	AP	7	Client Side Activity
7	Greater Noida	JFL-GNSC-AP58	Q3KG-D56U-BSMY	AP	0	Stable Operations (No Incidents)
8	Greater Noida	JFL-GNSC-AP57	Q3KG-DGB7-HMVP	AP	0	Stable Operations (No Incidents)
9	Greater Noida	JFL-GNSC-AP52	Q3KG-GWW5-CHJC	AP	3	Device Power Issues
10	Greater Noida	JFL-GNSC-AP62	Q3KG-J4EF-KZ54	AP	0	Stable Operations (No Incidents)
11	Greater Noida	JFL-GNSC-AP48	Q3KG-JH9T-FL7Z	AP	1	Client Side Activity
12	Greater Noida	JFL-GNSC-AP51	Q3KG-V5M8-92SS	AP	1	Firmware or Software Bugs
13	Greater Noida	JFL-GNSC-AP61	Q3KG-X73V-EYFZ	AP	1	Unknown
14	Greater Noida	JFL-GNSC-AP60	Q3KG-XSEX-EG6A	AP	3	Client Side Activity
15	Greater Noida	JFL-GNSC-AP55	Q3KG-Y2PU-4DWW	AP	0	Stable Operations (No Incidents)
16	Greater Noida	JFL-GNSC-AP70	Q3MV-6XWK-TVUP	AP	0	Stable Operations (No Incidents)
17	Greater Noida	JFL-GNSC-AP12	Q5AA-32YH-Q43U	AP	0	Stable Operations (No Incidents)
18	Greater Noida	JFL-GNSC-AP18	Q5AA-3BVV-VQUU	AP	2	Firmware or Software Bugs
19	Greater Noida	JFL-GNSC-AP36	Q5AA-4792-7HZC	AP	2	Firmware or Software Bugs
20	Greater Noida	JFL-GNSC-AP47	Q5AA-5HRM-897H	AP	1	Firmware or Software Bugs
21	Greater Noida	JFL-GNSC-AP46	Q5AA-5L7V-QSYU	AP	1	Firmware or Software Bugs
22	Greater Noida	JFL-GNSC-AP04	Q5AA-5TRP-EJMF	AP	4	Client Side Activity

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 2 of 4)

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

92

MET CASES

92

BREACH CASES

0

PRIMARY RCA DRIVER

Firmware or Software Bugs

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
23	Greater Noida	JFL-GNSC-AP08	Q5AA-63MW-78XL	AP	0	Stable Operations (No Incidents)
24	Greater Noida	JFL-GNSC-AP29	Q5AA-7TFR-X7ZG	AP	5	Client Side Activity
25	Greater Noida	JFL-GNSC-AP64	Q5AA-7VMH-YF9G	AP	2	Firmware or Software Bugs
26	Greater Noida	JFL-GNSC-AP41	Q5AA-8AST-YPV4	AP	2	Firmware or Software Bugs
27	Greater Noida	JFL-GNSC-AP44	Q5AA-94E5-2UFU	AP	1	Firmware or Software Bugs
28	Greater Noida	JFL-GNSC-AP02	Q5AA-9N3T-MZGU	AP	0	Stable Operations (No Incidents)
29	Greater Noida	JFL-GNSC-AP16	Q5AA-A6S6-XG3H	AP	2	Firmware or Software Bugs
30	Greater Noida	JFL-GNSC-AP21	Q5AA-AE34-NNBC	AP	1	Firmware or Software Bugs
31	Greater Noida	JFL-GNSC-AP22	Q5AA-ASYH-AKEA	AP	1	Firmware or Software Bugs
32	Greater Noida	JFL-GNSC-AP33	Q5AA-C4TF-5ZA8	AP	2	Device Power Issues
33	Greater Noida	JFL-GNSC-AP67	Q5AA-DEJD-R4N5	AP	1	Unknown
34	Greater Noida	JFL-GNSC-AP68	Q5AA-EYB5-JQCK	AP	1	Firmware or Software Bugs
35	Greater Noida	JFL-GNSC-AP42	Q5AA-EZ6A-S56Y	AP	1	Firmware or Software Bugs
36	Greater Noida	JFL-GNSC-AP27	Q5AA-FRBE-94N5	AP	3	Device Power Issues
37	Greater Noida	JFL-GNSC-AP72	Q5AA-FTAU-94AS	AP	0	Stable Operations (No Incidents)
38	Greater Noida	JFL-GNSC-AP20	Q5AA-GHXM-TRTK	AP	0	Stable Operations (No Incidents)
39	Greater Noida	JFL-GNSC-AP28	Q5AA-GJ47-DK5X	AP	2	Device Power Issues
40	Greater Noida	JFL-GNSC-AP26	Q5AA-H6R3-LUMM	AP	2	Firmware or Software Bugs
41	Greater Noida	JFL-GNSC-AP17	Q5AA-HBAV-ACSS	AP	1	Firmware or Software Bugs
42	Greater Noida	JFL-GNSC-AP69	Q5AA-HV4L-P853	AP	2	Firmware or Software Bugs
43	Greater Noida	JFL-GNSC-AP30	Q5AA-J9A9-ZJ2B	AP	2	Device Power Issues
44	Greater Noida	JFL-GNSC-AP24	Q5AA-JKR4-S9MX	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 3 of 4)

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

92

MET CASES

92

BREACH CASES

0

PRIMARY RCA DRIVER

Firmware or Software Bugs

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
45	Greater Noida	JFL-GNSC-AP43	Q5AA-JPYJ-YC9M	AP	1	Firmware or Software Bugs
46	Greater Noida	JFL-GNSC-AP66	Q5AA-JYZN-6KKB	AP	2	Firmware or Software Bugs
47	Greater Noida	JFL-GNSC-AP37	Q5AA-LCK3-FDNW	AP	1	Unknown
48	Greater Noida	JFL-GNSC-AP03	Q5AA-MRTL-AP9K	AP	0	Stable Operations (No Incidents)
49	Greater Noida	JFL-GNSC-AP39	Q5AA-NVD9-AZTY	AP	0	Stable Operations (No Incidents)
50	Greater Noida	JFL-GNSC-AP19	Q5AA-QK4J-4K9J	AP	0	Stable Operations (No Incidents)
51	Greater Noida	JFL-GNSC-AP45	Q5AA-SFG2-7EPQ	AP	0	Stable Operations (No Incidents)
52	Greater Noida	JFL-GNSC-AP10	Q5AA-SK3L-NV FH	AP	1	Firmware or Software Bugs
53	Greater Noida	JFL-GNSC-AP07	Q5AA-SK8J-GRTZ	AP	2	Firmware or Software Bugs
54	Greater Noida	JFL-GNSC-AP38	Q5AA-SKZM-8VYM	AP	0	Stable Operations (No Incidents)
55	Greater Noida	JFL-GNSC-AP34	Q5AA-TSZZ-HUFQ	AP	1	Firmware or Software Bugs
56	Greater Noida	JFL-GNSC-AP35	Q5AA-U98X-3FD7	AP	2	Firmware or Software Bugs
57	Greater Noida	JFL-GNSC-AP31	Q5AA-V3B6-RSQX	AP	3	Firmware or Software Bugs
58	Greater Noida	JFL-GNSC-AP32	Q5AA-VEJP-CVJ6	AP	1	Unknown
59	Greater Noida	JFL-GNSC-AP09	Q5AA-WZA9-XYK8	AP	1	Firmware or Software Bugs
60	Greater Noida	JFL-GNSC-AP71	Q5AA-XDV9-FKTX	AP	2	Firmware or Software Bugs
61	Greater Noida	JFL-GNSC-AP54	Q5AA-XGDL-V7JB	AP	0	Stable Operations (No Incidents)
62	Greater Noida	JFL-GNSC-AP14	Q5AA-Y9EX-GL7E	AP	2	Firmware or Software Bugs
63	Greater Noida	JFL-GNSC-AP40	Q5AA-YF4N-2L5P	AP	2	Firmware or Software Bugs
64	Greater Noida	JFL-GNSC-AP05	Q5AA-Z3WW-CY6C	AP	1	Firmware or Software Bugs
65	Greater Noida	JFL-GNSC-AP65	Q5AA-Z33S-NUDX	AP	0	Stable Operations (No Incidents)
66	Greater Noida	JFL-GNSC-AP25	Q5AR-29J7-8Q63	AP	1	Firmware or Software Bugs

SITE REVIEW • Greater Noida — AP Incidents & RCA (Page 4 of 4)

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

92

MET CASES

92

BREACH CASES

0

PRIMARY RCA DRIVER

Firmware or Software Bugs

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
67	Greater Noida	JFL-GNSC-AP23	Q5AR-527V-Z8YR	AP	3	Device Power Issues
68	Greater Noida	JFL-GNSC-AP06	Q5AR-6LBA-42SM	AP	1	Firmware or Software Bugs
69	Greater Noida	JFL-GNSC-AP15	Q5AR-894G-VGNX	AP	0	Stable Operations (No Incidents)
70	Greater Noida	JFL-GNSC-AP01	Q5AR-8UTU-MX6B	AP	0	Stable Operations (No Incidents)
71	Greater Noida	JFL-GNSC-AP13	Q5AR-DA7D-L9PN	AP	0	Stable Operations (No Incidents)
72	Greater Noida	JFL-GNSC-AP11	Q5AR-DAMQ-NUE2	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Noida location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
JFL-Core-Sw1	100.00%
JFL-Core-Sw2	100.00%
JFL-MPLS-Sw	100.00%
JFL-SRV-SW-Stack1	100.00%
JFL-17F-AP-Switch	100.00%
JFL-16F-AP-Switch	100.00%
JFL-15F-AP-Switch	100.00%
JFL-17F-L2-Stack1	100.00%
JFL-16F-L2-Stack1	100.00%
JFL-16F-L2-Stack2	100.00%
JFL-15F-L2-Stack1	100.00%
JFL-15F-L2-Stack2	100.00%

SITE REVIEW • Noida — Switch Uptime Report (Page 1 of 2)

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME

100.00%

SWITCHES MONITORED

34

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

34

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Noida	JFL-Core-Sw1	F0C2635Y89M	SW	JFL-Core-Sw1	100.00%
2	Noida	JFL-Core-Sw2	F0C2635Y89T	SW	JFL-Core-Sw2	100.00%
3	Noida	JFL-MPLS-Sw1	F0C2647Y151	SW	JFL-MPLS-Sw	100.00%
4	Noida	JFL-MPLS-Sw2	F0C2646YCRH	SW	JFL-MPLS-Sw	100.00%
5	Noida	JFL-SRV-SW-Stack1-Sw1	F0C2704Y1N8	SW	JFL-SRV-SW-Stack1	100.00%
6	Noida	JFL-SRV-SW-Stack1-Sw2	F0C2704Y3AY	SW	JFL-SRV-SW-Stack1	100.00%
7	Noida	JFL-17F-AP-Switch-Sw1	F0C2708YFGS	SW	JFL-17F-AP-Switch	100.00%
8	Noida	JFL-17F-AP-Switch-Sw2	F0C2710Y540	SW	JFL-17F-AP-Switch	100.00%
9	Noida	JFL-16F-AP-Switch-Sw1	F0C2710Y54F	SW	JFL-16F-AP-Switch	100.00%
10	Noida	JFL-16F-AP-Switch-Sw2	FVH2830L656	SW	JFL-16F-AP-Switch	100.00%
11	Noida	JFL-15F-AP-Switch-Sw1	FVH2903LAA9	SW	JFL-15F-AP-Switch	100.00%
12	Noida	JFL-15F-AP-Switch-Sw2	F0C2710Y261	SW	JFL-15F-AP-Switch	100.00%
13	Noida	JFL-17F-L2-Stack1-Sw1	F0C2714Z50L	SW	JFL-17F-L2-Stack1	100.00%
14	Noida	JFL-17F-L2-Stack1-Sw2	F0C2716YND7	SW	JFL-17F-L2-Stack1	100.00%
15	Noida	JFL-16F-L2-Stack1-Sw1	F0C2715Y1KM	SW	JFL-16F-L2-Stack1	100.00%
16	Noida	JFL-16F-L2-Stack1-Sw5	F0C2715Y1J7	SW	JFL-16F-L2-Stack1	100.00%
17	Noida	JFL-16F-L2-Stack2-Sw1	F0C2714Z69M	SW	JFL-16F-L2-Stack2	100.00%
18	Noida	JFL-16F-L2-Stack2-Sw4	F0C2715Y1CJ	SW	JFL-16F-L2-Stack2	100.00%
19	Noida	JFL-15F-L2-Stack1-Sw1	F0C2714Z681	SW	JFL-15F-L2-Stack1	100.00%
20	Noida	JFL-15F-L2-Stack2-Sw1	F0C2714Z5AU	SW	JFL-15F-L2-Stack2	100.00%
21	Noida	JFL-15F-L2-Stack2-Sw4	F0C2715Y1VV	SW	JFL-15F-L2-Stack2	100.00%
22	Noida	JFL-17F-L2-Stack1-Sw3	F0C2716YNBN	SW	JFL-17F-L2-Stack1	100.00%

SITE REVIEW • Noida — Switch Uptime Report (Page 2 of 2)

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME

100.00%

SWITCHES MONITORED

34

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

SWITCH AT 100% UPTIME

34

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
23	Noida	JFL-17F-L2-Stack1-Sw4	FVH2805L65K	SW	JFL-17F-L2-Stack1	100.00%
24	Noida	JFL-16F-L2-Stack1-Sw2	FOC2716YNBW	SW	JFL-16F-L2-Stack1	100.00%
25	Noida	JFL-16F-L2-Stack1-Sw3	FOC2716YN4M	SW	JFL-16F-L2-Stack1	100.00%
26	Noida	JFL-16F-L2-Stack1-Sw4	FOC2716YN69	SW	JFL-16F-L2-Stack1	100.00%
27	Noida	JFL-16F-L2-Stack2-Sw2	FOC2716YNFC	SW	JFL-16F-L2-Stack2	100.00%
28	Noida	JFL-16F-L2-Stack2-Sw3	FOC2716YNBE	SW	JFL-16F-L2-Stack2	100.00%
29	Noida	JFL-15F-L2-Stack1-Sw2	FOC2716YN3W	SW	JFL-15F-L2-Stack1	100.00%
30	Noida	JFL-15F-L2-Stack1-Sw3	FOC2716YLLY	SW	JFL-15F-L2-Stack1	100.00%
31	Noida	JFL-15F-L2-Stack1-Sw4	FOC2716YLM7	SW	JFL-15F-L2-Stack1	100.00%
32	Noida	JFL-15F-L2-Stack2-Sw2	FOC2716YNCF	SW	JFL-15F-L2-Stack2	100.00%
33	Noida	JFL-15F-L2-Stack2-Sw3	FOC2716YHHL	SW	JFL-15F-L2-Stack2	100.00%
34	Noida	JFL-15F-L2-Stack1-Sw5	FOC2714Z5B8	SW	JFL-15F-L2-Stack1	100.00%

SITE REVIEW • Noida — AP Incidents & RCA (Page 1 of 2)

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Noida	JFL-15F-AP1	FGL2708LJW4	AP	0	Stable Operations (No Incidents)
2	Noida	JFL-15F-AP2	FGL2708LJUZ	AP	0	Stable Operations (No Incidents)
3	Noida	JFL-15F-AP3	FGL2708LJVZ	AP	0	Stable Operations (No Incidents)
4	Noida	JFL-15F-AP4	FGL2708LJUC	AP	0	Stable Operations (No Incidents)
5	Noida	JFL-15F-AP5	FGL2708LJVS	AP	0	Stable Operations (No Incidents)
6	Noida	JFL-15F-AP6	FGL2708LJXN	AP	0	Stable Operations (No Incidents)
7	Noida	JFL-15F-AP7	FGL2708LJYF	AP	0	Stable Operations (No Incidents)
8	Noida	JFL-15F-AP9	FGL2708LJXT	AP	0	Stable Operations (No Incidents)
9	Noida	JFL-15F-AP10	FGL2708LJV6	AP	0	Stable Operations (No Incidents)
10	Noida	JFL-15F-AP11	FJC292119RC	AP	0	Stable Operations (No Incidents)
11	Noida	JFL-16F-AP1	FGL2708LJY2	AP	0	Stable Operations (No Incidents)
12	Noida	JFL-16F-AP2	FGL2708LJXG	AP	0	Stable Operations (No Incidents)
13	Noida	JFL-16F-AP3	FGL2708LJXW	AP	0	Stable Operations (No Incidents)
14	Noida	JFL-16F-AP4	FGL2708LJXE	AP	0	Stable Operations (No Incidents)
15	Noida	JFL-16F-AP5	FGL2708LJY5	AP	0	Stable Operations (No Incidents)
16	Noida	JFL-16F-AP6	FGL2708LJY0	AP	0	Stable Operations (No Incidents)
17	Noida	Part of our PO but not in customer inventory	FJC283311U5	AP	0	Stable Operations (No Incidents)
18	Noida	JFL-15F-AP8	FGL2717MEB1	AP	0	Stable Operations (No Incidents)
19	Noida	JFL-16F-AP9	FGL2708LJV0	AP	0	Stable Operations (No Incidents)
20	Noida	JFL-16F-AP10	FGL2708LJY4	AP	0	Stable Operations (No Incidents)
21	Noida	JFL-16F-AP11	FGL2708LJUM	AP	0	Stable Operations (No Incidents)
22	Noida	JFL-16F-AP12	FGL2708LJUL	AP	0	Stable Operations (No Incidents)

SITE REVIEW • Noida — AP Incidents & RCA (Page 2 of 2)

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
23	Noida	JFL-16F-AP13	FGL2708LJVK	AP	0	Stable Operations (No Incidents)
24	Noida	JFL-17F-AP1	FGL2708LJWV	AP	0	Stable Operations (No Incidents)
25	Noida	JFL-17F-AP2	FGL2708LJU0	AP	0	Stable Operations (No Incidents)
26	Noida	JFL-17F-AP3	FGL2708LJU6	AP	0	Stable Operations (No Incidents)
27	Noida	JFL-17F-AP4	FGL2708LJX1	AP	0	Stable Operations (No Incidents)
28	Noida	JFL-17F-AP5	FGL2717ME1K	AP	0	Stable Operations (No Incidents)
29	Noida	JFL-17F-Ap6	FJC2649217U	AP	0	Stable Operations (No Incidents)
30	Noida	JFL-17F-AP7	FGL2708LJVX	AP	0	Stable Operations (No Incidents)
31	Noida	JFL-17F-AP8	FGL2708LJUA	AP	0	Stable Operations (No Incidents)
32	Noida	JFL-17F-AP9	FGL2708LJU5	AP	0	Stable Operations (No Incidents)
33	Noida	JFL-17F-AP10	FGL2708LJWM	AP	0	Stable Operations (No Incidents)
34	Noida	JFL-17F-AP11	FGL2708LJTY	AP	0	Stable Operations (No Incidents)
35	Noida	JFL-17F-AP12	FGL2708LJTX	AP	0	Stable Operations (No Incidents)
36	Noida	JFL-15F-AP11	FJC283311U3	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

20 AP Incidents

Primary RCA: Preventive Maintenance (PM) or Planned Upgrade

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
WAREHOUSE	100.00%
TRANSPORT ROOM	100.00%
CORE	99.99%

SITE REVIEW • Mohali — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME

99.98%

SWITCHES MONITORED

4

PRIMARY RCA DRIVER

Configuration Errors

SWITCH AT 100% UPTIME

3

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Mohali	JFL-MOHALI-ACC-SW-02(Warehouse)	Q3LM-TGAF-Q97P	SW	WAREHOUSE	100.00%
2	Mohali	JFL-MOHALI-ACC-SW-01(Transport Room)	Q3LP-2PSJ-6DLB	SW	TRANSPORT ROOM	100.00%
3	Mohali	JFL-MOHALI-CORE-02	Q5JG-NJW9-ABBO	SW	CORE	100.00%
4	Mohali	JFL-MOHALI-CORE-01	Q5JJ-3TZX-2HV5	SW	CORE	99.98%

SITE REVIEW • Mohali — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS
20

MET CASES
20

BREACH CASES
0

PRIMARY RCA DRIVER
**Preventive Maintenance (PM) or
Planned Upgrade**

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Mohali	JFL-Mohali-SCC-AP12	Q3KG-9RDD-U5HG	AP	0	Stable Operations (No Incidents)
2	Mohali	JFL-Mohali-SCC-AP04 NEW	Q3KG-LYY3-LR6R	AP	1	Firmware or Software Bugs
3	Mohali	JFL-Mohali-SCC-AP15	Q3KG-Y9ZZ-W8HK	AP	0	Stable Operations (No Incidents)
4	Mohali	JFL-Mohali-SCC-AP10	Q5AA-43RJ-JQUD	AP	1	Preventive Maintenance (PM) or Planned Upgrade
5	Mohali	JFL-Mohali-SCC-AP06	Q5AA-8PQC-7V98	AP	2	Preventive Maintenance (PM) or Planned Upgrade
6	Mohali	JFL-Mohali-SCC-AP07	Q5AA-E8FN-53RX	AP	1	Preventive Maintenance (PM) or Planned Upgrade
7	Mohali	JFL-Mohali-SCC-AP11	Q5AA-GBHE-WVEQ	AP	1	Preventive Maintenance (PM) or Planned Upgrade
8	Mohali	JFL-Mohali-SCC-AP02	Q5AA-GMN6-UE62	AP	1	Preventive Maintenance (PM) or Planned Upgrade
9	Mohali	JFL-Mohali-SCC-AP03	Q5AA-KHJW-U94C	AP	1	Preventive Maintenance (PM) or Planned Upgrade
10	Mohali	JFL-Mohali-SCC-AP14	Q5AA-MHPW-2YA8	AP	2	Preventive Maintenance (PM) or Planned Upgrade
11	Mohali	JFL-Mohali-SCC-AP08	Q5AA-PHPN-4452	AP	2	Device Power Issues
12	Mohali	JFL-Mohali-SCC-AP05	Q5AA-V3D8-DKEG	AP	3	Device Power Issues
13	Mohali	JFL-Mohali-SCC-AP01	Q5AR-56BZ-6TSR	AP	1	Preventive Maintenance (PM) or Planned Upgrade
14	Mohali	JFL-Mohali-SCC-AP13	Q5AR-A7VQ-MZJM	AP	3	Device Boot Issues
15	Mohali	JFL-Mohali-SCC-AP09	Q5AR-TEZ8-EZVW	AP	1	Firmware or Software Bugs

ACCESS POINT BREAKDOWN

35 AP Incidents

Primary RCA: Device Power Issues

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
CORE	99.81%

SITE REVIEW • Hyderabad — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME
99.98%

SWITCHES MONITORED
2

PRIMARY RCA DRIVER
Device Power Issues

SWITCH AT 100% UPTIME
0

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Hyderabad	JFL-HYD-CORE-2	Q5JJ-GEWQ-X3MG	SW	CORE	99.87%
2	Hyderabad	JFL-HYD-CORE-1	Q5JJ-Q88T-6XC7	SW	CORE	99.74%

SITE REVIEW • Hyderabad — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

35

MET CASES

35

BREACH CASES

0

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Hyderabad	JFL-HYD-SCC-AP11	Q3KG-TLUW-VDX7	AP	1	Preventive Maintenance (PM) or Planned Upgrade
2	Hyderabad	JFL-HYD-SCC-AP10	Q3KG-U9M3-9GEC	AP	0	Stable Operations (No Incidents)
3	Hyderabad	JFL-HYD-SCC-AP09	Q3KG-UKZ7-TA5X	AP	3	Device Power Issues
4	Hyderabad	JFL-HYD-SCC-AP02	Q5AA-23YU-R3GZ	AP	3	Client Side Activity
5	Hyderabad	JFL-HYD-SCC-AP15	Q5AA-46QV-Z3ZC	AP	4	Client Side Activity
6	Hyderabad	JFL-HYD-SCC-AP05	Q5AA-6EJ5-AG7V	AP	3	Device Power Issues
7	Hyderabad	JFL-HYD-SCC-AP01	Q5AA-GAFW-R58M	AP	3	Device Power Issues
8	Hyderabad	JFL-HYD-SCC-AP07	Q5AA-Q8AL-KHWV	AP	4	Device Power Issues
9	Hyderabad	JFL-HYD-SCC-AP14	Q5AA-QLUG-NSPB	AP	3	Device Power Issues
10	Hyderabad	JFL-HYD-SCC-AP03	Q5AA-R4B3-WH9P	AP	0	Stable Operations (No Incidents)
11	Hyderabad	JFL-HYD-SCC-AP06	Q5AA-TRMY-596Z	AP	6	Device Power Issues
12	Hyderabad	JFL-HYD-SCC-AP08	Q5AA-YR33-H6HL	AP	3	Device Power Issues
13	Hyderabad	JFL-HYD-SCC-AP13	Q5AR-LXCJ-F26L	AP	2	Device Power Issues
14	Hyderabad	JFL-HYD-SCC-AP04	Q5AR-PZ39-USUZ	AP	0	Stable Operations (No Incidents)

ACCESS POINT BREAKDOWN

6 AP Incidents

Primary RCA: Firmware or Software Bugs

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
RACK 2	87.60%
RACK 3	99.99%
RACK 1	75.09%

SITE REVIEW • Nagpur — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME
99.97%

SWITCHES MONITORED
4

PRIMARY RCA DRIVER
Third Party Device issue

SWITCH AT 100% UPTIME
1

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Nagpur	JFL-NAG-SSC-SW04	Q5JG-SL55-CZ9Z	SW	RACK 2	100.00%
2	Nagpur	JFL-NAG-SSC-SW03	Q5JG-STQ9-EUPF	SW	RACK 3	99.99%
3	Nagpur	JFL-NAG-SSC-SW02	Q5JG-TM9S-PLFP	SW	RACK 2	75.21%
4	Nagpur	JFL-NAG-SSC-SW01	Q5JJ-68KZ-MXAS	SW	RACK 1	75.09%

SITE REVIEW • Nagpur — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

6

MET CASES

6

BREACH CASES

0

PRIMARY RCA DRIVER

Firmware or Software Bugs

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Nagpur	JFL-NAG-SSC-AP05	Q3KG-FBVZ-2RBN	AP	1	Firmware or Software Bugs
2	Nagpur	JFL-NAG-SSC-AP06	Q3KG-MBCN-DSBC	AP	1	Firmware or Software Bugs
3	Nagpur	JFL-NAG-SSC-AP04	Q3KG-P7GS-UMEQ	AP	1	Firmware or Software Bugs
4	Nagpur	JFL-NAG-SSC-AP03	Q5AA-XH9E-KZRJ	AP	1	Firmware or Software Bugs
5	Nagpur	JFL-NAG-SSC-AP02	Q5AR-4FGW-G4PW	AP	1	Firmware or Software Bugs
6	Nagpur	JFL-NAG-SCC-AP01	Q5AR-9UF6-M73Y	AP	1	Firmware or Software Bugs

ACCESS POINT BREAKDOWN

No Access Point (AP) incidents were recorded at the Mumbai-DC location during this reporting period.

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
JFL-COLO-CORE-SW-02	100.00%
JFL-COLO-MPLS-SW-02	100.00%
JFL-COLO-MPLS-SW-01	100.00%
JFL-COLO-CORE-SW-01	100.00%

SITE REVIEW • Mumbai-DC — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME
100.00%

SWITCHES MONITORED
4

PRIMARY RCA DRIVER
Stable Operations (No Incidents)

SWITCH AT 100% UPTIME
4

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Mumbai-DC	JFL-COLO-CORE-SW-02	FCW2302L13B	SW	JFL-COLO-CORE-SW-02	100.00%
2	Mumbai-DC	JFL-COLO-MPLS-SW-02	FCW2302G0TL	SW	JFL-COLO-MPLS-SW-02	100.00%
3	Mumbai-DC	JFL-COLO-MPLS-SW-01	FCW2302DHGQ	SW	JFL-COLO-MPLS-SW-01	100.00%
4	Mumbai-DC	JFL-COLO-CORE-SW-01	FCW2302DHTU	SW	JFL-COLO-CORE-SW-01	100.00%

SITE REVIEW • Mumbai-DC — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

0

MET CASES

0

BREACH CASES

0

PRIMARY RCA DRIVER

Stable Operations (No Incidents)

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
No Access Points monitored at this location.						

ACCESS POINT BREAKDOWN

35 AP Incidents

Primary RCA: Device Power Issues

RACK-WISE SWITCH UPTIME %

RACK#	OVERALL PERCENTAGE OF RACK-WISE
CORE	99.60%

SITE REVIEW • Guwahati — Switch Uptime Report

Individual Switch Operational Availability & Device Status

1 September 2026 – 30 September 2026

AGGREGATED SWITCH UPTIME
99.95%

SWITCHES MONITORED
2

PRIMARY RCA DRIVER
Device Power Issues

SWITCH AT 100% UPTIME
0

S.N	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	RACK NO.	PROACTIVE -UPTIME%
1	Guwahati	JFL-Guwahati-CORE-02	Q5JG-AQNW-P9FB	SW	CORE	99.78%
2	Guwahati	JFL-Guwahati-CORE-01	Q5JG-ECTW-5MN7	SW	CORE	99.42%

SITE REVIEW • Guwahati — AP Incidents & RCA

Access Point Incident Log & Root Cause Analysis

1 September 2026 – 30 September 2026

TOTAL NUMBER OF INCIDENTS

35

MET CASES

34

BREACH CASES

1

PRIMARY RCA DRIVER

Device Power Issues

S NO	LOCATION	HOSTNAME	SERIAL NO.	DEVICE TYPE	NO OF INCIDENTS	PRIMARY RCA DRIVER
1	Guwahati	JFL-Guwahati-SSC-AP-02	Q3KG-ZJZJ-WWH5	AP	11	Device Power Issues
2	Guwahati	JFL-Guwahati-SSC-AP-03	Q5AA-RM28-C2R8	AP	10	Device Power Issues
3	Guwahati	JFL-Guwahati-SSC-AP-01	Q5AR-T7UY-LJRT	AP	14	Device Power Issues

Engineer SLA Performance & Ticket Breakdown

Ticket Owner Workload, Resolution SLA Compliance & Breach Tracking

1 September 2026 – 30 September 2026

Ticket Owner / Engineer	Total	Open	On Hold	Assignment	Closed	SLA Met	SLA Breached	SLA %
Kartik Choudhary	70	0	2	0	68	70	0	100.00%
Aneesh P S	49	0	0	0	49	49	0	100.00%
Arvind Kumar Arya	34	0	1	0	33	34	0	100.00%
Dheerendra Maurya	30	0	5	0	25	30	0	100.00%
Rohit Mourya	24	0	0	0	24	24	0	100.00%
Abhishek Satish Pawar	22	0	2	0	20	22	0	100.00%
Shresth Kushwaha	8	0	0	0	8	8	0	100.00%
Jagadisha R	6	0	0	0	6	3	3	50.00%
Rupesh Soni	5	0	0	0	5	5	0	100.00%
Dharmendra Bhadoriya	3	0	1	0	2	3	0	100.00%

Categorized Hold Reasons Frequency

Categorized Hold Reason	Incident Count	Engineers Assigned	Affected Sites
Power Issue at Site	7	Dheerendra Maurya, Arvind Kumar Arya, Kartik Choudhary, Abhishek Satish Pawar	Greater Noida
DHCP Server Issue	2	Dheerendra Maurya	Nagpur
Coordination in Progress	1	Kartik Choudhary	Greater Noida
Client-Side Activity	1	Dharmendra Bhadoriya	Noida

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 1 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 September 2026 – 30 September 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Bangalore	1F-R1	Q2EW-5R5B-HEY9	1F-R1-SW4	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R1	Q2ZP-AP5E-Z83L	1F-R1-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R1	Q2ZP-D2D2-VFQK	1F-R1-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R1	Q2ZP-D47G-NGKY	1F-R1-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R2	Q2QW-EXJY-SE64	1F-R2-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R3	Q2QW-CTFE-E2WF	1F-R3-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R3	Q2QW-CTFW-5KJ6	1F-R3-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R4	Q2QW-CAKK-KNXD	1F-R4-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R4	Q2QW-CTFM-KEQZ	1F-R4-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R5	Q2QW-CANP-QCYR	1F-R5-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R5	Q2QW-CQSG-6X85	1F-R5-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R5	Q2QW-EX7M-X9M6	1F-R5-SW4	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	1F-R5	Q2QW-GPBW-SLG9	1F-R5-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R1	Q2ZP-A3JU-5GR5	2F-R1-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R1	Q2ZP-AYJY-GU4V	2F-R1-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R2	Q2QW-FB9E-UCQL	2F-R2-SW2	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Bangalore	2F-R4	Q2QW-ARKH-HCRT	2F-R4-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R4	Q2QW-ATN2-HDQK	2F-R4-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R4	Q2QW-BAYV-J6K5	2F-R4-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R5	Q2QW-CTCG-QKDE	2F-R5-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	2F-R5	Q2QW-CTMF-ZXMF	2F-R5-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	CORE	Q2DW-EM6A-8GPL	CORE-1	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 2 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 September 2026 – 30 September 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Bangalore	CORE	Q2DW-FPMF-3AL6	CORE-2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-ETP	Q2QW-CAJU-QVKD	GF-ETP-SW1	99.97%	99.97%	Operational
Bangalore	GF-R1	Q2EW-3S9C-VJRW	GF-R1-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R1	Q2ZP-AZ5F-V97Y	GF-R1-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R1	Q2ZP-D487-83QR	GF-R1-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R2	Q2QW-CTDD-3Z86	GF-R2-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R2	Q2QW-CAKR-LDFB	GF-R2-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R2	Q2QW-H6CN-W8LR	GF-R2-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R3	Q2QW-CQPR-WJYV	GF-R3-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R3	Q2QW-CQR4-DPMQ	GF-R3-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R3	Q2QW-CTG2-RX56	GF-R3-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R4	Q2QW-CNV8-9Q8Y	GF-R4-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R4	Q2QW-D8UN-JHM7	GF-R4-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R4	Q2QW-DC3Q-MPWQ	GF-R4-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R5	Q2QW-BWS8-7ULR	GF-R5-SW3	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R5	Q2QW-BYNP-CGVJ	GF-R5-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R5	Q2QW-BZ2C-GWN7	GF-R5-SW2	100.00%	100.00%	Stable Operations (100% Uptime)

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Bangalore	GF-R6	Q2QW-CLQ3-BXHC	GF-R6-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-R6	Q2QW-GUDX-25NY	GF-R6-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-UTILITY	Q2QW-EXXK-QDZ3	GF-UTILITY-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	GF-UTILITY	Q2QW-GVT2-QANK	GF-UTILITY-SW2	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	HEALTHCARE	Q2QW-EY63-C2SF	HEALTHCARE	99.96%	99.96%	Operational

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 3 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 September 2026 – 30 September 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Bangalore	MZ-R1	Q2QW-BWVB-HTLP	MZ-R1-SW	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	MZ-R2	Q2QW-BWVG-Y4ZU	MZ-R2-SW1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	SEC-CAB	Q2QW-FCH3-EMVG	SEC-CAB-SW2	99.97%	99.97%	Operational
Bangalore	SEC-CAB	Q2QW-FCJL-LJS8	SEC-CAB-SW1	99.98%	99.98%	Operational
Bangalore	SIDE-PLANT1	Q2MW-DT66-3HKL	SIDE-PLANT1	100.00%	100.00%	Stable Operations (100% Uptime)
Bangalore	Z1-SIDE PLANT	Q2MW-CRVX-WJD3	Z1-SIDE PLANT	99.97%	99.97%	Operational
Greater Noida	Core	Q5TN-DGC5-M8QZ	JFL-GNSC-CORE-SW-ST-01 [2]	99.95%	99.95%	Operational
Greater Noida	Core	Q5TN-NF5F-N32X	JFL-GNSC-CORE-SW-ST-01 [1]	99.97%	99.97%	Operational
Greater Noida	JFL-GNMC-1F-LB-AC-SW-01	FCW2110B27A	JFL-GNMC-1F-LB-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-2F-AC-ST-01	FCW2110B28C	JFL-GNMC-2F-AC-ST-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-2F-AC-ST-01	FCW2110B27F	FCW2110B27F	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-2F-AC-ST-01	FOC2113V20F	FOC2113V20F	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-3F-AC-ST-01	FOC2113S2MD	JFL-GNMC-3F-AC-ST-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-CK-AC-SW-01	FCW2211B365	JFL-GNMC-CK-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-CLC-AC-SW-01	FOC2646YCX2	JFL-GNMC-CLC-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-CLC-AC-SW-02	FCW2111E0AU	JFL-GNMC-CLC-AC-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-DA-AC-ST-01	FCW2112A20E	JFL-GNMC-DA-AC-ST-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-DA-AC-ST-01	FCW2110B27U	FCW2110B27U	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Greater Noida	JFL-GNMC-DA-AC-SW-01	FCW2010A2G1	JFL-GNMC-DA-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-EG-AC-ST-01	FOC2218T3Z8	JFL-GNMC-EG-AC-ST-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-EG-AC-ST-01	FCW2126A4XT	FCW2126A4XT	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-EG-AC-SW-01	JIN2117106B	JFL-GNMC-EG-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 4 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 September 2026 – 30 September 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Greater Noida	JFL-GNMC-ER-AC-SW-01	FOC2536Y0JD	JFL-GNMC-ER-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-GF-AC-ST-01	FCW2110B25A	JFL-GNMC-GF-AC-ST-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-GF-AC-ST-01	FOC2113S2M3	FOC2113S2M3	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-LT-AC-SW-01	FOC2039V1JW	JFL-GNMC-LT-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-MR-AC-SW-01	FOC2113V20D	JFL-GNMC-MR-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-MR-AC-SW-03	FCW2038B1H6	JFL-GNMC-MR-AC-SW-03	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-NCK-SW-02	FCW2222B4KE	JFL-GNMC-NCK-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-SR-AC-SW-01	FCW2113E10E	JFL-GNMC-SR-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNMC-TR-AV-SW-01	FOC2113S2LY	JFL-GNMC-TR-AV-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-BP-AC-SW-01	FJC290222AL	JFL-GNSC-BP-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-CK-AC-SW-02	FVH2908LAPT	JFL-GNSC-CK-AC-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-CLC-SW-03	FVH2913LEGS	JFL-GNSC-CLC-SW-03	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-DA-AC-SW-03	FVH2914L0QD	JFL-GNSC-DA-AC-SW-03	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-GF-AC-SW-03	FVH2914L0BV	JFL-GNSC-GF-AC-SW-03	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-LT-AC-SW-01	FJC29021TTW	JFL-GNSC-LT-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-NCK-AC-SW-02	FVH2914L0JY	JFL-GNSC-NCK-AC-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Greater Noida	JFL-GNSC-PO-AC-SW-01	FJC29021TPQ	JFL-GNSC-PO-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-RE-AC-SW-01	FJC29021TNP	JFL-GNSC-RE-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-RO-SW01	FVH2914L08Y	JFL-GNSC-RO-SW01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	JFL-GNSC-TP-AC-SW-01	FJC290222SV	JFL-GNSC-TP-AC-SW-01	0.00%	0.00%	Operational
Greater Noida	JFL-GNSC-TR-AC-SW-01	FJC29021TWN	JFL-GNSC-TR-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	NA	FCW2646YCXZ	Detail not found	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 5 of 7)

1 September 2026 – 30 September 2026

Complete Rack-wise Operational Uptime & Device Status

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Greater Noida	NA	FCW2116A4SD	Detail not found	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	NA	FOC2646YCXZ	Detail not found	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Not Cover with us	FCW2108E1DF	JFL-GNMC-MR-AC-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Greater Noida	Not Cover with us	FOC1241W46C	JFL-GNMC-CCTV-AC-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Guwahati	CORE	Q5JG-AQNW-P9FB	JFL-Guwahati-CORE-02	99.78%	99.78%	Operational
Guwahati	CORE	Q5JG-ECTW-5MN7	JFL-Guwahati-CORE-01	99.42%	99.42%	Operational
Hyderabad	CORE	Q5JJ-GEWQ-X3MG	JFL-HYD-CORE-2	99.87%	99.87%	Operational
Hyderabad	CORE	Q5JJ-Q88T-6XC7	JFL-HYD-CORE-1	99.74%	99.74%	Operational
Mohali	CORE	Q5JG-NJW9-ABBQ	JFL-MOHALI-CORE-02	100.00%	100.00%	Stable Operations (100% Uptime)
Mohali	CORE	Q5JJ-3TZH-2HV5	JFL-MOHALI-CORE-01	99.98%	99.98%	Operational
Mohali	TRANSPORT ROOM	Q3LP-2PSJ-6DLB	JFL-MOHALI-ACC-SW-01(Transport Room)	100.00%	100.00%	Stable Operations (100% Uptime)
Mohali	WAREHOUSE	Q3LM-TGAF-Q97P	JFL-MOHALI-ACC-SW-02(Warehouse)	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai-DC	JFL-COLO-CORE-SW-01	FCW2302DHTU	JFL-COLO-CORE-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai-DC	JFL-COLO-CORE-SW-02	FCW2302L13B	JFL-COLO-CORE-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai-DC	JFL-COLO-MPLS-SW-01	FCW2302DHGQ	JFL-COLO-MPLS-SW-01	100.00%	100.00%	Stable Operations (100% Uptime)
Mumbai-DC	JFL-COLO-MPLS-SW-02	FCW2302G0TL	JFL-COLO-MPLS-SW-02	100.00%	100.00%	Stable Operations (100% Uptime)
Nagpur	RACK 1	Q5JJ-68KZ-MXAS	JFL-NAG-SSC-SW01	75.09%	75.09%	Operational
Nagpur	RACK 2	Q5JG-SL55-CZ9Z	JFL-NAG-SSC-SW04	100.00%	100.00%	Stable Operations (100% Uptime)
Nagpur	RACK 2	Q5JG-TM9S-PLFP	JFL-NAG-SSC-SW02	75.21%	75.21%	Operational

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Nagpur	RACK 3	Q5JG-STQ9-EUPF	JFL-NAG-SSC-SW03	99.99%	99.99%	Operational
Noida	JFL-15F-AP-Switch	FVH2903LAA9	JFL-15F-AP-Switch-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-AP-Switch	FOC2710Y261	JFL-15F-AP-Switch-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 6 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 September 2026 – 30 September 2026

Site Location	Rack Location	Serial Number	Hostname / Device ID	Proactive Uptime %	JFL Uptime %	Operating Status
Noida	JFL-15F-L2-Stack1	FOC2714Z681	JFL-15F-L2-Stack1-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack1	FOC2716YN3W	JFL-15F-L2-Stack1-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack1	FOC2716YLLY	JFL-15F-L2-Stack1-Sw3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack1	FOC2716YLM7	JFL-15F-L2-Stack1-Sw4	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack1	FOC2714Z5B8	JFL-15F-L2-Stack1-Sw5	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack2	FOC2714Z5AU	JFL-15F-L2-Stack2-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack2	FOC2715Y1VV	JFL-15F-L2-Stack2-Sw4	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack2	FOC2716YNCF	JFL-15F-L2-Stack2-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-15F-L2-Stack2	FOC2716YHHL	JFL-15F-L2-Stack2-Sw3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-AP-Switch	FOC2710Y54F	JFL-16F-AP-Switch-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-AP-Switch	FVH2830L656	JFL-16F-AP-Switch-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack1	FOC2715Y1KM	JFL-16F-L2-Stack1-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack1	FOC2715Y1J7	JFL-16F-L2-Stack1-Sw5	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack1	FOC2716YNBW	JFL-16F-L2-Stack1-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack1	FOC2716YN4M	JFL-16F-L2-Stack1-Sw3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack1	FOC2716YN69	JFL-16F-L2-Stack1-Sw4	100.00%	100.00%	Stable Operations (100% Uptime)

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Noida	JFL-16F-L2-Stack2	FOC2714Z69M	JFL-16F-L2-Stack2-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack2	FOC2715Y1CJ	JFL-16F-L2-Stack2-Sw4	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack2	FOC2716YNFC	JFL-16F-L2-Stack2-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-16F-L2-Stack2	FOC2716YNBE	JFL-16F-L2-Stack2-Sw3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-17F-AP-Switch	FOC2708YFGS	JFL-17F-AP-Switch-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-17F-AP-Switch	FOC2710Y540	JFL-17F-AP-Switch-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Switch Infrastructure & Rack Performance (142 Switches) (Page 7 of 7)

Complete Rack-wise Operational Uptime & Device Status

1 September 2026 – 30 September 2026

SITE LOCATION	RACK LOCATION	SERIAL NUMBER	HOSTNAME / DEVICE ID	PROACTIVE UPTIME %	JFL UPTIME %	OPERATING STATUS
Noida	JFL-17F-L2-Stack1	FOC2714Z50L	JFL-17F-L2-Stack1-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-17F-L2-Stack1	FOC2716YND7	JFL-17F-L2-Stack1-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-17F-L2-Stack1	FOC2716YNNB	JFL-17F-L2-Stack1-Sw3	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-17F-L2-Stack1	FVH2805L65K	JFL-17F-L2-Stack1-Sw4	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-Core-Sw1	FOC2635Y89M	JFL-Core-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-Core-Sw2	FOC2635Y89T	JFL-Core-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-MPLS-Sw	FOC2647Y151	JFL-MPLS-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-MPLS-Sw	FOC2646YCRH	JFL-MPLS-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-SRV-SW-Stack1	FOC2704Y1N8	JFL-SRV-SW-Stack1-Sw1	100.00%	100.00%	Stable Operations (100% Uptime)
Noida	JFL-SRV-SW-Stack1	FOC2704Y3AY	JFL-SRV-SW-Stack1-Sw2	100.00%	100.00%	Stable Operations (100% Uptime)

Appendix: Access Point (AP) Incident Distribution (10 AP Records)

Complete AP Device Incident Count, Effective Uptime & Primary RCA

1 September 2026 – 30 September 2026

DEVICE HOSTNAME / ID	SERIAL NUMBER	SITE LOCATION	INCIDENT COUNT	EFFECTIVE UPTIME %	PRIMARY RCA DRIVER
JFL-Guwahati-SSC-AP-01	Q5AR-T7UY-LJRT	Guwahati	14	57.71%	Device Power Issues
JFL-Guwahati-SSC-AP-02	Q3KG-ZJZJ-WNH5	Guwahati	11	61.08%	Device Power Issues
JFL-Guwahati-SSC-AP-03	Q5AA-RM28-C2R8	Guwahati	10	85.16%	Device Power Issues
JFL-GNSC-AP49	Q3KG-CFHX-4TRU	Greater Noida	7	88.31%	Device Power Issues
JFL-HYD-SCC-AP06	Q5AA-TRMY-596Z	Hyderabad	6	96.98%	Device Power Issues
JFL-GNSC-AP56	Q3KG-8U94-FMUC	Greater Noida	6	85.97%	Device Power Issues
JFL-GNSC-AP29	Q5AA-7TFR-X7ZG	Greater Noida	5	76.91%	Device Power Issues
JFL-GNSC-AP04	Q5AA-5TRP-EJMF	Greater Noida	4	76.36%	Device Power Issues
JFL-HYD-SCC-AP07	Q5AA-Q8AL-KHWV	Hyderabad	4	99.42%	Device Power Issues
JFL-HYD-SCC-AP15	Q5AA-46QV-Z3ZC	Hyderabad	4	98.14%	Device Power Issues

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 1 of 12)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 September 2026 – 30 September 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/58420	Greater Noida	JFL-GNSC-AP50	AP	112872 min	1 min	Unknown	SLA Met
Ticket: PRO/INC/60166	Greater Noida	JFL-GNSC-AP37	AP	93594 min	17 min	Unknown	SLA Met
Ticket: PRO/INC/60765	Greater Noida	JFL-GNSC-AP61	AP	81551 min	46 min	Unknown	SLA Met
Ticket: PRO/INC/60880	Greater Noida	JFL-GNSC-AP67	AP	78520 min	7 min	Unknown	SLA Met
Ticket: PRO/INC/61244	Greater Noida	JFL-GNSC-TP-AC-SW-01	SW	74197 min	35 min	Unknown	SLA Met
Ticket: PRO/INC/61938	Greater Noida	JFL-GNSC-AP63	AP	60387 min	2 min	Unknown	SLA Met
Ticket: PRO/INC/61942	Greater Noida	JFL-GNSC-AP32	AP	60145 min	2 min	Unknown	SLA Met
Ticket: PRO/INC/62140	Noida	JFL-ISE-01	Cisco ISE	53780 min	4 min	Unknown	SLA Met
Ticket: PRO/INC/62646	Guwahati	JFL-Guwahati-CORE-02	SW	989.68 min	6.25 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62645	Guwahati	JFL-Guwahati-CORE-01	SW	987.68 min	7.25 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62652	Guwahati	JFL-Guwahati-CORE-02	SW	7271.7 min	4.03 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62655	Guwahati	JFL-Guwahati-CORE-01	SW	7270.38 min	5.03 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62654	Guwahati	JFL-Guwahati-CORE-02	SW	7276.17 min	4.25 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62657	Greater Noida	JFL-GNSC-AP33	AP	8791.47 min	19.38 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62660	Greater Noida	JFL-GNSC-AP33	AP	8791.78 min	9.4 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62666	Nagpur	JFL-NAG-SSC-SW01	SW	1077.58 min	12.6 min	New Configuration	SLA Met
Ticket: PRO/INC/62687	Greater Noida	JFL-GNSC-AP49	AP	929.42 min	6.78 min	Client Side Activity	SLA Met
Ticket: PRO/INC/62690	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [1]	SW	1133.7 min	5.42 min	Client Side Activity	SLA Met
Ticket: PRO/INC/62691	Greater Noida	JFL-GNSC-AP04	AP	1130.18 min	9.93 min	Client Side Activity	SLA Met
Ticket: PRO/INC/62692	Greater Noida	JFL-GNSC-AP29	AP	1131.03 min	7.08 min	Client Side Activity	SLA Met
Ticket: PRO/INC/62698	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [2]	SW	1085.77 min	4.93 min	Client Side Activity	SLA Met
Ticket: PRO/INC/62728	Greater Noida	JFL-GNSC-AP49	AP	317.83 min	5.52 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 2 of 12)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 September 2026 – 30 September 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/62741	Bangalore	0	Switch	0 min	7299.18 min	Unknown	SLA Breached
Ticket: PRO/INC/62747	Greater Noida	JFL-GNSC-AP49	AP	65.93 min	2.67 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62750	Greater Noida	JFL-GNSC-AP21	AP	7.27 min	3.75 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62752	Greater Noida	JFL-GNSC-AP16	AP	0 min	8.37 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62753	Greater Noida	JFL-GNSC-AP64	AP	0 min	17.2 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62754	Greater Noida	JFL-GNSC-AP18	AP	0 min	17.2 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62756	Greater Noida	JFL-GNSC-AP26	AP	0 min	12.18 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62755	Greater Noida	JFL-GNSC-AP40	AP	0 min	13.18 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62759	Greater Noida	JFL-GNSC-AP68	AP	0 min	18.03 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62758	Greater Noida	JFL-GNSC-AP42	AP	0 min	17.03 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62761	Greater Noida	JFL-GNSC-AP47	AP	0 min	21.87 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62762	Greater Noida	JFL-GNSC-AP35	AP	0 min	21.87 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62764	Greater Noida	JFL-GNSC-AP17	AP	0 min	23.7 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62766	Greater Noida	JFL-GNSC-AP34	AP	0 min	21.68 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62765	Greater Noida	JFL-GNSC-AP44	AP	0 min	21.68 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62767	Greater Noida	JFL-GNSC-AP36	AP	0 min	22.68 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62773	Greater Noida	JFL-GNSC-AP71	AP	0 min	18.52 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62771	Greater Noida	JFL-GNSC-AP22	AP	0 min	15.52 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62772	Greater Noida	JFL-GNSC-AP43	AP	0 min	17.52 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62775	Greater Noida	JFL-GNSC-AP69	AP	0 min	14.35 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62776	Greater Noida	JFL-GNSC-AP31	AP	0 min	12.32 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/62778	Greater Noida	JFL-GNSC-AP05	AP	0 min	10.18 min	Firmware or Software Bugs	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 3 of 12)

1 September 2026 – 30 September 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/62787	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [2]	SW	109.42 min	12.33 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62790	Nagpur	JFL-NAG-SSC-SW01	SW	56.4 min	18.43 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62793	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [1]	SW	4472.93 min	5.67 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62797	Guwahati	JFL-Guwahati-CORE-01	SW	15.5 min	13.4 min	Device Boot Issues	SLA Met
Ticket: PRO/INC/62802	Greater Noida	JFL-GNSC-AP49	AP	331.85 min	17.82 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62949	Greater Noida	JFL-GNSC-AP49	AP	1554.07 min	3.32 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62952	Greater Noida	JFL-GNSC-AP49	AP	1505.07 min	21.08 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62964	Greater Noida	JFL-GNSC-AP49	AP	346.97 min	31.47 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62978	Bangalore	GF-ETP-SW1	SW	62.18 min	6.3 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62979	Nagpur	JFL-NAG-SSC-SW03	SW	6888.28 min	4.1 min	Client Side Activity	SLA Met
Ticket: PRO/INC/62988	Hyderabad	JFL-HYD-SCC-AP05	AP	502.98 min	11.62 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62990	Hyderabad	JFL-HYD-CORE-2	SW	510.53 min	12.92 min	Device Power Issues	SLA Met
Ticket: PRO/INC/62989	Hyderabad	JFL-HYD-SCC-AP06	AP	505.62 min	12.83 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63001	Hyderabad	JFL-HYD-CORE-1	SW	31.18 min	8.63 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63002	Hyderabad	JFL-HYD-SCC-AP14	AP	12.78 min	21.03 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63003	Hyderabad	JFL-HYD-SCC-AP01	AP	18.42 min	11.38 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63051	Hyderabad	JFL-HYD-SCC-AP06	AP	343.15 min	5.72 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63053	Hyderabad	JFL-HYD-SCC-AP07	AP	47.07 min	11.63 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63054	Hyderabad	JFL-HYD-SCC-AP13	AP	344.35 min	13.32 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63055	Hyderabad	JFL-HYD-CORE-2	SW	51.9 min	7.63 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63077	Bangalore	GF-ETP-SW1	SW	22.37 min	6.12 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63078	Bangalore	HEALTHCARE	SW	21.83 min	5.63 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 4 of 12)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 September 2026 – 30 September 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/63079	Bangalore	Z1-SIDE PLANT	SW	22.63 min	6.68 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63080	Nagpur	JFL-NAG-SSC-SW01	SW	43.73 min	5.42 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/63093	Bangalore	Z1-SIDE PLANT	SW	36.65 min	6.53 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63094	Bangalore	HEALTHCARE	SW	3862.3 min	12.73 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63096	Greater Noida	JFL-GNSC-CORE-SW-ST-01 [2]	SW	3111.13 min	4.88 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63098	Greater Noida	JFL-GNSC-AP64	AP	3110.37 min	4.92 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63100	Greater Noida	JFL-GNSC-AP36	AP	3123.62 min	11.48 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63102	Greater Noida	JFL-GNSC-AP04	AP	3120.9 min	13.2 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63099	Greater Noida	JFL-GNSC-AP07	AP	3121.03 min	10.07 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63101	Greater Noida	JFL-GNSC-AP14	AP	3124.15 min	8.95 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63112	Greater Noida	JFL-GNSC-AP35	AP	3060.12 min	2.07 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63113	Greater Noida	JFL-GNSC-AP66	AP	3056.58 min	5.45 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63120	Greater Noida	JFL-GNSC-AP29	AP	3031.13 min	6.5 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63119	Greater Noida	JFL-GNSC-AP04	AP	3034.6 min	4.03 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63124	Greater Noida	JFL-GNSC-AP25	AP	2994.75 min	12.85 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63126	Greater Noida	JFL-GNSC-AP69	AP	2987.27 min	16.17 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63125	Greater Noida	JFL-GNSC-AP71	AP	2989.72 min	14.72 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63132	Greater Noida	JFL-GNSC-AP46	AP	2974.4 min	6.22 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63133	Greater Noida	JFL-GNSC-AP31	AP	2969.57 min	9.88 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63139	Greater Noida	JFL-GNSC-AP60	AP	2959.22 min	3.02 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63138	Greater Noida	JFL-GNSC-AP56	AP	2958.1 min	5.13 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63143	Greater Noida	JFL-GNSC-AP48	AP	2941.95 min	11.12 min	Client Side Activity	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 5 of 12)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 September 2026 – 30 September 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/63145	Greater Noida	JFL-GNSC-AP31	AP	2939.83 min	9.72 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63151	Greater Noida	JFL-GNSC-AP14	AP	2954.27 min	5.72 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63150	Greater Noida	JFL-GNSC-AP10	AP	2953.97 min	6.02 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63153	Greater Noida	JFL-GNSC-AP09	AP	2932.13 min	6.38 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63154	Greater Noida	JFL-GNSC-AP06	AP	2929.68 min	8.78 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63155	Greater Noida	JFL-GNSC-AP07	AP	2927.07 min	11.28 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63158	Greater Noida	JFL-GNSC-AP04	AP	2924.7 min	9.8 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63159	Greater Noida	JFL-GNSC-AP29	AP	2921.08 min	13.27 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63169	Greater Noida	JFL-GNSC-AP18	AP	2894.73 min	25.9 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63168	Greater Noida	JFL-GNSC-AP16	AP	2902.18 min	18.45 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63241	Greater Noida	JFL-GNSC-AP41	AP	2698.23 min	10.27 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63245	Greater Noida	JFL-GNSC-AP51	AP	2688.38 min	19.97 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63244	Greater Noida	JFL-GNSC-AP40	AP	2687.28 min	21.07 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63345	Guwahati	JFL-Guwahati-SSC-AP-01	AP	926.87 min	7.27 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63364	Greater Noida	JFL-GNSC-AP66	AP	377.35 min	6.12 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63365	Greater Noida	JFL-GNSC-AP23	AP	379.03 min	6.25 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63366	Greater Noida	JFL-GNSC-AP41	AP	375.37 min	6.9 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63367	Guwahati	JFL-Guwahati-SSC-AP-01	AP	377.08 min	10.07 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63416	Hyderabad	JFL-HYD-CORE-1	SW	15.35 min	28.07 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63417	Hyderabad	JFL-HYD-SCC-AP08	AP	16.28 min	28.12 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63418	Hyderabad	JFL-HYD-SCC-AP06	AP	15.62 min	28.75 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63432	Hyderabad	JFL-HYD-CORE-1	SW	183.65 min	8.2 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 6 of 12)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 September 2026 – 30 September 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/63434	Hyderabad	JFL-HYD-SCC-AP07	AP	175.67 min	9.58 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63435	Hyderabad	JFL-HYD-CORE-2	SW	172.37 min	5.72 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63436	Hyderabad	JFL-HYD-SCC-AP09	AP	40.45 min	2.6 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63451	Hyderabad	JFL-HYD-CORE-2	SW	7.55 min	5.03 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63453	Hyderabad	JFL-HYD-CORE-2	SW	5.3 min	6.18 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63456	Hyderabad	JFL-HYD-CORE-1	SW	4.2 min	7.05 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63467	Greater Noida	JFL-GNSC-AP28	AP	6.4 min	8.07 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63469	Greater Noida	JFL-GNSC-AP27	AP	6.45 min	17.87 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63474	Greater Noida	JFL-GNSC-AP27	AP	16.45 min	8.62 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63480	Greater Noida	JFL-GNSC-AP26	AP	5.83 min	8.83 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63479	Greater Noida	JFL-GNSC-AP27	AP	5.53 min	6.13 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63481	Greater Noida	JFL-GNSC-AP28	AP	6.77 min	11.73 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63507	Nagpur	JFL-NAG-SSC-SW01	SW	2983.65 min	8.38 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/63510	Hyderabad	JFL-HYD-CORE-1	SW	397.65 min	11.63 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63511	Hyderabad	JFL-HYD-SCC-AP06	AP	396.87 min	11.42 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63512	Hyderabad	JFL-HYD-SCC-AP09	AP	398.38 min	12.85 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63525	Hyderabad	JFL-HYD-CORE-1	SW	356.18 min	3.05 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63526	Hyderabad	JFL-HYD-CORE-2	SW	355.63 min	4.45 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63528	Hyderabad	JFL-HYD-CORE-1	SW	370.77 min	7.82 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63537	Mohali	JFL-MOHALI-CORE-01	SW	2853.77 min	9.83 min	Configuration Errors	SLA Met
Ticket: PRO/INC/63538	Mohali	JFL-Mohali-SCC-AP13	AP	242.08 min	6.55 min	Device Boot Issues	SLA Met
Ticket: PRO/INC/63542	Hyderabad	JFL-HYD-SCC-AP06	AP	31.52 min	3.42 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 7 of 12)

1 September 2026 – 30 September 2026

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/63543	Hyderabad	JFL-HYD-SCC-AP05	AP	447.45 min	6.33 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63544	Hyderabad	JFL-HYD-SCC-AP15	AP	448.38 min	5.38 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63554	Hyderabad	JFL-HYD-SCC-AP14	AP	412.73 min	6.87 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63555	Hyderabad	JFL-HYD-SCC-AP13	AP	410.92 min	7.63 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63556	Hyderabad	JFL-HYD-SCC-AP01	AP	407.47 min	7.08 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63557	Hyderabad	JFL-HYD-CORE-1	SW	405.88 min	9.63 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63563	Hyderabad	JFL-HYD-CORE-1	SW	391.62 min	4.7 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63576	Hyderabad	JFL-HYD-SCC-AP15	AP	325.18 min	7.62 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63577	Hyderabad	JFL-HYD-SCC-AP02	AP	324.02 min	7.73 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63578	Hyderabad	JFL-HYD-CORE-1	SW	321.68 min	9.97 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63586	Hyderabad	JFL-HYD-CORE-1	SW	60.65 min	6.57 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63590	Hyderabad	JFL-HYD-CORE-2	SW	62.07 min	4.82 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63595	Hyderabad	JFL-HYD-CORE-1	SW	109.18 min	5.97 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63596	Hyderabad	JFL-HYD-SCC-AP09	AP	109.25 min	5.9 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63597	Hyderabad	JFL-HYD-SCC-AP05	AP	109.23 min	5.92 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63610	Mohali	JFL-Mohali-SCC-AP13	AP	10.03 min	6.77 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63611	Mohali	JFL-Mohali-SCC-AP08	AP	10.02 min	6.63 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63612	Mohali	JFL-Mohali-SCC-AP05	AP	9.82 min	6.78 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63820	Nagpur	JFL-NAG-SSC-SW01	SW	948.1 min	11.53 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63824	Greater Noida	JFL-GNSC-AP23	AP	535.58 min	4.2 min	Client Side Activity	SLA Met
Ticket: PRO/INC/63827	Greater Noida	JFL-GNSC-AP23	AP	11364 min	4 min	Unknown	SLA Met
Ticket: PRO/INC/63837	Nagpur	JFL-NAG-SSC-AP02	AP	143.98 min	10.68 min	Firmware or Software Bugs	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 8 of 12)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 September 2026 – 30 September 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/63839	Nagpur	JFL-NAG-SCC-AP01	AP	146.97 min	8.22 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63840	Nagpur	JFL-NAG-SSC-AP03	AP	149.67 min	7.35 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63843	Nagpur	JFL-NAG-SSC-AP06	AP	150.17 min	15.35 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63845	Nagpur	JFL-NAG-SSC-AP05	AP	145.02 min	7.82 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63846	Nagpur	JFL-NAG-SSC-AP04	AP	142.27 min	16.57 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63861	Nagpur	JFL-NAG-SSC-SW02	SW	10670 min	37 min	Unknown	SLA Met
Ticket: PRO/INC/63863	Nagpur	JFL-NAG-SSC-SW01	SW	10671 min	23 min	Unknown	SLA Met
Ticket: PRO/INC/63874	Nagpur	JFL-NAG-SSC-SW01	SW	9628.05 min	4.2 min	Third Party Device issue	SLA Met
Ticket: PRO/INC/63878	Nagpur	JFL-NAG-SSC-SW01	SW	373.92 min	5.43 min	Others	SLA Met
Ticket: PRO/INC/63892	Hyderabad	JFL-HYD-SCC-AP14	AP	15.85 min	9.8 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63894	Hyderabad	JFL-HYD-SCC-AP07	AP	15.82 min	8.68 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63895	Hyderabad	JFL-HYD-SCC-AP15	AP	15.77 min	8.4 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63898	Hyderabad	JFL-HYD-SCC-AP02	AP	15.75 min	8.25 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63900	Hyderabad	JFL-HYD-SCC-AP08	AP	15.72 min	8.12 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63901	Hyderabad	JFL-HYD-SCC-AP01	AP	14.97 min	8.53 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/63910	Hyderabad	JFL-HYD-SCC-AP08	AP	13.78 min	14.15 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/63911	Hyderabad	JFL-HYD-SCC-AP02	AP	13.4 min	23.53 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/63909	Hyderabad	JFL-HYD-SCC-AP06	AP	13.05 min	22.88 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/63912	Hyderabad	JFL-HYD-SCC-AP11	AP	12.85 min	14.92 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/63915	Hyderabad	JFL-HYD-SCC-AP07	AP	11 min	16.6 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/63914	Hyderabad	JFL-HYD-SCC-AP15	AP	12.78 min	14.82 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/63916	Hyderabad	JFL-HYD-CORE-2	SW	11.28 min	11.15 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 9 of 12)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 September 2026 – 30 September 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/63933	Guwahati	JFL-Guwahati-SSC-AP-02	AP	25.72 min	20.47 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63932	Guwahati	JFL-Guwahati-SSC-AP-01	AP	23.88 min	14.3 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63934	Guwahati	JFL-Guwahati-SSC-AP-03	AP	12.6 min	13.58 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63940	Guwahati	JFL-Guwahati-SSC-AP-02	AP	0 min	19.93 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63941	Guwahati	JFL-Guwahati-SSC-AP-01	AP	1.15 min	12.63 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63961	Guwahati	JFL-Guwahati-SSC-AP-01	AP	8132 min	8.82 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63962	Guwahati	JFL-Guwahati-SSC-AP-02	AP	8129.33 min	10.33 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63975	Bangalore	GF-AP45-R03-SW03-30P	AP	7345.6 min	17.6 min	Configuration Errors	SLA Met
Ticket: PRO/INC/63981	Guwahati	JFL-Guwahati-SSC-AP-03	AP	197.2 min	3.7 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63982	Guwahati	JFL-Guwahati-CORE-01	SW	248.9 min	5.98 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63983	Guwahati	JFL-Guwahati-SSC-AP-01	AP	205.4 min	5.48 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63990	Guwahati	JFL-Guwahati-SSC-AP-03	AP	161.2 min	24.42 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63995	Guwahati	JFL-Guwahati-SSC-AP-02	AP	161.12 min	54.6 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63997	Guwahati	JFL-Guwahati-CORE-02	SW	171.72 min	55.83 min	Device Power Issues	SLA Met
Ticket: PRO/INC/63998	Guwahati	JFL-Guwahati-SSC-AP-03	AP	7.53 min	4.02 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64006	Guwahati	JFL-Guwahati-SSC-AP-01	AP	55.88 min	4.73 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64007	Guwahati	JFL-Guwahati-CORE-02	SW	106.1 min	5.35 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64015	Guwahati	JFL-Guwahati-CORE-02	SW	83.23 min	10.08 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64016	Guwahati	JFL-Guwahati-SSC-AP-03	AP	43.93 min	12.38 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64029	Guwahati	JFL-Guwahati-SSC-AP-02	AP	2492.12 min	10.63 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64030	Guwahati	JFL-Guwahati-SSC-AP-01	AP	2496.03 min	6.67 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64039	Guwahati	JFL-Guwahati-SSC-AP-03	AP	2345.37 min	10 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 10 of 12)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 September 2026 – 30 September 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/64038	Guwahati	JFL-Guwahati-SSC-AP-02	AP	2346.25 min	22.12 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64040	Guwahati	JFL-Guwahati-SSC-AP-01	AP	2340.73 min	22.48 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64050	Guwahati	JFL-Guwahati-SSC-AP-01	AP	2287.28 min	7.55 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64052	Guwahati	JFL-Guwahati-SSC-AP-02	AP	2280.57 min	24.62 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64054	Guwahati	JFL-Guwahati-SSC-AP-03	AP	2281.88 min	11.78 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64056	Guwahati	JFL-Guwahati-CORE-01	SW	2277.58 min	21.27 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64066	Greater Noida	JFL-GNSC-AP29	AP	2865.03 min	3.25 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64067	Greater Noida	JFL-GNSC-AP30	AP	2867.58 min	4.7 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64079	Guwahati	JFL-Guwahati-SSC-AP-02	AP	347.42 min	10.8 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64080	Guwahati	JFL-Guwahati-SSC-AP-01	AP	344.05 min	6.17 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64087	Guwahati	JFL-Guwahati-SSC-AP-01	AP	185.62 min	31.05 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64088	Guwahati	JFL-Guwahati-CORE-01	SW	182.37 min	37.17 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64094	Guwahati	JFL-Guwahati-SSC-AP-02	AP	179.92 min	31.58 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64099	Guwahati	JFL-Guwahati-SSC-AP-03	AP	136.8 min	13.22 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64100	Guwahati	JFL-Guwahati-CORE-02	SW	132.82 min	8.02 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64104	Guwahati	JFL-Guwahati-SSC-AP-02	AP	129.57 min	17.97 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64103	Guwahati	JFL-Guwahati-SSC-AP-01	AP	142.45 min	8.08 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64114	Greater Noida	JFL-GNSC-AP29	AP	25.37 min	18.68 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64118	Greater Noida	JFL-GNSC-AP30	AP	921.77 min	10.87 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64129	Greater Noida	JFL-GNSC-AP52	AP	242.03 min	11.45 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64131	Greater Noida	JFL-GNSC-AP56	AP	235.47 min	14.85 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64135	Greater Noida	JFL-GNSC-AP60	AP	198.55 min	3.9 min	Device Power Issues	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 11 of 12)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 September 2026 – 30 September 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/64136	Greater Noida	JFL-GNSC-AP56	AP	195.4 min	4.05 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64142	Greater Noida	JFL-GNSC-AP60	AP	1437.67 min	11.45 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64141	Greater Noida	JFL-GNSC-AP56	AP	1437.45 min	11.67 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64140	Greater Noida	JFL-GNSC-AP52	AP	1438.18 min	10.93 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64149	Greater Noida	JFL-GNSC-AP56	AP	1078.85 min	37.65 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64156	Guwahati	JFL-Guwahati-CORE-01	SW	748.9 min	37.97 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64157	Guwahati	JFL-Guwahati-SSC-AP-01	AP	752.42 min	34.43 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64164	Guwahati	JFL-Guwahati-SSC-AP-03	AP	720.98 min	40.65 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64166	Guwahati	JFL-Guwahati-SSC-AP-02	AP	721.88 min	39.58 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64173	Guwahati	JFL-Guwahati-SSC-AP-03	AP	504.28 min	121.93 min	Device Power Issues	SLA Breached
Ticket: PRO/INC/64174	Guwahati	JFL-Guwahati-CORE-01	SW	505.38 min	120.68 min	Device Power Issues	SLA Breached
Ticket: PRO/INC/64184	Bangalore	SEC-CAB-SW1	SW	513.85 min	8.72 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64185	Bangalore	SEC-CAB-SW2	SW	510.85 min	11.55 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64194	Greater Noida	JFL-GNSC-AP52	AP	153.87 min	8.93 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64195	Greater Noida	JFL-GNSC-AP56	AP	153.97 min	12.68 min	Device Power Issues	SLA Met
Ticket: PRO/INC/64201	Mohali	JFL-Mohali-SCC-AP03	AP	7.88 min	44 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64203	Mohali	JFL-Mohali-SCC-AP11	AP	7.78 min	42.78 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64206	Mohali	JFL-Mohali-SCC-AP10	AP	7.85 min	42.38 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64207	Mohali	JFL-Mohali-SCC-AP05	AP	7.93 min	42.13 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64208	Mohali	JFL-Mohali-SCC-AP02	AP	7.88 min	42.18 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64211	Mohali	JFL-Mohali-SCC-AP14	AP	11.1 min	38.63 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/64212	Mohali	JFL-Mohali-SCC-AP07	AP	8.1 min	41.63 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met

Appendix: Raw Incidents Audit Trail (251 Tickets) (Page 12 of 12)

Complete Monitored Incidents Log with Hold Time, Resolution & SLA Status

1 September 2026 – 30 September 2026

REFERENCE (TICKET / INCIDENT ID)	LOCATION	DEVICE ID / SERIAL	TYPE	HOLD TIME	FIX TIME	RCA DRIVER	SLA STATUS
Ticket: PRO/INC/64213	Mohali	JFL-Mohali-SCC-AP08	AP	8.05 min	41.67 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64214	Mohali	JFL-Mohali-SCC-AP06	AP	10.6 min	38.95 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64224	Mohali	JFL-Mohali-SCC-AP13	AP	13.32 min	14.17 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64226	Mohali	JFL-Mohali-SCC-AP01	AP	14.17 min	12.98 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64225	Mohali	JFL-Mohali-SCC-AP14	AP	14.78 min	12.37 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64229	Mohali	JFL-Mohali-SCC-AP09	AP	12.27 min	2.72 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/64230	Mohali	JFL-Mohali-SCC-AP05	AP	13.73 min	13.25 min	Preventive Maintenance (PM) or Planned Upgrade	SLA Met
Ticket: PRO/INC/64231	Mohali	JFL-Mohali-SCC-AP04 NEW	AP	3.22 min	12.62 min	Firmware or Software Bugs	SLA Met
Ticket: PRO/INC/64232	Mohali	JFL-Mohali-SCC-AP06	AP	13.9 min	3.92 min	Firmware or Software Bugs	SLA Met