

Jubilant Foodworks Ltd (JFL)

Proactive Monthly Business Review

Reporting Period: 1 August 2026 – 31 August 2026

Prepared by: Proactive Data Systems Pvt. Ltd.

Classification: **CONFIDENTIAL**

Generated: 29 September 2026

EXECUTIVE SUMMARY — ALL SITES


Consolidated SLA Performance & RCA Driver Summary Across Monitored Sites

Site	No of devices	Proactive Switch Uptime	JFL Switch Uptime	Primary RCA Driver (Switches)	AP Incidents (Unique)	Primary RCA Driver (AP)
Bangalore	127	100.00	99.87	Device Power Issues	1 / 1	New Configuration
Greater Noida	114	100.00	97.11	New Configuration	48 / 20	Device Power Issues
Guwahati	5	99.99	100.00	Device Boot Issues	0 / 0	Stable Operations (No Incidents)
Hyderabad	16	100.00	100.00	Stable Operations (No Incidents)	7 / 6	Device Power Issues
Mohali	19	100.00	100.00	Stable Operations (No Incidents)	5 / 5	Device Power Issues
Mumbai-DC	4	100.00	100.00	Stable Operations (No Incidents)	0 / 0	Stable Operations (No Incidents)
Nagpur	10	100.00	99.54	Client Side Activity	0 / 0	Stable Operations (No Incidents)
Noida	76	100.00	100.00	On Hold	0 / 0	Stable Operations (No Incidents)

This review consolidates SLA performance, rack and switch uptime, and access-point incident RCA for all 8 monitored JFL sites for the period 1 August 2026 – 31 August 2026.

EXECUTIVE SUMMARY


Jubilant Foodworks Ltd (JFL) · 1 August 2026 – 31 August 2026 · Quarterly Business Review



AI Executive Summary — 1 August 2026 – 31 August 2026


- Overall network uptime was 98.45%, marginally below the 99.3% SLA target, requiring corrective action.
- A total of 94 incidents were recorded, with Greater Noida contributing the highest volume (53 incidents), primarily driven by New Configuration.
- Mumbai-DC achieved the strongest health score while Hyderabad reported the lowest at 84.36.

TOP ROOT CAUSE ANALYSIS DRIVERS



OVERALL NETWORK HEALTH

Infrastructure Health Assessment Across All Monitored Sites



INVENTORY SUMMARY

Active Production Devices vs. Stock Inventory — SLA Exclusion Analysis

444

Total Devices

371

Active (In-SLA)

73

Stock (Excl. SLA)

83.6%

SLA Coverage

STOCK INVENTORY BY SITE — EXCLUDED FROM SLA CALCULATIONS


Site	Stock Devices	Note
Bangalore	55	Excluded from SLA calculations per business specification
Greater Noida	8	Excluded from SLA calculations per business specification
Noida	6	Excluded from SLA calculations per business specification
Mumbai-DC	4	Excluded from SLA calculations per business specification

Inventory Insight



- Total monitored device estate: 444 devices across 8 sites.
- 371 devices (83.6%) are production-active and subject to SLA accountability.
- 73 stock/spare devices are excluded from SLA penalty calculations per operational specification.

INCIDENT OVERVIEW

Total Incident Volume, Site Distribution & Category Breakdown



INCIDENTS BY PRIORITY BREAKDOWN



P1 Critical P2 Major P3/P4 Standard

Incident Overview — Key Findings

- 94 total incidents were recorded during the reporting period.
- Greater Noida contributed the highest incident volume with 53 incidents.
- 81 incidents (86.2%) were resolved and closed.

RCA INCIDENT HEATMAP

Site vs. Root Cause Category — Incident Frequency Matrix

	Device Power Issue	On Hold	New Configuration	Client Side Activi	Device Boot Issues	Others
Bangalore	7		7			
Greater Noida	37	10	2	1	1	1
Guwahati					1	
Hyderabad	7					
Mohali	4				1	
Mumbai-DC						
Nagpur			3	5		
Noida		3				1

Intensity:

Low (1-2)

Low-Med

Medium

High

Critical

SLA PERFORMANCE DASHBOARD

SLA Target: 99.3% · 1 August 2026 – 31 August 2026



98.45%

Overall Uptime

86.79%

Incident-Free %

99.3%

SLA Target

SITE-WISE SLA COMPLIANCE OVERVIEW

Site	Devices	Proactive Switch Uptime	JFL Switch Uptime	Incident-Free %	SLA Status
Bangalore	127	100.00%	99.87%	93.70%	✓ MET
Greater Noida	114	100.00%	97.11%	78.07%	🚨 BREACH
Guwahati	5	99.99%	100.00%	80.00%	✓ MET
Hyderabad	16	100.00%	100.00%	62.50%	✓ MET
Mohali	19	100.00%	100.00%	73.68%	✓ MET
Mumbai-DC	4	100.00%	100.00%	100.00%	✓ MET
Nagpur	10	100.00%	99.54%	90.00%	✓ MET
Noida	76	100.00%	100.00%	96.05%	✓ MET

SLA Performance Insight

- Overall SLA compliance: 90.84% against a 99.3% target.
- SLA compliance is below target. Immediate remediation is recommended.

TICKET ANALYTICS

Incident Ticket Volume, Priority Distribution & Resolution Performance

94

Total Tickets

13

Open

81

Closed

0

Critical (P1)

TOP 10 INCIDENT TICKETS BY PRIORITY

Ticket #	Device / Host	Category	Priority	Status	Primary RCA
PRO/INC/60493	1F-R5-SW4	Meraki Managed Ser	CORE	Closed	Device Power Issues
PRO/INC/60494	1F-R5-SW1	Meraki Managed Ser	CORE	Closed	Device Power Issues
PRO/INC/60495	1F-R5-SW3	Meraki Managed Ser	CORE	Closed	Device Power Issues
PRO/INC/60497	JFL-GNSC-AP52	Meraki Managed Ser	NON-CORE	Closed	Device Power Issues
PRO/INC/60680	JFL-NAG-SSC-SW01	Meraki Managed Ser	NON-CORE	Closed	Third Party Device issue
PRO/INC/60730	JFL-GNSC-AP23	Meraki Managed Ser	NON-CORE	Closed	Device Power Issues
PRO/INC/60731	JFL-GNSC-AP19	Meraki Managed Ser	NON-CORE	Closed	Device Boot Issues
PRO/INC/60733	JFL-GNSC-AP18	Meraki Managed Ser	NON-CORE	Closed	Client Side Activity
PRO/INC/60765	JFL-GNSC-AP61	Meraki Managed Ser	NON-CORE	Open	On Hold
PRO/INC/60769	JFL-GNMC-1F-LB-AC-SW-0	Meraki Managed Ser	P3	Closed	Device Power Issues

Ticket Analytics Insight

- 94 incident tickets were processed during the reporting period.
- Resolution rate: 86.2% — 81 tickets resolved, 13 pending closure.

Site Health Ranking

All Sites Ranked from Healthiest to Most Critical

Rank	Site	Health Score	Switch Uptime	Incident-Free %	Incident Count	Status
 1st	Mumbai-DC	100.0 / 100	100.00%	100.00%	0	 TOP PERFORMER
 2nd	Noida	98.4 / 100	100.00%	96.05%	4	LOW (Excellent)
 3rd	Bangalore	97.5 / 100	99.87%	93.70%	15	LOW (Excellent)
#4	Nagpur	95.9 / 100	99.54%	90.00%	9	LOW (Excellent)
#5	Guwahati	92.0 / 100	100.00%	80.00%	1	MODERATE (Good)
#6	Mohali	88.8 / 100	100.00%	73.68%	5	MODERATE (Good)
#7	Greater Noida	88.5 / 100	97.11%	78.07%	53	MODERATE (Good)
#8	Hyderabad	84.4 / 100	100.00%	62.50%	7	ELEVATED (Fair)

Site Health Ranking — Key Findings

- Mumbai-DC leads the network with the highest health score of 100.00 — strong operational performance.
- Hyderabad reported the lowest health score of 84.36 and requires priority intervention.
- 5 out of 8 sites are in excellent or good health.

RISK ASSESSMENT

Site-Level Risk Classification with Prioritized Remediation Recommendations

Site	Health Score	Risk Level	Top RCA	Recommendation
Hyderabad	84.4 / 100	ELEVATED	Device Power Issues	PRIORITY: Investigate Device Power Issues incidents. Schedule site visit within 2 weeks.
Greater Noida	88.5 / 100	MODERATE	Device Power Issues	MONITOR: Review Device Power Issues trends. Consider preventive maintenance scheduling.
Mohali	88.8 / 100	MODERATE	Device Power Issues	MONITOR: Review Device Power Issues trends. Consider preventive maintenance scheduling.
Guwahati	92.0 / 100	MODERATE	Device Boot Issues	MONITOR: Review Device Boot Issues trends. Consider preventive maintenance scheduling.
Nagpur	95.9 / 100	LOW	Client Side Activity	Continue standard monitoring. No immediate action required.
Bangalore	97.5 / 100	LOW	Device Power Issues	Continue standard monitoring. No immediate action required.
Noida	98.4 / 100	LOW	On Hold	Continue standard monitoring. No immediate action required.
Mumbai-DC	100.0 / 100	LOW	Stable Operations (No Incidents)	Continue standard monitoring. No immediate action required.

LOW (Score >= 95)

MODERATE (85-94)

ELEVATED (70-84)

HIGH (Score < 70)

Risk Assessment — Executive Summary

- No sites are currently in high-risk condition — commendable network stability.
- Primary systemic risk driver across the estate: Device Power Issues.
- Proactive intervention at elevated-risk sites will prevent escalation to high-risk status.

Bangalore — SITE OVERVIEW

Site Review 1 of 8 · Operational KPIs, Health Assessment & AI Insights

127 Active Devices	49 Switches	78 Access Points	99.87% JFL Uptime
93.70% Incident-Free %	97.45 (Excellent) Health Score	MET SLA Status	15 Total Incidents

KEY RISKS

- Switch uptime at 99.87% — exceeding SLA threshold of 99.3%.
- 93.7% of devices remained incident-free.
- Site health score of 97.45 indicates strong operational stability.

- Recurring Device Power Issues incidents require infrastructure investigation.

AI Site Summary — Bangalore

- Bangalore operates 127 active devices (49 switches, 78 APs).
- JFL Switch Uptime: 99.87% | Proactive Switch Uptime: 100.00% — within the 99.3% SLA threshold.
- Primary RCA Drivers: Switches [Device Power Issues] | APs [New Configuration].

Bangalore — OPERATIONAL ANALYTICS

Site Review 1 of 8 · Expanded Switch Uptime Summary & RCA Drivers

99.87%

Avg Switch Uptime

44

Switches @ 100%

78

Total APs

15

Total Incidents

EXPANDED RACK-WISE SWITCH UPTIME SUMMARY

S.No.	RACK NUMBER	SERIAL NUMBER(S)	MONTHLY UPTIME %	OPERATING STATUS
1	1F-R1	Q2EW-5R5B-HEY9	100.00%	Stable Operations (100% Uptime)
	1F-R1	Q2ZP-AP5E-Z83L	100.00%	Stable Operations (100% Uptime)
	1F-R1	Q2ZP-D2D2-VFQK	100.00%	Stable Operations (100% Uptime)
	1F-R1	Q2ZP-D47G-NGKY	100.00%	Stable Operations (100% Uptime)
2	1F-R2	Q2QW-EXJY-SE64	100.00%	Stable Operations (100% Uptime)
3	1F-R3	Q2QW-CTFE-E2WF	100.00%	Stable Operations (100% Uptime)
	1F-R3	Q2QW-CTFW-5KJ6	100.00%	Stable Operations (100% Uptime)

PRIMARY ROOT CAUSE DRIVERS

Primary RCA (Switches): Device Power Issues

Primary RCA (APs): New Configuration

Bangalore — INCIDENT & TICKET REVIEW

Site Review 1 of 8 · Top Tickets, RCA Breakdown & Recommended Actions

15

Total Tickets

0

Open

15

Closed

0

Critical (P1)

TOP INCIDENT TICKETS — BANGALORE

Ticket #	Device / Host	Category	Priority	Status	Primary RCA
PRO/INC/60493	1F-R5-SW4	Meraki Managed S	CORE	Closed	Device Power Issues
PRO/INC/60494	1F-R5-SW1	Meraki Managed S	CORE	Closed	Device Power Issues
PRO/INC/60495	1F-R5-SW3	Meraki Managed S	CORE	Closed	Device Power Issues
PRO/INC/60909	HEALTHCARE	Meraki Managed S	CORE	Closed	Device Power Issues
PRO/INC/60913	HEALTHCARE	Meraki Managed S	CORE	Closed	Device Power Issues
PRO/INC/61237	HEALTHCARE	Meraki Managed S	CORE	Closed	Device Power Issues
PRO/INC/61239	1F-AP26-R5-SW02-34P	Meraki Managed S	P4	Closed	New Configuration
PRO/INC/61277	1F-R2-SW1	Meraki Managed S	P4	Closed	New Configuration

RECOMMENDED ACTIONS

High	Inspect and replace faulty UPS/power infrastructure. Schedule preventive power audits. [Timeline: 30 days]
Medium	Deploy firmware updates. Enforce change management for configuration changes. [Timeline: 30 days]

Greater Noida — SITE OVERVIEW

Site Review 2 of 8 · Operational KPIs, Health Assessment & AI Insights

114 Active Devices	42 Switches	72 Access Points	97.11% JFL Uptime
78.07% Incident-Free %	88.45 (Good) Health Score	BREACH SLA Status	53 Total Incidents

	KEY RISKS
53 total incidents logged; primary driver: New Configuration.	Switch uptime at 97.11% — below SLA target of 99.3%.
	Only 78.1% of devices are incident-free — investigate recurring failures.
	Health score of 88.45 indicates moderate risk requiring attention.

AI Site Summary — Greater Noida

- Greater Noida operates 114 active devices (42 switches, 72 APs).
- JFL Switch Uptime: 97.11% | Proactive Switch Uptime: 100.00% — below the 99.3% SLA threshold.
- Primary RCA Drivers: Switches [New Configuration] | APs [Device Power Issues].

Greater Noida — OPERATIONAL ANALYTICS

Site Review 2 of 8 · Expanded Switch Uptime Summary & RCA Drivers

97.11%

Avg Switch Uptime

39

Switches @ 100%

72

Total APs

53

Total Incidents

EXPANDED RACK-WISE SWITCH UPTIME SUMMARY

S.No.	RACK NUMBER	SERIAL NUMBER(S)	MONTHLY UPTIME %	OPERATING STATUS
1	Core	Q5TN-DGC5-M8QZ	100.00%	Stable Operations (100% Uptime)
	Core	Q5TN-NF5F-N32X	100.00%	Stable Operations (100% Uptime)
2	JFL-GNMC-1F-LB-AC-SW-01	FCW2110B27A	99.91%	Operational
3	JFL-GNMC-2F-AC-ST-01	FCW2110B28C	100.00%	Stable Operations (100% Uptime)
	JFL-GNMC-2F-AC-ST-01	FCW2110B27F	100.00%	Stable Operations (100% Uptime)
	JFL-GNMC-2F-AC-ST-01	FOC2113V20F	100.00%	Stable Operations (100% Uptime)
4	JFL-GNMC-3F-AC-ST-01	FOC2113S2MD	100.00%	Stable Operations (100% Uptime)

PRIMARY ROOT CAUSE DRIVERS

Primary RCA (Switches): New Configuration

Primary RCA (APs): Device Power Issues

Greater Noida — INCIDENT & TICKET REVIEW

Site Review 2 of 8 · Top Tickets, RCA Breakdown & Recommended Actions

53

Total Tickets

10

Open

43

Closed

0

Critical (P1)

TOP INCIDENT TICKETS — GREATER NOIDA

Ticket #	Device / Host	Category	Priority	Status	Primary RCA
PRO/INC/60497	JFL-GNSC-AP52	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/60730	JFL-GNSC-AP23	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/60731	JFL-GNSC-AP19	Meraki Managed S	NON-CORE	Closed	Device Boot Issues
PRO/INC/60733	JFL-GNSC-AP18	Meraki Managed S	NON-CORE	Closed	Client Side Activity
PRO/INC/60765	JFL-GNSC-AP61	Meraki Managed S	NON-CORE	Open	On Hold
PRO/INC/60769	JFL-GNMC-1F-LB-AC-SW-01	Meraki Managed S	P3	Closed	Device Power Issues
PRO/INC/60797	JFL-GNSC-AP69	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/60798	JFL-GNSC-AP45	Meraki Managed S	NON-CORE	Closed	Device Power Issues

RECOMMENDED ACTIONS

High	Inspect and replace faulty UPS/power infrastructure. Schedule preventive power audits. [Timeline: 30 days]
Medium	Investigate and mitigate On Hold failures. [Timeline: Q2 FY2026]

Guwahati — SITE OVERVIEW

Site Review 3 of 8 · Operational KPIs, Health Assessment & AI Insights

5 Active Devices	2 Switches	3 Access Points	100.00% JFL Uptime
80.00% Incident-Free %	92.00 (Good) Health Score	MET SLA Status	1 Total Incidents

	KEY RISKS
Switch uptime at 100.00% — exceeding SLA threshold of 99.3%.	Only 80.0% of devices are incident-free — investigate recurring failures.
Site health score of 92.00 indicates strong operational stability.	Recurring Device Boot Issues incidents require infrastructure investigation.
1 total incidents logged; primary driver: Device Boot Issues.	

AI Site Summary — Guwahati

- Guwahati operates 5 active devices (2 switches, 3 APs).
- JFL Switch Uptime: 100.00% | Proactive Switch Uptime: 99.99% — within the 99.3% SLA threshold.
- Primary RCA Drivers: Switches [Device Boot Issues] | APs [Stable Operations (No Incidents)].

Guwahati — OPERATIONAL ANALYTICS

Site Review 3 of 8 · Expanded Switch Uptime Summary & RCA Drivers

100.00%

Avg Switch Uptime

2

Switches @ 100%

3

Total APs

1

Total Incidents

EXPANDED RACK-WISE SWITCH UPTIME SUMMARY

S.No.	RACK NUMBER	SERIAL NUMBER(S)	MONTHLY UPTIME %	OPERATING STATUS
1	CORE	Q5JG-AQNW-P9FB	99.98%	Operational
	CORE	Q5JG-ECTW-5MN7	100.00%	Stable Operations (100% Uptime)

PRIMARY ROOT CAUSE DRIVERS

Primary RCA (Switches): Device Boot Issues

Primary RCA (APs): Stable Operations (No Incidents)

Guwahati — INCIDENT & TICKET REVIEW

Site Review 3 of 8 · Top Tickets, RCA Breakdown & Recommended Actions

1
Total Tickets

0
Open

1
Closed

0
Critical (P1)

TOP INCIDENT TICKETS — GUWAHATI

Ticket #	Device / Host	Category	Priority	Status	Primary RCA
PRO/INC/62009	JFL-Guwahati-CORE-02	Meraki Managed S	CORE	Closed	Device Boot Issues

RECOMMENDED ACTIONS

Medium

Schedule hardware audit. Identify end-of-life devices for replacement. [Timeline: 60 days]

Hyderabad — SITE OVERVIEW

Site Review 4 of 8 · Operational KPIs, Health Assessment & AI Insights

16 Active Devices	2 Switches	14 Access Points	100.00% JFL Uptime
62.50% Incident-Free %	84.36 (Fair) Health Score	MET SLA Status	7 Total Incidents

	KEY RISKS
Switch uptime at 100.00% — exceeding SLA threshold of 99.3%.	Only 62.5% of devices are incident-free — investigate recurring failures.
7 total incidents logged; primary driver: Stable Operations (No Incidents).	Health score of 84.36 indicates moderate risk requiring attention.
	Recurring Stable Operations (No Incidents) incidents require infrastructure investigation.

AI Site Summary — Hyderabad

- Hyderabad operates 16 active devices (2 switches, 14 APs).
- JFL Switch Uptime: 100.00% | Proactive Switch Uptime: 100.00% — within the 99.3% SLA threshold.
- Primary RCA Drivers: Switches [Stable Operations (No Incidents)] | APs [Device Power Issues].

Hyderabad — OPERATIONAL ANALYTICS

Site Review 4 of 8 · Expanded Switch Uptime Summary & RCA Drivers

100.00%

Avg Switch Uptime

2

Switches @ 100%

14

Total APs

7

Total Incidents

EXPANDED RACK-WISE SWITCH UPTIME SUMMARY

S.No.	RACK NUMBER	SERIAL NUMBER(S)	MONTHLY UPTIME %	OPERATING STATUS
1	CORE	Q5JJ-GEWQ-X3MG	100.00%	Stable Operations (100% Uptime)
	CORE	Q5JJ-Q88T-6XC7	100.00%	Stable Operations (100% Uptime)

PRIMARY ROOT CAUSE DRIVERS

Primary RCA (Switches): Stable Operations (No Incidents)

Primary RCA (APs): Device Power Issues

Hyderabad — INCIDENT & TICKET REVIEW

Site Review 4 of 8 · Top Tickets, RCA Breakdown & Recommended Actions

7

Total Tickets

0

Open

7

Closed

0

Critical (P1)

TOP INCIDENT TICKETS — HYDERABAD

Ticket #	Device / Host	Category	Priority	Status	Primary RCA
PRO/INC/62248	JFL-HYD-SCC-AP09	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/62249	JFL-HYD-SCC-AP13	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/62250	JFL-HYD-SCC-AP06	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/62251	JFL-HYD-SCC-AP01	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/62330	JFL-HYD-SCC-AP11	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/62331	JFL-HYD-SCC-AP15	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/62333	JFL-HYD-SCC-AP13	Meraki Managed S	NON-CORE	Closed	Device Power Issues

RECOMMENDED ACTIONS

High

Inspect and replace faulty UPS/power infrastructure. Schedule preventive power audits. [Timeline: 30 days]

Mohali — SITE OVERVIEW

Site Review 5 of 8 · Operational KPIs, Health Assessment & AI Insights

19 Active Devices	4 Switches	15 Access Points	100.00% JFL Uptime
73.68% Incident-Free %	88.77 (Good) Health Score	MET SLA Status	5 Total Incidents

	KEY RISKS
Switch uptime at 100.00% — exceeding SLA threshold of 99.3%.	Only 73.7% of devices are incident-free — investigate recurring failures.
5 total incidents logged; primary driver: Stable Operations (No Incidents).	Health score of 88.77 indicates moderate risk requiring attention.
	Recurring Stable Operations (No Incidents) incidents require infrastructure investigation.

AI Site Summary — Mohali

- Mohali operates 19 active devices (4 switches, 15 APs).
- JFL Switch Uptime: 100.00% | Proactive Switch Uptime: 100.00% — within the 99.3% SLA threshold.
- Primary RCA Drivers: Switches [Stable Operations (No Incidents)] | APs [Device Power Issues].

Mohali — OPERATIONAL ANALYTICS

Site Review 5 of 8 · Expanded Switch Uptime Summary & RCA Drivers

100.00%

Avg Switch Uptime

4

Switches @ 100%

15

Total APs

5

Total Incidents

EXPANDED RACK-WISE SWITCH UPTIME SUMMARY

S.No.	RACK NUMBER	SERIAL NUMBER(S)	MONTHLY UPTIME %	OPERATING STATUS
1	CORE	Q5JG-NJW9-ABBQ	100.00%	Stable Operations (100% Uptime)
	CORE	Q5JJ-3TZH-2HV5	100.00%	Stable Operations (100% Uptime)
2	TRANSPORT ROOM	Q3LP-2PSJ-6DLB	100.00%	Stable Operations (100% Uptime)
3	WAREHOUSE	Q3LM-TGAF-Q97P	100.00%	Stable Operations (100% Uptime)

PRIMARY ROOT CAUSE DRIVERS

Primary RCA (Switches): Stable Operations (No Incidents)

Primary RCA (APs): Device Power Issues

Mohali — INCIDENT & TICKET REVIEW

Site Review 5 of 8 · Top Tickets, RCA Breakdown & Recommended Actions

5

Total Tickets

0

Open

5

Closed

0

Critical (P1)

TOP INCIDENT TICKETS — MOHALI

Ticket #	Device / Host	Category	Priority	Status	Primary RCA
PRO/INC/60773	JFL-Mohali-SCC-AP13	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/60891	JFL-Mohali-SCC-AP10	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/60893	JFL-Mohali-SCC-AP01	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/60892	JFL-Mohali-SCC-AP02	Meraki Managed S	NON-CORE	Closed	Device Power Issues
PRO/INC/61478	JFL-Mohali-SCC-AP07	Meraki Managed S	NON-CORE	Closed	Device Boot Issues

RECOMMENDED ACTIONS

High	Inspect and replace faulty UPS/power infrastructure. Schedule preventive power audits. [Timeline: 30 days]
Medium	Schedule hardware audit. Identify end-of-life devices for replacement. [Timeline: 60 days]

Mumbai — SITE OVERVIEW

Site Review 6 of 8 · Operational KPIs, Health Assessment & AI Insights

N/A Active Devices	N/A Switches	N/A Access Points	N/A JFL Uptime
N/A Incident-Free %	N/A (Data Not Available) Health Score	MET SLA Status	0 Total Incidents

KEY RISKS

- Switch uptime at 100.00% — exceeding SLA threshold of 99.3%.
- 100.0% of devices remained incident-free.
- Site health score of 100.00 indicates strong operational stability.

No critical risks identified. Continue standard monitoring protocols.

AI Site Summary — Mumbai

- Mumbai operates N/A active devices (N/A switches, N/A APs).
- JFL Switch Uptime: N/A | Proactive Switch Uptime: N/A — within the 99.3% SLA threshold.
- Primary RCA Drivers: Switches [Stable Operations (No Incidents)] | APs [Stable Operations (No Incidents)].

Mumbai — OPERATIONAL ANALYTICS

Site Review 6 of 8 · Expanded Switch Uptime Summary & RCA Drivers

100.00%

Avg Switch Uptime

0

Switches @ 100%

0

Total APs

0

Total Incidents

EXPANDED RACK-WISE SWITCH UPTIME SUMMARY

S.No.	RACK NUMBER	SERIAL NUMBER(S)	MONTHLY UPTIME %	OPERATING STATUS
1	Main Rack	N/A	100.00%	Stable Operations (100% Uptime)

PRIMARY ROOT CAUSE DRIVERS

Primary RCA (Switches): Stable Operations (No Incidents)

Primary RCA (APs): Stable Operations (No Incidents)

Mumbai — INCIDENT & TICKET REVIEW

Site Review 6 of 8 · Top Tickets, RCA Breakdown & Recommended Actions



INCIDENT & RCA REVIEW — MUMBAI

ZERO INCIDENTS RECORDED

Mumbai achieved 100% operational SLA compliance with zero incident tickets recorded during this reporting period.

PRIMARY ROOT CAUSE DRIVER

Primary RCA Status: Stable Operations (No Incidents)

Operational Insight — Mumbai

- Zero incident tickets recorded for Mumbai in this reporting period.
- Infrastructure health remains optimal. Continuous proactive monitoring is active.

Nagpur — SITE OVERVIEW

Site Review 7 of 8 · Operational KPIs, Health Assessment & AI Insights

10 Active Devices	4 Switches	6 Access Points	99.54% JFL Uptime
90.00% Incident-Free %	95.89 (Excellent) Health Score	MET SLA Status	9 Total Incidents

KEY RISKS

- Switch uptime at 99.54% — exceeding SLA threshold of 99.3%.
- 90.0% of devices remained incident-free.
- Site health score of 95.89 indicates strong operational stability.

Recurring Client Side Activity incidents require infrastructure investigation.

AI Site Summary — Nagpur

- Nagpur operates 10 active devices (4 switches, 6 APs).
- JFL Switch Uptime: 99.54% | Proactive Switch Uptime: 100.00% — within the 99.3% SLA threshold.
- Primary RCA Drivers: Switches [Client Side Activity] | APs [Stable Operations (No Incidents)].

Nagpur — OPERATIONAL ANALYTICS

Site Review 7 of 8 · Expanded Switch Uptime Summary & RCA Drivers

99.54%

Avg Switch Uptime

3

Switches @ 100%

6

Total APs

9

Total Incidents

EXPANDED RACK-WISE SWITCH UPTIME SUMMARY

S.No.	RACK NUMBER	SERIAL NUMBER(S)	MONTHLY UPTIME %	OPERATING STATUS
1	RACK 1	Q5JJ-68KZ-MXAS	99.99%	Operational
2	RACK 2	Q5JG-SL55-CZ9Z	100.00%	Stable Operations (100% Uptime)
	RACK 2	Q5JG-TM9S-PLFP	100.00%	Stable Operations (100% Uptime)
3	RACK 3	Q5JG-STQ9-EUPF	100.00%	Stable Operations (100% Uptime)

PRIMARY ROOT CAUSE DRIVERS

Primary RCA (Switches): Client Side Activity

Primary RCA (APs): Stable Operations (No Incidents)

Nagpur — INCIDENT & TICKET REVIEW

Site Review 7 of 8 · Top Tickets, RCA Breakdown & Recommended Actions

9

Total Tickets

0

Open

9

Closed

0

Critical (P1)

TOP INCIDENT TICKETS — NAGPUR

Ticket #	Device / Host	Category	Priority	Status	Primary RCA
PRO/INC/60680	JFL-NAG-SSC-SW01	Meraki Managed S	NON-CORE	Closed	Third Party Device issue
PRO/INC/60847	JFL-NAG-SSC-SW01	Meraki Managed S	NON-CORE	Closed	Client Side Activity
PRO/INC/60911	JFL-NAG-SSC-SW01	Meraki Managed S	P4	Closed	New Configuration
PRO/INC/61513	JFL-NAG-SSC-SW01	Meraki Managed S	NON-CORE	Closed	Client Side Activity
PRO/INC/61525	JFL-NAG-SSC-SW01	Meraki Managed S	NON-CORE	Closed	Client Side Activity
PRO/INC/61771	JFL-NAG-SSC-SW01	Meraki Managed S	NON-CORE	Closed	New Configuration
PRO/INC/61887	JFL-NAG-SSC-SW01	Meraki Managed S	NON-CORE	Closed	New Configuration
PRO/INC/61940	JFL-NAG-SSC-SW01	Meraki Managed S	NON-CORE	Closed	Client Side Activity

RECOMMENDED ACTIONS

High	High-frequency RCA (55.6%). Conduct root cause workshop with operations team. [Timeline: 14 days]
Medium	Deploy firmware updates. Enforce change management for configuration changes. [Timeline: 30 days]

Noida — SITE OVERVIEW

Site Review 8 of 8 · Operational KPIs, Health Assessment & AI Insights

76 Active Devices	40 Switches	36 Access Points	100.00% JFL Uptime
96.05% Incident-Free %	98.42 (Excellent) Health Score	MET SLA Status	4 Total Incidents

KEY RISKS

Switch uptime at 100.00% — exceeding SLA threshold of 99.3%.	Recurring On Hold incidents require infrastructure investigation.
96.0% of devices remained incident-free.	
Site health score of 98.42 indicates strong operational stability.	

AI Site Summary — Noida

- Noida operates 76 active devices (40 switches, 36 APs).
- JFL Switch Uptime: 100.00% | Proactive Switch Uptime: 100.00% — within the 99.3% SLA threshold.
- Primary RCA Drivers: Switches [On Hold] | APs [Stable Operations (No Incidents)].

Noida — OPERATIONAL ANALYTICS

Site Review 8 of 8 · Expanded Switch Uptime Summary & RCA Drivers

100.00%

Avg Switch Uptime

34

Switches @ 100%

36

Total APs

4

Total Incidents

EXPANDED RACK-WISE SWITCH UPTIME SUMMARY

S.No.	RACK NUMBER	SERIAL NUMBER(S)	MONTHLY UPTIME %	OPERATING STATUS
1	JFL-15F-AP-Switch	FVH2903LAA9	100.00%	Stable Operations (100% Uptime)
	JFL-15F-AP-Switch	FOC2710Y261	100.00%	Stable Operations (100% Uptime)
2	JFL-15F-L2-Stack1	FOC2714Z681	100.00%	Stable Operations (100% Uptime)
	JFL-15F-L2-Stack1	FOC2716YN3W	100.00%	Stable Operations (100% Uptime)
	JFL-15F-L2-Stack1	FOC2716YLLY	100.00%	Stable Operations (100% Uptime)
	JFL-15F-L2-Stack1	FOC2716YLM7	100.00%	Stable Operations (100% Uptime)
	JFL-15F-L2-Stack1	FOC2714Z5B8	100.00%	Stable Operations (100% Uptime)

PRIMARY ROOT CAUSE DRIVERS

Primary RCA (Switches): On Hold

Primary RCA (APs): Stable Operations (No Incidents)

Noida — INCIDENT & TICKET REVIEW

Site Review 8 of 8 · Top Tickets, RCA Breakdown & Recommended Actions

4

Total Tickets

3

Open

1

Closed

0

Critical (P1)

TOP INCIDENT TICKETS — NOIDA

Ticket #	Device / Host	Category	Priority	Status	Primary RCA
PRO/INC/61751	JFL-ISE	Meraki Managed S	P3	Closed	Others
PRO/INC/61767	JFL-Core-Sw1	Meraki Managed S	P3	Open	On Hold
PRO/INC/62140	JFL-ISE	Meraki Managed S	P3	Open	On Hold
PRO/INC/62622	JFL-Core-Sw2	Meraki Managed S	P4	Open	On Hold

RECOMMENDED ACTIONS

High	High-frequency RCA (75.0%). Conduct root cause workshop with operations team. [Timeline: 14 days]
Medium	Investigate and mitigate Others failures. [Timeline: Q2 FY2026]

AI-GENERATED RECOMMENDATIONS

Priority-Based Remediation Plan Generated from Incident & Health Analytics

HIGH PRIORITY — IMMEDIATE ACTION REQUIRED (0-30 DAYS)

HIGH	Address health degradation at Hyderabad (Score: 84.36). Conduct on-site audit and deploy rapid response team.
HIGH	Address health degradation at Greater Noida (Score: 88.45). Conduct on-site audit and deploy rapid response team.
HIGH	Address health degradation at Mohali (Score: 88.77). Conduct on-site audit and deploy rapid response team.

MEDIUM PRIORITY — ACTION REQUIRED (30-60 DAYS)

MED	Investigate and mitigate On Hold failures.
MED	Deploy firmware updates. Enforce change management for configuration changes.
MED	Investigate and mitigate Client Side Activity failures.

LOW PRIORITY — STANDARD PRACTICE (60-90 DAYS)

LOW	Update network topology documentation for all 8 sites including current device serial inventories.
LOW	Conduct quarterly stakeholder review meetings with JFL IT leadership to align on operational priorities.
LOW	Evaluate proactive monitoring alert threshold tuning to reduce noise and improve incident detection accuracy.

Action Plan Tracker

Prioritized Action Items with Ownership, Timeline & Status

Priority	Action	Owner	Timeline	Impact	Status
High	Remediate health degradation at Hyderabad (Score: 84.36)	Network Operations	30 days	High	Open
High	Remediate health degradation at Greater Noida (Score: 88.45)	Network Operations	30 days	High	Open
High	Remediate health degradation at Mohali (Score: 88.77)	Network Operations	30 days	High	Open
High	Root cause elimination for "Device Power Issues" (55 occurrences across all sites)	Infrastructure Team	45 days	High	In Progress
High	Root cause elimination for "On Hold" (13 occurrences across all sites)	Infrastructure Team	45 days	High	In Progress
High	Root cause elimination for "New Configuration" (12 occurrences across all sites)	Infrastructure Team	45 days	High	In Progress
Medium	Quarterly firmware update across all network switches	Network Ops	Q2 FY2026	Medium	Planned
Medium	AP placement review at sites with >30% AP incident rate	Wireless Team	60 days	Medium	Planned
Low	Documentation update — network topology diagrams for all 8 sites	Documentation	90 days	Low	Planned
Low	Monthly proactive health check cadence review with JFL stakeholders	Account Manager	Ongoing	Low	Active

Action Plan — Executive Note

- 6 high-priority actions require completion within 30-45 days to prevent SLA degradation.
- Action ownership has been assigned to respective operational teams. Regular follow-up recommended.
- This action plan should be reviewed and updated monthly with JFL IT leadership.

OVERVIEW

Other Activity — Change Requests, Maintenance & Non-Hardware Tickets

Subject	Sub Category	Device Name	Device Serial	Device Type	Hostname	Status	RCA
ISE Advantage Licence	Meraki Managed Service	Noida	WMP27030033	Cisco ISE	JFL-ISE	Resolved	Others
Authentication issue as AD disjoined-----WMP271	Meraki Managed Service	Noida	WMP27030033	Cisco ISE	JFL-ISE	On Hold	On Hold

APPENDIX — MASTER DATA REFERENCE

Information Governance & Accompanying Audit Logs

EXECUTIVE DATA NOTICE

Detailed raw device logs, switch inventories, AP breakdowns, and full incident history tables are available in the accompanying Excel/CSV data files.

This QBR PPT presentation contains only executive summaries, site-by-site reviews, and strategic action plans to maintain high executive readability.

Thank You

Proactive Data Systems · www.proactive.co.in

Reporting Period: 1 August 2026 – 31 August 2026

Customer: Jubilant Foodworks Ltd (JFL)

Generated: 29 September 2026

CONFIDENTIAL — This document is intended for authorized recipients only.