

Title

Qiao Chen

Department of Applied Mathematics & Statistics and
Institute for Advance Computational Science (IACS)
Stony Brook University

Aug. 28, 2019

Outline

1 Introduction

2 section 2

- subsection 2.1
- subsection 2.2

3 section 3

- subsection 3.1
- subsection 3.2

4 Timeline & conclusion

Outline

1 Introduction

2 section 2

- subsection 2.1
- subsection 2.2

3 section 3

- subsection 3.1
- subsection 3.2

4 Timeline & conclusion

frame 1

- abc¹

¹Authors et al., *Journal. abbr.*, year.

Outline

1 Introduction

2 section 2

- subsection 2.1
- subsection 2.2

3 section 3

- subsection 3.1
- subsection 3.2

4 Timeline & conclusion

frame 2

- footnote without marks

footnote without marks

frame 2.1

Theorem

$$a + b = c.$$

Proof.

Authors et al. *Textbook chapter x*, year.



frame 2.2

- item 1
- item 2
- item 3
- item 4
- item 5
- item 6

Table: Cool table

	appl.	size	time (sec.)
ID1	foo	1,000	100
ID2	bar	2,000	200
ID3	spam	3,000	300

- Some people send the most random text messages about the most random things.
- Often, for the recipient, getting one of these strange texts can be nothing short of hilarious!

Outline

1 Introduction

2 section 2

- subsection 2.1
- subsection 2.2

3 section 3

- subsection 3.1
- subsection 3.2

4 Timeline & conclusion

frame 3

frame 3.1

frame 3.2

Outline

1 Introduction

2 section 2

- subsection 2.1
- subsection 2.2

3 section 3

- subsection 3.1
- subsection 3.2

4 Timeline & conclusion

frame 4

Appendix: References