

ICPSR 37067

**Continuity and Change in
Contraceptive Use, United States,
2012-2014**

Rachel Jones
Alan Guttmacher Institute

ICPSR Codebook for Wave 2

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37067/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #37067

Continuity and Change

DS # 2: Wave 2

1. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR recoded the following variables in the data: **TM_START**, **TM_FINISH**, **Q23B_PILL_OTHER**, **Q23B_PATCH_OTHER**, **Q23B_RING_OTHER**, **Q23B_DEPO_OTHER**, **Q23B_IMPLANT_OTHER**, **Q23B_IUD_OTHER**, **WHYOUT1**, **WHYOUT2**, **WHYOUT3**, **NOBCQUAL**, **OTROINS**, **OTRODOC**, and **PROBQUAL**. The day and time were dropped in **TM_START** AND **TM_FINISH**, and open-ended responses were masked in the other variables.
2. **Variable Link:** The variable **CASEID** is the household-level linking variable for the three datasets.
3. **Extent of Processing:** These data are being released in BETA version to facilitate early access to the study for research purposes. This collection has not been fully processed by DSDR or ICPSR at this time; the original materials provided by the principal investigator were only converted to other file types for ease of use. As the study is processed and given enhanced features by ICPSR, users will be able to access the updated versions of the study. Please report any data errors or problems to user support and we will work with you to resolve any data-related issues.
4. **Suspicious Characters:** Several variable labels in the original deposit file included an acute accent (´) in place of an apostrophe (e.g. "DON´T KNOW"). These labels have not been amended for the beta release and may be rendered incorrectly (e.g. "DON?T KNOW") in the datasets. Variable labels will be edited to render properly in future updates.

ICPSR 37067

Continuity and Change in Contraceptive Use, United States, 2012-2014

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

CASEID: Case ID

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

WEIGHT: weights for qualified respondents

Value	Label	Unweighted Frequency	%
0.0537	-	86	2.7 %
0.0540	-	1	0.0 %
0.0541	-	1	0.0 %
0.0546	-	12	0.4 %
0.0548	-	1	0.0 %
0.0551	-	8	0.2 %
0.0561	-	1	0.0 %
0.0564	-	7	0.2 %
0.0571	-	3	0.1 %
0.0573	-	1	0.0 %
0.0577	-	10	0.3 %
0.0584	-	5	0.2 %
0.0586	-	12	0.4 %
0.0588	-	2	0.1 %
0.0606	-	2	0.1 %
0.0619	-	5	0.2 %
0.0630	-	3	0.1 %
0.0632	-	1	0.0 %
0.0635	-	1	0.0 %
0.0640	-	1	0.0 %
0.0643	-	1	0.0 %
0.0644	-	2	0.1 %
0.0650	-	2	0.1 %
0.0655	-	6	0.2 %
0.0662	-	1	0.0 %
0.0676	-	1	0.0 %
0.0679	-	3	0.1 %
0.0698	-	2	0.1 %
0.0706	-	1	0.0 %
0.0708	-	1	0.0 %
0.0711	-	1	0.0 %
0.0714	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.0715	-	4	0.1 %
0.0716	-	3	0.1 %
0.0720	-	3	0.1 %
0.0722	-	4	0.1 %
0.0723	-	7	0.2 %
0.0725	-	2	0.1 %
0.0727	-	5	0.2 %
0.0729	-	2	0.1 %
0.0733	-	1	0.0 %
0.0739	-	1	0.0 %
0.0740	-	1	0.0 %
0.0745	-	1	0.0 %
0.0758	-	1	0.0 %
0.0762	-	2	0.1 %
0.0764	-	3	0.1 %
0.0768	-	3	0.1 %
0.0775	-	1	0.0 %
0.0780	-	1	0.0 %
	Total	3,207	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 1.0000
- Minimum: 0.0537
- Maximum: 5.5348
- Standard Deviation: 1.2355

Location: 5-10 (width: 6; decimal: 4)

Variable Type: numeric

TM_START: Interview start time

Value	Label	Unweighted Frequency	%
01-JUN-2013 00:00	-	571	17.8 %
01-MAY-2013 00:00	-	2636	82.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 11-27 (width: 17; decimal: 0)

Variable Type: character

TM_FINISH: Interview finish time

Value	Label	Unweighted Frequency	%
01-JUN-2013 00:00	-	603	18.8 %
01-MAY-2013 00:00	-	2604	81.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 28-44 (width: 17; decimal: 0)

Variable Type: character

DURATION: Interview duration in minutes

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	11	0.3 %
2	-	57	1.8 %
3	-	119	3.7 %
4	-	235	7.3 %
5	-	333	10.4 %
6	-	385	12.0 %
7	-	313	9.8 %
8	-	286	8.9 %
9	-	225	7.0 %
10	-	166	5.2 %
11	-	157	4.9 %
12	-	120	3.7 %
13	-	98	3.1 %
14	-	70	2.2 %
15	-	68	2.1 %
16	-	40	1.2 %
17	-	27	0.8 %
18	-	30	0.9 %
19	-	28	0.9 %
20	-	22	0.7 %
21	-	18	0.6 %
22	-	18	0.6 %
23	-	10	0.3 %
24	-	13	0.4 %
25	-	15	0.5 %
26	-	16	0.5 %

Value	Label	Unweighted Frequency	%
27	-	8	0.2 %
28	-	7	0.2 %
29	-	9	0.3 %
30	-	3	0.1 %
31	-	6	0.2 %
32	-	8	0.2 %
33	-	3	0.1 %
34	-	3	0.1 %
35	-	3	0.1 %
36	-	9	0.3 %
37	-	2	0.1 %
38	-	3	0.1 %
39	-	3	0.1 %
40	-	3	0.1 %
41	-	3	0.1 %
42	-	3	0.1 %
43	-	3	0.1 %
44	-	4	0.1 %
46	-	2	0.1 %
47	-	3	0.1 %
48	-	2	0.1 %
49	-	1	0.0 %
50	-	1	0.0 %
	Total	3,207	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 216.20
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 29086.00
- Standard Deviation: 1524.36

Location: 45-49 (width: 5; decimal: 0)

Variable Type: numeric

INTVLANG: Interview Language

Value	Label	Unweighted Frequency	%
1	English	3016	94.0 %

Value	Label	Unweighted Frequency	%
2	Spanish	191	6.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

MAINLANG: Primary Language

Value	Label	Unweighted Frequency	%
1	English Dominant	217	6.8 %
2	Bilingual	174	5.4 %
3	Spanish Dominant	167	5.2 %
4	Hispanic missing data	0	0.0 %
5	Non-Hispanic	2649	82.6 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

XIMPLANT: Used Implant at T1

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3159	98.5 %
1	Yes	48	1.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

XIUD: Used IUD at T1

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2905	90.6 %
1	Yes	302	9.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

DOV_Q26_1: [Withdrawl] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	1767	55.1 %
1	Yes	703	21.9 %
	Missing Data		
.	-	737	23.0 %
	Total	3,207	100%

Based upon 2,470 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_2: [Vasectomy] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	2449	76.4 %
1	Yes	21	0.7 %
	Missing Data		
.	-	737	23.0 %
	Total	3,207	100%

Based upon 2,470 valid cases out of 3,207 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_3: [Condoms] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	1756	54.8 %
1	Yes	714	22.3 %
	Missing Data		
.	-	737	23.0 %
	Total	3,207	100%

Based upon 2,470 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_4: [Natural/Calendar] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	2352	73.3 %
1	Yes	118	3.7 %
	Missing Data		
.	-	737	23.0 %
	Total	3,207	100%

Based upon 2,470 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_5: [Spermicide] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	2438	76.0 %
1	Yes	32	1.0 %
	Missing Data		
.	-	737	23.0 %
	Total	3,207	100%

Based upon 2,470 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_6: [None of the above] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	1260	39.3 %
1	Yes	1210	37.7 %
	Missing Data		
.	-	737	23.0 %
	Total	3,207	100%

Based upon 2,470 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 61-61 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_REFUSED: [Refused/Missing] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	2457	76.6 %
1	Yes	13	0.4 %
	Missing Data		
.	-	737	23.0 %
	Total	3,207	100%

Based upon 2,470 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

MARITAL: Q1: What is your current marital status?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Married	1512	47.1 %
2	Not married but living together with a partner	625	19.5 %

Value	Label	Unweighted Frequency	%
3	Separated from my spouse	50	1.6 %
4	Never been married	901	28.1 %
5	Widowed	10	0.3 %
6	Divorced	100	3.1 %
	Missing Data		
.	-	9	0.3 %
	Total	3,207	100%

Based upon 3,198 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

STILLP: Q1b: Do you still consider your spouse to be your current partner?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	35	1.1 %
1	Yes	15	0.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3157	98.4 %
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

DATING: Q2: Is there someone whom you see or date on more or less regularly?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	423	13.2 %
1	Yes	620	19.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2164	67.5 %
	Total	3,207	100%

Based upon 1,043 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

NDATING: Q2b: How many partners of this type do you have?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	1	564	17.6 %
2	2	44	1.4 %
3	3 or more	10	0.3 %
	Missing Data		
.	-	2589	80.7 %
	Total	3,207	100%

Based upon 618 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_A: Is {A} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
0	Female	15	0.5 %
1	Male	1507	47.0 %
	Missing Data		
.	-	1682	52.4 %
	Total	3,207	100%

Based upon 1,525 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_B: Is {B} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	Female	24	0.7 %
1	Male	599	18.7 %
	Missing Data		
.	-	2583	80.5 %
	Total	3,207	100%

Based upon 624 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_C: Is {C} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
0	Female	23	0.7 %
1	Male	536	16.7 %
	Missing Data		
.	-	2646	82.5 %
	Total	3,207	100%

Based upon 561 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_D1: Is {D1} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	2	0.1 %
1	Male	52	1.6 %
	Missing Data		
.	-	3153	98.3 %
	Total	3,207	100%

Based upon 54 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_D2: Is {D2} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	2	0.1 %
1	Male	52	1.6 %
	Missing Data		
.	-	3153	98.3 %
	Total	3,207	100%

Based upon 54 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_E1: Is {E1} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	0	0.0 %
1	Male	10	0.3 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_E2: Is {E2} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
0	Female	0	0.0 %
1	Male	10	0.3 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

Q4_A: Have you and {A} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	7	0.2 %
1	Yes	1506	47.0 %
2	Yes, though we have broken up and gotten back together during that time	10	0.3 %
3	No	2	0.1 %
4	Unsure	0	0.0 %
	Missing Data		
.	-	1682	52.4 %
	Total	3,207	100%

Based upon 1,525 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

Q4_B: Have you and {B} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Yes	585	18.2 %
2	Yes, though we have broken up and gotten back together during that time	17	0.5 %
3	No	20	0.6 %
4	Unsure	1	0.0 %
	Missing Data		
.	-	2583	80.5 %

Value	Label	Unweighted Frequency	%
	Total	3,207	100%

Based upon 624 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

Q4_C: Have you and {C} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
1	Yes	342	10.7 %
2	Yes, though we have broken up and gotten back together during that time	69	2.2 %
3	No	143	4.5 %
4	Unsure	4	0.1 %
	Missing Data		
.	-	2646	82.5 %
	Total	3,207	100%

Based upon 561 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

Q4_D1: Have you and {D1} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Yes	13	0.4 %
2	Yes, though we have broken up and gotten back together during that time	20	0.6 %
3	No	19	0.6 %
4	Unsure	2	0.1 %
	Missing Data		
.	-	3153	98.3 %
	Total	3,207	100%

Based upon 54 valid cases out of 3,207 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

Q4_D2: Have you and {D2} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Yes	8	0.2 %
2	Yes, though we have broken up and gotten back together during that time	10	0.3 %
3	No	34	1.1 %
4	Unsure	2	0.1 %
	Missing Data		
.	-	3153	98.3 %
	Total	3,207	100%

Based upon 54 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

Q4_E1: Have you and {E1} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Yes	1	0.0 %
2	Yes, though we have broken up and gotten back together during that time	4	0.1 %
3	No	4	0.1 %
4	Unsure	1	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

Q4_E2: Have you and {E2} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Yes	2	0.1 %
2	Yes, though we have broken up and gotten back together during that time	3	0.1 %
3	No	5	0.2 %
4	Unsure	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSA: Q5: [Months;A] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3198	99.7 %
1	-	2	0.1 %
2	-	1	0.0 %
3	-	1	0.0 %
5	-	3	0.1 %
48	-	1	0.0 %
200	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 3.64

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

MONTHSB: Q5: [Months;B] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
0	-	3192	99.5 %
1	-	1	0.0 %
2	-	2	0.1 %
3	-	3	0.1 %
4	-	2	0.1 %
5	-	2	0.1 %
8	-	1	0.0 %
14	-	1	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
45	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 0.99

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSC: Q5: [Months;C] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3148	98.2 %
1	-	6	0.2 %
2	-	11	0.3 %
3	-	18	0.6 %
4	-	9	0.3 %
5	-	3	0.1 %
6	-	3	0.1 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
12	-	3	0.1 %
25	-	1	0.0 %
36	-	2	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 1.17

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSD1: Q5: [Months;D1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3194	99.6 %
1	-	2	0.1 %
2	-	3	0.1 %
3	-	1	0.0 %
4	-	1	0.0 %
6	-	2	0.1 %
7	-	3	0.1 %
36	-	1	0.0 %
Total		3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 0.70

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSD2: Q5: [Months;D2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3201	99.8 %
2	-	2	0.1 %
4	-	1	0.0 %
20	-	1	0.0 %
24	-	1	0.0 %
60	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 1.20

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSE1: Q5: [Months;E1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3204	99.9 %
2	-	1	0.0 %
5	-	1	0.0 %
8	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.17

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSE2: Q5: [Months;E2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3204	99.9 %
1	-	1	0.0 %
3	-	1	0.0 %
8	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.15

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSA: Q5: [Weeks;A] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3204	99.9 %
2	-	1	0.0 %
3	-	2	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.08

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSB: Q5: [Weeks;B] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3202	99.8 %
1	-	2	0.1 %
2	-	2	0.1 %
3	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.08

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSC: Q5: [Weeks;C] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3176	99.0 %
1	-	6	0.2 %
2	-	18	0.6 %
3	-	7	0.2 %
Total		3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.21

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSD1: Q5: [Weeks;D1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3197	99.7 %
1	-	3	0.1 %
2	-	2	0.1 %
3	-	3	0.1 %
9	-	1	0.0 %
15	-	1	0.0 %
Total		3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.33

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSD2: Q5: [Weeks;D2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3206	100.0 %
3	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.05

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSE1: Q5: [Weeks;E1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3205	99.9 %
2	-	2	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.05

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSE2: Q5: [Weeks;E2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3205	99.9 %
3	-	1	0.0 %
6	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.12

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_A: [Months] Approximately how long have you been in a relationship with [A]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3205	99.9 %
2	-	1	0.0 %
5	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.10

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_B: [Months] Approximately how long have you been in a relationship with [B]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3189	99.4 %
1	-	1	0.0 %
2	-	3	0.1 %
3	-	2	0.1 %
4	-	6	0.2 %
5	-	3	0.1 %
8	-	1	0.0 %
22	-	1	0.0 %
36	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 0.80

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_C: [Months] Approximately how long have you been in a relationship with [C]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3086	96.2 %
1	-	29	0.9 %
2	-	30	0.9 %
3	-	26	0.8 %
4	-	21	0.7 %
5	-	15	0.5 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.58

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_D1: [Months] Approximately how long have you been in a relationship with [D1]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3193	99.6 %
1	-	4	0.1 %
2	-	5	0.2 %
3	-	2	0.1 %
4	-	2	0.1 %
5	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.18

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_D2: [Months] Approximately how long have you been in a relationship with [D2]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3186	99.3 %
1	-	6	0.2 %
2	-	2	0.1 %
3	-	3	0.1 %
4	-	3	0.1 %
5	-	5	0.2 %
8	-	1	0.0 %
12	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 0.36

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_E1: [Months] Approximately how long have you been in a relationship with [E1]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3203	99.9 %
2	-	1	0.0 %
4	-	2	0.1 %
8	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.18

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_E2: [Months] Approximately how long have you been in a relationship with [E2]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3203	99.9 %
1	-	1	0.0 %
2	-	3	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.06

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_A: [Weeks] Approximately how long have you been in a relationship with [A]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3206	100.0 %
2	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.04

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_B: [Weeks] Approximately how long have you been in a relationship with [B]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3192	99.5 %
1	-	3	0.1 %
2	-	6	0.2 %
3	-	4	0.1 %
4	-	1	0.0 %
6	-	1	0.0 %
Total		3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.19

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_C: [Weeks] Approximately how long have you been in a relationship with [C]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3132	97.7 %
1	-	27	0.8 %
2	-	19	0.6 %
3	-	26	0.8 %
4	-	1	0.0 %
5	-	2	0.1 %
Total		3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.35

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_D1: [Weeks] Approximately how long have you been in a relationship with [D1]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3202	99.8 %
1	-	1	0.0 %
2	-	2	0.1 %
3	-	2	0.1 %
Total		3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.09

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_D2: [Weeks] Approximately how long have you been in a relationship with [D2]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3192	99.5 %
1	-	9	0.3 %
2	-	3	0.1 %
4	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
Total		3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.23

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_E1: [Weeks] Approximately how long have you been in a relationship with [E1]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3205	99.9 %
3	-	1	0.0 %
4	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.09

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_E2: [Weeks] Approximately how long have you been in a relationship with [E2]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3206	100.0 %
2	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.04

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Q6_A: [A] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
1	Not at all likely 1	1381	43.1 %
2	2	54	1.7 %
3	3	17	0.5 %
4	4	15	0.5 %
5	5	16	0.5 %

Value	Label	Unweighted Frequency	%
6	Very likely 6	39	1.2 %
	Missing Data		
.	-	1682	52.4 %
	Total	3,207	100%

Based upon 1,525 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Q6_B: [B] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Not at all likely 1	528	16.5 %
2	2	40	1.2 %
3	3	13	0.4 %
4	4	11	0.3 %
5	5	2	0.1 %
6	Very likely 6	28	0.9 %
	Missing Data		
.	-	2583	80.5 %
	Total	3,207	100%

Based upon 624 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Q6_C: [C] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all likely 1	342	10.7 %
2	2	73	2.3 %
3	3	27	0.8 %
4	4	29	0.9 %
5	5	24	0.7 %

Value	Label	Unweighted Frequency	%
6	Very likely 6	65	2.0 %
	Missing Data		
.	-	2646	82.5 %
	Total	3,207	100%

Based upon 561 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Q6_D1: [D1] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	7	0.2 %
2	2	4	0.1 %
3	3	7	0.2 %
4	4	3	0.1 %
5	5	5	0.2 %
6	Very likely 6	18	0.6 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Q6_D2: [D2] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all likely 1	2	0.1 %
2	2	4	0.1 %
3	3	3	0.1 %
4	4	9	0.3 %
5	5	7	0.2 %

Value	Label	Unweighted Frequency	%
6	Very likely 6	18	0.6 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Q6_E1: [E1] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	2	0.1 %
2	2	2	0.1 %
3	3	0	0.0 %
4	4	1	0.0 %
5	5	2	0.1 %
6	Very likely 6	3	0.1 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Q6_E2: [E2] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	2	0.1 %
2	2	1	0.0 %
3	3	0	0.0 %
4	4	1	0.0 %
5	5	2	0.1 %

Value	Label	Unweighted Frequency	%
6	Very likely 6	4	0.1 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Q7_A: [Initials for A] How committed are you to your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	11	0.3 %
1	Not committed 1	6	0.2 %
2	2	7	0.2 %
3	3	12	0.4 %
4	4	21	0.7 %
5	5	70	2.2 %
6	Very committed 6	1398	43.6 %
	Missing Data		
.	-	1682	52.4 %
	Total	3,207	100%

Based upon 1,525 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Q7_B: [Initials for B] How committed are you to your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
1	Not committed 1	1	0.0 %
2	2	2	0.1 %
3	3	10	0.3 %
4	4	28	0.9 %
5	5	64	2.0 %

Value	Label	Unweighted Frequency	%
6	Very committed 6	515	16.1 %
	Missing Data		
.	-	2583	80.5 %
	Total	3,207	100%

Based upon 624 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Q7_C: [Initials for C] How committed are you to your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Not committed 1	16	0.5 %
2	2	22	0.7 %
3	3	43	1.3 %
4	4	65	2.0 %
5	5	89	2.8 %
6	Very committed 6	324	10.1 %
	Missing Data		
.	-	2646	82.5 %
	Total	3,207	100%

Based upon 561 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Q7_D1: [Initials for D1] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not committed 1	10	0.3 %
2	2	7	0.2 %
3	3	11	0.3 %
4	4	9	0.3 %
5	5	4	0.1 %

Value	Label	Unweighted Frequency	%
6	Very committed 6	2	0.1 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Q7_D2: [Initials for D2] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
1	Not committed 1	12	0.4 %
2	2	8	0.2 %
3	3	7	0.2 %
4	4	8	0.2 %
5	5	4	0.1 %
6	Very committed 6	2	0.1 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Q7_E1: [Initials for E1] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not committed 1	5	0.2 %
2	2	0	0.0 %
3	3	2	0.1 %
4	4	2	0.1 %
5	5	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Very committed 6	1	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Q7_E2: [Initials for E2] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not committed 1	5	0.2 %
2	2	1	0.0 %
3	3	3	0.1 %
4	4	1	0.0 %
5	5	0	0.0 %
6	Very committed 6	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Q8_A: [Initials for A] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	8	0.2 %
1	Not at all happy 1	18	0.6 %
2	2	16	0.5 %
3	3	50	1.6 %
4	4	131	4.1 %
5	5	333	10.4 %

Value	Label	Unweighted Frequency	%
6	Very happy 6	969	30.2 %
	Missing Data		
.	-	1682	52.4 %
	Total	3,207	100%

Based upon 1,525 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Q8_B: [Initials for B] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
1	Not at all happy 1	6	0.2 %
2	2	10	0.3 %
3	3	22	0.7 %
4	4	85	2.7 %
5	5	175	5.5 %
6	Very happy 6	322	10.0 %
	Missing Data		
.	-	2583	80.5 %
	Total	3,207	100%

Based upon 624 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Q8_C: [Initials for C] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
1	Not at all happy 1	10	0.3 %
2	2	25	0.8 %
3	3	42	1.3 %
4	4	107	3.3 %
5	5	144	4.5 %

Value	Label	Unweighted Frequency	%
6	Very happy 6	229	7.1 %
	Missing Data		
.	-	2646	82.5 %
	Total	3,207	100%

Based upon 561 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Q8_D1: [Initials for D1] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy 1	4	0.1 %
2	2	5	0.2 %
3	3	8	0.2 %
4	4	17	0.5 %
5	5	7	0.2 %
6	Very happy 6	3	0.1 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Q8_D2: [Initials for D2] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all happy 1	4	0.1 %
2	2	12	0.4 %
3	3	6	0.2 %
4	4	11	0.3 %
5	5	6	0.2 %

Value	Label	Unweighted Frequency	%
6	Very happy 6	4	0.1 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Q8_E1: [Initials for E1] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy 1	1	0.0 %
2	2	1	0.0 %
3	3	3	0.1 %
4	4	5	0.2 %
5	5	0	0.0 %
6	Very happy 6	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Q8_E2: [Initials for E2] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy 1	3	0.1 %
2	2	0	0.0 %
3	3	2	0.1 %
4	4	3	0.1 %
5	5	2	0.1 %

Value	Label	Unweighted Frequency	%
6	Very happy 6	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Q9_A: [A] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	9	0.3 %
1	Not at all satisfied 1	36	1.1 %
2	2	38	1.2 %
3	3	116	3.6 %
4	4	240	7.5 %
5	5	376	11.7 %
6	Very satisfied 6	708	22.1 %
7	NA, we haven't had sex	2	0.1 %
	Missing Data		
.	-	1682	52.4 %
	Total	3,207	100%

Based upon 1,525 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Q9_B: [B] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
1	Not at all satisfied 1	15	0.5 %
2	2	17	0.5 %
3	3	51	1.6 %
4	4	113	3.5 %

Value	Label	Unweighted Frequency	%
5	5	168	5.2 %
6	Very satisfied 6	253	7.9 %
7	NA, we haven't had sex	3	0.1 %
	Missing Data		
.	-	2583	80.5 %
	Total	3,207	100%

Based upon 624 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Q9_C: [C] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all satisfied 1	11	0.3 %
2	2	16	0.5 %
3	3	39	1.2 %
4	4	89	2.8 %
5	5	143	4.5 %
6	Very satisfied 6	211	6.6 %
7	NA, we haven't had sex	51	1.6 %
	Missing Data		
.	-	2646	82.5 %
	Total	3,207	100%

Based upon 561 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Q9_D1: [D1] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all satisfied 1	1	0.0 %
2	2	4	0.1 %

Value	Label	Unweighted Frequency	%
3	3	5	0.2 %
4	4	11	0.3 %
5	5	5	0.2 %
6	Very satisfied 6	14	0.4 %
7	NA, we haven't had sex	4	0.1 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Q9_D2: [D2] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Not at all satisfied 1	6	0.2 %
2	2	3	0.1 %
3	3	2	0.1 %
4	4	7	0.2 %
5	5	9	0.3 %
6	Very satisfied 6	8	0.2 %
7	NA, we haven't had sex	7	0.2 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Q9_E1: [E1] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
1	Not at all satisfied 1	1	0.0 %
2	2	1	0.0 %
3	3	1	0.0 %
4	4	2	0.1 %
5	5	3	0.1 %
6	Very satisfied 6	2	0.1 %
7	NA, we haven't had sex	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Q9_E2: [E2] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all satisfied 1	1	0.0 %
2	2	0	0.0 %
3	3	0	0.0 %
4	4	1	0.0 %
5	5	5	0.2 %
6	Very satisfied 6	1	0.0 %
7	NA, we haven't had sex	2	0.1 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Q10_A: [A] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	6	0.2 %
1	0	649	20.2 %
2	1	562	17.5 %
3	2-5	270	8.4 %
4	6 or more	38	1.2 %
	Missing Data		
.	-	1682	52.4 %
	Total	3,207	100%

Based upon 1,525 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Q10_B: [B] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	0	221	6.9 %
2	1	238	7.4 %
3	2-5	136	4.2 %
4	6 or more	27	0.8 %
	Missing Data		
.	-	2583	80.5 %
	Total	3,207	100%

Based upon 624 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Q10_C: [C] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	0	253	7.9 %
2	1	187	5.8 %
3	2-5	103	3.2 %

Value	Label	Unweighted Frequency	%
4	6 or more	16	0.5 %
	Missing Data		
.	-	2646	82.5 %
	Total	3,207	100%

Based upon 561 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Q10_D1: [D1] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	24	0.7 %
2	1	10	0.3 %
3	2-5	9	0.3 %
4	6 or more	1	0.0 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Q10_D2: [D2] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	19	0.6 %
2	1	10	0.3 %
3	2-5	10	0.3 %
4	6 or more	5	0.2 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Q10_E1: [E1] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	4	0.1 %
2	1	3	0.1 %
3	2-5	3	0.1 %
4	6 or more	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Q10_E2: [E2] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	9	0.3 %
2	1	0	0.0 %
3	2-5	1	0.0 %
4	6 or more	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Q11_A_1: [A] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	No	1497	46.7 %
1	Yes	12	0.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	1697	52.9 %
	Total	3,207	100%

Based upon 1,510 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Q11_A_2: [A] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
0	No	1488	46.4 %
1	Yes	19	0.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	1697	52.9 %
	Total	3,207	100%

Based upon 1,510 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Q11_A_3: [A] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	6	0.2 %
0	No	1463	45.6 %
1	Yes	41	1.3 %

Value	Label	Unweighted Frequency	%
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	1697	52.9 %
	Total	3,207	100%

Based upon 1,510 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Q11_B_1: [B] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	No	580	18.1 %
1	Yes	19	0.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2607	81.3 %
	Total	3,207	100%

Based upon 600 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Q11_B_2: [B] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	No	582	18.1 %
1	Yes	17	0.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2607	81.3 %

Value	Label	Unweighted Frequency	%
	Total	3,207	100%

Based upon 600 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Q11_B_3: [B] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
0	No	556	17.3 %
1	Yes	42	1.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2607	81.3 %
	Total	3,207	100%

Based upon 600 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Q11_C_1: [C] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	527	16.4 %
1	Yes	11	0.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2669	83.2 %
	Total	3,207	100%

Based upon 538 valid cases out of 3,207 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Q11_C_2: [C] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	No	530	16.5 %
1	Yes	7	0.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2669	83.2 %
	Total	3,207	100%

Based upon 538 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Q11_C_3: [C] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
0	No	497	15.5 %
1	Yes	39	1.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2669	83.2 %
	Total	3,207	100%

Based upon 538 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D1_1: [D1] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
0	No	38	1.2 %
1	Yes	2	0.1 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3165	98.7 %
	Total	3,207	100%

Based upon 42 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D1_2: [D1] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
0	No	39	1.2 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3165	98.7 %
	Total	3,207	100%

Based upon 42 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D1_3: [D1] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
0	No	32	1.0 %
1	Yes	8	0.2 %
3	Dont Know	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3165	98.7 %
	Total	3,207	100%

Based upon 42 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D2_1: [D2] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
0	No	38	1.2 %
1	Yes	2	0.1 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3165	98.7 %
	Total	3,207	100%

Based upon 42 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D2_2: [D2] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
0	No	36	1.1 %
1	Yes	4	0.1 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3165	98.7 %
	Total	3,207	100%

Based upon 42 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D2_3: [D2] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
0	No	34	1.1 %
1	Yes	6	0.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3165	98.7 %
	Total	3,207	100%

Based upon 42 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E1_1: [E1] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	9	0.3 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E1_2: [E1] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	9	0.3 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	3197	99.7 %
Total		3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E1_3: [E1] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	9	0.3 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	3197	99.7 %
Total		3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E2_1: [E2] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	9	0.3 %
1	Yes	1	0.0 %

Value	Label	Unweighted Frequency	%
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E2_2: [E2] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	9	0.3 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E2_3: [E2] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	9	0.3 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3197	99.7 %

Value	Label	Unweighted Frequency	%
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Q13_A: [A] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Agree	736	22.9 %
2	Somewhat agree	182	5.7 %
3	Somewhat disagree	67	2.1 %
4	Disagree	351	10.9 %
5	Unsure/Don't know	188	5.9 %
	Missing Data		
.	-	1682	52.4 %
	Total	3,207	100%

Based upon 1,525 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Q13_B: [B] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
1	Agree	285	8.9 %
2	Somewhat agree	105	3.3 %
3	Somewhat disagree	27	0.8 %
4	Disagree	108	3.4 %
5	Unsure/Don't know	95	3.0 %
	Missing Data		
.	-	2583	80.5 %
	Total	3,207	100%

Based upon 624 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Q13_C: [C] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
1	Agree	169	5.3 %
2	Somewhat agree	98	3.1 %
3	Somewhat disagree	29	0.9 %
4	Disagree	120	3.7 %
5	Unsure/Don't know	141	4.4 %
	Missing Data		
.	-	2646	82.5 %
	Total	3,207	100%

Based upon 561 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

Q13_D1: [D1] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Agree	3	0.1 %
2	Somewhat agree	11	0.3 %
3	Somewhat disagree	1	0.0 %
4	Disagree	22	0.7 %
5	Unsure/Don't know	6	0.2 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

Q13_D2: [D2] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Agree	3	0.1 %
2	Somewhat agree	4	0.1 %
3	Somewhat disagree	2	0.1 %
4	Disagree	24	0.7 %
5	Unsure/Don't know	10	0.3 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

Q13_E1: [E1] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	1	0.0 %
2	Somewhat agree	0	0.0 %
3	Somewhat disagree	2	0.1 %
4	Disagree	7	0.2 %
5	Unsure/Don't know	0	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

Q13_E2: [E2] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
1	Agree	0	0.0 %
2	Somewhat agree	0	0.0 %
3	Somewhat disagree	0	0.0 %
4	Disagree	6	0.2 %
5	Unsure/Don't know	4	0.1 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 4.00
- Maximum: 5.00

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

PREG: Since September 2012, did you experience any of the following?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	I had a miscarriage	58	1.8 %
2	I had an abortion	17	0.5 %
3	I had a baby	71	2.2 %
4	I	166	5.2 %
5	I might be pregnant	88	2.7 %
6	None of the above	2798	87.2 %
	Missing Data		
.	-	9	0.3 %
	Total	3,207	100%

Based upon 3,198 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

BORNMO: In the previous question, you said that you had a baby in the last 6 months. In

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Jan	2	0.1 %

Value	Label	Unweighted Frequency	%
2	Feb	1	0.0 %
3	Mar	6	0.2 %
4	Apr	2	0.1 %
5	May	4	0.1 %
6	Jun	5	0.2 %
7	Jul	4	0.1 %
8	Aug	2	0.1 %
9	Sept	4	0.1 %
10	Oct	13	0.4 %
11	Nov	20	0.6 %
12	Dec	4	0.1 %
	Missing Data		
.	-	3140	97.9 %
	Total	3,207	100%

Based upon 67 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

AVOIDPG: This last time you became pregnant, how important was it to you to AVOID becomin

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy1	180	5.6 %
2	2	34	1.1 %
3	3	24	0.7 %
4	4	21	0.7 %
5	5	15	0.5 %
6	Very important to avoid pregnancy6	38	1.2 %
	Missing Data		
.	-	2895	90.3 %
	Total	3,207	100%

Based upon 312 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

HAPPYPG: How did you feel when you found out you were pregnant?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy to be pregnant1	13	0.4 %
2	2	12	0.4 %
3	3	27	0.8 %
4	4	38	1.2 %
5	5	38	1.2 %
6	Very happy to be pregnant6	182	5.7 %
	Missing Data		
.	-	2897	90.3 %
	Total	3,207	100%

Based upon 310 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

FERTINT: Right before you became pregnant this time, did you yourself want to have a(noth

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	27	0.8 %
1	Yes	239	7.5 %
3	Dont Know	32	1.0 %
4	Didnt care	13	0.4 %
	Missing Data		
.	-	2896	90.3 %
	Total	3,207	100%

Based upon 311 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

TIMINGPG: Would you say you became pregnant:

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
1	Too soon	47	1.5 %
2	At about the right time	149	4.6 %
3	Later than you wanted	41	1.3 %
	Missing Data		
.	-	2970	92.6 %
	Total	3,207	100%

Based upon 237 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

BCPREG: During the month you became pregnant were you:

Value	Label	Unweighted Frequency	%
1	No, wanted to get pregnant	172	5.4 %
2	No, different reasons	77	2.4 %
3	Yes, but not all the time	38	1.2 %
4	Yes, all the time	24	0.7 %
	Missing Data		
.	-	2896	90.3 %
	Total	3,207	100%

Based upon 311 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 294-294 (width: 1; decimal: 0)

Variable Type: numeric

AVOID: How important is it to you to AVOID becoming pregnant now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy 1	409	12.8 %
2	2	130	4.1 %
3	3	235	7.3 %
4	4	338	10.5 %
5	5	436	13.6 %
6	Very important to avoid pregnancy 6	1476	46.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	183	5.7 %
	Total	3,207	100%

Based upon 3,024 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

INTEND: Which of the following best describes your current plans regarding having anothe

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	I am trying to get pregnant now.	248	7.7 %
2	I am not trying to get pregnant now but expect to try in the future.	1414	44.1 %
3	I don't want to have any (more) children.	680	21.2 %
4	I'm not sure if I want to have a(nother) baby.	676	21.1 %
5	currently pregnant	166	5.2 %
	Missing Data		
.	-	23	0.7 %
	Total	3,207	100%

Based upon 3,184 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

FEELPG: How would you feel if you found out you were pregnant today?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy to be pregnant 1	655	20.4 %
2	2	381	11.9 %
3	3	441	13.8 %
4	4	551	17.2 %
5	5	425	13.3 %
6	Very happy to be pregnant 6	566	17.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	188	5.9 %
	Total	3,207	100%

Based upon 3,019 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

Q19_A: [A] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Agree	637	19.9 %
2	Somewhat agree	187	5.8 %
3	Somewhat disagree	112	3.5 %
4	Disagree	356	11.1 %
5	Unsure/don't know	95	3.0 %
	Missing Data		
.	-	1818	56.7 %
	Total	3,207	100%

Based upon 1,389 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

Q19_B: [B] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Agree	294	9.2 %
2	Somewhat agree	119	3.7 %
3	Somewhat disagree	35	1.1 %
4	Disagree	86	2.7 %
5	Unsure/don't know	70	2.2 %
	Missing Data		
.	-	2601	81.1 %
	Total	3,207	100%

Based upon 606 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

Q19_C: [C] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Agree	181	5.6 %
2	Somewhat agree	90	2.8 %
3	Somewhat disagree	36	1.1 %
4	Disagree	103	3.2 %
5	Unsure/don't know	140	4.4 %
	Missing Data		
.	-	2656	82.8 %
	Total	3,207	100%

Based upon 551 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

Q19_D1: [D1] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Agree	6	0.2 %
2	Somewhat agree	5	0.2 %
3	Somewhat disagree	6	0.2 %
4	Disagree	16	0.5 %
5	Unsure/don't know	10	0.3 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

Q19_D2: [D2] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Agree	5	0.2 %
2	Somewhat agree	8	0.2 %
3	Somewhat disagree	0	0.0 %
4	Disagree	21	0.7 %
5	Unsure/don't know	9	0.3 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

Q19_E1: [E1] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	1	0.0 %
2	Somewhat agree	0	0.0 %
3	Somewhat disagree	1	0.0 %
4	Disagree	5	0.2 %
5	Unsure/don't know	3	0.1 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

Q19_E2: [E2] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	0	0.0 %
2	Somewhat agree	1	0.0 %
3	Somewhat disagree	1	0.0 %
4	Disagree	5	0.2 %
5	Unsure/don't know	3	0.1 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

Q20_A: [A] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Not at all important to avoid pregnancy 1	304	9.5 %
2	2	97	3.0 %
3	3	134	4.2 %
4	4	209	6.5 %
5	5	226	7.0 %
6	Very important to avoid pregnancy 6	417	13.0 %
	Missing Data		
.	-	1818	56.7 %
	Total	3,207	100%

Based upon 1,389 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

Q20_B: [B] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %

Value	Label	Unweighted Frequency	%
1	Not at all important to avoid pregnancy 1	79	2.5 %
2	2	35	1.1 %
3	3	58	1.8 %
4	4	65	2.0 %
5	5	102	3.2 %
6	Very important to avoid pregnancy 6	263	8.2 %
	Missing Data		
.	-	2601	81.1 %
	Total	3,207	100%

Based upon 606 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

Q20_C: [C] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all important to avoid pregnancy 1	42	1.3 %
2	2	19	0.6 %
3	3	41	1.3 %
4	4	47	1.5 %
5	5	65	2.0 %
6	Very important to avoid pregnancy 6	336	10.5 %
	Missing Data		
.	-	2656	82.8 %
	Total	3,207	100%

Based upon 551 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

Q20_D1: [D1] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
1	Not at all important to avoid pregnancy 1	3	0.1 %
2	2	1	0.0 %
3	3	2	0.1 %
4	4	4	0.1 %
5	5	7	0.2 %
6	Very important to avoid pregnancy 6	26	0.8 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

Q20_D2: [D2] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all important to avoid pregnancy 1	4	0.1 %
2	2	2	0.1 %
3	3	1	0.0 %
4	4	7	0.2 %
5	5	3	0.1 %
6	Very important to avoid pregnancy 6	26	0.8 %
	Missing Data		
.	-	3163	98.6 %
	Total	3,207	100%

Based upon 44 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

Q20_E1: [E1] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
1	Not at all important to avoid pregnancy 1	1	0.0 %
2	2	0	0.0 %
3	3	0	0.0 %
4	4	1	0.0 %
5	5	1	0.0 %
6	Very important to avoid pregnancy 6	7	0.2 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

Q20_E2: [E2] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all important to avoid pregnancy 1	0	0.0 %
2	2	0	0.0 %
3	3	0	0.0 %
4	4	0	0.0 %
5	5	1	0.0 %
6	Very important to avoid pregnancy 6	8	0.2 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

FULFILL: [Being a mother and raising a child is the most fulfilling experience a woman ca

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
1	Strongly agree	1465	45.7 %
2	Somewhat agree	871	27.2 %
3	Neither agree nor disagree	456	14.2 %
4	Somewhat disagree	187	5.8 %
5	Strongly Disagree	209	6.5 %
	Missing Data		
.	-	19	0.6 %
	Total	3,207	100%

Based upon 3,188 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

REWARD: [The rewards of being a parent are worth it, despite the cost and work it takes.

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Strongly agree	1939	60.5 %
2	Somewhat agree	662	20.6 %
3	Neither agree nor disagree	352	11.0 %
4	Somewhat disagree	110	3.4 %
5	Strongly Disagree	117	3.6 %
	Missing Data		
.	-	27	0.8 %
	Total	3,207	100%

Based upon 3,180 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

LOVE: [One of the best things about having a baby is that it gives you someone to love

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Strongly agree	1096	34.2 %
2	Somewhat agree	846	26.4 %

Value	Label	Unweighted Frequency	%
3	Neither agree nor disagree	729	22.7 %
4	Somewhat disagree	282	8.8 %
5	Strongly Disagree	228	7.1 %
	Missing Data		
.	-	26	0.8 %
	Total	3,207	100%

Based upon 3,181 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

TUBAL: Have you had a tubal ligation or another operation that makes you unable to get

Value	Label	Unweighted Frequency	%
-1	Refused	21	0.7 %
0	No	3170	98.8 %
1	Yes	16	0.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

PILL: [birth control pills] In the last 30 days, which of the following methods have

Value	Label	Unweighted Frequency	%
0	No	2233	69.6 %
1	Yes	974	30.4 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 337-337 (width: 1; decimal: 0)

Variable Type: numeric

PATCH: [the birth control patch (Ortho Evra)] In the last 30 days, which of the follow

Value	Label	Unweighted Frequency	%
0	No	3192	99.5 %
1	Yes	15	0.5 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 338-338 (width: 1; decimal: 0)

Variable Type: numeric

RING: [the vaginal ring (Nuvaring)] In the last 30 days, which of the following metho

Value	Label	Unweighted Frequency	%
0	No	3113	97.1 %
1	Yes	94	2.9 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 339-339 (width: 1; decimal: 0)

Variable Type: numeric

DEPO: [the birth control shot (Depo-Provera)] In the last 30 days, which of the follo

Value	Label	Unweighted Frequency	%
0	No	3097	96.6 %
1	Yes	110	3.4 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 340-340 (width: 1; decimal: 0)

Variable Type: numeric

IMPLANT: [the Implant (Implanon)] In the last 30 days, which of the following methods ha

Value	Label	Unweighted Frequency	%
0	No	3157	98.4 %

Value	Label	Unweighted Frequency	%
1	Yes	50	1.6 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 341-341 (width: 1; decimal: 0)

Variable Type: numeric

IUD: [the IUD (Mirena, copper intrauterine device)] In the last 30 days, which of th

Value	Label	Unweighted Frequency	%
0	No	2899	90.4 %
1	Yes	308	9.6 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 342-342 (width: 1; decimal: 0)

Variable Type: numeric

NOBC: [None of the above] In the last 30 days, which of the following methods have y

Value	Label	Unweighted Frequency	%
0	No	1553	48.4 %
1	Yes	1654	51.6 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 343-343 (width: 1; decimal: 0)

Variable Type: numeric

XBC: [Refused] In the last 30 days, which of the following methods have you used, e

Value	Label	Unweighted Frequency	%
0	No	3186	99.3 %
1	Yes	21	0.7 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 344-344 (width: 1; decimal: 0)

Variable Type: numeric

Q23A_PILL: For how many of the last 6 months have you used birth control pills?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	0	7	0.2 %
2	1	29	0.9 %
3	2	29	0.9 %
4	3	29	0.9 %
5	4	35	1.1 %
6	5	31	1.0 %
7	6	813	25.4 %
	Missing Data		
.	-	2233	69.6 %
	Total	3,207	100%

Based upon 974 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

Q23A_PATCH: For how many of the last 6 months have you used the birth control patch?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	2	0.1 %
2	1	0	0.0 %
3	2	1	0.0 %
4	3	1	0.0 %
5	4	0	0.0 %
6	5	2	0.1 %
7	6	9	0.3 %
	Missing Data		
.	-	3192	99.5 %
	Total	3,207	100%

Based upon 15 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

Q23A_RING: For how many of the last 6 months have you used the vaginal ring (Nuvaring)?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	0	1	0.0 %
2	1	2	0.1 %
3	2	4	0.1 %
4	3	2	0.1 %
5	4	6	0.2 %
6	5	2	0.1 %
7	6	76	2.4 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

Q23A_DEPO: For how many of the last 6 months have you used the birth control shot (Depo-Pro

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	0	2	0.1 %
2	1	6	0.2 %
3	2	35	1.1 %
4	3	5	0.2 %
5	4	2	0.1 %
6	5	2	0.1 %
7	6	56	1.7 %
	Missing Data		
.	-	3097	96.6 %
	Total	3,207	100%

Based upon 110 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

Q23A_IMPLANT: For how many of the last 6 months have you used the implant (Implanon)?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	0	1	0.0 %
2	1	4	0.1 %
3	2	0	0.0 %
4	3	1	0.0 %
5	4	1	0.0 %
6	5	2	0.1 %
7	6	40	1.2 %
	Missing Data		
.	-	3157	98.4 %
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

Q23A_IUD: For how many of the last 6 months have you used the IUD (Mirena, copper IUD)?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	4	0.1 %
2	1	15	0.5 %
3	2	4	0.1 %
4	3	7	0.2 %
5	4	7	0.2 %
6	5	10	0.3 %
7	6	260	8.1 %
	Missing Data		
.	-	2900	90.4 %
	Total	3,207	100%

Based upon 307 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

Q23B_PILL_1: [Prevent pregnancy] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	96	3.0 %
1	Yes	878	27.4 %
	Missing Data		
.	-	2233	69.6 %
	Total	3,207	100%

Based upon 974 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 357-357 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_2: [Reduce menstrual pain/cramps] Why are you using [pill]:

Value	Label	Unweighted Frequency	%
0	No	578	18.0 %
1	Yes	396	12.3 %
	Missing Data		
.	-	2233	69.6 %
	Total	3,207	100%

Based upon 974 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 358-358 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_3: [Help with acne] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	802	25.0 %
1	Yes	172	5.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2233	69.6 %
	Total	3,207	100%

Based upon 974 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 359-359 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_4: [Regulate my period] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	477	14.9 %
1	Yes	497	15.5 %
	Missing Data		
.	-	2233	69.6 %
	Total	3,207	100%

Based upon 974 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 360-360 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_5: [Treat ovarian cyst/PCOS] Why are you using [pill]:

Value	Label	Unweighted Frequency	%
0	No	903	28.2 %
1	Yes	71	2.2 %
	Missing Data		
.	-	2233	69.6 %
	Total	3,207	100%

Based upon 974 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 361-361 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_6: [Other:] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	954	29.7 %
1	Yes	20	0.6 %
	Missing Data		
.	-	2233	69.6 %
	Total	3,207	100%

Based upon 974 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 362-362 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_REFUSED: [Refused] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	968	30.2 %
1	Yes	6	0.2 %
	Missing Data		
.	-	2233	69.6 %
	Total	3,207	100%

Based upon 974 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 363-363 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_OTHER: [birth control pills: specify] Which of the following are reasons you are using

Value	Label	Unweighted Frequency	%
	-	3192	99.5 %
[MASKED]	-	15	0.5 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 364-371 (width: 8; decimal: 0)

Variable Type: character

Q23B_PATCH_1: [Prevent pregnancy] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	15	0.5 %
	Missing Data		
.	-	3192	99.5 %
	Total	3,207	100%

Based upon 15 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 372-372 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_2: [Reduce menstrual pain/cramps] Why are you using [patch]:

Value	Label	Unweighted Frequency	%
0	No	13	0.4 %
1	Yes	2	0.1 %
	Missing Data		
.	-	3192	99.5 %
	Total	3,207	100%

Based upon 15 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 373-373 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_3: [Help with acne] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	15	0.5 %
1	Yes	0	0.0 %
	Missing Data		
.	-	3192	99.5 %
	Total	3,207	100%

Based upon 15 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 374-374 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_4: [Regulate my period] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	11	0.3 %
1	Yes	4	0.1 %
	Missing Data		
.	-	3192	99.5 %
	Total	3,207	100%

Based upon 15 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 375-375 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_5: [Treat ovarian cyst/PCOS] Why are you using [patch]:

Value	Label	Unweighted Frequency	%
0	No	15	0.5 %
1	Yes	0	0.0 %
	Missing Data		
.	-	3192	99.5 %
	Total	3,207	100%

Based upon 15 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 376-376 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_6: [Other:] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	15	0.5 %
1	Yes	0	0.0 %
	Missing Data		
.	-	3192	99.5 %
	Total	3,207	100%

Based upon 15 valid cases out of 3,207 total cases.

- Minimum: 0.00

- Maximum: 0.00

Location: 377-377 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_REFUSED: [Refused] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	15	0.5 %
1	Yes	0	0.0 %
	Missing Data		
.	-	3192	99.5 %
	Total	3,207	100%

Based upon 15 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 378-378 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_OTHER: [birth control patch: specify] Which of the following are reasons you are using

Value	Label	Unweighted Frequency	%
-		3207	100.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 379-379 (width: 1; decimal: 0)

Variable Type: character

Q23B_RING_1: [Prevent pregnancy] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	7	0.2 %
1	Yes	87	2.7 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 380-380 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_2: [Reduce menstrual pain/cramps] Why are you using [ring]:

Value	Label	Unweighted Frequency	%
0	No	63	2.0 %
1	Yes	31	1.0 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 381-381 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_3: [Help with acne] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	84	2.6 %
1	Yes	10	0.3 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 382-382 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_4: [Regulate my period] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	47	1.5 %
1	Yes	47	1.5 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 383-383 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_5: [Treat ovarian cyst/PCOS] Why are you using [ring]:

Value	Label	Unweighted Frequency	%
0	No	89	2.8 %
1	Yes	5	0.2 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 384-384 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_6: [Other:] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	92	2.9 %
1	Yes	2	0.1 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 385-385 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_REFUSED: [Refused] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	93	2.9 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 386-386 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_OTHER: [Other: specify] Why are you using [ring]

Value	Label	Unweighted Frequency	%
	-	3205	99.9 %
[MASKED]	-	2	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 387-394 (width: 8; decimal: 0)

Variable Type: character

Q23B_DEPO_1: [Prevent pregnancy] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	17	0.5 %
1	Yes	93	2.9 %
	Missing Data		
.	-	3097	96.6 %
	Total	3,207	100%

Based upon 110 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 395-395 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_2: [Reduce menstrual pain/cramps] Why are you using [Depo]:

Value	Label	Unweighted Frequency	%
0	No	79	2.5 %
1	Yes	31	1.0 %
	Missing Data		
.	-	3097	96.6 %
	Total	3,207	100%

Based upon 110 valid cases out of 3,207 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 396-396 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_3: [Help with acne] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	108	3.4 %
1	Yes	2	0.1 %
	Missing Data		
.	-	3097	96.6 %
	Total	3,207	100%

Based upon 110 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 397-397 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_4: [Regulate my period] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	88	2.7 %
1	Yes	22	0.7 %
	Missing Data		
.	-	3097	96.6 %
	Total	3,207	100%

Based upon 110 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 398-398 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_5: [Treat ovarian cyst/PCOS] Why are you using [Depo]:

Value	Label	Unweighted Frequency	%
0	No	106	3.3 %
1	Yes	4	0.1 %
	Missing Data		
.	-	3097	96.6 %
	Total	3,207	100%

Based upon 110 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 399-399 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_6: [Other:] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	105	3.3 %
1	Yes	5	0.2 %
	Missing Data		
.	-	3097	96.6 %
	Total	3,207	100%

Based upon 110 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 400-400 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_REFUSED: [Refused] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	107	3.3 %
1	Yes	3	0.1 %
	Missing Data		
.	-	3097	96.6 %
	Total	3,207	100%

Based upon 110 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 401-401 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_OTHER: [Other: specify] Why are you using [depo]

Value	Label	Unweighted Frequency	%
	-	3202	99.8 %
[MASKED]	-	5	0.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 402-409 (width: 8; decimal: 0)

Variable Type: character

Q23B_IMPLANT_1: [Prevent pregnancy] Which of the following are reasons you are using [implant]

Value	Label	Unweighted Frequency	%
0	No	3	0.1 %
1	Yes	47	1.5 %
	Missing Data		
.	-	3157	98.4 %
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 410-410 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_2: [Reduce menstrual pain/cramps] Why are you using [implant]:

Value	Label	Unweighted Frequency	%
0	No	44	1.4 %
1	Yes	6	0.2 %
	Missing Data		
.	-	3157	98.4 %
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 411-411 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_3: [Help with acne] Which of the following are reasons you are using [implant] :

Value	Label	Unweighted Frequency	%
0	No	49	1.5 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3157	98.4 %

Value	Label	Unweighted Frequency	%
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 412-412 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_4: [Regulate my period] Which of the following are reasons you are using [implant]

Value	Label	Unweighted Frequency	%
0	No	43	1.3 %
1	Yes	7	0.2 %
	Missing Data		
.	-	3157	98.4 %
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 413-413 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_5: [Treat ovarian cyst/PCOS] Why are you using [implant]:

Value	Label	Unweighted Frequency	%
0	No	49	1.5 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3157	98.4 %
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 414-414 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_6: [Other:] Which of the following are reasons you are using [implant] :

Value	Label	Unweighted Frequency	%
0	No	50	1.6 %
1	Yes	0	0.0 %
	Missing Data		
.	-	3157	98.4 %
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 415-415 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_REFUSED: [Refused] Which of the following are reasons you are using [implant] :

Value	Label	Unweighted Frequency	%
0	No	49	1.5 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3157	98.4 %
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 416-416 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_OTHER: [Other: specify] Why are you using [implant]

Value	Label	Unweighted Frequency	%
.	-	3207	100.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 417-417 (width: 1; decimal: 0)

Variable Type: character

Q23B_IUD_1: [Prevent pregnancy] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	7	0.2 %

Value	Label	Unweighted Frequency	%
1	Yes	300	9.4 %
	Missing Data		
.	-	2900	90.4 %
	Total	3,207	100%

Based upon 307 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 418-418 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_2: [Reduce menstrual pain/cramps] Why are you using [IUD]:

Value	Label	Unweighted Frequency	%
0	No	252	7.9 %
1	Yes	55	1.7 %
	Missing Data		
.	-	2900	90.4 %
	Total	3,207	100%

Based upon 307 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 419-419 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_3: [Help with acne] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	301	9.4 %
1	Yes	6	0.2 %
	Missing Data		
.	-	2900	90.4 %
	Total	3,207	100%

Based upon 307 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 420-420 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_4: [Regulate my period] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	260	8.1 %
1	Yes	47	1.5 %
	Missing Data		
.	-	2900	90.4 %
	Total	3,207	100%

Based upon 307 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 421-421 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_5: [Treat ovarian cyst/PCOS] Why are you using [IUD]:

Value	Label	Unweighted Frequency	%
0	No	297	9.3 %
1	Yes	10	0.3 %
	Missing Data		
.	-	2900	90.4 %
	Total	3,207	100%

Based upon 307 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 422-422 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_6: [Other:] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	297	9.3 %
1	Yes	10	0.3 %
	Missing Data		
.	-	2900	90.4 %
	Total	3,207	100%

Based upon 307 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 423-423 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_REFUSED: [Refused] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	306	9.5 %
1	Yes	1	0.0 %
	Missing Data		
.	-	2900	90.4 %
	Total	3,207	100%

Based upon 307 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 424-424 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_OTHER: [Other: specify] Why are you using [IUD]

Value	Label	Unweighted Frequency	%
	-	3198	99.7 %
[MASKED]	-	9	0.3 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 425-432 (width: 8; decimal: 0)

Variable Type: character

MISSPILL: birth control pills : Altogether, in the last 30 days, how many pills did you mi

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	580	18.1 %
1	-	175	5.5 %
2	-	96	3.0 %
3	-	50	1.6 %
4	-	20	0.6 %
5	-	15	0.5 %
6	-	2	0.1 %
7	-	6	0.2 %
9	-	1	0.0 %
10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
15	-	3	0.1 %
20	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.1 %
28	-	2	0.1 %
29	-	1	0.0 %
30	-	1	0.0 %
	Missing Data		
.	-	2249	70.1 %
	Total	3,207	100%

Based upon 958 valid cases out of 3,207 total cases.

- Mean: 1.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.81

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

PATCHON: birth control patch : Altogether, in the last 30 days, how many times did you pu

Value	Label	Unweighted Frequency	%
0	0	12	0.4 %
1	1	3	0.1 %
2	2	0	0.0 %
3	3 or more	0	0.0 %
	Missing Data		
.	-	3192	99.5 %
	Total	3,207	100%

Based upon 15 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 435-435 (width: 1; decimal: 0)

Variable Type: numeric

RINGON: vaginal ring (Nuvaring) : The last time that you inserted the Nuvaring, was it:

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	The day I was supposed to	74	2.3 %
2	1 day later than I was supposed to	7	0.2 %
3	2 or more days later than I was supposed to	9	0.3 %
4	Earlier than I was supposed to	1	0.0 %
	Missing Data		
.	-	3116	97.2 %
	Total	3,207	100%

Based upon 91 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

DEPOWHN: the birth control shot (Depo-Provera) : Thinking about the last time you receive

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Earlier than scheduled	6	0.2 %
2	Later than scheduled	14	0.4 %
3	On time	84	2.6 %
4	My last shot was my first depo shot.	4	0.1 %
	Missing Data		
.	-	3099	96.6 %
	Total	3,207	100%

Based upon 108 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_PILL: [pill] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	5	0.2 %
1	Very satisfied	634	19.8 %
2	Somewhat satisfied	276	8.6 %
3	Somewhat dissatisfied	48	1.5 %

Value	Label	Unweighted Frequency	%
4	Very dissatisfied	11	0.3 %
	Missing Data		
.	-	2233	69.6 %
	Total	3,207	100%

Based upon 974 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_PATCH: [patch] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Very satisfied	9	0.3 %
2	Somewhat satisfied	3	0.1 %
3	Somewhat dissatisfied	1	0.0 %
4	Very dissatisfied	1	0.0 %
	Missing Data		
.	-	3192	99.5 %
	Total	3,207	100%

Based upon 15 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_RING: [ring] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Very satisfied	72	2.2 %
2	Somewhat satisfied	20	0.6 %
3	Somewhat dissatisfied	0	0.0 %
4	Very dissatisfied	0	0.0 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 2.00

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_DEPO: [Depo] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Very satisfied	76	2.4 %
2	Somewhat satisfied	25	0.8 %
3	Somewhat dissatisfied	4	0.1 %
4	Very dissatisfied	3	0.1 %
	Missing Data		
.	-	3097	96.6 %
	Total	3,207	100%

Based upon 110 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_IMPLANT: [Implant] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Very satisfied	39	1.2 %
2	Somewhat satisfied	6	0.2 %
3	Somewhat dissatisfied	3	0.1 %
4	Very dissatisfied	1	0.0 %
	Missing Data		
.	-	3157	98.4 %
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_IUD: [IUD] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Very satisfied	228	7.1 %
2	Somewhat satisfied	54	1.7 %
3	Somewhat dissatisfied	13	0.4 %
4	Very dissatisfied	10	0.3 %
	Missing Data		
.	-	2900	90.4 %
	Total	3,207	100%

Based upon 307 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

PAY4BC: [birth control pills : \$] In an average month, approximately how much do you, yo

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	449	14.0 %
1	-	8	0.2 %
2	-	6	0.2 %
3	-	14	0.4 %
4	-	9	0.3 %
5	-	50	1.6 %
6	-	7	0.2 %
7	-	13	0.4 %
8	-	7	0.2 %
9	-	41	1.3 %
10	-	108	3.4 %
11	-	5	0.2 %
12	-	12	0.4 %
13	-	4	0.1 %
14	-	3	0.1 %
15	-	37	1.2 %
16	-	3	0.1 %
17	-	1	0.0 %
18	-	2	0.1 %

Value	Label	Unweighted Frequency	%
19	-	1	0.0 %
20	-	35	1.1 %
21	-	3	0.1 %
22	-	3	0.1 %
23	-	2	0.1 %
24	-	3	0.1 %
25	-	17	0.5 %
26	-	2	0.1 %
27	-	6	0.2 %
28	-	1	0.0 %
30	-	47	1.5 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	11	0.3 %
36	-	1	0.0 %
40	-	11	0.3 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.1 %
50	-	15	0.5 %
54	-	2	0.1 %
55	-	4	0.1 %
60	-	8	0.2 %
64	-	1	0.0 %
65	-	1	0.0 %
70	-	3	0.1 %
90	-	1	0.0 %
200	-	1	0.0 %
2182	-	1	0.0 %
	Missing Data		
.	-	2242	69.9 %
	Total	3,207	100%

Based upon 965 valid cases out of 3,207 total cases.

- Mean: 11.87
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2182.00
- Standard Deviation: 71.53

Location: 452-455 (width: 4; decimal: 0)

Variable Type: numeric

PAY4PAT: [birth control patch : \$] In an average month, approximately how much do you, yo

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	6	0.2 %
12	-	2	0.1 %
14	-	1	0.0 %
17	-	1	0.0 %
45	-	1	0.0 %
70	-	1	0.0 %
75	-	1	0.0 %
150	-	1	0.0 %
	Missing Data		
.	-	3193	99.6 %
	Total	3,207	100%

Based upon 14 valid cases out of 3,207 total cases.

- Mean: 28.21
- Median: 12.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 150.00
- Standard Deviation: 43.57

Location: 456-458 (width: 3; decimal: 0)

Variable Type: numeric

PAY4RING: [vaginal ring (Nuvaring) : \$] In an average month, approximately how much do you

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	49	1.5 %
1	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
5	-	1	0.0 %
8	-	1	0.0 %
10	-	3	0.1 %
12	-	1	0.0 %
15	-	1	0.0 %
17	-	2	0.1 %

Value	Label	Unweighted Frequency	%
18	-	1	0.0 %
20	-	7	0.2 %
22	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	5	0.2 %
35	-	5	0.2 %
40	-	1	0.0 %
43	-	1	0.0 %
50	-	1	0.0 %
60	-	1	0.0 %
85	-	1	0.0 %
90	-	1	0.0 %
95	-	1	0.0 %
	Missing Data		
.	-	3117	97.2 %
	Total	3,207	100%

Based upon 90 valid cases out of 3,207 total cases.

- Mean: 12.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 20.32

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

PAY4DEPO: [the birth control shot (Depo-Provera) : \$] How much do you, yourself, have to p

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	69	2.2 %
5	-	2	0.1 %
8	-	1	0.0 %
10	-	2	0.1 %
15	-	2	0.1 %
19	-	1	0.0 %
20	-	4	0.1 %
22	-	1	0.0 %

Value	Label	Unweighted Frequency	%
23	-	1	0.0 %
25	-	2	0.1 %
30	-	3	0.1 %
40	-	1	0.0 %
45	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
60	-	2	0.1 %
65	-	2	0.1 %
70	-	3	0.1 %
75	-	1	0.0 %
80	-	1	0.0 %
85	-	1	0.0 %
100	-	4	0.1 %
115	-	1	0.0 %
	Missing Data		
.	-	3100	96.7 %
	Total	3,207	100%

Based upon 107 valid cases out of 3,207 total cases.

- Mean: 16.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 115.00
- Standard Deviation: 29.23

Location: 461-463 (width: 3; decimal: 0)

Variable Type: numeric

PAY4IMPL: [implant (Implanon) : \$] How much did you, yourself, have to pay when you got yo

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	6	0.2 %
25	-	1	0.0 %
30	-	1	0.0 %
70	-	1	0.0 %
250	-	1	0.0 %
	Missing Data		
.	-	3197	99.7 %
	Total	3,207	100%

Based upon 10 valid cases out of 3,207 total cases.

- Mean: 37.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 250.00
- Standard Deviation: 78.08

Location: 464-466 (width: 3; decimal: 0)

Variable Type: numeric

PAY4IUD: [IUD (Mirena, copper intrauterine device) : \$] How much did you, yourself, have

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	29	0.9 %
10	-	2	0.1 %
20	-	1	0.0 %
25	-	3	0.1 %
50	-	2	0.1 %
60	-	2	0.1 %
72	-	1	0.0 %
80	-	1	0.0 %
100	-	1	0.0 %
150	-	1	0.0 %
500	-	1	0.0 %
600	-	1	0.0 %
745	-	1	0.0 %
1000	-	1	0.0 %
	Missing Data		
.	-	3160	98.5 %
	Total	3,207	100%

Based upon 47 valid cases out of 3,207 total cases.

- Mean: 76.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1000.00
- Standard Deviation: 205.93

Location: 467-470 (width: 4; decimal: 0)

Variable Type: numeric

KNOWPILL: birth control pills : Did your last male sex partner know that you were using {I

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	25	0.8 %
1	Yes	887	27.7 %
3	Dont Know	53	1.7 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2242	69.9 %
	Total	3,207	100%

Based upon 965 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

KNOWPATCH: birth control patch : Did your last male sex partner know that you were using {I

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3	0.1 %
1	Yes	11	0.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3193	99.6 %
	Total	3,207	100%

Based upon 14 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

KNOWRING: vaginal ring (Nuvaring) : Did your last male sex partner know that you were usin

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	7	0.2 %
1	Yes	77	2.4 %
3	Dont Know	6	0.2 %

Value	Label	Unweighted Frequency	%
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3117	97.2 %
	Total	3,207	100%

Based upon 90 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

KNOWDEPO: the birth control shot (Depo-Provera) : Did your last male sex partner know that

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	12	0.4 %
1	Yes	88	2.7 %
3	Dont Know	8	0.2 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3099	96.6 %
	Total	3,207	100%

Based upon 108 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

KNOWPLANT: implant (Implanon) : Did your last male sex partner know that you were using {IN

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	9	0.3 %
1	Yes	38	1.2 %
3	Dont Know	3	0.1 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3157	98.4 %
	Total	3,207	100%

Based upon 50 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

KNOWIUD: 'IUD (Mirena, copper intrauterine device)' : Did your last male sex partner know

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	14	0.4 %
1	Yes	281	8.8 %
3	Dont Know	7	0.2 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2905	90.6 %
	Total	3,207	100%

Based upon 302 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

SEXMO: Q24a: In the past 30 days, have you had vaginal sex with a man?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	698	21.8 %
1	Yes	2479	77.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	30	0.9 %
	Total	3,207	100%

Based upon 3,177 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

NSEXMO: Q24: Past 30 days, approx how many times did you have sex with a man?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	1	215	6.7 %
2	2-5	1079	33.6 %
3	6-10	730	22.8 %
4	11 or more	441	13.8 %
	Missing Data		
.	-	742	23.1 %
	Total	3,207	100%

Based upon 2,465 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

NSEXP: Q25: In the past 30 days, how many men have you had sex with?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	1	2376	74.1 %
2	2	73	2.3 %
3	3 or more	22	0.7 %
	Missing Data		
.	-	736	22.9 %
	Total	3,207	100%

Based upon 2,471 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

WITHDRAW: Q26: [withdraw] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	1708	53.3 %
1	Yes	668	20.8 %
	Missing Data		
.	-	831	25.9 %

Value	Label	Unweighted Frequency	%
	Total	3,207	100%

Based upon 2,376 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 489-489 (width: 1; decimal: 0)

Variable Type: numeric

VASECTOMY: Q26: [vasectomy] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	2357	73.5 %
1	Yes	19	0.6 %
	Missing Data		
.	-	831	25.9 %
	Total	3,207	100%

Based upon 2,376 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 490-490 (width: 1; decimal: 0)

Variable Type: numeric

CONDOM: Q26: [condom] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	1710	53.3 %
1	Yes	666	20.8 %
	Missing Data		
.	-	831	25.9 %
	Total	3,207	100%

Based upon 2,376 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 491-491 (width: 1; decimal: 0)

Variable Type: numeric

NFP: Q26: [natural/calendar method] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	2261	70.5 %
1	Yes	115	3.6 %
	Missing Data		
.	-	831	25.9 %
	Total	3,207	100%

Based upon 2,376 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 492-492 (width: 1; decimal: 0)

Variable Type: numeric

SPERM: Q26: [spermicide/barrier method] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	2345	73.1 %
1	Yes	31	1.0 %
	Missing Data		
.	-	831	25.9 %
	Total	3,207	100%

Based upon 2,376 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 493-493 (width: 1; decimal: 0)

Variable Type: numeric

NOBARRIER: Q26: [none of the above] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	1192	37.2 %
1	Yes	1184	36.9 %
	Missing Data		
.	-	831	25.9 %
	Total	3,207	100%

Based upon 2,376 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 494-494 (width: 1; decimal: 0)

Variable Type: numeric

XBARR: Q26: [Refused] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	2363	73.7 %
1	Yes	13	0.4 %
	Missing Data		
.	-	831	25.9 %
	Total	3,207	100%

Based upon 2,376 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 495-495 (width: 1; decimal: 0)

Variable Type: numeric

SP1WD: Q26: [withdraw] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	67	2.1 %
1	Yes	27	0.8 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 496-496 (width: 1; decimal: 0)

Variable Type: numeric

SP1VAS: Q26: [vasectomy] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	93	2.9 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 497-497 (width: 1; decimal: 0)

Variable Type: numeric

SP1COND: Q26: [condom] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	55	1.7 %
1	Yes	39	1.2 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 498-498 (width: 1; decimal: 0)

Variable Type: numeric

SP1NFP: Q26: [natural/calendar] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	90	2.8 %
1	Yes	4	0.1 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 499-499 (width: 1; decimal: 0)

Variable Type: numeric

SP1SPERM: Q26: [spermicide/other barrier] In the past 30 days, did you use __ with Partner

Value	Label	Unweighted Frequency	%
0	No	93	2.9 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 500-500 (width: 1; decimal: 0)

Variable Type: numeric

SP1NONE: Q26: [None of the above] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	59	1.8 %
1	Yes	35	1.1 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 501-501 (width: 1; decimal: 0)

Variable Type: numeric

XBARR1: Q26: [Refused] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	93	2.9 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3113	97.1 %
	Total	3,207	100%

Based upon 94 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 502-502 (width: 1; decimal: 0)

Variable Type: numeric

SP2WD: Q26: [withdrawal] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	66	2.1 %
1	Yes	27	0.8 %
	Missing Data		
.	-	3114	97.1 %
	Total	3,207	100%

Based upon 93 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 503-503 (width: 1; decimal: 0)

Variable Type: numeric

SP2VAS: Q26: [vasectomy] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	92	2.9 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3114	97.1 %
	Total	3,207	100%

Based upon 93 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 504-504 (width: 1; decimal: 0)

Variable Type: numeric

SP2COND: Q26: [condom] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	51	1.6 %
1	Yes	42	1.3 %
	Missing Data		
.	-	3114	97.1 %
	Total	3,207	100%

Based upon 93 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 505-505 (width: 1; decimal: 0)

Variable Type: numeric

SP2NFP: Q26: [natural/calendar] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	91	2.8 %
1	Yes	2	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	3114	97.1 %
	Total	3,207	100%

Based upon 93 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 506-506 (width: 1; decimal: 0)

Variable Type: numeric

SP2SPERM: Q26: [spermicide/other barrier] In the past 30 days, did you use __ with Partner

Value	Label	Unweighted Frequency	%
0	No	92	2.9 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3114	97.1 %
	Total	3,207	100%

Based upon 93 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 507-507 (width: 1; decimal: 0)

Variable Type: numeric

SP2NONE: Q26: [None of the above] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	64	2.0 %
1	Yes	29	0.9 %
	Missing Data		
.	-	3114	97.1 %
	Total	3,207	100%

Based upon 93 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 508-508 (width: 1; decimal: 0)

Variable Type: numeric

XBARR2: Q26: [Refused] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	93	2.9 %
1	Yes	0	0.0 %
	Missing Data		
.	-	3114	97.1 %
	Total	3,207	100%

Based upon 93 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 509-509 (width: 1; decimal: 0)

Variable Type: numeric

Q26I_YOUPARTNER_1: [Prevent pregnancy] Does [your partner] use pulling out or withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	48	1.5 %
1	Yes	620	19.3 %
	Missing Data		
.	-	2539	79.2 %
	Total	3,207	100%

Based upon 668 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 510-510 (width: 1; decimal: 0)

Variable Type: numeric

Q26I_YOUPARTNER_2: [Prevent STI] Does [your partner] use withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	663	20.7 %
1	Yes	5	0.2 %
	Missing Data		
.	-	2539	79.2 %
	Total	3,207	100%

Based upon 668 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 511-511 (width: 1; decimal: 0)

Variable Type: numeric

Q26I_YOUPARTNER_3: [Some other reason] Does [your partner] use pulling out or withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	614	19.1 %
1	Yes	54	1.7 %
	Missing Data		
.	-	2539	79.2 %
	Total	3,207	100%

Based upon 668 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 512-512 (width: 1; decimal: 0)

Variable Type: numeric

Q26I_YOUPARTNER_REFUSED: [Refused] Does [your partner] use pulling out or withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	665	20.7 %
1	Yes	3	0.1 %
	Missing Data		
.	-	2539	79.2 %
	Total	3,207	100%

Based upon 668 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 513-513 (width: 1; decimal: 0)

Variable Type: numeric

WHYOUT1: Q26i: [Prevent STI] Does [your partner] use withdrawal to:

Value	Label	Unweighted Frequency	%
	-	3181	99.2 %
[MASKED]	-	26	0.8 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 514-521 (width: 8; decimal: 0)

Variable Type: character

Q26I_SP1_1: [Prevent pregnancy] Does [SP1] use pulling out or withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	6	0.2 %
1	Yes	21	0.7 %
	Missing Data		
.	-	3180	99.2 %
	Total	3,207	100%

Based upon 27 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 522-522 (width: 1; decimal: 0)

Variable Type: numeric

Q26I_SP1_2: [Prevent STI] Does [SP1] use withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	26	0.8 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3180	99.2 %
	Total	3,207	100%

Based upon 27 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 523-523 (width: 1; decimal: 0)

Variable Type: numeric

Q26I_SP1_3: [Some other reason] Does [SP1] use pulling out or withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	21	0.7 %
1	Yes	6	0.2 %
	Missing Data		
.	-	3180	99.2 %
	Total	3,207	100%

Based upon 27 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 524-524 (width: 1; decimal: 0)

Variable Type: numeric

Q26I_SP1_REFUSED: [Refused] Does [SP1] use pulling out or withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	27	0.8 %
1	Yes	0	0.0 %
	Missing Data		
.	-	3180	99.2 %
	Total	3,207	100%

Based upon 27 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 525-525 (width: 1; decimal: 0)

Variable Type: numeric

WHYOUT2: Q26i: [Other reason- specify] Does [SP1] use withdrawal to:

Value	Label	Unweighted Frequency	%
	-	3203	99.9 %
[MASKED]	-	4	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 526-533 (width: 8; decimal: 0)

Variable Type: character

Q26I_SP2_1: [Prevent pregnancy] Does [SP2] use pulling out or withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	3	0.1 %
1	Yes	24	0.7 %
	Missing Data		
.	-	3180	99.2 %
	Total	3,207	100%

Based upon 27 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 534-534 (width: 1; decimal: 0)

Variable Type: numeric

Q26I_SP2_2: [Prevent STI] Does [SP2] use withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	26	0.8 %
1	Yes	1	0.0 %
	Missing Data		
.	-	3180	99.2 %
	Total	3,207	100%

Based upon 27 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 535-535 (width: 1; decimal: 0)

Variable Type: numeric

Q26I_SP2_3: [Some other reason] Does [SP2] use pulling out or withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	24	0.7 %
1	Yes	3	0.1 %
	Missing Data		
.	-	3180	99.2 %
	Total	3,207	100%

Based upon 27 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 536-536 (width: 1; decimal: 0)

Variable Type: numeric

Q26I_SP2_REFUSED: [Refused] Does [SP2] use pulling out or withdrawal to:

Value	Label	Unweighted Frequency	%
0	No	27	0.8 %
1	Yes	0	0.0 %
	Missing Data		
.	-	3180	99.2 %
	Total	3,207	100%

Based upon 27 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 537-537 (width: 1; decimal: 0)

Variable Type: numeric

WHYOUT3: Q26i: [Other reason- specify] Does [SP2] use withdrawal to:

Value	Label	Unweighted Frequency	%
	-	3205	99.9 %
[MASKED]	-	2	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 538-545 (width: 8; decimal: 0)

Variable Type: character

NWITHDRAW: Q26a: [Withdrawal;Partner 1] Past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	368	11.5 %
2	More than half the times you had sex	102	3.2 %
3	About half the time you had sex	67	2.1 %
4	Less than half the time you had sex	146	4.6 %
5	Never	9	0.3 %
	Missing Data		
.	-	2515	78.4 %
	Total	3,207	100%

Based upon 692 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

NCONDOMS: Q26a: [Condom;Partner 1] Past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	422	13.2 %
2	More than half the times you had sex	119	3.7 %
3	About half the time you had sex	54	1.7 %
4	Less than half the time you had sex	97	3.0 %
5	Never	11	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2504	78.1 %
	Total	3,207	100%

Based upon 703 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

NNFP: Q26a: [Natural;Partner 1] Past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	60	1.9 %
2	More than half the times you had sex	27	0.8 %
3	About half the time you had sex	13	0.4 %
4	Less than half the time you had sex	17	0.5 %
5	Never	1	0.0 %
	Missing Data		
.	-	3089	96.3 %
	Total	3,207	100%

Based upon 118 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

NSPERM: Q26a: [Spermicide/Oth;Partner 1] In the past 30 days, how often did you use __ w

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	21	0.7 %
2	More than half the times you had sex	6	0.2 %
3	About half the time you had sex	2	0.1 %
4	Less than half the time you had sex	3	0.1 %
5	Never	0	0.0 %
	Missing Data		
.	-	3175	99.0 %
	Total	3,207	100%

Based upon 32 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

PSAT1: Q26c: [Partner 1; Withdrawl] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn?t use/not applicable	2512	78.3 %
1	very satisfied	258	8.0 %
2	somewhat satisfied	247	7.7 %
3	somewhat dissatisfied	79	2.5 %
4	very satisfied	28	0.9 %
5	don't know	0	0.0 %
100	don't know	80	2.5 %
	Missing Data		
.	-	3	0.1 %
	Total	3,207	100%

Based upon 3,204 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 554-556 (width: 3; decimal: 0)

Variable Type: numeric

PSAT3: Q26c: [Partner 1; Condoms] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn?t use/not applicable	2502	78.0 %
1	very satisfied	200	6.2 %
2	somewhat satisfied	288	9.0 %
3	somewhat dissatisfied	127	4.0 %
4	very satisfied	50	1.6 %
5	don't know	0	0.0 %
100	don't know	38	1.2 %
	Missing Data		
.	-	2	0.1 %
	Total	3,207	100%

Based upon 3,205 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 557-559 (width: 3; decimal: 0)

Variable Type: numeric

PSAT4: Q26c: [Partner 1; Calendar Method] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	3089	96.3 %
1	very satisfied	59	1.8 %
2	somewhat satisfied	37	1.2 %
3	somewhat dissatisfied	6	0.2 %
4	very satisfied	3	0.1 %
5	don't know	0	0.0 %
100	don't know	12	0.4 %
Missing Data			
.	-	1	0.0 %
Total		3,207	100%

Based upon 3,206 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 560-562 (width: 3; decimal: 0)

Variable Type: numeric

PSAT5: Q26c: [Partner 1; Spermicide/other] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	3175	99.0 %
1	very satisfied	17	0.5 %
2	somewhat satisfied	11	0.3 %
3	somewhat dissatisfied	1	0.0 %
4	very satisfied	1	0.0 %
5	don't know	0	0.0 %
100	don't know	2	0.1 %
Total		3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 563-565 (width: 3; decimal: 0)

Variable Type: numeric

PSAT2: Q26c: [Partner 1; Vasectomy] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	3187	99.4 %
1	very satisfied	14	0.4 %
2	somewhat satisfied	2	0.1 %
3	somewhat dissatisfied	2	0.1 %
4	very satisfied	1	0.0 %
5	don't know	0	0.0 %
100	don't know	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 566-568 (width: 3; decimal: 0)

Variable Type: numeric

NWITHDRAW2: Q26a: [Withdrawal;Partner 2] In the past 30 days, how often did you use __ with
—

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Every time you had sex	17	0.5 %
2	More than half the times you had sex	3	0.1 %
3	About half the time you had sex	3	0.1 %
4	Less than half the time you had sex	3	0.1 %
5	Never	0	0.0 %
	Missing Data		
.	-	3180	99.2 %
	Total	3,207	100%

Based upon 27 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

NCONDOMS2: Q26a: [Condom;Partner 2] In the past 30 days, how often did you use __ with
—

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	29	0.9 %
2	More than half the times you had sex	8	0.2 %
3	About half the time you had sex	2	0.1 %
4	Less than half the time you had sex	1	0.0 %
5	Never	2	0.1 %
	Missing Data		
.	-	3165	98.7 %
	Total	3,207	100%

Based upon 42 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

NNFP2: Q26a: [Natural;Partner 2] In the past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	0	0.0 %
2	More than half the times you had sex	0	0.0 %
3	About half the time you had sex	1	0.0 %
4	Less than half the time you had sex	1	0.0 %
5	Never	0	0.0 %
	Missing Data		
.	-	3205	99.9 %
	Total	3,207	100%

Based upon 2 valid cases out of 3,207 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

NSPERM2: Q26a: [Spermicide/Oth;Partner 2] In the past 30 days, how often did you use __ w

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	1	0.0 %

Value	Label	Unweighted Frequency	%
2	More than half the times you had sex	0	0.0 %
3	About half the time you had sex	0	0.0 %
4	Less than half the time you had sex	0	0.0 %
5	Never	0	0.0 %
	Missing Data		
.	-	3206	100.0 %
	Total	3,207	100%

Based upon 1 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

PSATB1: Q26c: [Partner 2; Withdrawal] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
-1	-	1	0.0 %
0	didn't use/not applicable	3180	99.2 %
1	very satisfied	8	0.2 %
2	somewhat satisfied	10	0.3 %
3	somewhat dissatisfied	2	0.1 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	6	0.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 100.00

Location: 577-579 (width: 3; decimal: 0)

Variable Type: numeric

PSATB3: Q26c: [Partner 2; Condoms] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	3165	98.7 %
1	very satisfied	17	0.5 %
2	somewhat satisfied	10	0.3 %
3	somewhat dissatisfied	5	0.2 %

Value	Label	Unweighted Frequency	%
4	very satisfied	4	0.1 %
5	don't know	0	0.0 %
100	don't know	6	0.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 580-582 (width: 3; decimal: 0)

Variable Type: numeric

PSATB4: Q26c: [Partner 2; Calendar Method] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	3205	99.9 %
1	very satisfied	0	0.0 %
2	somewhat satisfied	0	0.0 %
3	somewhat dissatisfied	2	0.1 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 583-585 (width: 3; decimal: 0)

Variable Type: numeric

PSATB5: Q26c: [Partner 2; Spermicide/other] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	3206	100.0 %
1	very satisfied	0	0.0 %
2	somewhat satisfied	1	0.0 %
3	somewhat dissatisfied	0	0.0 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 586-588 (width: 3; decimal: 0)

Variable Type: numeric

PSATB2: Q26c: [Partner 2; Vasectomy] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	3206	100.0 %
1	very satisfied	1	0.0 %
2	somewhat satisfied	0	0.0 %
3	somewhat dissatisfied	0	0.0 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 589-591 (width: 3; decimal: 0)

Variable Type: numeric

RSAT1: Q27: [withdrawal] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	246	7.7 %
2	somewhat satisfied	298	9.3 %
3	somewhat dissatisfied	121	3.8 %
4	very satisfied	31	1.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Missing Data		
.	-	2511	78.3 %
	Total	3,207	100%

Based upon 696 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 592-594 (width: 3; decimal: 0)

Variable Type: numeric

RSAT3: Q27: [condoms] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	276	8.6 %
2	somewhat satisfied	306	9.5 %
3	somewhat dissatisfied	91	2.8 %
4	very satisfied	39	1.2 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Missing Data		
.	-	2495	77.8 %
	Total	3,207	100%

Based upon 712 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 595-597 (width: 3; decimal: 0)

Variable Type: numeric

RSAT4: Q27: [natural/calendar] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	64	2.0 %
2	somewhat satisfied	40	1.2 %
3	somewhat dissatisfied	12	0.4 %
4	very satisfied	1	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Missing Data		
.	-	3090	96.4 %
	Total	3,207	100%

Based upon 117 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 598-600 (width: 3; decimal: 0)

Variable Type: numeric

RSAT5: Q27: [spermicide/other barrier] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	16	0.5 %
2	somewhat satisfied	11	0.3 %
3	somewhat dissatisfied	3	0.1 %
4	very satisfied	2	0.1 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Missing Data		
.	-	3175	99.0 %
	Total	3,207	100%

Based upon 32 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 601-603 (width: 3; decimal: 0)

Variable Type: numeric

RSAT2: Q27: [vasectomy] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	3186	99.3 %
1	very satisfied	12	0.4 %
2	somewhat satisfied	7	0.2 %
3	somewhat dissatisfied	1	0.0 %
4	very satisfied	1	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 604-606 (width: 3; decimal: 0)

Variable Type: numeric

HOWDUAL: Q28: In the past 30 days, describe dual method use

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
1	Use these methods at the same time	446	13.9 %
2	Switch between methods	142	4.4 %
3	Both of the above	98	3.1 %
	Missing Data		
.	-	2521	78.6 %
	Total	3,207	100%

Based upon 686 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

EVERYT: Q29: Past 30 days, you/your partners use a pregnancy prevention method every tim

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	274	8.5 %
1	Yes	1709	53.3 %
3	Dont Know	39	1.2 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	1185	37.0 %
	Total	3,207	100%

Based upon 2,022 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

EC: Q30: In the last 30 days, did you use emergency contraception?

Value	Label	Unweighted Frequency	%
-1	Refused	12	0.4 %
0	No	2426	75.6 %
1	Yes	41	1.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	728	22.7 %
	Total	3,207	100%

Based upon 2,479 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

Q32: Would you switch methods if cost wasnt an issue?

Value	Label	Unweighted Frequency	%
-1	Refused	15	0.5 %
0	No	1239	38.6 %
1	Yes	446	13.9 %
3	Dont Know	605	18.9 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	902	28.1 %
	Total	3,207	100%

Based upon 2,305 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

Q32A: Would you use a method if cost wasnt an issue?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
0	No	257	8.0 %
1	Yes	62	1.9 %
3	Dont Know	92	2.9 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

NOSEX: Q33_1: [Do not have sex often] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	385	12.0 %
1	Yes	29	0.9 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 617-617 (width: 1; decimal: 0)

Variable Type: numeric

BCPROBS: Q33_2: [Problems using methods] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	388	12.1 %
1	Yes	26	0.8 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 618-618 (width: 1; decimal: 0)

Variable Type: numeric

SIDEFF: Q33_3: [Worried about side effects] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	370	11.5 %
1	Yes	44	1.4 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 619-619 (width: 1; decimal: 0)

Variable Type: numeric

HEALTHBC: Q33_4: [Health reasons] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	401	12.5 %
1	Yes	13	0.4 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 620-620 (width: 1; decimal: 0)

Variable Type: numeric

FORGET: Q33_5: [Forget to use] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	401	12.5 %
1	Yes	13	0.4 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 621-621 (width: 1; decimal: 0)

Variable Type: numeric

CHOICE: Q33_6: [Do not like choices available] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	401	12.5 %
1	Yes	13	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 622-622 (width: 1; decimal: 0)

Variable Type: numeric

PNOBC: Q33_8: [Partner does not want] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	399	12.4 %
1	Yes	15	0.5 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 623-623 (width: 1; decimal: 0)

Variable Type: numeric

INFERTBC: Q33_10: [Infertile/Subfecund] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	345	10.8 %
1	Yes	69	2.2 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 624-624 (width: 1; decimal: 0)

Variable Type: numeric

NOMIND: Q33_11: [Would not mind if became pregnant] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	293	9.1 %
1	Yes	121	3.8 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 625-625 (width: 1; decimal: 0)

Variable Type: numeric

AFFORDBC: Q33_13: [Cannot afford method I want] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	406	12.7 %
1	Yes	8	0.2 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 626-626 (width: 1; decimal: 0)

Variable Type: numeric

TRYINGPG: Q33_14: [I am trying to get pregnant] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	211	6.6 %
1	Yes	203	6.3 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 627-627 (width: 1; decimal: 0)

Variable Type: numeric

OTRONOBC: Q33_15: [Other] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	320	10.0 %
1	Yes	94	2.9 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 628-628 (width: 1; decimal: 0)

Variable Type: numeric

XNOUSE: Q33_16: [Refused] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	412	12.8 %
1	Yes	2	0.1 %
	Missing Data		
.	-	2793	87.1 %
	Total	3,207	100%

Based upon 414 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 629-629 (width: 1; decimal: 0)

Variable Type: numeric

NOBCQUAL: Q33_17: [Other-specify] Why are you not using any method?

Value	Label	Unweighted Frequency	%
	-	3118	97.2 %
[MASKED]	-	89	2.8 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 630-637 (width: 8; decimal: 0)

Variable Type: character

USE6MOS: Q35: In the last 6 months, did you use a method every month

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	615	19.2 %
1	Yes	1830	57.1 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	762	23.8 %
	Total	3,207	100%

Based upon 2,445 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

WANTPG: Q35b: During that period, pregnant or trying to get pregnant?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	290	9.0 %
1	Yes	322	10.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2595	80.9 %
	Total	3,207	100%

Based upon 612 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

TYPEINS: Q38: What type of health insurance do you currently have?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Private health insurance I get through my job or school, a family member or that I pay for myself.	2119	66.1 %
2	{#\POV_Q38} or some other government-sponsored health insurance.	467	14.6 %
3	Some other type of health insurance	22	0.7 %

Value	Label	Unweighted Frequency	%
4	I don't have health insurance.	570	17.8 %
	Missing Data		
.	-	29	0.9 %
	Total	3,207	100%

Based upon 3,178 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

OTROINS: Q38: [Other-specify] What type of health insurance do you have?

Value	Label	Unweighted Frequency	%
[MASKED]	-	3207	100.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 644-651 (width: 8; decimal: 0)

Variable Type: character

SIXINS: Q39: Did you have health insurance during all of the last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	140	4.4 %
1	Yes	2463	76.8 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	604	18.8 %
	Total	3,207	100%

Based upon 2,603 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

ANYINS2: Q39b: Did you have health insurance during any of the last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	503	15.7 %
1	Yes	58	1.8 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2646	82.5 %
	Total	3,207	100%

Based upon 561 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

REGCARE: Q40: Do you have a regular place you go to for medical care?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	695	21.7 %
1	Yes	2482	77.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	30	0.9 %
	Total	3,207	100%

Based upon 3,177 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

GYNVISIT: Q41a: [Annual GYN visit/pap smear] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1791	55.8 %
1	Yes	1374	42.8 %
3	Dont Know	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Didnt care	0	0.0 %
	Missing Data		
.	-	42	1.3 %
	Total	3,207	100%

Based upon 3,165 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

BCVISIT: Q41b: [birth control] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2186	68.2 %
1	Yes	957	29.8 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	64	2.0 %
	Total	3,207	100%

Based upon 3,143 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 660-661 (width: 2; decimal: 0)

Variable Type: numeric

WHCVIS: Q41c: [Other womens health care incl preg] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2436	76.0 %
1	Yes	709	22.1 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	62	1.9 %
	Total	3,207	100%

Based upon 3,145 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

GENVISIT: Q41d: [General health visit] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2013	62.8 %
1	Yes	1142	35.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	52	1.6 %
	Total	3,207	100%

Based upon 3,155 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

SICKVIS: Q41e: [Sick/health issue] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1733	54.0 %
1	Yes	1419	44.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	55	1.7 %
	Total	3,207	100%

Based upon 3,152 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

TYPEDOC: Q43: Last womens health visit, what type of facility?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Private doctor	1295	40.4 %
2	Planned Parenthood or other family planning clinic	161	5.0 %
3	Public health department or community health clinic	174	5.4 %
4	Student health clinic	47	1.5 %
5	Some other type of health care facility	36	1.1 %
	Missing Data		
.	-	1494	46.6 %
	Total	3,207	100%

Based upon 1,713 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

OTRODOC: Q43: [Other-specify] Last womens health visit, what type of facility?

Value	Label	Unweighted Frequency	%
	-	3183	99.3 %
[MASKED]	-	24	0.7 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 670-677 (width: 8; decimal: 0)

Variable Type: character

PAIDLOOP: Q44_1: [Respondent paid some or all incl copay] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	1077	33.6 %
1	Yes	641	20.0 %
	Missing Data		
.	-	1489	46.4 %
	Total	3,207	100%

Based upon 1,718 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 678-678 (width: 1; decimal: 0)

Variable Type: numeric

INSPAID: Q44_2: [Insurance paid some or all] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	570	17.8 %
1	Yes	1148	35.8 %
	Missing Data		
.	-	1489	46.4 %
	Total	3,207	100%

Based upon 1,718 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 679-679 (width: 1; decimal: 0)

Variable Type: numeric

REDUCFEE: Q44_3: [Reduced fee] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	1604	50.0 %
1	Yes	114	3.6 %
	Missing Data		
.	-	1489	46.4 %
	Total	3,207	100%

Based upon 1,718 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 680-680 (width: 1; decimal: 0)

Variable Type: numeric

FREECARE: Q44_4: [Free services] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	1527	47.6 %
1	Yes	191	6.0 %
	Missing Data		
.	-	1489	46.4 %
	Total	3,207	100%

Based upon 1,718 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 681-681 (width: 1; decimal: 0)

Variable Type: numeric

XHOWPAY: Q44_5: [Refused] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	1711	53.4 %
1	Yes	7	0.2 %
	Missing Data		
.	-	1489	46.4 %
	Total	3,207	100%

Based upon 1,718 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 682-682 (width: 1; decimal: 0)

Variable Type: numeric

INSDUCT: Q45_1: [Deductable/copay too high] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
0	No	1384	43.2 %
1	Yes	123	3.8 %
	Missing Data		
.	-	1700	53.0 %
	Total	3,207	100%

Based upon 1,507 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 683-683 (width: 1; decimal: 0)

Variable Type: numeric

INSLIMIT: Q45_2: [Insurance limited methods] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
0	No	1428	44.5 %
1	Yes	79	2.5 %
	Missing Data		
.	-	1700	53.0 %
	Total	3,207	100%

Based upon 1,507 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 684-684 (width: 1; decimal: 0)

Variable Type: numeric

NOCOVA: Q45_3: [Insurance didnt cover all services] Difficulties when try to use insuran

Value	Label	Unweighted Frequency	%
0	No	1379	43.0 %
1	Yes	128	4.0 %
	Missing Data		
.	-	1700	53.0 %
	Total	3,207	100%

Based upon 1,507 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 685-685 (width: 1; decimal: 0)

Variable Type: numeric

NOCOVb: Q45_4: [Insurance didnt cover doctor I want] Difficulties when try to use insura

Value	Label	Unweighted Frequency	%
0	No	1478	46.1 %
1	Yes	29	0.9 %
	Missing Data		
.	-	1700	53.0 %
	Total	3,207	100%

Based upon 1,507 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 686-686 (width: 1; decimal: 0)

Variable Type: numeric

OTROPROB: Q45_5: [Other] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
0	No	1482	46.2 %
1	Yes	25	0.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1700	53.0 %
	Total	3,207	100%

Based upon 1,507 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 687-687 (width: 1; decimal: 0)

Variable Type: numeric

NOPROB: Q45_6: [None of the above] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
0	No	315	9.8 %
1	Yes	1192	37.2 %
	Missing Data		
.	-	1700	53.0 %
	Total	3,207	100%

Based upon 1,507 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 688-688 (width: 1; decimal: 0)

Variable Type: numeric

XPROB: Q45_7:[Refused] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
0	No	1498	46.7 %
1	Yes	9	0.3 %
	Missing Data		
.	-	1700	53.0 %
	Total	3,207	100%

Based upon 1,507 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 689-689 (width: 1; decimal: 0)

Variable Type: numeric

PROBQUAL: Q45_8: [Other-specify] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
	-	3187	99.4 %
[MASKED]	-	20	0.6 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

Location: 690-697 (width: 8; decimal: 0)

Variable Type: character

DOCTALK: Q47a: [Doctor talked about having children] At last visit, how strongly agree

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	880	27.4 %
1	Yes	827	25.8 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	1500	46.8 %
	Total	3,207	100%

Based upon 1,707 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 698-699 (width: 2; decimal: 0)

Variable Type: numeric

BCINFO: Q47b: [Got info about birth control] At last visit, did you __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	921	28.7 %
1	Yes	783	24.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	1503	46.9 %
	Total	3,207	100%

Based upon 1,704 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 700-701 (width: 2; decimal: 0)

Variable Type: numeric

HOUREMP: Q48_1: [Employment] Approx how many hours did you spend on __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	includes 58 nonresponders	1089	34.0 %
1	-	12	0.4 %
2	-	6	0.2 %
3	-	8	0.2 %
4	-	10	0.3 %
5	-	12	0.4 %
6	-	7	0.2 %
7	-	6	0.2 %
8	-	15	0.5 %
9	-	2	0.1 %
10	-	47	1.5 %
11	-	3	0.1 %
12	-	15	0.5 %
13	-	4	0.1 %
14	-	4	0.1 %
15	-	39	1.2 %
16	-	18	0.6 %
17	-	2	0.1 %
18	-	12	0.4 %
20	-	107	3.3 %
21	-	5	0.2 %
22	-	6	0.2 %
23	-	8	0.2 %
24	-	27	0.8 %
25	-	61	1.9 %
26	-	9	0.3 %
27	-	11	0.3 %
28	-	16	0.5 %
29	-	7	0.2 %
30	-	105	3.3 %
31	-	3	0.1 %
32	-	48	1.5 %
33	-	11	0.3 %
34	-	10	0.3 %

Value	Label	Unweighted Frequency	%
35	-	96	3.0 %
36	-	39	1.2 %
37	-	16	0.5 %
38	-	44	1.4 %
39	-	9	0.3 %
40	-	819	25.5 %
41	-	11	0.3 %
42	-	27	0.8 %
43	-	10	0.3 %
44	-	14	0.4 %
45	-	108	3.4 %
46	-	8	0.2 %
47	-	1	0.0 %
48	-	22	0.7 %
49	-	2	0.1 %
	Total	3,207	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 23.83
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 20.21

Location: 702-704 (width: 3; decimal: 0)

Variable Type: numeric

HOURED: Q48_2: [Attending school] Approx how many hours did you spend on __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	includes 188 nonresponders	2797	87.2 %
1	-	7	0.2 %
2	-	8	0.2 %
3	-	22	0.7 %
4	-	30	0.9 %
5	-	30	0.9 %
6	-	27	0.8 %
7	-	5	0.2 %

Value	Label	Unweighted Frequency	%
8	-	20	0.6 %
9	-	5	0.2 %
10	-	52	1.6 %
12	-	22	0.7 %
13	-	1	0.0 %
14	-	2	0.1 %
15	-	25	0.8 %
16	-	12	0.4 %
17	-	3	0.1 %
18	-	10	0.3 %
20	-	58	1.8 %
24	-	3	0.1 %
25	-	5	0.2 %
28	-	1	0.0 %
30	-	19	0.6 %
32	-	4	0.1 %
35	-	6	0.2 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	21	0.7 %
45	-	2	0.1 %
48	-	1	0.0 %
50	-	3	0.1 %
60	-	1	0.0 %
96	-	1	0.0 %
100	-	1	0.0 %
120	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 1.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 120.00
- Standard Deviation: 7.04

Location: 705-707 (width: 3; decimal: 0)

Variable Type: numeric

DEATH: Q51_1: [Close friend/family member died] In the past 6 months, important problem

Value	Label	Unweighted Frequency	%
0	No	2770	86.4 %
1	Yes	437	13.6 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 708-708 (width: 1; decimal: 0)

Variable Type: numeric

RENT: Q51_2: [Fell behind on rent/mortgage] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2997	93.5 %
1	Yes	210	6.5 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 709-709 (width: 1; decimal: 0)

Variable Type: numeric

JOBPROB: Q51_3: [Changed job/was unemployed] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2734	85.3 %
1	Yes	473	14.7 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 710-710 (width: 1; decimal: 0)

Variable Type: numeric

MEDPROB: Q51_4[Sudden medical problem] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2906	90.6 %
1	Yes	301	9.4 %

Value	Label	Unweighted Frequency	%
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 711-711 (width: 1; decimal: 0)

Variable Type: numeric

FAMHLTH: Q51_5: [Dependent/relative had serious medical problem] In the past 6 months, pr

Value	Label	Unweighted Frequency	%
0	No	2926	91.2 %
1	Yes	281	8.8 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 712-712 (width: 1; decimal: 0)

Variable Type: numeric

MOVED2: Q51_6: [Respondent moved] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2843	88.6 %
1	Yes	364	11.4 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 713-713 (width: 1; decimal: 0)

Variable Type: numeric

PSYCH: Q51_7: [Mental/emotional health/substance abuse counseling] In the past 6 months

Value	Label	Unweighted Frequency	%
0	No	3013	94.0 %
1	Yes	194	6.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 714-714 (width: 1; decimal: 0)

Variable Type: numeric

MONEY: Q51_8: [Financial situation got worse] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2604	81.2 %
1	Yes	603	18.8 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 715-715 (width: 1; decimal: 0)

Variable Type: numeric

Q51_9: Q51_9: [None of the above] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	1697	52.9 %
1	Yes	1510	47.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 716-716 (width: 1; decimal: 0)

Variable Type: numeric

NOEVENT: Q51_10: [Refused] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	3154	98.3 %
1	Yes	53	1.7 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 717-717 (width: 1; decimal: 0)

Variable Type: numeric

AGE: Age

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
18	-	15	0.5 %
19	-	51	1.6 %
20	-	75	2.3 %
21	-	126	3.9 %
22	-	148	4.6 %
23	-	193	6.0 %
24	-	232	7.2 %
25	-	242	7.5 %
26	-	207	6.5 %
27	-	197	6.1 %
28	-	240	7.5 %
29	-	232	7.2 %
30	-	154	4.8 %
31	-	130	4.1 %
32	-	115	3.6 %
33	-	142	4.4 %
34	-	134	4.2 %
35	-	133	4.1 %
36	-	127	4.0 %
37	-	108	3.4 %
38	-	110	3.4 %
39	-	96	3.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 28.55
- Median: 28.00
- Mode: 25.00
- Minimum: 18.00
- Maximum: 39.00
- Standard Deviation: 5.33

Location: 718-719 (width: 2; decimal: 0)

Variable Type: numeric

DEGREE: Education (Highest Degree Received)

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	No formal education	3	0.1 %
2	1st, 2nd, 3rd, or 4th grade	2	0.1 %
3	5th or 6th grade	17	0.5 %
4	7th or 8th grade	15	0.5 %
5	9th grade	25	0.8 %
6	10th grade	28	0.9 %
7	11th grade	26	0.8 %
8	12th grade NO DIPLOMA	37	1.2 %
9	HIGH SCHOOL GRADUATE - high school DIPLOMA or the equivalent (GED)	439	13.7 %
10	Some college, no degree	801	25.0 %
11	Associate degree	348	10.9 %
12	Bachelors degree	1019	31.8 %
13	Masters degree	363	11.3 %
14	Professional or Doctorate degree	84	2.6 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 720-721 (width: 2; decimal: 0)

Variable Type: numeric

ED: Education (Categorical)

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Less than high school	153	4.8 %
2	High school	439	13.7 %
3	Some college	1149	35.8 %
4	Bachelor's degree or higher	1466	45.7 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 722-723 (width: 2; decimal: 0)

Variable Type: numeric

RACETH: Race / Ethnicity

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	White, Non-Hispanic	2101	65.5 %
2	Black, Non-Hispanic	286	8.9 %
3	Other, Non-Hispanic	126	3.9 %
4	Hispanic	558	17.4 %
5	2+ Races, Non-Hispanic	136	4.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 724-725 (width: 2; decimal: 0)

Variable Type: numeric

SEX: Gender

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	3207	100.0 %
1	Male	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 726-727 (width: 2; decimal: 0)

Variable Type: numeric

HHEAD: Household Head

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	No	976	30.4 %
1	Yes	2231	69.6 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 728-729 (width: 2; decimal: 0)

Variable Type: numeric

HHSIZE: Household Size

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	-	342	10.7 %
2	-	934	29.1 %
3	-	763	23.8 %
4	-	648	20.2 %
5	-	296	9.2 %
6	-	131	4.1 %
7	-	42	1.3 %
8	-	27	0.8 %
9	-	13	0.4 %
10	-	6	0.2 %
11	-	1	0.0 %
12	-	2	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 3.15
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 14.00
- Standard Deviation: 1.56

Location: 730-731 (width: 2; decimal: 0)

Variable Type: numeric

HHTYPE: Housing Type

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	A one-family house detached from any other house	1675	52.2 %
2	A one-family house attached to one or more houses	352	11.0 %

Value	Label	Unweighted Frequency	%
3	A building with 2 or more apartments	1060	33.1 %
4	A mobile home	118	3.7 %
5	Boat, RV, van, etc.	2	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 732-733 (width: 2; decimal: 0)

Variable Type: numeric

HHINC: Household Income

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Less than \$5,000	128	4.0 %
2	\$5,000 to \$7,499	77	2.4 %
3	\$7,500 to \$9,999	80	2.5 %
4	\$10,000 to \$12,499	87	2.7 %
5	\$12,500 to \$14,999	86	2.7 %
6	\$15,000 to \$19,999	142	4.4 %
7	\$20,000 to \$24,999	196	6.1 %
8	\$25,000 to \$29,999	233	7.3 %
9	\$30,000 to \$34,999	207	6.5 %
10	\$35,000 to \$39,999	203	6.3 %
11	\$40,000 to \$49,999	357	11.1 %
12	\$50,000 to \$59,999	292	9.1 %
13	\$60,000 to \$74,999	296	9.2 %
14	\$75,000 to \$84,999	199	6.2 %
15	\$85,000 to \$99,999	219	6.8 %
16	\$100,000 to \$124,999	193	6.0 %
17	\$125,000 to \$149,999	83	2.6 %
18	\$150,000 to \$174,999	60	1.9 %
19	\$175,000 or more	69	2.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 734-735 (width: 2; decimal: 0)

Variable Type: numeric

MARSTAT: Marital Status

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Married	1485	46.3 %
2	Widowed	4	0.1 %
3	Divorced	98	3.1 %
4	Separated	37	1.2 %
5	Never married	1024	31.9 %
6	Living with partner	559	17.4 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 736-737 (width: 2; decimal: 0)

Variable Type: numeric

MSA: MSA Status

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	Non-Metro	379	11.8 %
1	Metro	2828	88.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 738-739 (width: 2; decimal: 0)

Variable Type: numeric

REGION: Region 4 - Based on State of Residence

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Northeast	506	15.8 %

Value	Label	Unweighted Frequency	%
2	Midwest	842	26.3 %
3	South	994	31.0 %
4	West	865	27.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 740-741 (width: 2; decimal: 0)

Variable Type: numeric

REGION9: Region 9 - Based on State of Residence

Value	Label	Unweighted Frequency	%
1	New England	146	4.6 %
2	Mid-Atlantic	360	11.2 %
3	East-North Central	556	17.3 %
4	West-North Central	286	8.9 %
5	South Atlantic	542	16.9 %
6	East-South Central	156	4.9 %
7	West-South Central	296	9.2 %
8	Mountain	254	7.9 %
9	Pacific	611	19.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 742-742 (width: 1; decimal: 0)

Variable Type: numeric

OWNHOME: Ownership Status of Living Quarters

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Owned or being bought by you or someone in your household	1558	48.6 %
2	Rented for cash	1554	48.5 %
3	Occupied without payment of cash rent	95	3.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 743-744 (width: 2; decimal: 0)

Variable Type: numeric

STATE: State

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
11	me	11	0.3 %
12	nh	12	0.4 %
13	vt	8	0.2 %
14	ma	80	2.5 %
15	ri	11	0.3 %
16	ct	24	0.7 %
21	ny	165	5.1 %
22	nj	52	1.6 %
23	pa	143	4.5 %
31	oh	134	4.2 %
32	in	70	2.2 %
33	il	139	4.3 %
34	mi	113	3.5 %
35	wi	100	3.1 %
41	mn	84	2.6 %
42	ia	54	1.7 %
43	mo	78	2.4 %
44	nd	8	0.2 %
45	sd	9	0.3 %
46	ne	24	0.7 %
47	ks	29	0.9 %
51	de	5	0.2 %
52	md	40	1.2 %
53	dc	10	0.3 %
54	va	69	2.2 %
55	wv	15	0.5 %
56	nc	110	3.4 %
57	sc	29	0.9 %
58	ga	94	2.9 %
59	fl	170	5.3 %

Value	Label	Unweighted Frequency	%
61	ky	45	1.4 %
62	tn	54	1.7 %
63	al	38	1.2 %
64	ms	19	0.6 %
71	ar	24	0.7 %
72	la	34	1.1 %
73	ok	25	0.8 %
74	tx	213	6.6 %
81	mt	16	0.5 %
82	id	25	0.8 %
83	wy	3	0.1 %
84	co	44	1.4 %
85	nm	22	0.7 %
86	az	60	1.9 %
87	ut	55	1.7 %
88	nv	29	0.9 %
91	wa	94	2.9 %
92	or	69	2.2 %
	Total	3,207	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 11.00
- Maximum: 95.00

Location: 745-746 (width: 2; decimal: 0)

Variable Type: numeric

INFANTS: Presence of Household Members - Children 0-1

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	2724	84.9 %
1	-	461	14.4 %
2	-	21	0.7 %
3	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.38

Location: 747-748 (width: 2; decimal: 0)

Variable Type: numeric

TODDLERS: Presence of Household Members - Children 2-5

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	2370	73.9 %
1	-	653	20.4 %
2	-	166	5.2 %
3	-	16	0.5 %
4	-	2	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.60

Location: 749-750 (width: 2; decimal: 0)

Variable Type: numeric

KIDS: Presence of Household Members - Children 6-12

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	2477	77.2 %
1	-	492	15.3 %
2	-	198	6.2 %
3	-	29	0.9 %
4	-	9	0.3 %
5	-	2	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.66

Location: 751-752 (width: 2; decimal: 0)

Variable Type: numeric

TEENS: Presence of Household Members - Children 13-17

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	2884	89.9 %
1	-	262	8.2 %
2	-	49	1.5 %
3	-	10	0.3 %
4	-	2	0.1 %
Total		3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.41

Location: 753-754 (width: 2; decimal: 0)

Variable Type: numeric

NADULTS: Presence of Household Members - Adults 18+

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	-	502	15.7 %
2	-	1943	60.6 %
3	-	437	13.6 %
4	-	229	7.1 %
5	-	66	2.1 %
6	-	23	0.7 %
7	-	3	0.1 %
8	-	3	0.1 %

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 2.23
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.96

Location: 755-756 (width: 2; decimal: 0)

Variable Type: numeric

EMPSTAT: Current Employment Status

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Working - as a paid employee	1957	61.0 %
2	Working - self-employed	154	4.8 %
3	Not working - on temporary layoff from a job	31	1.0 %
4	Not working - looking for work	395	12.3 %
5	Not working - retired	2	0.1 %
6	Not working - disabled	53	1.7 %
7	Not working - other	615	19.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 757-758 (width: 2; decimal: 0)

Variable Type: numeric

INTERNET: HH Internet Access

Value	Label	Unweighted Frequency	%
0	No	165	5.1 %
1	Yes	3042	94.9 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 759-759 (width: 1; decimal: 0)

Variable Type: numeric

UNION: Q1 RECODE. Rs union status

Value	Label	Unweighted Frequency	%
1	married	1517	47.3 %
2	cohabiting	627	19.6 %
3	separated from spouse	50	1.6 %
4	never married	903	28.2 %
5	prev married	110	3.4 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 760-760 (width: 1; decimal: 0)

Variable Type: numeric

UNIONB: Q1 and 2 RECODE. Rs union status

Value	Label	Unweighted Frequency	%
1	married	1532	47.8 %
2	cohabiting	627	19.6 %
3	dating	620	19.3 %
4	never married	354	11.0 %
5	prev married	74	2.3 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 761-761 (width: 1; decimal: 0)

Variable Type: numeric

PGENDER: Q3b RECODE. Ps gender

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	64	2.0 %
1	Male	2694	84.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	449	14.0 %
	Total	3,207	100%

Based upon 2,758 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 762-763 (width: 2; decimal: 0)

Variable Type: numeric

NOBREAK: Q4 RECODE. Been together for 6 months or longer

Value	Label	Unweighted Frequency	%
1	yes	2446	76.3 %
2	broken up but back together	116	3.6 %
3	no	184	5.7 %
4	unsure	7	0.2 %
9	not in relationship	0	0.0 %
	Missing Data		
.	-	454	14.2 %
	Total	3,207	100%

Based upon 2,753 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 764-764 (width: 1; decimal: 0)

Variable Type: numeric

PWANTS: Q19 RECODE. P wants kids with R

Value	Label	Unweighted Frequency	%
1	agree	1119	34.9 %
2	somewhat agree	401	12.5 %
3	somewhat disagree	190	5.9 %
4	disagree	566	17.6 %
5	unsure, dk	318	9.9 %
	Missing Data		
.	-	613	19.1 %
	Total	3,207	100%

Based upon 2,594 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 765-765 (width: 1; decimal: 0)

Variable Type: numeric

PAVOID: Q20 RECODE. How important to P to avoid preg now?

Value	Label	Unweighted Frequency	%
1	not at all imp	429	13.4 %
2	-	152	4.7 %
3	-	235	7.3 %
4	-	326	10.2 %
5	-	401	12.5 %
6	very important	1049	32.7 %
	Missing Data		
.	-	615	19.2 %
	Total	3,207	100%

Based upon 2,592 valid cases out of 3,207 total cases.

- Mean: 4.26
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.88

Location: 766-766 (width: 1; decimal: 0)

Variable Type: numeric

B2: intermediate variable used to construct hormonal2

Value	Label	Unweighted Frequency	%
0	-	1674	52.2 %
1	-	1519	47.4 %
2	-	11	0.3 %
3	-	2	0.1 %
4	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00

- Standard Deviation: 0.51

Location: 767-767 (width: 1; decimal: 0)

Variable Type: numeric

HORMONAL: Q23 RECODE. hormonal method used by R in last 30 days

Value	Label	Unweighted Frequency	%
1	pill	961	30.0 %
2	patch	15	0.5 %
3	ring	89	2.8 %
4	depo	104	3.2 %
5	implant	47	1.5 %
6	iud	302	9.4 %
7	multiple methods	14	0.4 %
8	none	1675	52.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 768-768 (width: 1; decimal: 0)

Variable Type: numeric

PKNOW: Q23F RECODE. does sex P know using hormonal method?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	69	2.2 %
1	Yes	1370	42.7 %
3	Dont Know	77	2.4 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	1691	52.7 %
	Total	3,207	100%

Based upon 1,516 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 769-770 (width: 2; decimal: 0)

Variable Type: numeric

WITHDRAWR: Q26 RECODE. R used withdrawal at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	1776	55.4 %
1	yes	703	21.9 %
	Missing Data		
.	-	728	22.7 %
	Total	3,207	100%

Based upon 2,479 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 771-771 (width: 1; decimal: 0)

Variable Type: numeric

SNIPR: Q26 RECODE. R used vasectomy at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2458	76.6 %
1	Yes	21	0.7 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	728	22.7 %
	Total	3,207	100%

Based upon 2,479 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 772-773 (width: 2; decimal: 0)

Variable Type: numeric

CONDOMR: Q26 RECODE. R used condom at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	1765	55.0 %
1	yes	714	22.3 %
	Missing Data		
.	-	728	22.7 %
	Total	3,207	100%

Based upon 2,479 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 774-774 (width: 1; decimal: 0)

Variable Type: numeric

NFPR: Q26 RECODE. R used NFP at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	2360	73.6 %
1	yes	119	3.7 %
	Missing Data		
.	-	728	22.7 %
	Total	3,207	100%

Based upon 2,479 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 775-775 (width: 1; decimal: 0)

Variable Type: numeric

SPMR: Q26 RECODE. R used other barrier method at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	2447	76.3 %
1	yes	32	1.0 %
	Missing Data		
.	-	728	22.7 %
	Total	3,207	100%

Based upon 2,479 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 776-776 (width: 1; decimal: 0)

Variable Type: numeric

NOBARR: Q26 RECODE. R used NO barrier method at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	1246	38.9 %
1	yes	1224	38.2 %
	Missing Data		
.	-	737	23.0 %
	Total	3,207	100%

Based upon 2,470 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 777-777 (width: 1; decimal: 0)

Variable Type: numeric

MOGAMY: Q6 RECODE. how likely P had other P

Value	Label	Unweighted Frequency	%
1	not at all likely	2260	70.5 %
2	-	173	5.4 %
3	-	64	2.0 %
4	-	59	1.8 %
5	-	49	1.5 %
6	very likely	153	4.8 %
	Missing Data		
.	-	449	14.0 %
	Total	3,207	100%

Based upon 2,758 valid cases out of 3,207 total cases.

- Mean: 1.52
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.32

Location: 778-778 (width: 1; decimal: 0)

Variable Type: numeric

COMMIT: Q7 RECODE. how committed is R to relationship

Value	Label	Unweighted Frequency	%
1	not at all	38	1.2 %
2	-	39	1.2 %
3	-	79	2.5 %
4	-	124	3.9 %
5	-	227	7.1 %
6	very committed	2239	69.8 %
	Missing Data		
.	-	461	14.4 %
	Total	3,207	100%

Based upon 2,746 valid cases out of 3,207 total cases.

- Mean: 5.61
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.97

Location: 779-779 (width: 1; decimal: 0)

Variable Type: numeric

HAPPY: Q8 RECODE. how happy is R with relationship

Value	Label	Unweighted Frequency	%
1	not at all	39	1.2 %
2	-	57	1.8 %
3	-	125	3.9 %
4	-	345	10.8 %
5	-	659	20.5 %
6	very happy	1523	47.5 %
	Missing Data		
.	-	459	14.3 %
	Total	3,207	100%

Based upon 2,748 valid cases out of 3,207 total cases.

- Mean: 5.22
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.11

Location: 780-780 (width: 1; decimal: 0)

Variable Type: numeric

SEXSAT: Q9 RECODE. how happy is R with sexual relationship

Value	Label	Unweighted Frequency	%
1	not at all	64	2.0 %
2	-	76	2.4 %
3	-	212	6.6 %
4	-	455	14.2 %
5	-	695	21.7 %
6	very satisfied	1188	37.0 %
7	NA, no sex yet	60	1.9 %
	Missing Data		
.	-	457	14.3 %

Value	Label	Unweighted Frequency	%
	Total	3,207	100%

Based upon 2,750 valid cases out of 3,207 total cases.

- Mean: 4.98
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.27

Location: 781-781 (width: 1; decimal: 0)

Variable Type: numeric

ARGUE: Q10 RECODE. N of serious arguments in last 30 days

Value	Label	Unweighted Frequency	%
1	0	1151	35.9 %
2	1	1000	31.2 %
3	2-5	521	16.2 %
4	6-10	82	2.6 %
5	11 or more	0	0.0 %
	Missing Data		
.	-	453	14.1 %
	Total	3,207	100%

Based upon 2,754 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 782-782 (width: 1; decimal: 0)

Variable Type: numeric

TRYPREG: Q11 RECODE. P tried to get R preg when not want to be in last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2651	82.7 %
1	Yes	45	1.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	511	15.9 %
	Total	3,207	100%

Based upon 2,696 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 783-784 (width: 2; decimal: 0)

Variable Type: numeric

PREVBC: Q11 RECODE. P prevented R from using cp in last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2648	82.6 %
1	Yes	45	1.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	514	16.0 %
	Total	3,207	100%

Based upon 2,693 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 785-786 (width: 2; decimal: 0)

Variable Type: numeric

FAILUSE: Q11 RECODE. P not use condom or withdraw when said would in last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2557	79.7 %
1	Yes	131	4.1 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	519	16.2 %
	Total	3,207	100%

Based upon 2,688 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 787-788 (width: 2; decimal: 0)

Variable Type: numeric

WANTWP: Q13 RECODE. R wants kids with P

Value	Label	Unweighted Frequency	%
1	agree	1194	37.2 %
2	somewhat agree	396	12.3 %
3	somewhat disagree	126	3.9 %
4	disagree	608	19.0 %
5	unsure, dk	430	13.4 %
	Missing Data		
.	-	453	14.1 %
	Total	3,207	100%

Based upon 2,754 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 789-789 (width: 1; decimal: 0)

Variable Type: numeric

PREVENT: Q23b RECODE. use hormonal to prevent preg

Value	Label	Unweighted Frequency	%
0	no	126	3.9 %
1	yes	1406	43.8 %
9	no answer, code to 0?	0	0.0 %
	Missing Data		
.	-	1675	52.2 %
	Total	3,207	100%

Based upon 1,532 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 790-790 (width: 1; decimal: 0)

Variable Type: numeric

CRAMPS: Q23b RECODE. use hormonal for cramps

Value	Label	Unweighted Frequency	%
0	no	1017	31.7 %
1	yes	515	16.1 %
	Missing Data		
.	-	1675	52.2 %
	Total	3,207	100%

Based upon 1,532 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 791-791 (width: 1; decimal: 0)

Variable Type: numeric

ACNE: Q23b RECODE. use hormonal for acne

Value	Label	Unweighted Frequency	%
0	no	1341	41.8 %
1	yes	191	6.0 %
	Missing Data		
.	-	1675	52.2 %
	Total	3,207	100%

Based upon 1,532 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 792-792 (width: 1; decimal: 0)

Variable Type: numeric

PERIOD: Q23b RECODE. use hormonal for period

Value	Label	Unweighted Frequency	%
0	no	911	28.4 %
1	yes	621	19.4 %
	Missing Data		
.	-	1675	52.2 %
	Total	3,207	100%

Based upon 1,532 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 793-793 (width: 1; decimal: 0)

Variable Type: numeric

CYSTS: Q23b RECODE. use hormonal for cysts

Value	Label	Unweighted Frequency	%
0	no	1442	45.0 %
1	yes	90	2.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1675	52.2 %
	Total	3,207	100%

Based upon 1,532 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 794-794 (width: 1; decimal: 0)

Variable Type: numeric

OTROBC: Q23b RECODE. use hormonal for other reasons

Value	Label	Unweighted Frequency	%
0	no	1498	46.7 %
1	yes	34	1.1 %
	Missing Data		
.	-	1675	52.2 %
	Total	3,207	100%

Based upon 1,532 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 795-795 (width: 1; decimal: 0)

Variable Type: numeric

SATISBC: Q23d RECODE. overall satisfaction with hormonal method

Value	Label	Unweighted Frequency	%
1	very satisfied	1051	32.8 %
2	somewhat satisfied	380	11.8 %
3	somewhat dissatisfied	68	2.1 %
4	very dissatisfied	25	0.8 %
	Missing Data		
.	-	1683	52.5 %
	Total	3,207	100%

Based upon 1,524 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 796-796 (width: 1; decimal: 0)

Variable Type: numeric

IDEALBC: Q32 RECODE. if cost not a barrier, desire other method?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1496	46.6 %
1	Yes	508	15.8 %
3	Dont Know	697	21.7 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	506	15.8 %
	Total	3,207	100%

Based upon 2,701 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 797-798 (width: 2; decimal: 0)

Variable Type: numeric

WOMENHC: Q41 RECODE. received any womens health care in last 6 months

Value	Label	Unweighted Frequency	%
0	no	1489	46.4 %
1	yes	1718	53.6 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 799-799 (width: 1; decimal: 0)

Variable Type: numeric

PULLOUTA: Q26i: Use withdrawal to prevent pregnancy

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2558	79.8 %
1	Yes	649	20.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 800-801 (width: 2; decimal: 0)

Variable Type: numeric

PULLOUTB: Q26i: Use withdrawal to prevent STI

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3201	99.8 %
1	Yes	6	0.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 802-803 (width: 2; decimal: 0)

Variable Type: numeric

PULLOUTC: Q26i: Use withdrawal for other reason

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3145	98.1 %
1	Yes	62	1.9 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 804-805 (width: 2; decimal: 0)

Variable Type: numeric

RHHINC: RECODE. Household income

Value	Label	Unweighted Frequency	%
4999	-	128	4.0 %
6250	-	77	2.4 %
8750	-	80	2.5 %

Value	Label	Unweighted Frequency	%
11250	-	87	2.7 %
13750	-	86	2.7 %
17500	-	142	4.4 %
22500	-	196	6.1 %
27500	-	233	7.3 %
32500	-	207	6.5 %
37500	-	203	6.3 %
45000	-	357	11.1 %
55000	-	292	9.1 %
67500	-	296	9.2 %
80000	-	199	6.2 %
92500	-	219	6.8 %
112500	-	193	6.0 %
137500	-	83	2.6 %
162500	-	60	1.9 %
176000	-	69	2.2 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 54545.17
- Median: 45000.00
- Mode: 45000.00
- Minimum: 4999.00
- Maximum: 176000.00
- Standard Deviation: 40107.20

Location: 806-811 (width: 6; decimal: 0)

Variable Type: numeric

POVRATE: RECODE. Estimated poverty status based on HHINC and HHSIZE

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
14	-	2	0.1 %
16	-	9	0.3 %
18	-	13	0.4 %
20	-	4	0.1 %
21	-	25	0.8 %
22	-	1	0.0 %
23	-	8	0.2 %
25	-	1	0.0 %
26	-	34	1.1 %

Value	Label	Unweighted Frequency	%
27	-	12	0.4 %
28	-	3	0.1 %
29	-	1	0.0 %
32	-	54	1.7 %
35	-	1	0.0 %
36	-	5	0.2 %
37	-	20	0.6 %
39	-	3	0.1 %
40	-	18	0.6 %
41	-	8	0.2 %
44	-	25	0.8 %
45	-	19	0.6 %
48	-	14	0.4 %
49	-	2	0.1 %
50	-	7	0.2 %
54	-	18	0.6 %
55	-	7	0.2 %
56	-	18	0.6 %
57	-	1	0.0 %
58	-	48	1.5 %
63	-	15	0.5 %
69	-	5	0.2 %
70	-	22	0.7 %
71	-	7	0.2 %
73	-	23	0.7 %
74	-	35	1.1 %
76	-	10	0.3 %
77	-	1	0.0 %
82	-	33	1.0 %
86	-	1	0.0 %
87	-	14	0.4 %
89	-	14	0.4 %
90	-	34	1.1 %
91	-	2	0.1 %
94	-	1	0.0 %
95	-	3	0.1 %
96	-	33	1.0 %
98	-	7	0.2 %
100	-	17	0.5 %

Value	Label	Unweighted Frequency	%
103	-	11	0.3 %
	Total	3,207	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 291.22
- Median: 234.00
- Mode: 290.00
- Minimum: 13.00
- Maximum: 1532.00
- Standard Deviation: 225.16

Location: 812-815 (width: 4; decimal: 0)

Variable Type: numeric

ANYVISIT: Q41 RECODE. Make a visit for any of 5 reasons in last 6 months

Value	Label	Unweighted Frequency	%
0	no	850	26.5 %
1	yes	2357	73.5 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 816-816 (width: 1; decimal: 0)

Variable Type: numeric

MISSVIS: Number of missed health care visits in last 6 months

Value	Label	Unweighted Frequency	%
0	-	3090	96.4 %
1	-	67	2.1 %
2	-	6	0.2 %
3	-	7	0.2 %
4	-	10	0.3 %
5	-	27	0.8 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.09
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.55

Location: 817-817 (width: 1; decimal: 0)

Variable Type: numeric

NPROBS: Q51 RECODE. Total N of problems experienced in last 6 months

Value	Label	Unweighted Frequency	%
0	-	1563	48.7 %
1	-	881	27.5 %
2	-	459	14.3 %
3	-	201	6.3 %
4	-	65	2.0 %
5	-	29	0.9 %
6	-	7	0.2 %
7	-	2	0.1 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.13

Location: 818-818 (width: 1; decimal: 0)

Variable Type: numeric

BREAKUP: RECODE q4: Broke up and got back together with P from prior survey

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2637	82.2 %
1	Yes	116	3.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	454	14.2 %
	Total	3,207	100%

Based upon 2,753 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 819-820 (width: 2; decimal: 0)

Variable Type: numeric

MOWEEKS: intermediate variable used to construct months

Value	Label	Unweighted Frequency	%
0.00	-	2949	92.0 %
4.33	-	45	1.4 %
8.66	-	58	1.8 %
12.99	-	53	1.7 %
17.32	-	43	1.3 %
21.65	-	29	0.9 %
25.98	-	5	0.2 %
30.31	-	4	0.1 %
34.64	-	5	0.2 %
43.30	-	1	0.0 %
51.96	-	3	0.1 %
60.62	-	1	0.0 %
77.94	-	1	0.0 %
86.60	-	1	0.0 %
95.26	-	1	0.0 %
108.25	-	1	0.0 %
155.88	-	4	0.1 %
194.85	-	1	0.0 %
207.84	-	1	0.0 %
866.00	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 1.77817586529
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 866.000000000000
- Standard Deviation: 17.83570332534

Location: 821-835 (width: 15; decimal: 11)

Variable Type: numeric

WEEKS: RECODE Q5: [Weeks] How many __ been (back together with Partner

Value	Label	Unweighted Frequency	%
0	-	3058	95.4 %
1	-	42	1.3 %
2	-	53	1.7 %
3	-	46	1.4 %
4	-	3	0.1 %
5	-	2	0.1 %
6	-	1	0.0 %
9	-	1	0.0 %
15	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.58

Location: 836-837 (width: 2; decimal: 0)

Variable Type: numeric

MONTHS: RECODE Q5: [Months] How many __ been (back together with Partner

Value	Label	Unweighted Frequency	%
0	-	2930	91.4 %
1	-	57	1.8 %
2	-	57	1.8 %
3	-	53	1.7 %
4	-	45	1.4 %
5	-	31	1.0 %
6	-	8	0.2 %
7	-	4	0.1 %
8	-	4	0.1 %
9	-	2	0.1 %
10	-	1	0.0 %
12	-	3	0.1 %
14	-	1	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %

Value	Label	Unweighted Frequency	%
36	-	4	0.1 %
45	-	1	0.0 %
49	-	1	0.0 %
200	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 4.13

Location: 838-840 (width: 3; decimal: 0)

Variable Type: numeric

HOWLONG: RECODE Q4 & Q5: How long been with P

Value	Label	Unweighted Frequency	%
-1	not in rel, or missing data on relationship	0	0.0 %
1	-	57	1.8 %
2	-	57	1.8 %
3	-	53	1.7 %
4	-	45	1.4 %
5	-	31	1.0 %
6	6 months or longer	2480	77.3 %
	Missing Data		
.	-	484	15.1 %
	Total	3,207	100%

Based upon 2,723 valid cases out of 3,207 total cases.

- Mean: 5.71
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.01

Location: 841-842 (width: 2; decimal: 0)

Variable Type: numeric

TIMEUSE: RECODE Q23A: How many of last 6 months used hormonal method?

Value	Label	Unweighted Frequency	%
-1	missing	0	0.0 %
0	-	11	0.3 %
1	-	52	1.6 %
2	-	70	2.2 %
3	-	45	1.4 %
4	-	51	1.6 %
5	-	49	1.5 %
6	6 or more months	1253	39.1 %
99	not a user	0	0.0 %
	Missing Data		
.	-	1676	52.3 %
	Total	3,207	100%

Based upon 1,531 valid cases out of 3,207 total cases.

- Mean: 5.42
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.39

Location: 843-844 (width: 2; decimal: 0)

Variable Type: numeric

RPWANT: Qs13 & 19 RECODE. R&P dis/agree about wanting kids

Value	Label	Unweighted Frequency	%
0	disagree	211	6.6 %
1	more or less agree	2032	63.4 %
3	unsure about one but not both	343	10.7 %
	Missing Data		
.	-	621	19.4 %
	Total	3,207	100%

Based upon 2,586 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 845-845 (width: 1; decimal: 0)

Variable Type: numeric

RPAVOID: Qs 16 & 20 RECODE. R&P dis/agree about avoiding pregnancy

Value	Label	Unweighted Frequency	%
0	disagree	524	16.3 %
1	more or less agree	2060	64.2 %
3	unsure about one but not both	0	0.0 %
	Missing Data		
.	-	623	19.4 %
	Total	3,207	100%

Based upon 2,584 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 846-846 (width: 1; decimal: 0)

Variable Type: numeric

VAR10: N of barrier methods used with 1st P among women with 1 P

Value	Label	Unweighted Frequency	%
0	-	2027	63.2 %
1	-	894	27.9 %
2	-	254	7.9 %
3	-	31	1.0 %
4	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.69

Location: 847-847 (width: 1; decimal: 0)

Variable Type: numeric

FREQBAR: Q26A RECODE Frequency of barrier method use with first/only P in last 30 days

Value	Label	Unweighted Frequency	%
-1	missing info on method or sex	0	0.0 %
1	every time	832	25.9 %
2	not sure	89	2.8 %
3	not every time	310	9.7 %
5	did not use a barrier method	1219	38.0 %
9	no sex in last 30 days	0	0.0 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	757	23.6 %
	Total	3,207	100%

Based upon 2,450 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 848-849 (width: 2; decimal: 0)

Variable Type: numeric

VAR11: intermediate variable used to construct freqbar2

Value	Label	Unweighted Frequency	%
0	-	3150	98.2 %
1	-	44	1.4 %
2	-	12	0.4 %
3	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.18

Location: 850-850 (width: 1; decimal: 0)

Variable Type: numeric

VAR12: intermediate variable used to construct freqbarb2

Value	Label	Unweighted Frequency	%
0	-	3143	98.0 %
1	-	56	1.7 %
2	-	7	0.2 %
3	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.17

Location: 851-851 (width: 1; decimal: 0)

Variable Type: numeric

FREQBARB: Q26A RECODE Frequency of barrier method use with SECOND P in last 30 days

Value	Label	Unweighted Frequency	%
1	every time	48	1.5 %
2	not sure	1	0.0 %
3	not every time	14	0.4 %
5	never, did not use barrier method	29	0.9 %
	Missing Data		
.	-	3115	97.1 %
	Total	3,207	100%

Based upon 92 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 852-852 (width: 1; decimal: 0)

Variable Type: numeric

VARZ: intermediate variable used to construct protect2

Value	Label	Unweighted Frequency	%
0	-	1959	61.1 %
1	-	941	29.3 %
2	-	274	8.5 %
3	-	32	1.0 %
4	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.70

Location: 853-853 (width: 1; decimal: 0)

Variable Type: numeric

MISSED: Q23C RECODE. Whether R was imperfect user of hormonal method

Value	Label	Unweighted Frequency	%
-1	skipped/missing	0	0.0 %
0	no	1107	34.5 %
1	yes	409	12.8 %
9	not a user	0	0.0 %
	Missing Data		
.	-	1691	52.7 %
	Total	3,207	100%

Based upon 1,516 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 854-855 (width: 2; decimal: 0)

Variable Type: numeric

MISSEDB: Q23C RECODE. R was imperfect user of hormonal method, lenient version

Value	Label	Unweighted Frequency	%
-1	skipped/missing	0	0.0 %
0	no	1290	40.2 %
1	yes	226	7.0 %
9	not a user	0	0.0 %
	Missing Data		
.	-	1691	52.7 %
	Total	3,207	100%

Based upon 1,516 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 856-857 (width: 2; decimal: 0)

Variable Type: numeric

CONSISTENT: Qs 23C & 26A RECODE. Perfect user of hormonal and barrier methods in last 30 day

Value	Label	Unweighted Frequency	%
-1	missing	0	0.0 %
0	no	733	22.9 %
1	yes	1851	57.7 %
9	no sex in last 30 days	449	14.0 %
	Missing Data		
.	-	174	5.4 %

Value	Label	Unweighted Frequency	%
	Total	3,207	100%

Based upon 3,033 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 858-859 (width: 2; decimal: 0)

Variable Type: numeric

PROTECT: Qs 23C & 26A RECODE. Protected against pregnancy in the last 30 days

Value	Label	Unweighted Frequency	%
-1	missing	0	0.0 %
0	no	564	17.6 %
1	yes	2026	63.2 %
9	no sex in last 30 days	449	14.0 %
	Missing Data		
.	-	168	5.2 %
	Total	3,207	100%

Based upon 3,039 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 860-861 (width: 2; decimal: 0)

Variable Type: numeric

PSATIS: Q26A RECODE. Partners satisfaction with barrier methods

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	403	12.6 %
2	somewhat satisfied	474	14.8 %
3	somewhat dissatisfied	176	5.5 %
4	very satisfied	45	1.4 %
5	don't know	76	2.4 %
100	don't know	0	0.0 %
	Missing Data		
.	-	2033	63.4 %
	Total	3,207	100%

Based upon 1,174 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 862-864 (width: 3; decimal: 0)

Variable Type: numeric

PSATISB: Q26A RECODE. SECOND partners satisfaction with barrier methods

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	22	0.7 %
2	somewhat satisfied	20	0.6 %
3	somewhat dissatisfied	7	0.2 %
4	very satisfied	2	0.1 %
5	don't know	11	0.3 %
100	don't know	0	0.0 %
	Missing Data		
.	-	3145	98.1 %
	Total	3,207	100%

Based upon 62 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 865-867 (width: 3; decimal: 0)

Variable Type: numeric

VAR16: intermediate variable used to construct rsatis2

Value	Label	Unweighted Frequency	%
0	-	1959	61.1 %
1	-	941	29.3 %
2	-	274	8.5 %
3	-	32	1.0 %
4	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.70

Location: 868-868 (width: 1; decimal: 0)

Variable Type: numeric

RSATIS: Q27 RECODE. Rs satisfaction with barrier methods

Value	Label	Unweighted Frequency	%
0	didn?t use/not applicable	0	0.0 %
1	very satisfied	464	14.5 %
2	somewhat satisfied	549	17.1 %
3	somewhat dissatisfied	184	5.7 %
4	very satisfied	44	1.4 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Missing Data		
.	-	1966	61.3 %
	Total	3,207	100%

Based upon 1,241 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 869-871 (width: 3; decimal: 0)

Variable Type: numeric

PRONATALIST: Q21 RECODE. R strongly agrees with all 3 items about the benefits of parenting a

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2294	71.5 %
1	Yes	913	28.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 872-873 (width: 2; decimal: 0)

Variable Type: numeric

ANTI-KID: Q21 RECODE. R disagrees with all 3 items about the benefits of parenting and chi

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3064	95.5 %

Value	Label	Unweighted Frequency	%
1	Yes	143	4.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 874-875 (width: 2; decimal: 0)

Variable Type: numeric

NREASONS: Q 23B. N of reasons for using hormonal method

Value	Label	Unweighted Frequency	%
0	-	1686	52.6 %
1	-	725	22.6 %
2	-	393	12.3 %
3	3 or more	403	12.6 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.06

Location: 876-876 (width: 1; decimal: 0)

Variable Type: numeric

PAYCP: Q23E RECODE. How much pay for hormonal method each month

Value	Label	Unweighted Frequency	%
-1	no info on hormonal or cost	0	0.0 %
1	nothing	601	18.7 %
2	\$10 or less	278	8.7 %
3	\$11-\$25	165	5.1 %
4	>\$25	181	5.6 %
9	does not use hormonal methods	0	0.0 %
	Missing Data		
.	-	1982	61.8 %
	Total	3,207	100%

Based upon 1,225 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 877-878 (width: 2; decimal: 0)

Variable Type: numeric

BIRTH3MO: Q14i: Gave birth in the last 3 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3194	99.6 %
1	Yes	13	0.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 879-880 (width: 2; decimal: 0)

Variable Type: numeric

CONSTAT: Hierarchical ranking of contraceptive use

Value	Label	Unweighted Frequency	%
0	tubal or snip	36	1.1 %
1	larc	352	11.0 %
2	pill	943	29.4 %
3	depo	104	3.2 %
4	patch or ring	102	3.2 %
5	condoms	406	12.7 %
6	withdrawal	261	8.1 %
7	other barrier	33	1.0 %
8	no method	120	3.7 %
97	preg or postpartum	168	5.2 %
98	no sex in last 30 days	419	13.1 %
99	trying to get pregnant	249	7.8 %
	Missing Data		
.	-	14	0.4 %
	Total	3,207	100%

Based upon 3,193 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 881-882 (width: 2; decimal: 0)

Variable Type: numeric

VAR99: intermediate variable used to construct hormonal2

Value	Label	Unweighted Frequency	%
0	-	1959	61.1 %
1	-	941	29.3 %
2	-	274	8.5 %
3	-	32	1.0 %
4	-	1	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.70

Location: 883-883 (width: 1; decimal: 0)

Variable Type: numeric

CPUSE: RECODE Q23: Methods used in the last 30 days, includes those not had sex

Value	Label	Unweighted Frequency	%
0	tubal or snip	37	1.2 %
1	hormonal only	1058	33.0 %
2	1 barrier	554	17.3 %
3	multiple barrier only	205	6.4 %
4	both hormonal and barrier	467	14.6 %
5	did not use	439	13.7 %
9	no sex in last 30 (& no hormonal used)	0	0.0 %
	Missing Data		
.	-	447	13.9 %
	Total	3,207	100%

Based upon 2,760 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 884-884 (width: 1; decimal: 0)

Variable Type: numeric

GAPINS: Q39 RECODE, did R have any gaps in insurance in last six months

Value	Label	Unweighted Frequency	%
0	no	2470	77.0 %
1	yes	708	22.1 %
	Missing Data		
.	-	29	0.9 %
	Total	3,207	100%

Based upon 3,178 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 885-885 (width: 1; decimal: 0)

Variable Type: numeric

UNINS: Qs 38 and 39 RECODE. Whether R was WITHOUT health insurance all of the last 6 m

Value	Label	Unweighted Frequency	%
-1	ins type missing	0	0.0 %
0	no	2666	83.1 %
1	yes	512	16.0 %
98	missing info on last 6 mos	0	0.0 %
	Missing Data		
.	-	29	0.9 %
	Total	3,207	100%

Based upon 3,178 valid cases out of 3,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 886-887 (width: 2; decimal: 0)

Variable Type: numeric

PSATWITH: Q26c: [Partner; Withdrawl] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	257	8.0 %
2	somewhat satisfied	251	7.8 %
3	somewhat dissatisfied	79	2.5 %
4	very satisfied	28	0.9 %
5	don't know	85	2.7 %
100	don't know	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2507	78.2 %
	Total	3,207	100%

Based upon 700 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 888-890 (width: 3; decimal: 0)

Variable Type: numeric

PSATCOND: Q26c: [Condoms] How would you rate partners satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn?t use/not applicable	0	0.0 %
1	very satisfied	200	6.2 %
2	somewhat satisfied	291	9.1 %
3	somewhat dissatisfied	127	4.0 %
4	very satisfied	52	1.6 %
5	don't know	42	1.3 %
100	don't know	0	0.0 %
	Missing Data		
.	-	2495	77.8 %
	Total	3,207	100%

Based upon 712 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 891-893 (width: 3; decimal: 0)

Variable Type: numeric

RSATWITH: Rs satisfaction with withdrawal

Value	Label	Unweighted Frequency	%
0	didn?t use/not applicable	0	0.0 %
1	very satisfied	246	7.7 %
2	somewhat satisfied	298	9.3 %
3	somewhat dissatisfied	121	3.8 %
4	very satisfied	31	1.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2511	78.3 %
	Total	3,207	100%

Based upon 696 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 894-896 (width: 3; decimal: 0)

Variable Type: numeric

RSATCOND: Rs satisfaction with condoms

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	276	8.6 %
2	somewhat satisfied	306	9.5 %
3	somewhat dissatisfied	91	2.8 %
4	very satisfied	39	1.2 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Missing Data		
.	-	2495	77.8 %
	Total	3,207	100%

Based upon 712 valid cases out of 3,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 897-899 (width: 3; decimal: 0)

Variable Type: numeric

PROTECTB: RECODE Q35 + PROTECT2, measures whether R was protected in each of last six mont

Value	Label	Unweighted Frequency	%
-1	-	144	4.5 %
0	no	668	20.8 %
1	yes	1887	58.8 %
2	unprotected but trying to get pg	29	0.9 %
9	no sex and no method in last 30 days	449	14.0 %
	Missing Data		
.	-	30	0.9 %

Value	Label	Unweighted Frequency	%
	Total	3,207	100%

Based upon 3,177 valid cases out of 3,207 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 900-901 (width: 2; decimal: 0)

Variable Type: numeric

WAVE: Wave of survey

Value	Label	Unweighted Frequency	%
1	Wave 1	0	0.0 %
2	Wave 2	3207	100.0 %
3	Wave 3	0	0.0 %
4	Wave 4	0	0.0 %
	Total	3,207	100%

Based upon 3,207 valid cases out of 3,207 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 902-902 (width: 1; decimal: 0)

Variable Type: numeric