

ICPSR 37067

**Continuity and Change in
Contraceptive Use, United States,
2012-2014**

Rachel Jones
Alan Guttmacher Institute

ICPSR Codebook for Wave 1

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37067/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #37067
Continuity and Change in Contraceptive Use, United States, 2012-2014
DS # 1: Wave 1

1. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR recoded the following variables in the data: **TM_START, TM_FINISH, NOBCQUAL, OTROINS, NOVISQUAL, OTRODOC, PROBQUAL, WHATELSE, Q23_B_PILL_OTHER, Q23B_PATCH_OTHER, Q23B_RING_OTHER, 23B_DEPO_OTHER, Q23B_IMPLANT_OTHER, and Q23B_IUD_OTHER.** The day and time were dropped in **TM_START AND TM_FINISH**, and open-ended responses were masked in the other variables.
2. **Variable Link:** The variable **CASEID** is the household-level linking variable for the three datasets.
3. **Extent of Processing:** These data are being released in BETA version to facilitate early access to the study for research purposes. This collection has not been fully processed by DSDR or ICPSR at this time; the original materials provided by the principal investigator were only converted to other file types for ease of use. As the study is processed and given enhanced features by ICPSR, users will be able to access the updated versions of the study. Please report any data errors or problems to user support and we will work with you to resolve any data-related issues.
4. **Suspicious Characters:** Several variable labels in the original deposit file included an acute accent (‘) in place of an apostrophe (e.g. “DON‘T KNOW”). These labels have not been amended for the beta release and may be rendered incorrectly (e.g. “DON?T KNOW”) in the datasets. Variable labels will be edited to render properly in future updates.

ICPSR 37067

Continuity and Change in Contraceptive Use, United States, 2012-2014

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 1

CASEID: Case ID

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

WEIGHT: weights for qualified respondents

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 1.0001
- Minimum: 0.0586
- Maximum: 5.3201
- Standard Deviation: 1.1725

Location: 5-10 (width: 6; decimal: 4)

Variable Type: numeric

TM_START: Interview start time

Value	Label	Unweighted Frequency	%
01-DEC-2012 00:00	-	740	16.0 %
01-NOV-2012 00:00	-	3894	84.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 11-27 (width: 17; decimal: 0)

Variable Type: character

TM_FINISH: Interview finish time

Value	Label	Unweighted Frequency	%
01-DEC-2012 00:00	-	824	17.8 %
01-NOV-2012 00:00	-	3810	82.2 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 28-44 (width: 17; decimal: 0)

Variable Type: character

DURATION: Interview duration in minutes

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	7	0.2 %

Value	Label	Unweighted Frequency	%
3	-	10	0.2 %
4	-	49	1.1 %
5	-	119	2.6 %
6	-	228	4.9 %
7	-	307	6.6 %
8	-	411	8.9 %
9	-	381	8.2 %
10	-	361	7.8 %
11	-	293	6.3 %
12	-	279	6.0 %
13	-	215	4.6 %
14	-	215	4.6 %
15	-	185	4.0 %
16	-	139	3.0 %
17	-	123	2.7 %
18	-	112	2.4 %
19	-	77	1.7 %
20	-	76	1.6 %
21	-	62	1.3 %
22	-	57	1.2 %
23	-	49	1.1 %
24	-	51	1.1 %
25	-	30	0.6 %
26	-	33	0.7 %
27	-	35	0.8 %
28	-	18	0.4 %
29	-	22	0.5 %
30	-	25	0.5 %
31	-	20	0.4 %
32	-	16	0.3 %
33	-	16	0.3 %
34	-	28	0.6 %
35	-	10	0.2 %
36	-	14	0.3 %
37	-	12	0.3 %
38	-	11	0.2 %
39	-	12	0.3 %
40	-	10	0.2 %
41	-	7	0.2 %

Value	Label	Unweighted Frequency	%
42	-	10	0.2 %
43	-	9	0.2 %
44	-	4	0.1 %
45	-	12	0.3 %
46	-	3	0.1 %
47	-	5	0.1 %
48	-	5	0.1 %
49	-	4	0.1 %
50	-	3	0.1 %
Total		4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 360.97
- Minimum: 1.00
- Maximum: 28426.00
- Standard Deviation: 2027.29

Location: 45-49 (width: 5; decimal: 0)

Variable Type: numeric

INTVLANG: Interview Language

Value	Label	Unweighted Frequency	%
1	English	4340	93.7 %
2	Spanish	294	6.3 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

MAINLANG: Primary Language

Value	Label	Unweighted Frequency	%
1	English Dominant	347	7.5 %
2	Bilingual	285	6.2 %
3	Spanish Dominant	248	5.4 %
4	Hispanic missing data	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Non-Hispanic	3754	81.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_1: [Withdrawl] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	2516	54.3 %
1	Yes	1118	24.1 %
	Missing Data		
.	-	1000	21.6 %
Total		4,634	100%

Based upon 3,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_2: [Vasectomy] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	3633	78.4 %
1	Yes	1	0.0 %
	Missing Data		
.	-	1000	21.6 %
Total		4,634	100%

Based upon 3,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 53-53 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_3: [Condoms] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	2491	53.8 %
1	Yes	1143	24.7 %
	Missing Data		
.	-	1000	21.6 %
	Total	4,634	100%

Based upon 3,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_4: [Natural/Calendar] At sex in the past 30 days, did you use __

Value	Label	Unweighted Frequency	%
0	No	3462	74.7 %
1	Yes	172	3.7 %
	Missing Data		
.	-	1000	21.6 %
	Total	4,634	100%

Based upon 3,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_5: [Spermicide] At sex in the past 30 days, did you use __

Value	Label	Unweighted Frequency	%
0	No	3565	76.9 %
1	Yes	69	1.5 %
	Missing Data		
.	-	1000	21.6 %
	Total	4,634	100%

Based upon 3,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_6: [None of the above] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	1981	42.7 %
1	Yes	1653	35.7 %
	Missing Data		
.	-	1000	21.6 %
	Total	4,634	100%

Based upon 3,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_REFUSED: [Refused/Missing] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	3615	78.0 %
1	Yes	19	0.4 %
	Missing Data		
.	-	1000	21.6 %
	Total	4,634	100%

Based upon 3,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

EVERSEX: QS1: Have you ever had sex with a man? (Vaginal)

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Yes	4634	100.0 %
2	No	0	0.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

TUBAL: QS2: Have you ever had a tubal/similar operation?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	4634	100.0 %
1	Yes	0	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

PSNIP: QS2a: Has your partner had a vasectomy/similar operation?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	4634	100.0 %
1	Yes	0	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

NOWPREG: QS3: Are you currently pregnant?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	4634	100.0 %
1	Yes	0	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

MARRIED: Q1_1: [Married] Current marital status?

Value	Label	Unweighted Frequency	%
0	No	2514	54.3 %
1	Yes	2120	45.7 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 67-67 (width: 1; decimal: 0)

Variable Type: numeric

COHAB: Q1_2: [Cohabiting] Current marital status?

Value	Label	Unweighted Frequency	%
0	No	3643	78.6 %
1	Yes	991	21.4 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 68-68 (width: 1; decimal: 0)

Variable Type: numeric

SEPARATE: Q1_3: [Separated] Current marital status?

Value	Label	Unweighted Frequency	%
0	No	4558	98.4 %
1	Yes	76	1.6 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 69-69 (width: 1; decimal: 0)

Variable Type: numeric

NEVMAR: Q1_4: [Never married] Current marital status?

Value	Label	Unweighted Frequency	%
0	No	3242	70.0 %
1	Yes	1392	30.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 70-70 (width: 1; decimal: 0)

Variable Type: numeric

WIDOW: Q1_5: [Widowed] Current marital status?

Value	Label	Unweighted Frequency	%
0	No	4626	99.8 %
1	Yes	8	0.2 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 71-71 (width: 1; decimal: 0)

Variable Type: numeric

DIVORCE: Q1_6: [Divorced] Current marital status?

Value	Label	Unweighted Frequency	%
0	No	4494	97.0 %
1	Yes	140	3.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

XMAR: Q1_7: [Refused] Current marital status?

Value	Label	Unweighted Frequency	%
0	No	4619	99.7 %
1	Yes	15	0.3 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

STILLP: Q1b: Do you still consider your spouse to be your current partner?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	53	1.1 %
1	Yes	22	0.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	4559	98.4 %
	Total	4,634	100%

Based upon 75 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

DATING: Q2: Is there someone whom you see or date on more or less regularly?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	552	11.9 %
1	Yes	1036	22.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3046	65.7 %
	Total	4,634	100%

Based upon 1,588 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

NDATING: Q2b: How many partners of this type do you have?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	1	955	20.6 %
2	2	54	1.2 %
3	3 or more	22	0.5 %
	Missing Data		
.	-	3603	77.8 %
	Total	4,634	100%

Based upon 1,031 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_A: Is {A} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
0	Female	15	0.3 %
1	Male	2105	45.4 %
	Missing Data		
.	-	2511	54.2 %
	Total	4,634	100%

Based upon 2,123 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_B: Is {B} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	Female	32	0.7 %

Value	Label	Unweighted Frequency	%
1	Male	937	20.2 %
	Missing Data		
.	-	3664	79.1 %
	Total	4,634	100%

Based upon 970 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_C: Is {C} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	Female	24	0.5 %
1	Male	926	20.0 %
	Missing Data		
.	-	3683	79.5 %
	Total	4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_D1: Is {D1} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	4	0.1 %
1	Male	71	1.5 %
	Missing Data		
.	-	4559	98.4 %
	Total	4,634	100%

Based upon 75 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_D2: Is {D2} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	4	0.1 %
1	Male	71	1.5 %
	Missing Data		
.	-	4559	98.4 %
	Total	4,634	100%

Based upon 75 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_E1: Is {E1} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	1	0.0 %
1	Male	21	0.5 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_E2: Is {E2} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	2	0.0 %
1	Male	20	0.4 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Q4_A: Have you and {A} agreed to have a special romantic relationship with each other

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	4634	100.0 %
	Total	4,634	100%

Based upon 0 valid cases out of 4,634 total cases.

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

Q4_B: Have you and {B} agreed to have a special romantic relationship with each other

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	4634	100.0 %
	Total	4,634	100%

Based upon 0 valid cases out of 4,634 total cases.

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

Q4_C: Have you and {C} agreed to have a special romantic relationship with each other

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
0	No	123	2.7 %
1	Yes	762	16.4 %
3	Dont Know	62	1.3 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	3683	79.5 %
	Total	4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

Q4_D1: Have you and {D1} agreed to have a special romantic relationship with each other

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	No	53	1.1 %
1	Yes	11	0.2 %
3	Dont Know	10	0.2 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4559	98.4 %
Total		4,634	100%

Based upon 75 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

Q4_D2: Have you and {D2} agreed to have a special romantic relationship with each other

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	53	1.1 %
1	Yes	16	0.3 %
3	Dont Know	6	0.1 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4559	98.4 %
Total		4,634	100%

Based upon 75 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

Q4_E1: Have you and {E1} agreed to have a special romantic relationship with each other

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
0	No	16	0.3 %
1	Yes	4	0.1 %
3	Dont Know	2	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
-	-	4612	99.5 %
Total		4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Q4_E2: Have you and {E2} agreed to have a special romantic relationship with each other

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	15	0.3 %
1	Yes	7	0.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
-	-	4612	99.5 %
Total		4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

YEARSA: Q5: [Years;A] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2526	54.5 %
12	-	36	0.8 %
24	-	70	1.5 %
36	-	119	2.6 %

Value	Label	Unweighted Frequency	%
48	-	173	3.7 %
60	-	198	4.3 %
72	-	147	3.2 %
84	-	189	4.1 %
96	-	163	3.5 %
108	-	138	3.0 %
120	-	164	3.5 %
132	-	116	2.5 %
144	-	137	3.0 %
156	-	94	2.0 %
168	-	80	1.7 %
180	-	81	1.7 %
192	-	49	1.1 %
204	-	46	1.0 %
216	-	35	0.8 %
228	-	23	0.5 %
240	-	19	0.4 %
252	-	8	0.2 %
264	-	12	0.3 %
276	-	4	0.1 %
288	-	2	0.0 %
300	-	1	0.0 %
324	-	1	0.0 %
456	-	1	0.0 %
540	-	1	0.0 %
624	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 48.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 624.00
- Standard Deviation: 66.37

Location: 106-108 (width: 3; decimal: 0)

Variable Type: numeric

YEARSB: Q5: [Years;B] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3747	80.9 %
12	-	121	2.6 %
24	-	126	2.7 %
36	-	134	2.9 %
48	-	104	2.2 %
60	-	98	2.1 %
72	-	72	1.6 %
84	-	59	1.3 %
96	-	44	0.9 %
108	-	32	0.7 %
120	-	30	0.6 %
132	-	21	0.5 %
144	-	14	0.3 %
156	-	8	0.2 %
168	-	10	0.2 %
180	-	3	0.1 %
192	-	4	0.1 %
216	-	2	0.0 %
240	-	2	0.0 %
252	-	1	0.0 %
372	-	1	0.0 %
1380	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 11.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1380.00
- Standard Deviation: 35.78

Location: 109-112 (width: 4; decimal: 0)

Variable Type: numeric

YEARSC: Q5: [Years;C] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4028	86.9 %
12	-	178	3.8 %

Value	Label	Unweighted Frequency	%
24	-	126	2.7 %
36	-	85	1.8 %
48	-	60	1.3 %
60	-	51	1.1 %
72	-	30	0.6 %
84	-	26	0.6 %
96	-	17	0.4 %
108	-	8	0.2 %
120	-	17	0.4 %
132	-	5	0.1 %
144	-	2	0.0 %
156	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 5.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 156.00
- Standard Deviation: 17.33

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

YEARSD1: Q5: [Years;D1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4610	99.5 %
12	-	3	0.1 %
24	-	8	0.2 %
36	-	4	0.1 %
48	-	2	0.0 %
60	-	2	0.0 %
72	-	1	0.0 %
84	-	1	0.0 %
96	-	1	0.0 %
168	-	1	0.0 %
204	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 204.00
- Standard Deviation: 4.94

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

YEARSD2: Q5: [Years;D2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4611	99.5 %
12	-	12	0.3 %
24	-	4	0.1 %
48	-	2	0.0 %
60	-	2	0.0 %
120	-	3	0.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 120.00
- Standard Deviation: 3.57

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

YEARSE1: Q5: [Years;E1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4621	99.7 %
12	-	5	0.1 %
24	-	4	0.1 %
36	-	1	0.0 %
48	-	2	0.0 %
72	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 72.00
- Standard Deviation: 1.74

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

YEARSE2: Q5: [Years;E2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4624	99.8 %
12	-	4	0.1 %
24	-	3	0.1 %
36	-	2	0.0 %
48	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 1.25

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSA: Q5: [Months;A] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3245	70.0 %
1	-	142	3.1 %
2	-	167	3.6 %
3	-	149	3.2 %
4	-	125	2.7 %
5	-	110	2.4 %
6	-	201	4.3 %
7	-	87	1.9 %
8	-	89	1.9 %

Value	Label	Unweighted Frequency	%
9	-	85	1.8 %
10	-	97	2.1 %
11	-	137	3.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 1.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.09

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSB: Q5: [Months;B] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3914	84.5 %
1	-	82	1.8 %
2	-	80	1.7 %
3	-	56	1.2 %
4	-	64	1.4 %
5	-	64	1.4 %
6	-	96	2.1 %
7	-	49	1.1 %
8	-	49	1.1 %
9	-	72	1.6 %
10	-	43	0.9 %
11	-	65	1.4 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.41

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSC: Q5: [Months;C] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3909	84.4 %
1	-	87	1.9 %
2	-	84	1.8 %
3	-	84	1.8 %
4	-	73	1.6 %
5	-	61	1.3 %
6	-	93	2.0 %
7	-	42	0.9 %
8	-	44	0.9 %
9	-	55	1.2 %
10	-	51	1.1 %
11	-	51	1.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.30

Location: 130-131 (*width:* 2; *decimal:* 0)

Variable Type: numeric

MONTHSD1: Q5: [Months;D1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4592	99.1 %
1	-	9	0.2 %
2	-	5	0.1 %
3	-	7	0.2 %
4	-	4	0.1 %
5	-	2	0.0 %
6	-	3	0.1 %
7	-	2	0.0 %
8	-	1	0.0 %
9	-	5	0.1 %

Value	Label	Unweighted Frequency	%
11	-	4	0.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 0.54

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSD2: Q5: [Months;D2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4599	99.2 %
1	-	9	0.2 %
2	-	3	0.1 %
3	-	7	0.2 %
5	-	7	0.2 %
6	-	5	0.1 %
7	-	2	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 0.40

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSE1: Q5: [Months;E1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4621	99.7 %

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	3	0.1 %
3	-	1	0.0 %
4	-	3	0.1 %
6	-	2	0.0 %
11	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 0.24

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSE2: Q5: [Months;E2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4620	99.7 %
1	-	1	0.0 %
2	-	6	0.1 %
3	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.28

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSA: Q5: [Weeks;A] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3911	84.4 %
1	-	194	4.2 %
2	-	256	5.5 %
3	-	225	4.9 %
4	-	15	0.3 %
5	-	4	0.1 %
6	-	7	0.2 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	3	0.1 %
12	-	2	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
18	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
912	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 912.00
- Standard Deviation: 13.52

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

WEEKSB: Q5: [Weeks;B] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4232	91.3 %
1	-	113	2.4 %
2	-	137	3.0 %
3	-	126	2.7 %
4	-	10	0.2 %
5	-	1	0.0 %
6	-	3	0.1 %
8	-	2	0.0 %
10	-	1	0.0 %
12	-	2	0.0 %
22	-	1	0.0 %
29	-	1	0.0 %
32	-	1	0.0 %
40	-	1	0.0 %
90	-	1	0.0 %
144	-	1	0.0 %
243	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 243.00
- Standard Deviation: 4.50

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

WEEKSC: Q5: [Weeks;C] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4255	91.8 %
1	-	99	2.1 %
2	-	146	3.2 %
3	-	110	2.4 %
4	-	11	0.2 %
6	-	2	0.0 %
7	-	2	0.0 %

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
9	-	3	0.1 %
10	-	1	0.0 %
12	-	2	0.0 %
35	-	1	0.0 %
52	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 52.00
- Standard Deviation: 1.18

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSD1: Q5: [Weeks;D1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4617	99.6 %
1	-	6	0.1 %
2	-	3	0.1 %
3	-	7	0.2 %
4	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.14

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSD2: Q5: [Weeks;D2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
0	-	4614	99.6 %
1	-	5	0.1 %
2	-	9	0.2 %
3	-	6	0.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.14

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSE1: Q5: [Weeks;E1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4629	99.9 %
1	-	2	0.0 %
2	-	1	0.0 %
3	-	2	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.07

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSE2: Q5: [Weeks;E2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4627	99.8 %
1	-	3	0.1 %
2	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
4	-	1	0.0 %
63	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 63.00
- Standard Deviation: 0.93

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Q6_A: [A] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	9	0.2 %
1	Not at all likely 1	1953	42.1 %
2	2	69	1.5 %
3	3	17	0.4 %
4	4	16	0.3 %
5	5	8	0.2 %
6	Very likely 6	51	1.1 %
Missing Data			
.	-	2511	54.2 %
Total		4,634	100%

Based upon 2,123 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Q6_B: [B] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.0 %
1	Not at all likely 1	860	18.6 %
2	2	46	1.0 %
3	3	17	0.4 %

Value	Label	Unweighted Frequency	%
4	4	10	0.2 %
5	5	3	0.1 %
6	Very likely 6	32	0.7 %
	Missing Data		
.	-	3664	79.1 %
	Total	4,634	100%

Based upon 970 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Q6_C: [C] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	5	0.1 %
1	Not at all likely 1	679	14.7 %
2	2	109	2.4 %
3	3	43	0.9 %
4	4	37	0.8 %
5	5	14	0.3 %
6	Very likely 6	64	1.4 %
	Missing Data		
.	-	3683	79.5 %
	Total	4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Q6_D1: [D1] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	10	0.2 %
2	2	8	0.2 %
3	3	4	0.1 %

Value	Label	Unweighted Frequency	%
4	4	12	0.3 %
5	5	7	0.2 %
6	Very likely 6	12	0.3 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Q6_D2: [D2] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all likely 1	13	0.3 %
2	2	6	0.1 %
3	3	6	0.1 %
4	4	3	0.1 %
5	5	8	0.2 %
6	Very likely 6	16	0.3 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Q6_E1: [E1] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	4	0.1 %
2	2	0	0.0 %
3	3	2	0.0 %

Value	Label	Unweighted Frequency	%
4	4	5	0.1 %
5	5	2	0.0 %
6	Very likely 6	9	0.2 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Q6_E2: [E2] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all likely 1	6	0.1 %
2	2	2	0.0 %
3	3	1	0.0 %
4	4	2	0.0 %
5	5	2	0.0 %
6	Very likely 6	8	0.2 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Q7_A: [Initials for A] How committed are you to your relationship with [%initials%]?

Value	Label	Unweighted Frequency	%
-1	Refused	7	0.2 %
1	Not committed 1	7	0.2 %
2	2	6	0.1 %
3	3	10	0.2 %

Value	Label	Unweighted Frequency	%
4	4	34	0.7 %
5	5	82	1.8 %
6	Very committed 6	1977	42.7 %
	Missing Data		
.	-	2511	54.2 %
	Total	4,634	100%

Based upon 2,123 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Q7_B: [Initials for B] How committed are you to your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.0 %
1	Not committed 1	3	0.1 %
2	2	9	0.2 %
3	3	19	0.4 %
4	4	31	0.7 %
5	5	92	2.0 %
6	Very committed 6	814	17.6 %
	Missing Data		
.	-	3664	79.1 %
	Total	4,634	100%

Based upon 970 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Q7_C: [Initials for C] How committed are you to your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
1	Not committed 1	34	0.7 %
2	2	30	0.6 %
3	3	57	1.2 %

Value	Label	Unweighted Frequency	%
4	4	102	2.2 %
5	5	150	3.2 %
6	Very committed 6	574	12.4 %
	Missing Data		
.	-	3683	79.5 %
	Total	4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Q7_D1: [Initials for D1] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not committed 1	9	0.2 %
2	2	14	0.3 %
3	3	8	0.2 %
4	4	13	0.3 %
5	5	6	0.1 %
6	Very committed 6	3	0.1 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Q7_D2: [Initials for D2] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not committed 1	26	0.6 %
2	2	12	0.3 %
3	3	6	0.1 %

Value	Label	Unweighted Frequency	%
4	4	6	0.1 %
5	5	2	0.0 %
6	Very committed 6	1	0.0 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Q7_E1: [Initials for E1] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not committed 1	6	0.1 %
2	2	3	0.1 %
3	3	8	0.2 %
4	4	0	0.0 %
5	5	2	0.0 %
6	Very committed 6	3	0.1 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Q7_E2: [Initials for E2] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not committed 1	9	0.2 %
2	2	5	0.1 %
3	3	4	0.1 %

Value	Label	Unweighted Frequency	%
4	4	1	0.0 %
5	5	2	0.0 %
6	Very committed 6	1	0.0 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Q8_A: [Initials for A] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	10	0.2 %
1	Not at all happy 1	13	0.3 %
2	2	26	0.6 %
3	3	65	1.4 %
4	4	205	4.4 %
5	5	451	9.7 %
6	Very happy 6	1353	29.2 %
	Missing Data		
.	-	2511	54.2 %
	Total	4,634	100%

Based upon 2,123 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Q8_B: [Initials for B] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
1	Not at all happy 1	7	0.2 %
2	2	21	0.5 %
3	3	48	1.0 %

Value	Label	Unweighted Frequency	%
4	4	135	2.9 %
5	5	239	5.2 %
6	Very happy 6	517	11.2 %
	Missing Data		
.	-	3664	79.1 %
	Total	4,634	100%

Based upon 970 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Q8_C: [Initials for C] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	6	0.1 %
1	Not at all happy 1	16	0.3 %
2	2	34	0.7 %
3	3	78	1.7 %
4	4	177	3.8 %
5	5	229	4.9 %
6	Very happy 6	411	8.9 %
	Missing Data		
.	-	3683	79.5 %
	Total	4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Q8_D1: [Initials for D1] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy 1	2	0.0 %
2	2	3	0.1 %
3	3	10	0.2 %

Value	Label	Unweighted Frequency	%
4	4	19	0.4 %
5	5	10	0.2 %
6	Very happy 6	9	0.2 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Q8_D2: [Initials for D2] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy 1	2	0.0 %
2	2	9	0.2 %
3	3	13	0.3 %
4	4	16	0.3 %
5	5	8	0.2 %
6	Very happy 6	5	0.1 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Q8_E1: [Initials for E1] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy 1	3	0.1 %
2	2	0	0.0 %
3	3	4	0.1 %

Value	Label	Unweighted Frequency	%
4	4	4	0.1 %
5	5	6	0.1 %
6	Very happy 6	5	0.1 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Q8_E2: [Initials for E2] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy 1	2	0.0 %
2	2	5	0.1 %
3	3	5	0.1 %
4	4	5	0.1 %
5	5	4	0.1 %
6	Very happy 6	1	0.0 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Q9_A: [A] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	14	0.3 %
1	Not at all satisfied 1	39	0.8 %
2	2	75	1.6 %
3	3	155	3.3 %

Value	Label	Unweighted Frequency	%
4	4	343	7.4 %
5	5	479	10.3 %
6	Very satisfied 6	1005	21.7 %
7	NA, we haven't had sex	13	0.3 %
	Missing Data		
-	-	2511	54.2 %
	Total	4,634	100%

Based upon 2,123 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Q9_B: [B] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	5	0.1 %
1	Not at all satisfied 1	19	0.4 %
2	2	36	0.8 %
3	3	70	1.5 %
4	4	152	3.3 %
5	5	214	4.6 %
6	Very satisfied 6	469	10.1 %
7	NA, we haven't had sex	5	0.1 %
	Missing Data		
-	-	3664	79.1 %
	Total	4,634	100%

Based upon 970 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Q9_C: [C] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	8	0.2 %
1	Not at all satisfied 1	11	0.2 %

Value	Label	Unweighted Frequency	%
2	2	26	0.6 %
3	3	55	1.2 %
4	4	156	3.4 %
5	5	205	4.4 %
6	Very satisfied 6	415	9.0 %
7	NA, we haven't had sex	75	1.6 %
Missing Data			
.	-	3683	79.5 %
Total		4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Q9_D1: [D1] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all satisfied 1	2	0.0 %
2	2	4	0.1 %
3	3	5	0.1 %
4	4	9	0.2 %
5	5	8	0.2 %
6	Very satisfied 6	20	0.4 %
7	NA, we haven't had sex	4	0.1 %
9	-	1	0.0 %
Missing Data			
.	-	4581	98.9 %
Total		4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Q9_D2: [D2] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all satisfied 1	4	0.1 %
2	2	4	0.1 %
3	3	9	0.2 %
4	4	7	0.2 %
5	5	13	0.3 %
6	Very satisfied 6	10	0.2 %
7	NA, we haven't had sex	6	0.1 %
Missing Data			
.	-	4581	98.9 %
Total		4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Q9_E1: [E1] How satisfied are you in your sexual relationship with _ ?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all satisfied 1	2	0.0 %
2	2	0	0.0 %
3	3	1	0.0 %
4	4	3	0.1 %
5	5	5	0.1 %
6	Very satisfied 6	9	0.2 %
7	NA, we haven't had sex	2	0.0 %
Missing Data			
.	-	4612	99.5 %
Total		4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Q9_E2: [E2] How satisfied are you in your sexual relationship with _ ?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all satisfied 1	2	0.0 %
2	2	1	0.0 %
3	3	4	0.1 %
4	4	3	0.1 %
5	5	6	0.1 %
6	Very satisfied 6	3	0.1 %
7	NA, we haven't had sex	3	0.1 %
Missing Data			
.	-	4612	99.5 %
Total		4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Q10_A: [A] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	9	0.2 %
1	0	818	17.7 %
2	1	711	15.3 %
3	2-5	504	10.9 %
4	6-10	48	1.0 %
5	11 or more.	33	0.7 %
Missing Data			
.	-	2511	54.2 %
Total		4,634	100%

Based upon 2,123 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Q10_B: [B] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
1	0	271	5.8 %
2	1	320	6.9 %
3	2-5	303	6.5 %
4	6-10	51	1.1 %
5	11 or more.	22	0.5 %
Missing Data			
.	-	3664	79.1 %
Total		4,634	100%

Based upon 970 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Q10_C: [C] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	5	0.1 %
1	0	380	8.2 %
2	1	294	6.3 %
3	2-5	224	4.8 %
4	6-10	25	0.5 %
5	11 or more.	23	0.5 %
Missing Data			
.	-	3683	79.5 %
Total		4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Q10_D1: [D1] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	30	0.6 %

Value	Label	Unweighted Frequency	%
2	1	11	0.2 %
3	2-5	11	0.2 %
4	6-10	1	0.0 %
5	11 or more.	0	0.0 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Q10_D2: [D2] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	36	0.8 %
2	1	8	0.2 %
3	2-5	7	0.2 %
4	6-10	2	0.0 %
5	11 or more.	0	0.0 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Q10_E1: [E1] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	11	0.2 %
2	1	4	0.1 %
3	2-5	4	0.1 %

Value	Label	Unweighted Frequency	%
4	6-10	3	0.1 %
5	11 or more.	0	0.0 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Q10_E2: [E2] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	14	0.3 %
2	1	2	0.0 %
3	2-5	3	0.1 %
4	6-10	1	0.0 %
5	11 or more.	2	0.0 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Q11_A_1: [A] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	7	0.2 %
0	No	2077	44.8 %
1	Yes	24	0.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-	-	2526	54.5 %
Total		4,634	100%

Based upon 2,108 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Q11_A_2: [A] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	15	0.3 %
0	No	2074	44.8 %
1	Yes	19	0.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
-	-	2526	54.5 %
Total		4,634	100%

Based upon 2,108 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Q11_A_3: [A] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	14	0.3 %
0	No	2019	43.6 %
1	Yes	75	1.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
-	-	2526	54.5 %
Total		4,634	100%

Based upon 2,108 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Q11_B_1: [B] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	No	916	19.8 %
1	Yes	21	0.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	3696	79.8 %
Total		4,634	100%

Based upon 938 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Q11_B_2: [B] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	5	0.1 %
0	No	921	19.9 %
1	Yes	12	0.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	3696	79.8 %
Total		4,634	100%

Based upon 938 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Q11_B_3: [B] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
0	No	864	18.6 %
1	Yes	70	1.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	3696	79.8 %
Total		4,634	100%

Based upon 938 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Q11_C_1: [C] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
0	No	899	19.4 %
1	Yes	25	0.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	3707	80.0 %
Total		4,634	100%

Based upon 927 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Q11_C_2: [C] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	9	0.2 %
0	No	904	19.5 %
1	Yes	14	0.3 %
3	Dont Know	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Didnt care	0	0.0 %
	Missing Data		
-	-	3707	80.0 %
	Total	4,634	100%

Based upon 927 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Q11_C_3: [C] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
0	No	849	18.3 %
1	Yes	74	1.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
-	-	3707	80.0 %
	Total	4,634	100%

Based upon 927 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D1_1: [D1] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	50	1.1 %
1	Yes	0	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
-	-	4584	98.9 %
	Total	4,634	100%

Based upon 50 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D1_2: [D1] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	49	1.1 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4584	98.9 %
Total		4,634	100%

Based upon 50 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D1_3: [D1] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	44	0.9 %
1	Yes	6	0.1 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4584	98.9 %
Total		4,634	100%

Based upon 50 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D2_1: [D2] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	50	1.1 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4583	98.9 %
Total		4,634	100%

Based upon 51 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D2_2: [D2] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	50	1.1 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4583	98.9 %
Total		4,634	100%

Based upon 51 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Q11_D2_3: [D2] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	43	0.9 %
1	Yes	8	0.2 %

Value	Label	Unweighted Frequency	%
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	4583	98.9 %
	Total	4,634	100%

Based upon 51 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E1_1: [E1] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	19	0.4 %
1	Yes	2	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	4613	99.5 %
	Total	4,634	100%

Based upon 21 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E1_2: [E1] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	20	0.4 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	4613	99.5 %

Value	Label	Unweighted Frequency	%
Total		4,634	100%

Based upon 21 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E1_3: [E1] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	18	0.4 %
1	Yes	3	0.1 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4613	99.5 %
Total		4,634	100%

Based upon 21 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E2_1: [E2] Last 6 months _ tried to get you preg w/o consent

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	19	0.4 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4614	99.6 %
Total		4,634	100%

Based upon 20 valid cases out of 4,634 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E2_2: [E2] Last 6 months _ prevented you from using birth control

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	19	0.4 %
1	Yes	1	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4614	99.6 %
Total		4,634	100%

Based upon 20 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Q11_E2_3: [E2] Last 6 months _ no condom/withdrawl, said he would

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	18	0.4 %
1	Yes	2	0.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4614	99.6 %
Total		4,634	100%

Based upon 20 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Q12_A: [Initials for A] How many biological children have you had with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.0 %
1	0	703	15.2 %
2	1	557	12.0 %
3	2	578	12.5 %
4	3	187	4.0 %
5	4 or more	96	2.1 %
Missing Data			
.	-	2511	54.2 %
Total		4,634	100%

Based upon 2,123 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Q12_B: [Initials for B] How many biological children have you had with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
1	0	631	13.6 %
2	1	211	4.6 %
3	2	88	1.9 %
4	3	27	0.6 %
5	4 or more	9	0.2 %
Missing Data			
.	-	3664	79.1 %
Total		4,634	100%

Based upon 970 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Q12_C: [Initials for C] How many biological children have you had with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
1	0	859	18.5 %

Value	Label	Unweighted Frequency	%
2	1	63	1.4 %
3	2	21	0.5 %
4	3	4	0.1 %
5	4 or more	0	0.0 %
	Missing Data		
.	-	3683	79.5 %
	Total	4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

Q12_D1: [Initials for D1] How many biological children have you had with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	51	1.1 %
2	1	2	0.0 %
3	2	0	0.0 %
4	3	0	0.0 %
5	4 or more	0	0.0 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

Q12_D2: [Initials for D2] How many biological children have you had with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	52	1.1 %
2	1	1	0.0 %
3	2	0	0.0 %

Value	Label	Unweighted Frequency	%
4	3	0	0.0 %
5	4 or more	0	0.0 %
	Missing Data		
-	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

Q12_E1: [Initials for E1] How many biological children have you had with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	21	0.5 %
2	1	1	0.0 %
3	2	0	0.0 %
4	3	0	0.0 %
5	4 or more	0	0.0 %
	Missing Data		
-	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

Q12_E2: [Initials for E2] How many biological children have you had with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	22	0.5 %
2	1	0	0.0 %
3	2	0	0.0 %
4	3	0	0.0 %
5	4 or more	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

Q13_A: [A] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	5	0.1 %
1	Agree	1064	23.0 %
2	Somewhat agree	304	6.6 %
3	Somewhat disagree	105	2.3 %
4	Disagree	408	8.8 %
5	Unsure/Don't know	237	5.1 %
	Missing Data		
.	-	2511	54.2 %
	Total	4,634	100%

Based upon 2,123 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

Q13_B: [B] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.0 %
1	Agree	474	10.2 %
2	Somewhat agree	197	4.3 %
3	Somewhat disagree	34	0.7 %
4	Disagree	126	2.7 %
5	Unsure/Don't know	137	3.0 %
	Missing Data		
.	-	3664	79.1 %

Value	Label	Unweighted Frequency	%
Total		4,634	100%

Based upon 970 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

Q13_C: [C] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.1 %
1	Agree	333	7.2 %
2	Somewhat agree	198	4.3 %
3	Somewhat disagree	43	0.9 %
4	Disagree	176	3.8 %
5	Unsure/Don't know	197	4.3 %
Missing Data			
.	-	3683	79.5 %
Total		4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

Q13_D1: [D1] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	5	0.1 %
2	Somewhat agree	8	0.2 %
3	Somewhat disagree	2	0.0 %
4	Disagree	19	0.4 %
5	Unsure/Don't know	19	0.4 %
Missing Data			
.	-	4581	98.9 %
Total		4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

Q13_D2: [D2] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	1	0.0 %
2	Somewhat agree	2	0.0 %
3	Somewhat disagree	6	0.1 %
4	Disagree	30	0.6 %
5	Unsure/Don't know	14	0.3 %
Missing Data			
.	-	4581	98.9 %
Total		4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

Q13_E1: [E1] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	4	0.1 %
2	Somewhat agree	7	0.2 %
3	Somewhat disagree	1	0.0 %
4	Disagree	3	0.1 %
5	Unsure/Don't know	7	0.2 %
Missing Data			
.	-	4612	99.5 %
Total		4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Q13_E2: [E2] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	2	0.0 %
2	Somewhat agree	4	0.1 %
3	Somewhat disagree	2	0.0 %
4	Disagree	10	0.2 %
5	Unsure/Don't know	4	0.1 %
Missing Data			
.	-	4612	99.5 %
Total		4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

NBIRTHS: Q14: How many children have you given birth to?

Value	Label	Unweighted Frequency	%
0	0	2294	49.5 %
1	1	950	20.5 %
2	2	865	18.7 %
3	3	350	7.6 %
4	4 or more	160	3.5 %
Missing Data			
.	-	15	0.3 %
Total		4,634	100%

Based upon 4,619 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 296-296 (width: 1; decimal: 0)

Variable Type: numeric

EVERUP: Q14a: Have you ever gotten pregnant when you were not planning/wanting to be?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3037	65.5 %

Value	Label	Unweighted Frequency	%
1	Yes	1571	33.9 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	26	0.6 %
	Total	4,634	100%

Based upon 4,608 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

CURRENT: Q15_2: Currently pregnant or gave birth in the last 3 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	I had a baby within the last 3 months.	159	3.4 %
2	I am currently pregnant.	0	0.0 %
3	I might currently be pregnant.	171	3.7 %
4	None of the above.	4287	92.5 %
	Missing Data		
.	-	17	0.4 %
	Total	4,634	100%

Based upon 4,617 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

AVOID: Q16: How important is it to you to AVOID becoming pregnant now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy 1	614	13.2 %
2	2	180	3.9 %
3	3	372	8.0 %
4	4	521	11.2 %
5	5	649	14.0 %

Value	Label	Unweighted Frequency	%
6	Very important to avoid pregnancy	2270	49.0 %
	Missing Data		
-	-	28	0.6 %
	Total	4,634	100%

Based upon 4,606 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

Q17: Current plans regarding having another child?

Value	Label	Unweighted Frequency	%
-1	Refused	11	0.2 %
1	I am trying to get pregnant now.	176	3.8 %
2	I am not trying to get pregnant now but expect to try in the future.	878	18.9 %
3	I don't want to have any more children.	581	12.5 %
4	I'm not sure if I want to have another baby.	679	14.7 %
	Missing Data		
-	-	2309	49.8 %
	Total	4,634	100%

Based upon 2,325 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

Q17A: Which of the following best describes your current plans regarding having a baby

Value	Label	Unweighted Frequency	%
-1	Refused	7	0.2 %
1	I am trying to get pregnant now.	188	4.1 %
2	I am not trying to get pregnant now but expect to try in the future.	1398	30.2 %
3	I don't want to ever have any children.	205	4.4 %
4	I'm not sure if I want to have any children.	496	10.7 %
	Missing Data		
-	-	2340	50.5 %
	Total	4,634	100%

Based upon 2,294 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

FEELPG: Q18: How would you feel if you found out you were pregnant today?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy to be pregnant 1	980	21.1 %
2	2	557	12.0 %
3	3	704	15.2 %
4	4	898	19.4 %
5	5	576	12.4 %
6	Very happy to be pregnant 6	890	19.2 %
Missing Data			
.	-	29	0.6 %
Total		4,634	100%

Based upon 4,605 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

Q19_A: [A] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	9	0.2 %
1	Agree	1086	23.4 %
2	Somewhat agree	297	6.4 %
3	Somewhat disagree	155	3.3 %
4	Disagree	440	9.5 %
5	Unsure/don't know	136	2.9 %
Missing Data			
.	-	2511	54.2 %
Total		4,634	100%

Based upon 2,123 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

Q19_B: [B] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	7	0.2 %
1	Agree	509	11.0 %
2	Somewhat agree	178	3.8 %
3	Somewhat disagree	64	1.4 %
4	Disagree	108	2.3 %
5	Unsure/don't know	104	2.2 %
Missing Data			
.	-	3664	79.1 %
Total		4,634	100%

Based upon 970 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

Q19_C: [C] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	8	0.2 %
1	Agree	361	7.8 %
2	Somewhat agree	174	3.8 %
3	Somewhat disagree	52	1.1 %
4	Disagree	157	3.4 %
5	Unsure/don't know	199	4.3 %
Missing Data			
.	-	3683	79.5 %
Total		4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

Q19_D1: [D1] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Agree	6	0.1 %
2	Somewhat agree	9	0.2 %
3	Somewhat disagree	1	0.0 %
4	Disagree	19	0.4 %
5	Unsure/don't know	17	0.4 %
Missing Data			
.	-	4581	98.9 %
Total		4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

Q19_D2: [D2] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Agree	6	0.1 %
2	Somewhat agree	9	0.2 %
3	Somewhat disagree	1	0.0 %
4	Disagree	27	0.6 %
5	Unsure/don't know	9	0.2 %
Missing Data			
.	-	4581	98.9 %
Total		4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

Q19_E1: [E1] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Agree	5	0.1 %

Value	Label	Unweighted Frequency	%
2	Somewhat agree	4	0.1 %
3	Somewhat disagree	2	0.0 %
4	Disagree	5	0.1 %
5	Unsure/don't know	5	0.1 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

Q19_E2: [E2] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	4	0.1 %
2	Somewhat agree	4	0.1 %
3	Somewhat disagree	2	0.0 %
4	Disagree	9	0.2 %
5	Unsure/don't know	3	0.1 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

Q20_A: [A] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	16	0.3 %
1	Not at all important to avoid pregnancy 1	459	9.9 %
2	2	161	3.5 %
3	3	188	4.1 %

Value	Label	Unweighted Frequency	%
4	4	315	6.8 %
5	5	319	6.9 %
6	Very important to avoid pregnancy 6	665	14.4 %
	Missing Data		
.	-	2511	54.2 %
	Total	4,634	100%

Based upon 2,123 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

Q20_B: [B] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
1	Not at all important to avoid pregnancy 1	146	3.2 %
2	2	60	1.3 %
3	3	105	2.3 %
4	4	107	2.3 %
5	5	146	3.2 %
6	Very important to avoid pregnancy 6	403	8.7 %
	Missing Data		
.	-	3664	79.1 %
	Total	4,634	100%

Based upon 970 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

Q20_C: [C] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	10	0.2 %
1	Not at all important to avoid pregnancy 1	71	1.5 %
2	2	37	0.8 %
3	3	78	1.7 %

Value	Label	Unweighted Frequency	%
4	4	68	1.5 %
5	5	145	3.1 %
6	Very important to avoid pregnancy 6	542	11.7 %
	Missing Data		
.	-	3683	79.5 %
	Total	4,634	100%

Based upon 951 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

Q20_D1: [D1] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy 1	5	0.1 %
2	2	3	0.1 %
3	3	4	0.1 %
4	4	4	0.1 %
5	5	4	0.1 %
6	Very important to avoid pregnancy 6	33	0.7 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

Q20_D2: [D2] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy 1	2	0.0 %
2	2	5	0.1 %
3	3	2	0.0 %

Value	Label	Unweighted Frequency	%
4	4	5	0.1 %
5	5	7	0.2 %
6	Very important to avoid pregnancy 6	32	0.7 %
	Missing Data		
.	-	4581	98.9 %
	Total	4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

Q20_E1: [E1] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy 1	2	0.0 %
2	2	1	0.0 %
3	3	3	0.1 %
4	4	6	0.1 %
5	5	0	0.0 %
6	Very important to avoid pregnancy 6	10	0.2 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

Q20_E2: [E2] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy 1	3	0.1 %
2	2	0	0.0 %
3	3	1	0.0 %

Value	Label	Unweighted Frequency	%
4	4	2	0.0 %
5	5	4	0.1 %
6	Very important to avoid pregnancy 6	12	0.3 %
	Missing Data		
.	-	4612	99.5 %
	Total	4,634	100%

Based upon 22 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

FULFILL: Q21_1: Being a mother is the most fulfilling experience a woman can have

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Strongly agree	2351	50.7 %
2	Somewhat agree	1162	25.1 %
3	Neither agree nor disagree	610	13.2 %
4	Somewhat disagree	246	5.3 %
5	Strongly Disagree	236	5.1 %
	Missing Data		
.	-	29	0.6 %
	Total	4,634	100%

Based upon 4,605 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

REWARD: Q21_2: How strongly do you agree- rewards of being a parent are worth the costs

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Strongly agree	2932	63.3 %
2	Somewhat agree	924	19.9 %
3	Neither agree nor disagree	475	10.3 %
4	Somewhat disagree	134	2.9 %

Value	Label	Unweighted Frequency	%
5	Strongly Disagree	122	2.6 %
	Missing Data		
.	-	47	1.0 %
	Total	4,634	100%

Based upon 4,587 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

LOVE: Q21_3: One of the best things about having a baby is having someone to love

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Strongly agree	1807	39.0 %
2	Somewhat agree	1149	24.8 %
3	Neither agree nor disagree	992	21.4 %
4	Somewhat disagree	366	7.9 %
5	Strongly Disagree	282	6.1 %
	Missing Data		
.	-	38	0.8 %
	Total	4,634	100%

Based upon 4,596 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

FATALISM: Q21_4: Whether I use birth control, when it is my time to get pregnant, I will

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Strongly agree	1002	21.6 %
2	Somewhat agree	659	14.2 %
3	Neither agree nor disagree	879	19.0 %
4	Somewhat disagree	720	15.5 %
5	Strongly Disagree	1341	28.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	33	0.7 %
Total		4,634	100%

Based upon 4,601 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

AGESEX: Q22: How old were you the first time you had vaginal sex?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Under 15	509	11.0 %
2	15	610	13.2 %
3	16	661	14.3 %
4	17	624	13.5 %
5	18	697	15.0 %
6	19	406	8.8 %
7	20 or older	1087	23.5 %
Missing Data			
.	-	40	0.9 %
Total		4,634	100%

Based upon 4,594 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

PILL: Q23_1: [birth control pills] In the last 30 days, have you used ___?

Value	Label	Unweighted Frequency	%
0	No	3192	68.9 %
1	Yes	1442	31.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 347-347 (width: 1; decimal: 0)

Variable Type: numeric

PATCH: Q23_2: [birth control patch- Ortho Evra] In the last 30 days, have you used ___?

Value	Label	Unweighted Frequency	%
0	No	4611	99.5 %
1	Yes	23	0.5 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 348-348 (width: 1; decimal: 0)

Variable Type: numeric

RING: Q23_3: [vaginal ring- Nuvaring] In the last 30 days, have you used ___?

Value	Label	Unweighted Frequency	%
0	No	4496	97.0 %
1	Yes	138	3.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 349-349 (width: 1; decimal: 0)

Variable Type: numeric

DEPO: Q23_4: [birth control shot- Depo-Provera] In the last 30 days, have you used ___?

Value	Label	Unweighted Frequency	%
0	No	4443	95.9 %
1	Yes	191	4.1 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 350-350 (width: 1; decimal: 0)

Variable Type: numeric

IMPLANT: Q23_5: [implant- Implanon] In the last 30 days, have you used ___?

Value	Label	Unweighted Frequency	%
0	No	4553	98.3 %
1	Yes	81	1.7 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 351-351 (width: 1; decimal: 0)

Variable Type: numeric

IUD: Q23_6: [IUD- Mirena, copper] In the last 30 days, have you used __?

Value	Label	Unweighted Frequency	%
0	No	4154	89.6 %
1	Yes	480	10.4 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 352-352 (width: 1; decimal: 0)

Variable Type: numeric

NOBC: Q23_7: [None of the above] In the last 30 days, have you used __?

Value	Label	Unweighted Frequency	%
0	No	2344	50.6 %
1	Yes	2290	49.4 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 353-353 (width: 1; decimal: 0)

Variable Type: numeric

XBC: Q23_8: [Refused] In the last 30 days, have you used __?

Value	Label	Unweighted Frequency	%
0	No	4595	99.2 %
1	Yes	39	0.8 %

Value	Label	Unweighted Frequency	%
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 354-354 (width: 1; decimal: 0)

Variable Type: numeric

YPILL: Q23a: [birth control pills][years] Approx how long have you used __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	312	6.7 %
1	-	185	4.0 %
2	-	188	4.1 %
3	-	116	2.5 %
4	-	104	2.2 %
5	-	102	2.2 %
6	-	85	1.8 %
7	-	71	1.5 %
8	-	64	1.4 %
9	-	40	0.9 %
10	-	48	1.0 %
11	-	25	0.5 %
12	-	33	0.7 %
13	-	9	0.2 %
14	-	14	0.3 %
15	-	20	0.4 %
16	-	7	0.2 %
17	-	4	0.1 %
18	-	4	0.1 %
19	-	8	0.2 %
20	-	4	0.1 %
23	-	1	0.0 %
25	-	1	0.0 %
39	-	1	0.0 %
Missing Data			
.	-	3188	68.8 %
	Total	4,634	100%

Based upon 1,446 valid cases out of 4,634 total cases.

- Mean: 4.18
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 39.00
- Standard Deviation: 4.36

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

YPATCH: Q23a: [birth control patch- Ortho Evra][years] Approx how long have you used __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	8	0.2 %
1	-	5	0.1 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	3	0.1 %
6	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
16	-	2	0.0 %
Missing Data			
.	-	4610	99.5 %
Total		4,634	100%

Based upon 24 valid cases out of 4,634 total cases.

- Mean: 3.79
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 4.84

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

YRING: Q23a: [vaginal ring- Nuvaring][years] Approx how long have you used __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	50	1.1 %
1	-	15	0.3 %

Value	Label	Unweighted Frequency	%
2	-	25	0.5 %
3	-	19	0.4 %
4	-	12	0.3 %
5	-	7	0.2 %
6	-	4	0.1 %
7	-	1	0.0 %
8	-	4	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
Missing Data			
.	-	4494	97.0 %
Total		4,634	100%

Based upon 140 valid cases out of 4,634 total cases.

- Mean: 2.14
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.38

Location: 359-360 (*width:* 2; *decimal:* 0)

Variable Type: numeric

YDEPO: Q23a: [birth control shot- Depo-Provera][years] Approx how long have you used _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	61	1.3 %
1	-	30	0.6 %
2	-	22	0.5 %
3	-	24	0.5 %
4	-	17	0.4 %
5	-	7	0.2 %
6	-	5	0.1 %
7	-	3	0.1 %
8	-	4	0.1 %
9	-	3	0.1 %
10	-	6	0.1 %
11	-	1	0.0 %
12	-	2	0.0 %

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
15	-	3	0.1 %
17	-	1	0.0 %
19	-	1	0.0 %
32	-	1	0.0 %
Missing Data			
.	-	4442	95.9 %
Total		4,634	100%

Based upon 192 valid cases out of 4,634 total cases.

- Mean: 3.03
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 32.00
- Standard Deviation: 4.22

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

YIMPLANT: Q23a: [implant- Implanon][years] Approx how long have you used __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	29	0.6 %
1	-	25	0.5 %
2	-	19	0.4 %
3	-	3	0.1 %
4	-	2	0.0 %
5	-	3	0.1 %
Missing Data			
.	-	4553	98.3 %
Total		4,634	100%

Based upon 81 valid cases out of 4,634 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.24

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

YIUD: Q23a: [IUD- Mirena, copper][years] Approx how long have you used ___?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	114	2.5 %
1	-	91	2.0 %
2	-	66	1.4 %
3	-	85	1.8 %
4	-	62	1.3 %
5	-	21	0.5 %
6	-	16	0.3 %
7	-	9	0.2 %
8	-	10	0.2 %
9	-	1	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
17	-	1	0.0 %
Missing Data			
.	-	4153	89.6 %
Total		4,634	100%

Based upon 481 valid cases out of 4,634 total cases.

- Mean: 2.40
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 2.30

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

MPILL: Q23a: [birth control pills][months] Approx how long have you used ___?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	672	14.5 %
1	-	82	1.8 %
2	-	92	2.0 %
3	-	88	1.9 %
4	-	73	1.6 %

Value	Label	Unweighted Frequency	%
5	-	77	1.7 %
6	-	149	3.2 %
7	-	37	0.8 %
8	-	62	1.3 %
9	-	46	1.0 %
10	-	38	0.8 %
11	-	30	0.6 %
Missing Data			
.	-	3188	68.8 %
Total		4,634	100%

Based upon 1,446 valid cases out of 4,634 total cases.

- Mean: 2.75
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.29

Location: 367-368 (*width:* 2; *decimal:* 0)

Variable Type: numeric

MPATCH: Q23a: [birth control patch- Ortho Evra][months] Approx how long have you used __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	12	0.3 %
1	-	3	0.1 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
6	-	2	0.0 %
7	-	1	0.0 %
9	-	2	0.0 %
Missing Data			
.	-	4610	99.5 %
Total		4,634	100%

Based upon 24 valid cases out of 4,634 total cases.

- Mean: 2.21
- Median: 0.50
- Mode: 0.00

- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 3.05

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

MRING: Q23a: [vaginal ring- Nuvaring][months] Approx how long have you used __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	53	1.1 %
1	-	12	0.3 %
2	-	7	0.2 %
3	-	17	0.4 %
4	-	6	0.1 %
5	-	9	0.2 %
6	-	15	0.3 %
7	-	1	0.0 %
8	-	5	0.1 %
9	-	6	0.1 %
10	-	7	0.2 %
11	-	2	0.0 %
Missing Data			
.	-	4494	97.0 %
Total		4,634	100%

Based upon 140 valid cases out of 4,634 total cases.

- Mean: 3.06
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.32

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

MDEPO: Q23a: [birth control shot- Depo-Provera][months] Approx how long have you used __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	82	1.8 %
1	-	17	0.4 %
2	-	14	0.3 %

Value	Label	Unweighted Frequency	%
3	-	21	0.5 %
4	-	9	0.2 %
5	-	10	0.2 %
6	-	13	0.3 %
7	-	6	0.1 %
8	-	4	0.1 %
9	-	7	0.2 %
10	-	2	0.0 %
11	-	7	0.2 %
Missing Data			
.	-	4442	95.9 %
Total		4,634	100%

Based upon 192 valid cases out of 4,634 total cases.

- Mean: 2.64
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.20

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

MIMPLANT: Q23a: [implant- Implanon][months] Approx how long have you used __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	12	0.3 %
1	-	6	0.1 %
2	-	7	0.2 %
3	-	5	0.1 %
4	-	8	0.2 %
5	-	8	0.2 %
6	-	9	0.2 %
7	-	4	0.1 %
8	-	7	0.2 %
9	-	5	0.1 %
10	-	2	0.0 %
11	-	8	0.2 %
Missing Data			
.	-	4553	98.3 %

Value	Label	Unweighted Frequency	%
	Total	4,634	100%

Based upon 81 valid cases out of 4,634 total cases.

- Mean: 4.91
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.52

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

MIUD: Q23a: [IUD- Mirena, copper][months] Approx how long have you used __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	131	2.8 %
1	-	29	0.6 %
2	-	41	0.9 %
3	-	35	0.8 %
4	-	22	0.5 %
5	-	28	0.6 %
6	-	59	1.3 %
7	-	18	0.4 %
8	-	28	0.6 %
9	-	39	0.8 %
10	-	24	0.5 %
11	-	25	0.5 %
12	-	2	0.0 %
Missing Data			
.	-	4153	89.6 %
	Total	4,634	100%

Based upon 481 valid cases out of 4,634 total cases.

- Mean: 4.24
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.71

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

Q23B_PILL_1: [Prevent pregnancy] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	147	3.2 %
1	Yes	1299	28.0 %
	Missing Data		
.	-	3188	68.8 %
	Total	4,634	100%

Based upon 1,446 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 379-379 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_2: [Reduce menstrual pain/cramps] Why are you using [pill]:

Value	Label	Unweighted Frequency	%
0	No	884	19.1 %
1	Yes	562	12.1 %
	Missing Data		
.	-	3188	68.8 %
	Total	4,634	100%

Based upon 1,446 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 380-380 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_3: [Help with acne] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	1200	25.9 %
1	Yes	246	5.3 %
	Missing Data		
.	-	3188	68.8 %
	Total	4,634	100%

Based upon 1,446 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 381-381 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_4: [Regulate my period] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	703	15.2 %
1	Yes	743	16.0 %
	Missing Data		
.	-	3188	68.8 %
	Total	4,634	100%

Based upon 1,446 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 382-382 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_5: [Treat ovarian cyst/PCOS] Why are you using [pill]:

Value	Label	Unweighted Frequency	%
0	No	1333	28.8 %
1	Yes	113	2.4 %
	Missing Data		
.	-	3188	68.8 %
	Total	4,634	100%

Based upon 1,446 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 383-383 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_6: [Other:] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	1403	30.3 %
1	Yes	43	0.9 %
	Missing Data		
.	-	3188	68.8 %
	Total	4,634	100%

Based upon 1,446 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 384-384 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_REFUSED: [Refused] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	1441	31.1 %
1	Yes	5	0.1 %
	Missing Data		
.	-	3188	68.8 %
	Total	4,634	100%

Based upon 1,446 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 385-385 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_1: [Prevent pregnancy] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	5	0.1 %
1	Yes	19	0.4 %
	Missing Data		
.	-	4610	99.5 %
	Total	4,634	100%

Based upon 24 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 386-386 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_2: [Reduce menstrual pain/cramps] Why are you using [patch]:

Value	Label	Unweighted Frequency	%
0	No	21	0.5 %
1	Yes	3	0.1 %
	Missing Data		
.	-	4610	99.5 %

Value	Label	Unweighted Frequency	%
	Total	4,634	100%

Based upon 24 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 387-387 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_3: [Help with acne] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	22	0.5 %
1	Yes	2	0.0 %
	Missing Data		
.	-	4610	99.5 %
	Total	4,634	100%

Based upon 24 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 388-388 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_4: [Regulate my period] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	17	0.4 %
1	Yes	7	0.2 %
	Missing Data		
.	-	4610	99.5 %
	Total	4,634	100%

Based upon 24 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 389-389 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_5: [Treat ovarian cyst/PCOS] Why are you using [patch]:

Value	Label	Unweighted Frequency	%
0	No	23	0.5 %
1	Yes	1	0.0 %
	Missing Data		
.	-	4610	99.5 %
	Total	4,634	100%

Based upon 24 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 390-390 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_6: [Other:] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	23	0.5 %
1	Yes	1	0.0 %
	Missing Data		
.	-	4610	99.5 %
	Total	4,634	100%

Based upon 24 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 391-391 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_REFUSED: [Refused] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	23	0.5 %
1	Yes	1	0.0 %
	Missing Data		
.	-	4610	99.5 %
	Total	4,634	100%

Based upon 24 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 392-392 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_1: [Prevent pregnancy] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	11	0.2 %
1	Yes	129	2.8 %
	Missing Data		
.	-	4494	97.0 %
	Total	4,634	100%

Based upon 140 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 393-393 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_2: [Reduce menstrual pain/cramps] Why are you using [ring]:

Value	Label	Unweighted Frequency	%
0	No	100	2.2 %
1	Yes	40	0.9 %
	Missing Data		
.	-	4494	97.0 %
	Total	4,634	100%

Based upon 140 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 394-394 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_3: [Help with acne] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	127	2.7 %
1	Yes	13	0.3 %
	Missing Data		
.	-	4494	97.0 %
	Total	4,634	100%

Based upon 140 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 395-395 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_4: [Regulate my period] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	82	1.8 %
1	Yes	58	1.3 %
	Missing Data		
.	-	4494	97.0 %
	Total	4,634	100%

Based upon 140 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 396-396 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_5: [Treat ovarian cyst/PCOS] Why are you using [ring]:

Value	Label	Unweighted Frequency	%
0	No	134	2.9 %
1	Yes	6	0.1 %
	Missing Data		
.	-	4494	97.0 %
	Total	4,634	100%

Based upon 140 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 397-397 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_6: [Other:] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	137	3.0 %
1	Yes	3	0.1 %
	Missing Data		
.	-	4494	97.0 %
	Total	4,634	100%

Based upon 140 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 398-398 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_REFUSED: [Refused] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	137	3.0 %
1	Yes	3	0.1 %
	Missing Data		
.	-	4494	97.0 %
	Total	4,634	100%

Based upon 140 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 399-399 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_1: [Prevent pregnancy] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	21	0.5 %
1	Yes	171	3.7 %
	Missing Data		
.	-	4442	95.9 %
	Total	4,634	100%

Based upon 192 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 400-400 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_2: [Reduce menstrual pain/cramps] Why are you using [Depo]:

Value	Label	Unweighted Frequency	%
0	No	139	3.0 %
1	Yes	53	1.1 %
	Missing Data		
.	-	4442	95.9 %

Value	Label	Unweighted Frequency	%
	Total	4,634	100%

Based upon 192 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 401-401 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_3: [Help with acne] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	187	4.0 %
1	Yes	5	0.1 %
	Missing Data		
.	-	4442	95.9 %
	Total	4,634	100%

Based upon 192 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 402-402 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_4: [Regulate my period] Which of the following are reasons you are using [Depo]

Value	Label	Unweighted Frequency	%
0	No	164	3.5 %
1	Yes	28	0.6 %
	Missing Data		
.	-	4442	95.9 %
	Total	4,634	100%

Based upon 192 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 403-403 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_5: [Treat ovarian cyst/PCOS] Why are you using [Depo]:

Value	Label	Unweighted Frequency	%
0	No	185	4.0 %
1	Yes	7	0.2 %
	Missing Data		
.	-	4442	95.9 %
	Total	4,634	100%

Based upon 192 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 404-404 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_6: [Other:] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	180	3.9 %
1	Yes	12	0.3 %
	Missing Data		
.	-	4442	95.9 %
	Total	4,634	100%

Based upon 192 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 405-405 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_REFUSED: [Refused] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	190	4.1 %
1	Yes	2	0.0 %
	Missing Data		
.	-	4442	95.9 %
	Total	4,634	100%

Based upon 192 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 406-406 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_1: [Prevent pregnancy] Which of the following are reasons you are using [implant]

Value	Label	Unweighted Frequency	%
0	No	3	0.1 %
1	Yes	78	1.7 %
	Missing Data		
.	-	4553	98.3 %
	Total	4,634	100%

Based upon 81 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 407-407 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_2: [Reduce menstrual pain/cramps] Why are you using [implant]:

Value	Label	Unweighted Frequency	%
0	No	65	1.4 %
1	Yes	16	0.3 %
	Missing Data		
.	-	4553	98.3 %
	Total	4,634	100%

Based upon 81 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 408-408 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_3: [Help with acne] Which of the following are reasons you are using [implant] :

Value	Label	Unweighted Frequency	%
0	No	79	1.7 %
1	Yes	2	0.0 %
	Missing Data		
.	-	4553	98.3 %
	Total	4,634	100%

Based upon 81 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 409-409 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_4: [Regulate my period] Which of the following are reasons you are using [implant]

Value	Label	Unweighted Frequency	%
0	No	68	1.5 %
1	Yes	13	0.3 %
	Missing Data		
.	-	4553	98.3 %
	Total	4,634	100%

Based upon 81 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 410-410 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_5: [Treat ovarian cyst/PCOS] Why are you using [implant]:

Value	Label	Unweighted Frequency	%
0	No	77	1.7 %
1	Yes	4	0.1 %
	Missing Data		
.	-	4553	98.3 %
	Total	4,634	100%

Based upon 81 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 411-411 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_6: [Other:] Which of the following are reasons you are using [implant] :

Value	Label	Unweighted Frequency	%
0	No	80	1.7 %
1	Yes	1	0.0 %
	Missing Data		
.	-	4553	98.3 %

Value	Label	Unweighted Frequency	%
	Total	4,634	100%

Based upon 81 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 412-412 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_REFUSED: [Refused] Which of the following are reasons you are using [implant] :

Value	Label	Unweighted Frequency	%
0	No	80	1.7 %
1	Yes	1	0.0 %
	Missing Data		
.	-	4553	98.3 %
	Total	4,634	100%

Based upon 81 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 413-413 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_1: [Prevent pregnancy] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	16	0.3 %
1	Yes	465	10.0 %
	Missing Data		
.	-	4153	89.6 %
	Total	4,634	100%

Based upon 481 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 414-414 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_2: [Reduce menstrual pain/cramps] Why are you using [IUD]:

Value	Label	Unweighted Frequency	%
0	No	384	8.3 %
1	Yes	97	2.1 %
	Missing Data		
.	-	4153	89.6 %
	Total	4,634	100%

Based upon 481 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 415-415 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_3: [Help with acne] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	474	10.2 %
1	Yes	7	0.2 %
	Missing Data		
.	-	4153	89.6 %
	Total	4,634	100%

Based upon 481 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 416-416 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_4: [Regulate my period] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	417	9.0 %
1	Yes	64	1.4 %
	Missing Data		
.	-	4153	89.6 %
	Total	4,634	100%

Based upon 481 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 417-417 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_5: [Treat ovarian cyst/PCOS] Why are you using [IUD]:

Value	Label	Unweighted Frequency	%
0	No	465	10.0 %
1	Yes	16	0.3 %
	Missing Data		
.	-	4153	89.6 %
	Total	4,634	100%

Based upon 481 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 418-418 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_6: [Other:] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	468	10.1 %
1	Yes	13	0.3 %
	Missing Data		
.	-	4153	89.6 %
	Total	4,634	100%

Based upon 481 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 419-419 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_REFUSED: [Refused] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	478	10.3 %
1	Yes	3	0.1 %
	Missing Data		
.	-	4153	89.6 %
	Total	4,634	100%

Based upon 481 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 420-420 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_OTHER: [birth control pills: specify] Which of the following are reasons you are using

Value	Label	Unweighted Frequency	%
-	-	4593	99.1 %
[MASKED]	-	41	0.9 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 421-428 (width: 8; decimal: 0)

Variable Type: character

Q23B_PATCH_OTHER: [birth control patch: specify] Which of the following are reasons you are using

Value	Label	Unweighted Frequency	%
-	-	4633	100.0 %
[MASKED]	-	1	0.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 429-436 (width: 8; decimal: 0)

Variable Type: character

Q23B_RING_OTHER: [Other: specify] Why are you using [ring]

Value	Label	Unweighted Frequency	%
-	-	4632	100.0 %
[MASKED]	-	2	0.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 437-444 (width: 8; decimal: 0)

Variable Type: character

Q23B_DEPO_OTHER: [Other: specify] Why are you using [depo]

Value	Label	Unweighted Frequency	%
-	-	4625	99.8 %
[MASKED]	-	9	0.2 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 445-452 (width: 8; decimal: 0)

Variable Type: character

Q23B_IMPLANT_OTHER: [Other: specify] Why are you using [implant]

Value	Label	Unweighted Frequency	%
-	-	4633	100.0 %
[MASKED]	-	1	0.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 453-460 (width: 8; decimal: 0)

Variable Type: character

Q23B_IUD_OTHER: [Other: specify] Why are you using [IUD]

Value	Label	Unweighted Frequency	%
-	-	4622	99.7 %
[MASKED]	-	12	0.3 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 461-468 (width: 8; decimal: 0)

Variable Type: character

MISSPILL: Q23c: [birth control pills] In the last 30 days, how many pills did you miss?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	927	20.0 %
1	-	216	4.7 %
2	-	135	2.9 %
3	-	58	1.3 %
4	-	26	0.6 %
5	-	23	0.5 %
6	-	5	0.1 %
7	-	1	0.0 %
8	-	4	0.1 %
9	-	1	0.0 %
10	-	12	0.3 %
12	-	2	0.0 %
14	-	2	0.0 %

Value	Label	Unweighted Frequency	%
15	-	2	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	3	0.1 %
60	-	1	0.0 %
Missing Data			
.	-	3208	69.2 %
Total		4,634	100%

Based upon 1,426 valid cases out of 4,634 total cases.

- Mean: 1.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 3.24

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric

PATCHON: Q23c: [birth control patch] In the last 30 days, how many times did you put on _

Value	Label	Unweighted Frequency	%
0	0	17	0.4 %
1	1	2	0.0 %
2	2	3	0.1 %
3	3 or more	1	0.0 %
Missing Data			
.	-	4611	99.5 %
Total		4,634	100%

Based upon 23 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 471-471 (width: 1; decimal: 0)

Variable Type: numeric

RINGON: Q23c: [Vaginal ring- Nuvaring] When was the last time you inserted __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	The day I was supposed to	104	2.2 %
2	1 day later than I was supposed to	14	0.3 %
3	2 or more days later than I was supposed to	16	0.3 %
4	Earlier than I was supposed to	2	0.0 %
Missing Data			
.	-	4498	97.1 %
Total		4,634	100%

Based upon 136 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

DEPOWHN: Q23c: [Shot- Depo-Provera] When was the last time you received __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Earlier than scheduled	8	0.2 %
2	Later than scheduled	25	0.5 %
3	On time	141	3.0 %
4	My last shot was my first depo shot.	16	0.3 %
Missing Data			
.	-	4444	95.9 %
Total		4,634	100%

Based upon 190 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_PILL: [pill] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	6	0.1 %
1	Very satisfied	877	18.9 %
2	Somewhat satisfied	460	9.9 %

Value	Label	Unweighted Frequency	%
3	Somewhat dissatisfied	74	1.6 %
4	Very dissatisfied	29	0.6 %
	Missing Data		
.	-	3188	68.8 %
	Total	4,634	100%

Based upon 1,446 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_PATCH: [patch] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Very satisfied	12	0.3 %
2	Somewhat satisfied	7	0.2 %
3	Somewhat dissatisfied	3	0.1 %
4	Very dissatisfied	1	0.0 %
	Missing Data		
.	-	4610	99.5 %
	Total	4,634	100%

Based upon 24 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_RING: [ring] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.0 %
1	Very satisfied	106	2.3 %
2	Somewhat satisfied	22	0.5 %
3	Somewhat dissatisfied	4	0.1 %
4	Very dissatisfied	6	0.1 %
	Missing Data		
.	-	4494	97.0 %

Value	Label	Unweighted Frequency	%
Total		4,634	100%

Based upon 140 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_DEPO: [Depo] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.0 %
1	Very satisfied	127	2.7 %
2	Somewhat satisfied	45	1.0 %
3	Somewhat dissatisfied	7	0.2 %
4	Very dissatisfied	11	0.2 %
Missing Data			
.	-	4442	95.9 %
Total		4,634	100%

Based upon 192 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_IMPLANT: [Implant] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Very satisfied	54	1.2 %
2	Somewhat satisfied	15	0.3 %
3	Somewhat dissatisfied	6	0.1 %
4	Very dissatisfied	6	0.1 %
Missing Data			
.	-	4553	98.3 %
Total		4,634	100%

Based upon 81 valid cases out of 4,634 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_IUD: [IUD] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Very satisfied	341	7.4 %
2	Somewhat satisfied	106	2.3 %
3	Somewhat dissatisfied	17	0.4 %
4	Very dissatisfied	17	0.4 %
Missing Data			
.	-	4153	89.6 %
Total		4,634	100%

Based upon 481 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

PAY4BC: Q23e: [birth control pills: \$] In an average month, how much does R pay for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	359	7.7 %
1	-	12	0.3 %
2	-	18	0.4 %
3	-	26	0.6 %
4	-	26	0.6 %
5	-	97	2.1 %
6	-	13	0.3 %
7	-	44	0.9 %
8	-	28	0.6 %
9	-	70	1.5 %
10	-	248	5.4 %
11	-	6	0.1 %
12	-	29	0.6 %
13	-	8	0.2 %
14	-	2	0.0 %
15	-	76	1.6 %

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
17	-	4	0.1 %
18	-	11	0.2 %
19	-	1	0.0 %
20	-	75	1.6 %
21	-	3	0.1 %
22	-	4	0.1 %
23	-	3	0.1 %
24	-	6	0.1 %
25	-	43	0.9 %
26	-	7	0.2 %
27	-	7	0.2 %
28	-	4	0.1 %
29	-	3	0.1 %
30	-	63	1.4 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	17	0.4 %
36	-	3	0.1 %
37	-	2	0.0 %
38	-	1	0.0 %
40	-	23	0.5 %
45	-	12	0.3 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	19	0.4 %
52	-	1	0.0 %
54	-	1	0.0 %
55	-	3	0.1 %
59	-	1	0.0 %
60	-	7	0.2 %
Missing Data			
.	-	3211	69.3 %
Total		4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,423 valid cases out of 4,634 total cases.

- Mean: 13.23
- Median: 10.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 250.00
- Standard Deviation: 18.10

Location: 488-490 (width: 3; decimal: 0)

Variable Type: numeric

PAY4PAT: Q23e: [birth control patch: \$] In an average month, how much does R pay for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	13	0.3 %
15	-	1	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
30	-	2	0.0 %
60	-	1	0.0 %
69	-	1	0.0 %
80	-	1	0.0 %
85	-	1	0.0 %
90	-	1	0.0 %
Missing Data			
.	-	4611	99.5 %
Total		4,634	100%

Based upon 23 valid cases out of 4,634 total cases.

- Mean: 21.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 31.70

Location: 491-492 (width: 2; decimal: 0)

Variable Type: numeric

PAY4RING: Q23e: [ring- Nuvaring: \$] In an average month, how much does Respndt pay for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	48	1.0 %
3	-	2	0.0 %

Value	Label	Unweighted Frequency	%
5	-	3	0.1 %
8	-	2	0.0 %
10	-	5	0.1 %
12	-	1	0.0 %
13	-	1	0.0 %
15	-	11	0.2 %
16	-	1	0.0 %
17	-	3	0.1 %
18	-	1	0.0 %
20	-	18	0.4 %
21	-	1	0.0 %
25	-	7	0.2 %
27	-	1	0.0 %
30	-	10	0.2 %
35	-	6	0.1 %
40	-	4	0.1 %
50	-	3	0.1 %
60	-	2	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
77	-	1	0.0 %
80	-	1	0.0 %
85	-	2	0.0 %
90	-	2	0.0 %
Missing Data			
.	-	4496	97.0 %
Total		4,634	100%

Based upon 138 valid cases out of 4,634 total cases.

- Mean: 18.43
- Median: 15.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 21.39

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

PAY4DEPO: Q23e: [shot- Depo-Provera: \$] In an average month, how much does Respndt pay for

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	117	2.5 %
1	-	2	0.0 %
3	-	3	0.1 %
5	-	2	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	7	0.2 %
12	-	1	0.0 %
14	-	1	0.0 %
15	-	4	0.1 %
16	-	1	0.0 %
20	-	9	0.2 %
25	-	6	0.1 %
30	-	4	0.1 %
35	-	2	0.0 %
40	-	3	0.1 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	2	0.0 %
55	-	1	0.0 %
58	-	2	0.0 %
60	-	3	0.1 %
65	-	4	0.1 %
70	-	2	0.0 %
75	-	1	0.0 %
80	-	2	0.0 %
85	-	1	0.0 %
90	-	2	0.0 %
100	-	1	0.0 %
115	-	1	0.0 %
140	-	1	0.0 %
Missing Data			
.	-	4445	95.9 %
Total		4,634	100%

Based upon 189 valid cases out of 4,634 total cases.

- Mean: 14.02
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 140.00
- Standard Deviation: 25.77

Location: 495-497 (width: 3; decimal: 0)

Variable Type: numeric

PAY4IMPL: Q23e: [implant- Implanon: \$] In an average month, how much does Respndt pay for

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	59	1.3 %
5	-	1	0.0 %
10	-	1	0.0 %
15	-	1	0.0 %
20	-	1	0.0 %
25	-	1	0.0 %
30	-	2	0.0 %
35	-	2	0.0 %
40	-	2	0.0 %
123	-	1	0.0 %
140	-	1	0.0 %
200	-	1	0.0 %
300	-	2	0.0 %
588	-	1	0.0 %
600	-	1	0.0 %
721	-	1	0.0 %
800	-	1	0.0 %
Missing Data			
.	-	4555	98.3 %
Total		4,634	100%

Based upon 79 valid cases out of 4,634 total cases.

- Mean: 51.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 800.00
- Standard Deviation: 156.93

Location: 498-500 (width: 3; decimal: 0)

Variable Type: numeric

PAY4IUD: Q23e: [IUD- Mirena, copper: \$] In an average month, how much does Respndt pay for

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	291	6.3 %
3	-	1	0.0 %
5	-	1	0.0 %
10	-	4	0.1 %
15	-	4	0.1 %
20	-	19	0.4 %
25	-	12	0.3 %
30	-	13	0.3 %
35	-	3	0.1 %
40	-	3	0.1 %
45	-	4	0.1 %
50	-	12	0.3 %
60	-	1	0.0 %
65	-	1	0.0 %
67	-	1	0.0 %
75	-	1	0.0 %
80	-	2	0.0 %
84	-	1	0.0 %
90	-	1	0.0 %
99	-	1	0.0 %
100	-	17	0.4 %
110	-	1	0.0 %
120	-	1	0.0 %
125	-	3	0.1 %
130	-	1	0.0 %
135	-	1	0.0 %
144	-	1	0.0 %
150	-	6	0.1 %
180	-	1	0.0 %
200	-	12	0.3 %
210	-	1	0.0 %
249	-	1	0.0 %
250	-	5	0.1 %
300	-	8	0.2 %
350	-	1	0.0 %
367	-	1	0.0 %
380	-	1	0.0 %
400	-	2	0.0 %

Value	Label	Unweighted Frequency	%
475	-	1	0.0 %
500	-	5	0.1 %
525	-	1	0.0 %
536	-	1	0.0 %
600	-	2	0.0 %
650	-	1	0.0 %
700	-	1	0.0 %
750	-	1	0.0 %
800	-	5	0.1 %
847	-	1	0.0 %
870	-	1	0.0 %
Missing Data			
.	-	4162	89.8 %
Total		4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 472 valid cases out of 4,634 total cases.

- Mean: 119.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15000.00
- Standard Deviation: 726.24

Location: 501-505 (width: 5; decimal: 0)

Variable Type: numeric

SEXMO: Q24a: In the past 30 days, have you had vaginal sex with a man?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	963	20.8 %
1	Yes	3649	78.7 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	22	0.5 %
Total		4,634	100%

Based upon 4,612 valid cases out of 4,634 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

NSEXMO: Q24: Past 30 days, approx how many times did you have sex with a man?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	1	293	6.3 %
2	2-5	1624	35.0 %
3	6-10	1014	21.9 %
4	11 or more	693	15.0 %
Missing Data			
.	-	1010	21.8 %
Total		4,634	100%

Based upon 3,624 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

NSEXP: Q25: In the past 30 days, how many men have you had sex with?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	1	3483	75.2 %
2	2	120	2.6 %
3	3 or more	34	0.7 %
Missing Data			
.	-	997	21.5 %
Total		4,634	100%

Based upon 3,637 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

WITHDRAW: Q26: [Withdrawl] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	2440	52.7 %

Value	Label	Unweighted Frequency	%
1	Yes	1043	22.5 %
	Missing Data		
.	-	1151	24.8 %
	Total	4,634	100%

Based upon 3,483 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 512-512 (width: 1; decimal: 0)

Variable Type: numeric

VASECTOMY: Q26: [vasectomy] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	3483	75.2 %
1	Yes	0	0.0 %
	Missing Data		
.	-	1151	24.8 %
	Total	4,634	100%

Based upon 3,483 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 513-513 (width: 1; decimal: 0)

Variable Type: numeric

CONDOM: Q26: [condom] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	2418	52.2 %
1	Yes	1065	23.0 %
	Missing Data		
.	-	1151	24.8 %
	Total	4,634	100%

Based upon 3,483 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 514-514 (width: 1; decimal: 0)

Variable Type: numeric

NFP: Q26: [natural/calendar method] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	3314	71.5 %
1	Yes	169	3.6 %
	Missing Data		
.	-	1151	24.8 %
	Total	4,634	100%

Based upon 3,483 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 515-515 (width: 1; decimal: 0)

Variable Type: numeric

SPERM: Q26: [spermicide/barrier method] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	3416	73.7 %
1	Yes	67	1.4 %
	Missing Data		
.	-	1151	24.8 %
	Total	4,634	100%

Based upon 3,483 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 516-516 (width: 1; decimal: 0)

Variable Type: numeric

NOBARRIER: Q26: [none of the above] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	1866	40.3 %
1	Yes	1617	34.9 %
	Missing Data		
.	-	1151	24.8 %
	Total	4,634	100%

Based upon 3,483 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 517-517 (width: 1; decimal: 0)

Variable Type: numeric

XBARR: Q26: [Refused] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	3464	74.8 %
1	Yes	19	0.4 %
	Missing Data		
.	-	1151	24.8 %
	Total	4,634	100%

Based upon 3,483 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 518-518 (width: 1; decimal: 0)

Variable Type: numeric

SP1WD: Q26: [withdrawl] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	106	2.3 %
1	Yes	45	1.0 %
	Missing Data		
.	-	4483	96.7 %
	Total	4,634	100%

Based upon 151 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 519-519 (width: 1; decimal: 0)

Variable Type: numeric

SP1VAS: Q26: [vasectomy] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	151	3.3 %
1	Yes	0	0.0 %
	Missing Data		
.	-	4483	96.7 %
	Total	4,634	100%

Based upon 151 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 520-520 (width: 1; decimal: 0)

Variable Type: numeric

SP1COND: Q26: [condom] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	98	2.1 %
1	Yes	53	1.1 %
	Missing Data		
.	-	4483	96.7 %
	Total	4,634	100%

Based upon 151 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 521-521 (width: 1; decimal: 0)

Variable Type: numeric

SP1NFP: Q26: [natural/calendar] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	148	3.2 %
1	Yes	3	0.1 %
	Missing Data		
.	-	4483	96.7 %
	Total	4,634	100%

Based upon 151 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 522-522 (width: 1; decimal: 0)

Variable Type: numeric

SP1SPERM: Q26: [spermicide/other barrier] In the past 30 days, did you use __ with Partner

Value	Label	Unweighted Frequency	%
0	No	150	3.2 %
1	Yes	1	0.0 %
	Missing Data		
.	-	4483	96.7 %
	Total	4,634	100%

Based upon 151 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 523-523 (width: 1; decimal: 0)

Variable Type: numeric

SP1NONE: Q26: [None of the above] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	89	1.9 %
1	Yes	62	1.3 %
	Missing Data		
.	-	4483	96.7 %
	Total	4,634	100%

Based upon 151 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 524-524 (width: 1; decimal: 0)

Variable Type: numeric

XBARR1: Q26: [Refused] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	150	3.2 %
1	Yes	1	0.0 %
	Missing Data		
.	-	4483	96.7 %
	Total	4,634	100%

Based upon 151 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 525-525 (width: 1; decimal: 0)

Variable Type: numeric

SP2WD: Q26: [withdrawl] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	97	2.1 %
1	Yes	53	1.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	4484	96.8 %
	Total	4,634	100%

Based upon 150 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 526-526 (width: 1; decimal: 0)

Variable Type: numeric

SP2VAS: Q26: [vasectomy] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	149	3.2 %
1	Yes	1	0.0 %
	Missing Data		
.	-	4484	96.8 %
	Total	4,634	100%

Based upon 150 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 527-527 (width: 1; decimal: 0)

Variable Type: numeric

SP2COND: Q26: [condom] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	86	1.9 %
1	Yes	64	1.4 %
	Missing Data		
.	-	4484	96.8 %
	Total	4,634	100%

Based upon 150 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 528-528 (width: 1; decimal: 0)

Variable Type: numeric

SP2NFP: Q26: [natural/calendar] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	148	3.2 %
1	Yes	2	0.0 %
	Missing Data		
.	-	4484	96.8 %
	Total	4,634	100%

Based upon 150 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 529-529 (width: 1; decimal: 0)

Variable Type: numeric

SP2SPERM: Q26: [spermicide/other barrier] In the past 30 days, did you use __ with Partner

Value	Label	Unweighted Frequency	%
0	No	148	3.2 %
1	Yes	2	0.0 %
	Missing Data		
.	-	4484	96.8 %
	Total	4,634	100%

Based upon 150 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 530-530 (width: 1; decimal: 0)

Variable Type: numeric

SP2NONE: Q26: [None of the above] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	103	2.2 %
1	Yes	47	1.0 %
	Missing Data		
.	-	4484	96.8 %
	Total	4,634	100%

Based upon 150 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 531-531 (width: 1; decimal: 0)

Variable Type: numeric

XBARR2: Q26: [Refused] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	150	3.2 %
1	Yes	0	0.0 %
	Missing Data		
.	-	4484	96.8 %
	Total	4,634	100%

Based upon 150 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 532-532 (width: 1; decimal: 0)

Variable Type: numeric

NWITHDRAW: Q26a: [Withdrawl;Partner 1] In the past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	601	13.0 %
2	More than half the times you had sex	159	3.4 %
3	About half the time you had sex	84	1.8 %
4	Less than half the time you had sex	228	4.9 %
5	Never	14	0.3 %
	Missing Data		
.	-	3548	76.6 %
	Total	4,634	100%

Based upon 1,086 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

NCONDOMS: Q26a: [Condom;Partner 1] In the past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	664	14.3 %
2	More than half the times you had sex	202	4.4 %
3	About half the time you had sex	87	1.9 %
4	Less than half the time you had sex	154	3.3 %

Value	Label	Unweighted Frequency	%
5	Never	9	0.2 %
	Missing Data		
.	-	3518	75.9 %
	Total	4,634	100%

Based upon 1,116 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

NNFP: Q26a: [Natural;Partner 1] In the past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	75	1.6 %
2	More than half the times you had sex	30	0.6 %
3	About half the time you had sex	28	0.6 %
4	Less than half the time you had sex	34	0.7 %
5	Never	5	0.1 %
	Missing Data		
.	-	4462	96.3 %
	Total	4,634	100%

Based upon 172 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

NSPERM: Q26a: [Spermicide/Oth;Partner 1] In the past 30 days, how often did you use __ w

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	35	0.8 %
2	More than half the times you had sex	8	0.2 %
3	About half the time you had sex	7	0.2 %
4	Less than half the time you had sex	16	0.3 %
5	Never	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	4567	98.6 %
	Total	4,634	100%

Based upon 67 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

WHYCND: Q26b: [Partner 1] Main reason use condoms with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Prevent pregnancy	784	16.9 %
2	Prevent STDS	23	0.5 %
3	Both of the above	303	6.5 %
	Missing Data		
.	-	3524	76.0 %
	Total	4,634	100%

Based upon 1,110 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

PSAT1: Q26c: [Partner 1; Withdrawl] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	3546	76.5 %
1	very satisfied	421	9.1 %
2	somewhat satisfied	397	8.6 %
3	somewhat dissatisfied	128	2.8 %
4	very satisfied	40	0.9 %
5	don't know	0	0.0 %
100	don't know	101	2.2 %
	Missing Data		
.	-	1	0.0 %
	Total	4,634	100%

Based upon 4,633 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 543-545 (width: 3; decimal: 0)

Variable Type: numeric

PSAT2: Q26c: [Partner 1; Vasectomy] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	4634	100.0 %
1	very satisfied	0	0.0 %
2	somewhat satisfied	0	0.0 %
3	somewhat dissatisfied	0	0.0 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 546-548 (width: 3; decimal: 0)

Variable Type: numeric

PSAT3: Q26c: [Partner 1; Condoms] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	3516	75.9 %
1	very satisfied	289	6.2 %
2	somewhat satisfied	438	9.5 %
3	somewhat dissatisfied	218	4.7 %
4	very satisfied	106	2.3 %
5	don't know	0	0.0 %
100	don't know	66	1.4 %
Missing Data			
.	-	1	0.0 %
Total		4,634	100%

Based upon 4,633 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 549-551 (width: 3; decimal: 0)

Variable Type: numeric

PSAT4: Q26c: [Partner 1; Calendar Method] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	4462	96.3 %
1	very satisfied	73	1.6 %
2	somewhat satisfied	58	1.3 %
3	somewhat dissatisfied	15	0.3 %
4	very satisfied	2	0.0 %
5	don't know	0	0.0 %
100	don't know	23	0.5 %
Missing Data			
.	-	1	0.0 %
Total		4,634	100%

Based upon 4,633 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 552-554 (width: 3; decimal: 0)

Variable Type: numeric

PSAT5: Q26c: [Partner 1; Spermicide/other] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	4566	98.5 %
1	very satisfied	37	0.8 %
2	somewhat satisfied	19	0.4 %
3	somewhat dissatisfied	3	0.1 %
4	very satisfied	1	0.0 %
5	don't know	0	0.0 %
100	don't know	6	0.1 %
Missing Data			
.	-	2	0.0 %
Total		4,634	100%

Based upon 4,632 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 555-557 (width: 3; decimal: 0)

Variable Type: numeric

NWITHDRAW2: Q26a: [Withdrawl;Partner 2] In the past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	32	0.7 %
2	More than half the times you had sex	10	0.2 %
3	About half the time you had sex	6	0.1 %
4	Less than half the time you had sex	4	0.1 %
5	Never	1	0.0 %
Missing Data			
.	-	4581	98.9 %
Total		4,634	100%

Based upon 53 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

NCONDOMS2: Q26a: [Condom;Partner 2] In the past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	46	1.0 %
2	More than half the times you had sex	7	0.2 %
3	About half the time you had sex	2	0.0 %
4	Less than half the time you had sex	8	0.2 %
5	Never	1	0.0 %
Missing Data			
.	-	4570	98.6 %
Total		4,634	100%

Based upon 64 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

NNFP2: Q26a: [Natural;Partner 2] In the past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	0	0.0 %

Value	Label	Unweighted Frequency	%
2	More than half the times you had sex	1	0.0 %
3	About half the time you had sex	1	0.0 %
4	Less than half the time you had sex	0	0.0 %
5	Never	0	0.0 %
	Missing Data		
.	-	4632	100.0 %
	Total	4,634	100%

Based upon 2 valid cases out of 4,634 total cases.

- Minimum: 2.00
- Maximum: 3.00

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

NSPERM2: Q26a: [Spermicide/Oth;Partner 2] In the past 30 days, how often did you use __ w

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	2	0.0 %
2	More than half the times you had sex	0	0.0 %
3	About half the time you had sex	0	0.0 %
4	Less than half the time you had sex	0	0.0 %
5	Never	0	0.0 %
	Missing Data		
.	-	4632	100.0 %
	Total	4,634	100%

Based upon 2 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

WHYCNDB: Q26b: [Condoms; Partner 2] Main reason use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Prevent pregnancy	9	0.2 %
2	Prevent STDS	4	0.1 %
3	Both of the above	51	1.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	4570	98.6 %
	Total	4,634	100%

Based upon 64 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

PSATB1: Q26c: [Partner 2; Withdrawl] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	4581	98.9 %
1	very satisfied	25	0.5 %
2	somewhat satisfied	9	0.2 %
3	somewhat dissatisfied	10	0.2 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	9	0.2 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 568-570 (width: 3; decimal: 0)

Variable Type: numeric

PSATB2: Q26c: [Partner 2; Vasectomy] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	4633	100.0 %
1	very satisfied	1	0.0 %
2	somewhat satisfied	0	0.0 %
3	somewhat dissatisfied	0	0.0 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 571-573 (width: 3; decimal: 0)

Variable Type: numeric

PSATB3: Q26c: [Partner 2; Condoms] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	4570	98.6 %
1	very satisfied	17	0.4 %
2	somewhat satisfied	16	0.3 %
3	somewhat dissatisfied	11	0.2 %
4	very satisfied	10	0.2 %
5	don't know	0	0.0 %
100	don't know	10	0.2 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 574-576 (width: 3; decimal: 0)

Variable Type: numeric

PSATB4: Q26c: [Partner 2; Calendar Method] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	4632	100.0 %
1	very satisfied	1	0.0 %
2	somewhat satisfied	0	0.0 %
3	somewhat dissatisfied	0	0.0 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 100.00

Location: 577-579 (width: 3; decimal: 0)

Variable Type: numeric

PSATB5: Q26c: [Partner 2; Spermicide/other] How would you rate __ satisfaction with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	4632	100.0 %
1	very satisfied	0	0.0 %
2	somewhat satisfied	2	0.0 %
3	somewhat dissatisfied	0	0.0 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 580-582 (width: 3; decimal: 0)

Variable Type: numeric

RSAT1: Q27: [withdrawl] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	392	8.5 %
2	somewhat satisfied	472	10.2 %
3	somewhat dissatisfied	175	3.8 %
4	very satisfied	75	1.6 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
Missing Data			
-	-	3520	76.0 %
Total		4,634	100%

Based upon 1,114 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 583-585 (width: 3; decimal: 0)

Variable Type: numeric

RSAT2: Q27: [vasectomy] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	1	0.0 %

Value	Label	Unweighted Frequency	%
2	somewhat satisfied	0	0.0 %
3	somewhat dissatisfied	0	0.0 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
Missing Data			
.	-	4633	100.0 %
Total		4,634	100%

Based upon 1 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 586-588 (width: 3; decimal: 0)

Variable Type: numeric

RSAT3: Q27: [condoms] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	415	9.0 %
2	somewhat satisfied	509	11.0 %
3	somewhat dissatisfied	153	3.3 %
4	very satisfied	60	1.3 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
Missing Data			
.	-	3497	75.5 %
Total		4,634	100%

Based upon 1,137 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 589-591 (width: 3; decimal: 0)

Variable Type: numeric

RSAT4: Q27: [natural/calendar] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	82	1.8 %

Value	Label	Unweighted Frequency	%
2	somewhat satisfied	72	1.6 %
3	somewhat dissatisfied	13	0.3 %
4	very satisfied	4	0.1 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
Missing Data			
.	-	4463	96.3 %
Total		4,634	100%

Based upon 171 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 592-594 (width: 3; decimal: 0)

Variable Type: numeric

RSAT5: Q27: [spermicide/other barrier] How satisfied are you with _____

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	29	0.6 %
2	somewhat satisfied	34	0.7 %
3	somewhat dissatisfied	4	0.1 %
4	very satisfied	2	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
Missing Data			
.	-	4565	98.5 %
Total		4,634	100%

Based upon 69 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 595-597 (width: 3; decimal: 0)

Variable Type: numeric

HOWDUAL: Q28: In the past 30 days, describe dual method use

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Use these methods at the same time	693	15.0 %

Value	Label	Unweighted Frequency	%
2	Switch between methods	233	5.0 %
3	Both of the above	159	3.4 %
	Missing Data		
.	-	3549	76.6 %
	Total	4,634	100%

Based upon 1,085 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

PILLVCON: Q29: Are pills or condoms more effective at preventing preg?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Birth control pills	1883	40.6 %
2	Condoms	490	10.6 %
3	They are equally effective	1597	34.5 %
4	I don't know the answer	628	13.6 %
	Missing Data		
.	-	36	0.8 %
	Total	4,634	100%

Based upon 4,598 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

PILLVIUD: Q30: Are pills or IUDs more effective at preventing preg?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Birth control pills	646	13.9 %
2	iud	1392	30.0 %
3	They are equally effective	998	21.5 %
4	I don't know what an IUD is	218	4.7 %
5	I don't know the answer	1343	29.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-	-	37	0.8 %
Total		4,634	100%

Based upon 4,597 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

KNOWBC: Q31: How much do you know about birth control methods?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	I know nothing 1	75	1.6 %
2	2	194	4.2 %
3	3	660	14.2 %
4	4	1722	37.2 %
5	5	1524	32.9 %
6	I know everything 6	415	9.0 %
Missing Data			
-	-	44	0.9 %
Total		4,634	100%

Based upon 4,590 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

Q32: Would you switch methods if cost wasnt an issue?

Value	Label	Unweighted Frequency	%
-1	Refused	13	0.3 %
0	No	1886	40.7 %
1	Yes	766	16.5 %
3	Dont Know	841	18.1 %
4	Didnt care	0	0.0 %
Missing Data			
-	-	1128	24.3 %
Total		4,634	100%

Based upon 3,506 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

Q32A: Would you use a method if cost wasnt an issue?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
0	No	276	6.0 %
1	Yes	114	2.5 %
3	Dont Know	123	2.7 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	4118	88.9 %
Total		4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

NOSEX: Q33_1: [Do not have sex often] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	477	10.3 %
1	Yes	39	0.8 %
Missing Data			
.	-	4118	88.9 %
Total		4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 610-610 (width: 1; decimal: 0)

Variable Type: numeric

BCPROBS: Q33_2: [Problems using methods] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	475	10.3 %
1	Yes	41	0.9 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 611-611 (width: 1; decimal: 0)

Variable Type: numeric

SIDEFF: Q33_3: [Worried about side effects] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	427	9.2 %
1	Yes	89	1.9 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 612-612 (width: 1; decimal: 0)

Variable Type: numeric

HEALTHBC: Q33_4: [Health reasons] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	491	10.6 %
1	Yes	25	0.5 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 613-613 (width: 1; decimal: 0)

Variable Type: numeric

FORGET: Q33_5: [Forget to use] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	484	10.4 %
1	Yes	32	0.7 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 614-614 (width: 1; decimal: 0)

Variable Type: numeric

CHOICE: Q33_6: [Do not like choices available] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	499	10.8 %
1	Yes	17	0.4 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 615-615 (width: 1; decimal: 0)

Variable Type: numeric

TIMEBC: Q33_7: [I do not have time] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	509	11.0 %
1	Yes	7	0.2 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 616-616 (width: 1; decimal: 0)

Variable Type: numeric

PNOBC: Q33_8: [Partner does not want] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	495	10.7 %
1	Yes	21	0.5 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 617-617 (width: 1; decimal: 0)

Variable Type: numeric

SAFETIME: Q33_9: [Have sex during safe time of month] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	505	10.9 %
1	Yes	11	0.2 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 618-618 (width: 1; decimal: 0)

Variable Type: numeric

INFERTBC: Q33_10: [Infertile/Subfecund] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	418	9.0 %
1	Yes	98	2.1 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 619-619 (width: 1; decimal: 0)

Variable Type: numeric

NOMIND: Q33_11: [Would not mind if became pregnant] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	319	6.9 %
1	Yes	197	4.3 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 620-620 (width: 1; decimal: 0)

Variable Type: numeric

WHEREBC: Q33_12: [Do not know where to get] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	516	11.1 %
1	Yes	0	0.0 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 621-621 (width: 1; decimal: 0)

Variable Type: numeric

AFFORDBC: Q33_13: [Cannot afford method I want] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	498	10.7 %
1	Yes	18	0.4 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 622-622 (width: 1; decimal: 0)

Variable Type: numeric

TRYINGPG: Q33_14: [I am trying to get pregnant] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	267	5.8 %
1	Yes	249	5.4 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 623-623 (width: 1; decimal: 0)

Variable Type: numeric

OTRONOBC: Q33_15: [Other] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	461	9.9 %
1	Yes	55	1.2 %
	Missing Data		
.	-	4118	88.9 %
	Total	4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 624-624 (width: 1; decimal: 0)

Variable Type: numeric

XNOUSE: Q33_16: [Refused] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	510	11.0 %
1	Yes	6	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-		4118	88.9 %
Total		4,634	100%

Based upon 516 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 625-625 (width: 1; decimal: 0)

Variable Type: numeric

NOBCQUAL: Q33_17: [Other-specify] Why are you not using any method?

Value	Label	Unweighted Frequency	%
[MASKED]	-	4634	100.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 626-633 (width: 8; decimal: 0)

Variable Type: character

LASTSEX: Q34: When was the last time you had sex with a man?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Within the last 3 months	317	6.8 %
2	Within the last 6 months	179	3.9 %
3	Within the last 12 months	121	2.6 %
4	More than 12 months ago	342	7.4 %
Missing Data			
-		3675	79.3 %
Total		4,634	100%

Based upon 959 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

USE6MOS: Q35: In the last 6 months, did you use a method every month

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
0	No	1035	22.3 %
1	Yes	3047	65.8 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
-	-	552	11.9 %
Total		4,634	100%

Based upon 4,082 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

WANTPG: Q35b: During that period, pregnant or trying to get pregnant?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	604	13.0 %
1	Yes	428	9.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
-	-	3602	77.7 %
Total		4,634	100%

Based upon 1,032 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

LIKELYSEX: Q36: How likely are you to have sex with a man in the next 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	274	5.9 %
2	2	121	2.6 %
3	3	145	3.1 %
4	4	225	4.9 %

Value	Label	Unweighted Frequency	%
5	5	200	4.3 %
6	Very likely 6	3618	78.1 %
	Missing Data		
.	-	51	1.1 %
	Total	4,634	100%

Based upon 4,583 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

NOPROTECT: Q37: In the next 6 months, how likely unprotected sex?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	2378	51.3 %
2	2	415	9.0 %
3	3	208	4.5 %
4	4	260	5.6 %
5	5	185	4.0 %
6	Very likely 6	1130	24.4 %
	Missing Data		
.	-	58	1.3 %
	Total	4,634	100%

Based upon 4,576 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

TYPEINS: Q38: What type of health insurance do you currently have?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Private health insurance I get through my job or school, a family member or that I pay for myself.	2951	63.7 %
2	(Medicaid Program - BASED ON PPSTATEN) or some other government-sponsored health insurance.	759	16.4 %
3	Some other type of health insurance	42	0.9 %

Value	Label	Unweighted Frequency	%
4	I don't have health insurance.	841	18.1 %
	Missing Data		
-	-	41	0.9 %
	Total	4,634	100%

Based upon 4,593 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

OTROINS: Q38: [Other-specify] What type of health insurance do you have?

Value	Label	Unweighted Frequency	%
[MASKED]	-	4634	100.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 646-653 (width: 8; decimal: 0)

Variable Type: character

SIXINS: Q39: Did you have health insurance during all of the last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	219	4.7 %
1	Yes	3514	75.8 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
-	-	901	19.4 %
	Total	4,634	100%

Based upon 3,733 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

LONGINS: Q39b: For how many of the last 6 months were you WITHOUT health insurance?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	1	86	1.9 %
2	2	56	1.2 %
3	3	71	1.5 %
4	4	58	1.3 %
5	5	49	1.1 %
6	6	716	15.5 %
Missing Data			
.	-	3598	77.6 %
Total		4,634	100%

Based upon 1,036 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

REGCARE: Q40: Do you have a regular place you go to for medical care?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1033	22.3 %
1	Yes	3558	76.8 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	43	0.9 %
Total		4,634	100%

Based upon 4,591 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

GYNVISIT: Q41a: [Annual GYN visit/pap smear] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2246	48.5 %

Value	Label	Unweighted Frequency	%
1	Yes	2309	49.8 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	79	1.7 %
	Total	4,634	100%

Based upon 4,555 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 660-661 (width: 2; decimal: 0)

Variable Type: numeric

BCVISIT: Q41b: [birth control] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2922	63.1 %
1	Yes	1590	34.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	122	2.6 %
	Total	4,634	100%

Based upon 4,512 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

WHCVIS: Q41c: [Other womens health care incl preg] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3250	70.1 %
1	Yes	1280	27.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-	-	104	2.2 %
Total		4,634	100%

Based upon 4,530 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

GENVISIT: Q41d: [General health visit] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2627	56.7 %
1	Yes	1908	41.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
-	-	99	2.1 %
Total		4,634	100%

Based upon 4,535 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

SICKVIS: Q41e: [Sick/health issue] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2357	50.9 %
1	Yes	2188	47.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
-	-	89	1.9 %
Total		4,634	100%

Based upon 4,545 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

NONEED: Q42_1: [No need] Why didnt you make a visit

Value	Label	Unweighted Frequency	%
0	No	758	16.4 %
1	Yes	1087	23.5 %
	Missing Data		
.	-	2789	60.2 %
	Total	4,634	100%

Based upon 1,845 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 670-670 (width: 1; decimal: 0)

Variable Type: numeric

HADEXAM: Q42_2: [Already had annual GYN exam] Why didnt you make a visit

Value	Label	Unweighted Frequency	%
0	No	1264	27.3 %
1	Yes	581	12.5 %
	Missing Data		
.	-	2789	60.2 %
	Total	4,634	100%

Based upon 1,845 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 671-671 (width: 1; decimal: 0)

Variable Type: numeric

DISCOMF: Q42_3: [Not comfortable] Why didnt you make a visit

Value	Label	Unweighted Frequency	%
0	No	1737	37.5 %
1	Yes	108	2.3 %
	Missing Data		
.	-	2789	60.2 %
	Total	4,634	100%

Based upon 1,845 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 672-672 (width: 1; decimal: 0)

Variable Type: numeric

DOC2MUCH: Q42_4: [Cannot afford] Why didnt you make a visit

Value	Label	Unweighted Frequency	%
0	No	1435	31.0 %
1	Yes	410	8.8 %
	Missing Data		
.	-	2789	60.2 %
	Total	4,634	100%

Based upon 1,845 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 673-673 (width: 1; decimal: 0)

Variable Type: numeric

BUSYDOC: Q42_5: [Inconvenient] Why didnt you make a visit

Value	Label	Unweighted Frequency	%
0	No	1710	36.9 %
1	Yes	135	2.9 %
	Missing Data		
.	-	2789	60.2 %
	Total	4,634	100%

Based upon 1,845 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 674-674 (width: 1; decimal: 0)

Variable Type: numeric

PRIVACY: Q42_6: [Didnt want partner to find out] Why didnt you make a visit

Value	Label	Unweighted Frequency	%
0	No	1830	39.5 %
1	Yes	15	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2789	60.2 %
Total		4,634	100%

Based upon 1,845 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 675-675 (width: 1; decimal: 0)

Variable Type: numeric

OTROVIS: Q42_7: [Other] Why didnt you make a visit

Value	Label	Unweighted Frequency	%
0	No	1726	37.2 %
1	Yes	119	2.6 %
	Missing Data		
.	-	2789	60.2 %
Total		4,634	100%

Based upon 1,845 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 676-676 (width: 1; decimal: 0)

Variable Type: numeric

XVISIT: Q42_8: [Refused] Why didnt you make a visit

Value	Label	Unweighted Frequency	%
0	No	1794	38.7 %
1	Yes	51	1.1 %
	Missing Data		
.	-	2789	60.2 %
Total		4,634	100%

Based upon 1,845 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 677-677 (width: 1; decimal: 0)

Variable Type: numeric

NOVISQUAL: Q42_9: [Other-specify] Why didnt you make a visit

Value	Label	Unweighted Frequency	%
[MASKED]	-	4634	100.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 678-685 (width: 8; decimal: 0)

Variable Type: character

TYPEDOC: Q43: Last womens health visit, what type of facility?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Private doctor	2076	44.8 %
2	Planned Parenthood or other family planning clinic	282	6.1 %
3	Public health department or community health clinic	286	6.2 %
4	Student health clinic	67	1.4 %
5	Some other type of health care facility	71	1.5 %
	Missing Data		
.	-	1852	40.0 %
	Total	4,634	100%

Based upon 2,782 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 686-687 (width: 2; decimal: 0)

Variable Type: numeric

OTRODOC: Q43: [Other-specify] Last womens health visit, what type of facility?

Value	Label	Unweighted Frequency	%
[MASKED]	-	4634	100.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 688-695 (width: 8; decimal: 0)

Variable Type: character

PAIDOOP: Q44_1: [Respondent paid some or all incl copay] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	1750	37.8 %
1	Yes	1039	22.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-		1845	39.8 %
Total		4,634	100%

Based upon 2,789 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 696-696 (width: 1; decimal: 0)

Variable Type: numeric

INSPAID: Q44_2: [Insurance paid some or all] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	922	19.9 %
1	Yes	1867	40.3 %
	Missing Data		
-		1845	39.8 %
Total		4,634	100%

Based upon 2,789 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 697-697 (width: 1; decimal: 0)

Variable Type: numeric

REDUCFEE: Q44_3: [Reduced fee] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	2616	56.5 %
1	Yes	173	3.7 %
	Missing Data		
-		1845	39.8 %
Total		4,634	100%

Based upon 2,789 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 698-698 (width: 1; decimal: 0)

Variable Type: numeric

FREECARE: Q44_4: [Free services] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	2462	53.1 %
1	Yes	327	7.1 %
	Missing Data		
.	-	1845	39.8 %
	Total	4,634	100%

Based upon 2,789 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 699-699 (width: 1; decimal: 0)

Variable Type: numeric

XHOWPAY: Q44_5: [Refused] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	2774	59.9 %
1	Yes	15	0.3 %
	Missing Data		
.	-	1845	39.8 %
	Total	4,634	100%

Based upon 2,789 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 700-700 (width: 1; decimal: 0)

Variable Type: numeric

INSDUCT: Q45_1: [Deductable/copay too high] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
0	No	2219	47.9 %
1	Yes	203	4.4 %
	Missing Data		
.	-	2212	47.7 %
	Total	4,634	100%

Based upon 2,422 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 701-701 (width: 1; decimal: 0)

Variable Type: numeric

INSLIMIT: Q45_2: [Insurance limited methods] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
0	No	2269	49.0 %
1	Yes	153	3.3 %
	Missing Data		
.	-	2212	47.7 %
	Total	4,634	100%

Based upon 2,422 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 702-702 (width: 1; decimal: 0)

Variable Type: numeric

NOCOVA: Q45_3: [Insurance didnt cover all services] Difficulties when try to use insuran

Value	Label	Unweighted Frequency	%
0	No	2215	47.8 %
1	Yes	207	4.5 %
	Missing Data		
.	-	2212	47.7 %
	Total	4,634	100%

Based upon 2,422 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 703-703 (width: 1; decimal: 0)

Variable Type: numeric

NOCOVB: Q45_4: [Insurance didnt cover doctor I want] Difficulties when try to use insura

Value	Label	Unweighted Frequency	%
0	No	2369	51.1 %
1	Yes	53	1.1 %
	Missing Data		
.	-	2212	47.7 %
	Total	4,634	100%

Based upon 2,422 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 704-704 (width: 1; decimal: 0)

Variable Type: numeric

OTROPROB: Q45_5: [Other] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
0	No	2380	51.4 %
1	Yes	42	0.9 %
	Missing Data		
.	-	2212	47.7 %
	Total	4,634	100%

Based upon 2,422 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 705-705 (width: 1; decimal: 0)

Variable Type: numeric

NOPROB: [None of the above] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
0	No	534	11.5 %
1	Yes	1888	40.7 %
	Missing Data		
.	-	2212	47.7 %
	Total	4,634	100%

Based upon 2,422 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 706-706 (width: 1; decimal: 0)

Variable Type: numeric

XPROB: Q45_7:[Refused] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
0	No	2402	51.8 %
1	Yes	20	0.4 %
	Missing Data		
.	-	2212	47.7 %
	Total	4,634	100%

Based upon 2,422 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 707-707 (width: 1; decimal: 0)

Variable Type: numeric

PROBQUAL: Q45_8: [Other-specify] Difficulties when try to use insurance

Value	Label	Unweighted Frequency	%
[MASKED]	-	4634	100.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 708-715 (width: 8; decimal: 0)

Variable Type: character

NEEDSMET: Q46a: [People make an effort to find out my needs] At last visit, how strongly a

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Strongly agree	1559	33.6 %
2	Somewhat agree	992	21.4 %
3	Somewhat disagree	155	3.3 %
4	Strongly disagree	57	1.2 %
	Missing Data		
.	-	1871	40.4 %
	Total	4,634	100%

Based upon 2,763 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 716-717 (width: 2; decimal: 0)

Variable Type: numeric

GOODCARE: Q46b: [Satisfied with care received] At last visit, how strongly agree

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Strongly agree	1766	38.1 %
2	Somewhat agree	841	18.1 %
3	Somewhat disagree	116	2.5 %
4	Strongly disagree	49	1.1 %
	Missing Data		
.	-	1862	40.2 %

Value	Label	Unweighted Frequency	%
Total		4,634	100%

Based upon 2,772 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 718-719 (width: 2; decimal: 0)

Variable Type: numeric

DOCTALK: Q47a: [Doctor talked about having children] At last visit, how strongly agree

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1386	29.9 %
1	Yes	1381	29.8 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	1867	40.3 %
Total		4,634	100%

Based upon 2,767 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 720-721 (width: 2; decimal: 0)

Variable Type: numeric

BCINFO: Q47b: [Got info about birth control] At last visit, how strongly agree

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1182	25.5 %
1	Yes	1586	34.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	1866	40.3 %
Total		4,634	100%

Based upon 2,768 valid cases out of 4,634 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 722-723 (*width:* 2; *decimal:* 0)

Variable Type: numeric

HOUREMP: Q48_1: [Employment] Approx how many hours did you spend on __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	includes 109 nonresponders	1628	35.1 %
1	-	18	0.4 %
2	-	15	0.3 %
3	-	13	0.3 %
4	-	16	0.3 %
5	-	29	0.6 %
6	-	22	0.5 %
7	-	17	0.4 %
8	-	37	0.8 %
9	-	9	0.2 %
10	-	52	1.1 %
11	-	1	0.0 %
12	-	39	0.8 %
13	-	6	0.1 %
14	-	7	0.2 %
15	-	61	1.3 %
16	-	38	0.8 %
17	-	10	0.2 %
18	-	20	0.4 %
19	-	3	0.1 %
20	-	156	3.4 %
21	-	8	0.2 %
22	-	13	0.3 %
23	-	10	0.2 %
24	-	66	1.4 %
25	-	89	1.9 %
26	-	13	0.3 %
27	-	7	0.2 %
28	-	17	0.4 %
29	-	6	0.1 %
30	-	177	3.8 %
31	-	6	0.1 %
32	-	60	1.3 %

Value	Label	Unweighted Frequency	%
33	-	9	0.2 %
34	-	14	0.3 %
35	-	99	2.1 %
36	-	54	1.2 %
37	-	13	0.3 %
38	-	46	1.0 %
39	-	10	0.2 %
40	-	1070	23.1 %
41	-	14	0.3 %
42	-	38	0.8 %
43	-	20	0.4 %
44	-	18	0.4 %
45	-	160	3.5 %
46	-	13	0.3 %
47	-	10	0.2 %
48	-	34	0.7 %
Total		4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 22.71
- Median: 25.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 20.20

Location: 724-726 (width: 3; decimal: 0)

Variable Type: numeric

HOURED: Q48_2: [Attending school] Approx how many hours did you spend on __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	includes 340 nonresponders	3638	78.5 %
1	-	13	0.3 %
2	-	37	0.8 %
3	-	41	0.9 %
4	-	36	0.8 %
5	-	51	1.1 %
6	-	64	1.4 %

Value	Label	Unweighted Frequency	%
7	-	14	0.3 %
8	-	56	1.2 %
9	-	20	0.4 %
10	-	75	1.6 %
11	-	4	0.1 %
12	-	72	1.6 %
13	-	10	0.2 %
14	-	11	0.2 %
15	-	86	1.9 %
16	-	31	0.7 %
17	-	7	0.2 %
18	-	21	0.5 %
19	-	5	0.1 %
20	-	118	2.5 %
21	-	2	0.0 %
22	-	5	0.1 %
23	-	2	0.0 %
24	-	11	0.2 %
25	-	32	0.7 %
26	-	5	0.1 %
27	-	1	0.0 %
28	-	3	0.1 %
30	-	55	1.2 %
32	-	7	0.2 %
35	-	10	0.2 %
36	-	2	0.0 %
40	-	63	1.4 %
45	-	7	0.2 %
48	-	1	0.0 %
50	-	7	0.2 %
55	-	1	0.0 %
56	-	1	0.0 %
60	-	5	0.1 %
72	-	3	0.1 %
80	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 3.48

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 8.71

Location: 727-728 (width: 2; decimal: 0)

Variable Type: numeric

BORNUS: Q49: Were you born in the United States?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	600	12.9 %
1	Yes	3999	86.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	35	0.8 %
Total		4,634	100%

Based upon 4,599 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 729-730 (width: 2; decimal: 0)

Variable Type: numeric

HLTHPROB: Q50: Serious, ongoing health problem? (e.g. high bp, diabetes, depression)

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3552	76.7 %
1	Yes	816	17.6 %
3	Dont Know	239	5.2 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	27	0.6 %
Total		4,634	100%

Based upon 4,607 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 731-732 (width: 2; decimal: 0)

Variable Type: numeric

MEDS: Q50b: Are you supposed to take daily meds for this health problem?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	133	2.9 %
1	Yes	677	14.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	3824	82.5 %
Total		4,634	100%

Based upon 810 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 733-734 (width: 2; decimal: 0)

Variable Type: numeric

DEATH: Q51_1: [Close friend/family member died] In the past 6 months, important problem

Value	Label	Unweighted Frequency	%
0	No	3933	84.9 %
1	Yes	701	15.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 735-735 (width: 1; decimal: 0)

Variable Type: numeric

RENT: Q51_2: [Fell behind on rent/mortgage] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	4158	89.7 %
1	Yes	476	10.3 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 736-736 (width: 1; decimal: 0)

Variable Type: numeric

JOBPROB: Q51_3: [Changed job/was unemployed] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	3701	79.9 %
1	Yes	933	20.1 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 737-737 (width: 1; decimal: 0)

Variable Type: numeric

MEDPROB: Q51_4: [Sudden medical problem] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	4227	91.2 %
1	Yes	407	8.8 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 738-738 (width: 1; decimal: 0)

Variable Type: numeric

FAMHLTH: Q51_5: [Dependent/relative had serious medical problem] In the past 6 months, pr

Value	Label	Unweighted Frequency	%
0	No	4211	90.9 %
1	Yes	423	9.1 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 739-739 (width: 1; decimal: 0)

Variable Type: numeric

MOVED: Q51_6: [Respondent moved] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	3905	84.3 %
1	Yes	729	15.7 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 740-740 (width: 1; decimal: 0)

Variable Type: numeric

PSYCH: Q51_7: [Mental/emotional health/substance abuse counseling] In the past 6 months

Value	Label	Unweighted Frequency	%
0	No	4312	93.1 %
1	Yes	322	6.9 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 741-741 (width: 1; decimal: 0)

Variable Type: numeric

MONEY: Q51_8: [Financial situation got worse] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	3504	75.6 %
1	Yes	1130	24.4 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 742-742 (width: 1; decimal: 0)

Variable Type: numeric

Q51_9: [None of the above] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2769	59.8 %
1	Yes	1865	40.2 %

Value	Label	Unweighted Frequency	%
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 743-743 (width: 1; decimal: 0)

Variable Type: numeric

NOEVENT: Q51_10: [Refused] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	4567	98.6 %
1	Yes	67	1.4 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 744-744 (width: 1; decimal: 0)

Variable Type: numeric

WHATELSE: Q52: [Other-specify] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
-	-	3157	68.1 %
[MASKED]	-	1477	31.9 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

Location: 745-752 (width: 8; decimal: 0)

Variable Type: character

AGE: Age- Continuous

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
18	-	35	0.8 %
19	-	82	1.8 %
20	-	114	2.5 %
21	-	184	4.0 %

Value	Label	Unweighted Frequency	%
22	-	221	4.8 %
23	-	269	5.8 %
24	-	334	7.2 %
25	-	375	8.1 %
26	-	307	6.6 %
27	-	306	6.6 %
28	-	358	7.7 %
29	-	349	7.5 %
30	-	217	4.7 %
31	-	180	3.9 %
32	-	157	3.4 %
33	-	190	4.1 %
34	-	187	4.0 %
35	-	175	3.8 %
36	-	171	3.7 %
37	-	137	3.0 %
38	-	154	3.3 %
39	-	132	2.8 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 28.32
- Median: 28.00
- Mode: 25.00
- Minimum: 18.00
- Maximum: 39.00
- Standard Deviation: 5.29

Location: 753-754 (width: 2; decimal: 0)

Variable Type: numeric

DEGREE: Education (Highest Degree Received)

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	No formal education	6	0.1 %
2	1st, 2nd, 3rd, or 4th grade	3	0.1 %
3	5th or 6th grade	23	0.5 %
4	7th or 8th grade	26	0.6 %
5	9th grade	39	0.8 %
6	10th grade	40	0.9 %

Value	Label	Unweighted Frequency	%
7	11th grade	41	0.9 %
8	12th grade NO DIPLOMA	59	1.3 %
9	HIGH SCHOOL GRADUATE - high school DIPLOMA or the equivalent (GED)	718	15.5 %
10	Some college, no degree	1253	27.0 %
11	Associate degree	507	10.9 %
12	Bachelors degree	1330	28.7 %
13	Masters degree	471	10.2 %
14	Professional or Doctorate degree	118	2.5 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 755-756 (width: 2; decimal: 0)

Variable Type: numeric

ED: Education (Categorical)

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Less than high school	237	5.1 %
2	High school	718	15.5 %
3	Some college	1760	38.0 %
4	Bachelor's degree or higher	1919	41.4 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 757-758 (width: 2; decimal: 0)

Variable Type: numeric

RACETH: Race / Ethnicity

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	White, Non-Hispanic	2908	62.8 %
2	Black, Non-Hispanic	478	10.3 %

Value	Label	Unweighted Frequency	%
3	Other, Non-Hispanic	368	7.9 %
4	Hispanic	880	19.0 %
5	2+ Races, Non-Hispanic	0	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 759-760 (width: 2; decimal: 0)

Variable Type: numeric

SEX: Gender

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	4634	100.0 %
1	Male	0	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 761-762 (width: 2; decimal: 0)

Variable Type: numeric

HHEAD: Household Head

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	No	1414	30.5 %
1	Yes	3220	69.5 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 763-764 (width: 2; decimal: 0)

Variable Type: numeric

HHSIZE: Household Size

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	-	465	10.0 %
2	-	1321	28.5 %
3	-	1075	23.2 %
4	-	968	20.9 %
5	-	465	10.0 %
6	-	191	4.1 %
7	-	70	1.5 %
8	-	39	0.8 %
9	-	24	0.5 %
10	-	8	0.2 %
11	-	2	0.0 %
12	-	3	0.1 %
13	-	1	0.0 %
14	-	2	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 3.21
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 14.00
- Standard Deviation: 1.58

Location: 765-766 (width: 2; decimal: 0)

Variable Type: numeric

HHTYPE: Housing Type

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	A one-family house detached from any other house	2390	51.6 %
2	A one-family house attached to one or more houses	505	10.9 %
3	A building with 2 or more apartments	1543	33.3 %
4	A mobile home	192	4.1 %
5	Boat, RV, van, etc.	4	0.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 767-768 (width: 2; decimal: 0)

Variable Type: numeric

HHINC: Household Income

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Less than \$5,000	224	4.8 %
2	\$5,000 to \$7,499	124	2.7 %
3	\$7,500 to \$9,999	129	2.8 %
4	\$10,000 to \$12,499	149	3.2 %
5	\$12,500 to \$14,999	138	3.0 %
6	\$15,000 to \$19,999	218	4.7 %
7	\$20,000 to \$24,999	314	6.8 %
8	\$25,000 to \$29,999	331	7.1 %
9	\$30,000 to \$34,999	306	6.6 %
10	\$35,000 to \$39,999	302	6.5 %
11	\$40,000 to \$49,999	484	10.4 %
12	\$50,000 to \$59,999	381	8.2 %
13	\$60,000 to \$74,999	442	9.5 %
14	\$75,000 to \$84,999	271	5.8 %
15	\$85,000 to \$99,999	283	6.1 %
16	\$100,000 to \$124,999	259	5.6 %
17	\$125,000 to \$149,999	113	2.4 %
18	\$150,000 to \$174,999	73	1.6 %
19	\$175,000 or more	93	2.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 769-770 (width: 2; decimal: 0)

Variable Type: numeric

MARSTAT: Marital Status

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %

Value	Label	Unweighted Frequency	%
1	Married	2085	45.0 %
2	Widowed	7	0.2 %
3	Divorced	146	3.2 %
4	Separated	61	1.3 %
5	Never married	1469	31.7 %
6	Living with partner	866	18.7 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 771-772 (width: 2; decimal: 0)

Variable Type: numeric

MSA: MSA Status (Residence)

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	Non-Metro	589	12.7 %
1	Metro	4045	87.3 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 773-774 (width: 2; decimal: 0)

Variable Type: numeric

REGION: Region 4 - Based on State of Residence

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Northeast	708	15.3 %
2	Midwest	1183	25.5 %
3	South	1499	32.3 %
4	West	1244	26.8 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 775-776 (width: 2; decimal: 0)

Variable Type: numeric

REGION9: Region 9 - Based on State of Residence

Value	Label	Unweighted Frequency	%
1	New England	195	4.2 %
2	Mid-Atlantic	513	11.1 %
3	East-North Central	786	17.0 %
4	West-North Central	397	8.6 %
5	South Atlantic	794	17.1 %
6	East-South Central	232	5.0 %
7	West-South Central	473	10.2 %
8	Mountain	358	7.7 %
9	Pacific	886	19.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 777-777 (width: 1; decimal: 0)

Variable Type: numeric

OWNHOME: Ownership Status of Living Quarters

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Owned or being bought by you or someone in your household	2192	47.3 %
2	Rented for cash	2288	49.4 %
3	Occupied without payment of cash rent	154	3.3 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 778-779 (width: 2; decimal: 0)

Variable Type: numeric

STATE: State

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
11	me	18	0.4 %
12	nh	14	0.3 %
13	vt	11	0.2 %
14	ma	102	2.2 %
15	ri	20	0.4 %
16	ct	30	0.6 %
21	ny	247	5.3 %
22	nj	80	1.7 %
23	pa	186	4.0 %
31	oh	200	4.3 %
32	in	101	2.2 %
33	il	182	3.9 %
34	mi	172	3.7 %
35	wi	131	2.8 %
41	mn	113	2.4 %
42	ia	71	1.5 %
43	mo	111	2.4 %
44	nd	11	0.2 %
45	sd	14	0.3 %
46	ne	35	0.8 %
47	ks	42	0.9 %
51	de	7	0.2 %
52	md	56	1.2 %
53	dc	13	0.3 %
54	va	89	1.9 %
55	wv	18	0.4 %
56	nc	166	3.6 %
57	sc	43	0.9 %
58	ga	138	3.0 %
59	fl	264	5.7 %
61	ky	64	1.4 %
62	tn	82	1.8 %
63	al	55	1.2 %
64	ms	31	0.7 %
71	ar	38	0.8 %
72	la	52	1.1 %
73	ok	39	0.8 %

Value	Label	Unweighted Frequency	%
74	tx	344	7.4 %
81	mt	21	0.5 %
82	id	28	0.6 %
83	wy	4	0.1 %
84	co	74	1.6 %
85	nm	38	0.8 %
86	az	85	1.8 %
87	ut	70	1.5 %
88	nv	38	0.8 %
91	wa	131	2.8 %
92	or	98	2.1 %
Total		4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 11.00
- Maximum: 95.00

Location: 780-781 (width: 2; decimal: 0)

Variable Type: numeric

INFANTS: Presence of Household Members - Children 0-1

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	3866	83.4 %
1	-	740	16.0 %
2	-	27	0.6 %
3	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.39

Location: 782-783 (width: 2; decimal: 0)

Variable Type: numeric

TODDLERS: Presence of Household Members - Children 2-5

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	3314	71.5 %
1	-	1022	22.1 %
2	-	273	5.9 %
3	-	22	0.5 %
4	-	2	0.0 %
5	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.62

Location: 784-785 (width: 2; decimal: 0)

Variable Type: numeric

KIDS: Presence of Household Members - Children 6-12

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	3552	76.7 %
1	-	732	15.8 %
2	-	287	6.2 %
3	-	47	1.0 %
4	-	13	0.3 %
5	-	3	0.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.67

Location: 786-787 (width: 2; decimal: 0)

Variable Type: numeric

TEENS: Presence of Household Members - Children 13-17

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	4142	89.4 %
1	-	401	8.7 %
2	-	73	1.6 %
3	-	15	0.3 %
4	-	3	0.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.41

Location: 788-789 (width: 2; decimal: 0)

Variable Type: numeric

NADULTS: Presence of Household Members - Adults 18+

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	-	747	16.1 %
2	-	2794	60.3 %
3	-	622	13.4 %
4	-	317	6.8 %
5	-	107	2.3 %
6	-	33	0.7 %
7	-	8	0.2 %
8	-	5	0.1 %
12	-	1	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 2.22
- Median: 2.00

- Mode: 2.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.97

Location: 790-791 (width: 2; decimal: 0)

Variable Type: numeric

EMPSTAT: Current Employment Status

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Working - as a paid employee	2768	59.7 %
2	Working - self-employed	236	5.1 %
3	Not working - on temporary layoff from a job	48	1.0 %
4	Not working - looking for work	626	13.5 %
5	Not working - retired	4	0.1 %
6	Not working - disabled	84	1.8 %
7	Not working - other	868	18.7 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 792-793 (width: 2; decimal: 0)

Variable Type: numeric

INTERNET: HH Internet Access

Value	Label	Unweighted Frequency	%
0	No	272	5.9 %
1	Yes	4362	94.1 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 794-794 (width: 1; decimal: 0)

Variable Type: numeric

UNION: Q1 RECODE. Rs union status

Value	Label	Unweighted Frequency	%
1	married	2117	45.7 %
2	cohabiting	987	21.3 %
3	separated from spouse	71	1.5 %
4	never married	1331	28.7 %
5	prev married	128	2.8 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 795-795 (width: 1; decimal: 0)

Variable Type: numeric

UNIONB: Q1 and 2 RECODE. Rs union status

Value	Label	Unweighted Frequency	%
1	married	2137	46.1 %
2	cohabiting	987	21.3 %
3	dating	961	20.7 %
4	never married	475	10.3 %
5	prev married	74	1.6 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 796-796 (width: 1; decimal: 0)

Variable Type: numeric

PGENDER: Q3b RECODE. Ps gender

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	71	1.5 %
1	Male	3963	85.5 %
Missing Data			
.	-	600	12.9 %
Total		4,634	100%

Based upon 4,034 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 797-798 (width: 2; decimal: 0)

Variable Type: numeric

SPECIAL: Q4 RECODE. Agreed to special romantic rel with P

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	176	3.8 %
1	Yes	773	16.7 %
3	Dont Know	72	1.6 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	3613	78.0 %
Total		4,634	100%

Based upon 1,021 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 799-800 (width: 2; decimal: 0)

Variable Type: numeric

MOGAMY: Q6 RECODE. how likely P had other P

Value	Label	Unweighted Frequency	%
1	not at all likely	3437	74.2 %
2	-	231	5.0 %
3	-	78	1.7 %
4	-	78	1.7 %
5	-	34	0.7 %
6	very likely	166	3.6 %
Missing Data			
.	-	610	13.2 %
Total		4,634	100%

Based upon 4,024 valid cases out of 4,634 total cases.

- Mean: 1.39
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.15

Location: 801-801 (width: 1; decimal: 0)

Variable Type: numeric

COMMIT: Q7 RECODE. how committed is R to relationship

Value	Label	Unweighted Frequency	%
1	not at all	59	1.3 %
2	-	63	1.4 %
3	-	95	2.1 %
4	-	177	3.8 %
5	-	322	6.9 %
6	very committed	3311	71.5 %
Missing Data			
.	-	607	13.1 %
Total		4,634	100%

Based upon 4,027 valid cases out of 4,634 total cases.

- Mean: 5.63
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.97

Location: 802-802 (width: 1; decimal: 0)

Variable Type: numeric

HAPPY: Q8 RECODE. how happy is R with relationship

Value	Label	Unweighted Frequency	%
1	not at all	37	0.8 %
2	-	81	1.7 %
3	-	201	4.3 %
4	-	527	11.4 %
5	-	915	19.7 %
6	very happy	2261	48.8 %
Missing Data			
.	-	612	13.2 %
Total		4,634	100%

Based upon 4,022 valid cases out of 4,634 total cases.

- Mean: 5.23
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00

- Maximum: 6.00
- Standard Deviation: 1.08

Location: 803-803 (width: 1; decimal: 0)

Variable Type: numeric

SEXSAT: Q9 RECODE. how happy is R with sexual relationship

Value	Label	Unweighted Frequency	%
1	not at all	70	1.5 %
2	-	139	3.0 %
3	-	276	6.0 %
4	-	648	14.0 %
5	-	899	19.4 %
6	very satisfied	1880	40.6 %
7	NA, no sex yet	99	2.1 %
Missing Data			
.	-	623	13.4 %
Total		4,634	100%

Based upon 4,011 valid cases out of 4,634 total cases.

- Mean: 5.05
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.26

Location: 804-804 (width: 1; decimal: 0)

Variable Type: numeric

ARGUE: Q10 RECODE. N of serious arguments in last 30 days

Value	Label	Unweighted Frequency	%
1	0	1489	32.1 %
2	1	1318	28.4 %
3	2-5	1019	22.0 %
4	6-10	121	2.6 %
5	11 or more	75	1.6 %
Missing Data			
.	-	612	13.2 %
Total		4,634	100%

Based upon 4,022 valid cases out of 4,634 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 805-805 (width: 1; decimal: 0)

Variable Type: numeric

TRYREG: Q11 RECODE. P tried to get R preg when not want to be in last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3886	83.9 %
1	Yes	71	1.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	677	14.6 %
Total		4,634	100%

Based upon 3,957 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 806-807 (width: 2; decimal: 0)

Variable Type: numeric

PREVBC: Q11 RECODE. P tried prevent R from using cp in last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3892	84.0 %
1	Yes	47	1.0 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	695	15.0 %
Total		4,634	100%

Based upon 3,939 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 808-809 (width: 2; decimal: 0)

Variable Type: numeric

FAILUSE: Q11 RECODE. P not use condom or withdraw when said would in last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3726	80.4 %
1	Yes	220	4.7 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	688	14.8 %
Total		4,634	100%

Based upon 3,946 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 810-811 (width: 2; decimal: 0)

Variable Type: numeric

KIDSWP: Q12 RECODE. N of bio kids with P

Value	Label	Unweighted Frequency	%
0	-	2205	47.6 %
1	-	819	17.7 %
2	-	683	14.7 %
3	-	217	4.7 %
4	4 or more	105	2.3 %
Missing Data			
.	-	605	13.1 %
Total		4,634	100%

Based upon 4,029 valid cases out of 4,634 total cases.

- Mean: 0.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.06

Location: 812-812 (width: 1; decimal: 0)

Variable Type: numeric

WANTWP: Q13 RECODE. R wants kids with P

Value	Label	Unweighted Frequency	%
1	agree	1841	39.7 %
2	somewhat agree	699	15.1 %

Value	Label	Unweighted Frequency	%
3	somewhat disagree	178	3.8 %
4	disagree	723	15.6 %
5	unsure, dk	587	12.7 %
	Missing Data		
.	-	606	13.1 %
	Total	4,634	100%

Based upon 4,028 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 813-813 (width: 1; decimal: 0)

Variable Type: numeric

INTEND: Q17/17a RECODE. current plans about having kids

Value	Label	Unweighted Frequency	%
1	trying	364	7.9 %
2	expect to try in future	2276	49.1 %
3	no (more) kids	786	17.0 %
4	not sure	1175	25.4 %
	Missing Data		
.	-	33	0.7 %
	Total	4,634	100%

Based upon 4,601 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 814-814 (width: 1; decimal: 0)

Variable Type: numeric

PWANTS: Q19 RECODE. P wants kids with R

Value	Label	Unweighted Frequency	%
1	agree	1929	41.6 %
2	somewhat agree	644	13.9 %
3	somewhat disagree	266	5.7 %
4	disagree	720	15.5 %
5	unsure, dk	454	9.8 %
	Missing Data		
.	-	621	13.4 %

Value	Label	Unweighted Frequency	%
Total		4,634	100%

Based upon 4,013 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 815-815 (width: 1; decimal: 0)

Variable Type: numeric

PAVOID: Q20 RECODE. How important to P to avoid preg now?

Value	Label	Unweighted Frequency	%
1	not at all imp	670	14.5 %
2	-	252	5.4 %
3	-	373	8.0 %
4	-	490	10.6 %
5	-	598	12.9 %
6	very important	1626	35.1 %
Missing Data			
.	-	625	13.5 %
Total		4,634	100%

Based upon 4,009 valid cases out of 4,634 total cases.

- Mean: 4.24
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.89

Location: 816-816 (width: 1; decimal: 0)

Variable Type: numeric

HORMONAL: Q23 RECODE. hormonal method used by R in last 30 days

Value	Label	Unweighted Frequency	%
1	pill	1404	30.3 %
2	patch	16	0.3 %
3	ring	126	2.7 %
4	depo	175	3.8 %
5	implant	78	1.7 %
6	iud	462	10.0 %
7	multiple methods	43	0.9 %
8	none	2330	50.3 %

Value	Label	Unweighted Frequency	%
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 817-817 (width: 1; decimal: 0)

Variable Type: numeric

PREVENT: Q23b RECODE. use hormonal to prevent preg

Value	Label	Unweighted Frequency	%
0	no	194	4.2 %
1	yes	2111	45.6 %
9	no answer, code to 0?	0	0.0 %
Missing Data			
.	-	2329	50.3 %
	Total	4,634	100%

Based upon 2,305 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 818-818 (width: 1; decimal: 0)

Variable Type: numeric

CRAMPS: Q23b RECODE. use hormonal for cramps

Value	Label	Unweighted Frequency	%
0	no	1551	33.5 %
1	yes	754	16.3 %
Missing Data			
.	-	2329	50.3 %
	Total	4,634	100%

Based upon 2,305 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 819-819 (width: 1; decimal: 0)

Variable Type: numeric

ACNE: Q23b RECODE. use hormonal for acne

Value	Label	Unweighted Frequency	%
0	no	2039	44.0 %
1	yes	266	5.7 %
	Missing Data		
.	-	2329	50.3 %
	Total	4,634	100%

Based upon 2,305 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 820-820 (width: 1; decimal: 0)

Variable Type: numeric

PERIOD: Q23b RECODE. use hormonal for period

Value	Label	Unweighted Frequency	%
0	no	1412	30.5 %
1	yes	893	19.3 %
	Missing Data		
.	-	2329	50.3 %
	Total	4,634	100%

Based upon 2,305 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 821-821 (width: 1; decimal: 0)

Variable Type: numeric

CYSTS: Q23b RECODE. use hormonal for cysts

Value	Label	Unweighted Frequency	%
0	no	2166	46.7 %
1	yes	139	3.0 %
	Missing Data		
.	-	2329	50.3 %
	Total	4,634	100%

Based upon 2,305 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 822-822 (width: 1; decimal: 0)

Variable Type: numeric

OTROBC: Q23b RECODE. use hormonal for other reasons

Value	Label	Unweighted Frequency	%
0	no	2238	48.3 %
1	yes	67	1.4 %
	Missing Data		
.	-	2329	50.3 %
	Total	4,634	100%

Based upon 2,305 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 823-823 (width: 1; decimal: 0)

Variable Type: numeric

SATISBC: Q23d RECODE. overall satisfaction with hormonal method

Value	Label	Unweighted Frequency	%
1	very satisfied	1485	32.0 %
2	somewhat satisfied	640	13.8 %
3	somewhat dissatisfied	105	2.3 %
4	very dissatisfied	67	1.4 %
	Missing Data		
.	-	2337	50.4 %
	Total	4,634	100%

Based upon 2,297 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 824-824 (width: 1; decimal: 0)

Variable Type: numeric

IDEALBC: Q32 RECODE. if cost not a barrier, desire other method?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2162	46.7 %
1	Yes	880	19.0 %
3	Dont Know	964	20.8 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	628	13.6 %

Value	Label	Unweighted Frequency	%
	Total	4,634	100%

Based upon 4,006 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 825-826 (width: 2; decimal: 0)

Variable Type: numeric

WOMENHC: Q41 RECODE. received any womens health care in last 6 months

Value	Label	Unweighted Frequency	%
0	no	1845	39.8 %
1	yes	2789	60.2 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 827-827 (width: 1; decimal: 0)

Variable Type: numeric

RHHINC: RECODE. Household income

Value	Label	Unweighted Frequency	%
4999	-	224	4.8 %
6250	-	124	2.7 %
8750	-	129	2.8 %
11250	-	149	3.2 %
13750	-	138	3.0 %
17500	-	218	4.7 %
22500	-	314	6.8 %
27500	-	331	7.1 %
32500	-	306	6.6 %
37500	-	302	6.5 %
45000	-	484	10.4 %
55000	-	381	8.2 %
67500	-	442	9.5 %
80000	-	271	5.8 %
92500	-	283	6.1 %
112500	-	259	5.6 %

Value	Label	Unweighted Frequency	%
137500	-	113	2.4 %
162500	-	73	1.6 %
176000	-	93	2.0 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 52046.35
- Median: 45000.00
- Mode: 45000.00
- Minimum: 4999.00
- Maximum: 176000.00
- Standard Deviation: 39590.05

Location: 828-833 (width: 6; decimal: 0)

Variable Type: numeric

POVRATE: RECODE. Estimated poverty status based on HHINC and HHSIZE

Value	Label	Unweighted Frequency	%
13	-	2	0.0 %
14	-	5	0.1 %
16	-	15	0.3 %
18	-	3	0.1 %
19	-	21	0.5 %
20	-	5	0.1 %
22	-	44	0.9 %
23	-	11	0.2 %
25	-	1	0.0 %
26	-	56	1.2 %
27	-	27	0.6 %
28	-	4	0.1 %
29	-	3	0.1 %
30	-	1	0.0 %
32	-	19	0.4 %
33	-	87	1.9 %
35	-	3	0.1 %
36	-	12	0.3 %
38	-	29	0.6 %
39	-	5	0.1 %
41	-	29	0.6 %
42	-	14	0.3 %
44	-	5	0.1 %

Value	Label	Unweighted Frequency	%
45	-	30	0.6 %
46	-	27	0.6 %
49	-	28	0.6 %
50	-	2	0.0 %
51	-	15	0.3 %
53	-	1	0.0 %
56	-	21	0.5 %
57	-	12	0.3 %
58	-	36	0.8 %
59	-	42	0.9 %
60	-	28	0.6 %
64	-	7	0.2 %
65	-	23	0.5 %
71	-	6	0.1 %
72	-	35	0.8 %
73	-	13	0.3 %
74	-	38	0.8 %
76	-	53	1.1 %
78	-	17	0.4 %
79	-	4	0.1 %
83	-	39	0.8 %
84	-	3	0.1 %
88	-	1	0.0 %
89	-	21	0.5 %
91	-	23	0.5 %
92	-	48	1.0 %
93	-	6	0.1 %
Total		4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 281.68
- Median: 236.00
- Mode: 297.00
- Minimum: 13.00
- Maximum: 1576.00
- Standard Deviation: 225.54

Location: 834-837 (*width:* 4; *decimal:* 0)

Variable Type: numeric

POVCAT: RECODE. Estimated poverty status based on HHINC and HHSIZE

Value	Label	Unweighted Frequency	%
1	lt 100%	1042	22.5 %
2	100-199%	1065	23.0 %
3	200%+	2527	54.5 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 838-838 (width: 1; decimal: 0)

Variable Type: numeric

WITHDRAWR: Q26: [withdrawl] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	no	2531	54.6 %
1	yes	1118	24.1 %
Missing Data			
.	-	985	21.3 %
Total		4,634	100%

Based upon 3,649 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 839-839 (width: 1; decimal: 0)

Variable Type: numeric

SNIPR: Q26 RECODE. R used vasectomy at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	3633	78.4 %
1	yes	1	0.0 %
Missing Data			
.	-	1000	21.6 %
Total		4,634	100%

Based upon 3,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 840-840 (width: 1; decimal: 0)

Variable Type: numeric

CONDOMR: Q26 RECODE. R used condom at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	2506	54.1 %
1	yes	1143	24.7 %
	Missing Data		
.	-	985	21.3 %
	Total	4,634	100%

Based upon 3,649 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 841-841 (width: 1; decimal: 0)

Variable Type: numeric

NFPR: Q26 RECODE. R used NFP at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	3477	75.0 %
1	yes	172	3.7 %
	Missing Data		
.	-	985	21.3 %
	Total	4,634	100%

Based upon 3,649 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 842-842 (width: 1; decimal: 0)

Variable Type: numeric

SPERMR: Q26 RECODE. R used other barrier method at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	3580	77.3 %
1	yes	69	1.5 %
	Missing Data		
.	-	985	21.3 %
	Total	4,634	100%

Based upon 3,649 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 843-843 (width: 1; decimal: 0)

Variable Type: numeric

NOBARR: Q26 RECODE. R used NO barrier method at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	1958	42.3 %
1	yes	1691	36.5 %
	Missing Data		
.	-	985	21.3 %
	Total	4,634	100%

Based upon 3,649 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 844-844 (width: 1; decimal: 0)

Variable Type: numeric

BCKNOW: Q29 and Q30 RECODE. N correct on combined knowledge items

Value	Label	Unweighted Frequency	%
0	none correct	1558	33.6 %
1	one correct	1971	42.5 %
2	both correct	652	14.1 %
3	plead ignorance on both items	433	9.3 %
	Missing Data		
.	-	20	0.4 %
	Total	4,634	100%

Based upon 4,614 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 845-845 (width: 1; decimal: 0)

Variable Type: numeric

RELTIME: Q5 RECODE. Months R has been in relationship with P

Value	Label	Unweighted Frequency	%
-1.0	not in rel, or missing data on relationship	0	0.0 %
0.0	no info on length of relationship	0	0.0 %
0.5	-	31	0.7 %

Value	Label	Unweighted Frequency	%
1.0	-	41	0.9 %
2.0	-	44	0.9 %
3.0	-	46	1.0 %
4.0	-	37	0.8 %
5.0	-	38	0.8 %
6.0	-	57	1.2 %
7.0	-	27	0.6 %
8.0	-	29	0.6 %
9.0	-	37	0.8 %
10.0	-	24	0.5 %
11.0	-	27	0.6 %
12.0	-	56	1.2 %
13.0	-	37	0.8 %
14.0	-	34	0.7 %
15.0	-	35	0.8 %
16.0	-	30	0.6 %
17.0	-	21	0.5 %
18.0	-	30	0.6 %
19.0	-	20	0.4 %
20.0	-	20	0.4 %
21.0	-	14	0.3 %
22.0	-	17	0.4 %
23.0	-	13	0.3 %
24.0	-	83	1.8 %
25.0	-	25	0.5 %
26.0	-	28	0.6 %
27.0	-	20	0.4 %
28.0	-	25	0.5 %
29.0	-	15	0.3 %
30.0	-	38	0.8 %
31.0	-	17	0.4 %
32.0	-	12	0.3 %
33.0	-	22	0.5 %
34.0	-	17	0.4 %
35.0	-	20	0.4 %
36.0	-	88	1.9 %
37.0	-	28	0.6 %
38.0	-	32	0.7 %
39.0	-	16	0.3 %

Value	Label	Unweighted Frequency	%
40.0	-	24	0.5 %
41.0	-	23	0.5 %
42.0	-	26	0.6 %
43.0	-	18	0.4 %
44.0	-	16	0.3 %
45.0	-	19	0.4 %
46.0	-	19	0.4 %
47.0	-	24	0.5 %
Missing Data			
.	-	622	13.4 %
Total		4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,012 valid cases out of 4,634 total cases.

- Mean: 79.31
- Minimum: 0.50
- Maximum: 1385.00
- Standard Deviation: 63.99

Location: 846-851 (width: 6; decimal: 1)

Variable Type: numeric

LONGPILL: [Pill] Q23A RECODE: How many months using __

Value	Label	Unweighted Frequency	%
0	-	877	18.9 %
1	-	48	1.0 %
2	-	37	0.8 %
3	-	35	0.8 %
4	-	32	0.7 %
5	-	26	0.6 %
6	-	33	0.7 %
7	-	13	0.3 %
8	-	23	0.5 %
9	-	21	0.5 %
10	-	12	0.3 %
11	-	3	0.1 %
12	-	65	1.4 %
13	-	9	0.2 %
14	-	13	0.3 %

Value	Label	Unweighted Frequency	%
15	-	11	0.2 %
16	-	10	0.2 %
17	-	17	0.4 %
18	-	21	0.5 %
19	-	2	0.0 %
20	-	11	0.2 %
21	-	8	0.2 %
22	-	10	0.2 %
23	-	8	0.2 %
24	-	91	2.0 %
25	-	7	0.2 %
26	-	4	0.1 %
27	-	10	0.2 %
28	-	10	0.2 %
29	-	8	0.2 %
30	-	25	0.5 %
31	-	6	0.1 %
32	-	8	0.2 %
33	-	8	0.2 %
34	-	3	0.1 %
35	-	8	0.2 %
36	-	57	1.2 %
37	-	3	0.1 %
38	-	5	0.1 %
39	-	4	0.1 %
40	-	5	0.1 %
41	-	5	0.1 %
42	-	19	0.4 %
43	-	5	0.1 %
44	-	5	0.1 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	5	0.1 %
48	-	52	1.1 %
49	-	2	0.0 %
Missing Data			
.	-	2340	50.5 %
Total		4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,294 valid cases out of 4,634 total cases.

- Mean: 33.38
- Median: 10.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 469.00
- Standard Deviation: 48.19

Location: 852-854 (width: 3; decimal: 0)

Variable Type: numeric

LONGPATCH: [Patch] Q23A RECODE: How many months using __

Value	Label	Unweighted Frequency	%
0	-	2283	49.3 %
1	-	1	0.0 %
2	-	1	0.0 %
4	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
12	-	1	0.0 %
13	-	2	0.0 %
18	-	2	0.0 %
36	-	1	0.0 %
51	-	1	0.0 %
60	-	2	0.0 %
69	-	1	0.0 %
72	-	1	0.0 %
84	-	1	0.0 %
112	-	1	0.0 %
120	-	1	0.0 %
192	-	2	0.0 %
Missing Data			
.	-	2330	50.3 %
Total		4,634	100%

Based upon 2,304 valid cases out of 4,634 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 192.00

- Standard Deviation: 7.50

Location: 855-857 (*width:* 3; *decimal:* 0)

Variable Type: numeric

LONGRING: [Ring] Q23A RECODE: How many months using __

Value	Label	Unweighted Frequency	%
0	-	2166	46.7 %
1	-	5	0.1 %
2	-	6	0.1 %
3	-	10	0.2 %
4	-	4	0.1 %
5	-	6	0.1 %
6	-	6	0.1 %
7	-	1	0.0 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	3	0.1 %
11	-	1	0.0 %
12	-	5	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	3	0.1 %
16	-	1	0.0 %
18	-	3	0.1 %
21	-	1	0.0 %
24	-	13	0.3 %
25	-	2	0.0 %
27	-	1	0.0 %
29	-	3	0.1 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	11	0.2 %
37	-	2	0.0 %
42	-	3	0.1 %
45	-	1	0.0 %
46	-	2	0.0 %
48	-	5	0.1 %
49	-	2	0.0 %

Value	Label	Unweighted Frequency	%
51	-	2	0.0 %
54	-	3	0.1 %
60	-	6	0.1 %
70	-	1	0.0 %
72	-	3	0.1 %
81	-	1	0.0 %
87	-	1	0.0 %
96	-	3	0.1 %
100	-	1	0.0 %
108	-	1	0.0 %
120	-	1	0.0 %
144	-	1	0.0 %
Missing Data			
-		2332	50.3 %
Total		4,634	100%

Based upon 2,302 valid cases out of 4,634 total cases.

- Mean: 1.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 144.00
- Standard Deviation: 9.68

Location: 858-860 (width: 3; decimal: 0)

Variable Type: numeric

LONGIMP: [Implant] Q23A RECODE: How many months using __

Value	Label	Unweighted Frequency	%
0	-	2224	48.0 %
1	-	2	0.0 %
2	-	4	0.1 %
3	-	2	0.0 %
4	-	4	0.1 %
5	-	1	0.0 %
6	-	4	0.1 %
7	-	4	0.1 %
8	-	2	0.0 %
9	-	2	0.0 %
11	-	3	0.1 %
12	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13	-	2	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	2	0.0 %
17	-	5	0.1 %
18	-	3	0.1 %
20	-	3	0.1 %
21	-	2	0.0 %
23	-	4	0.1 %
24	-	7	0.2 %
25	-	2	0.0 %
26	-	2	0.0 %
28	-	1	0.0 %
30	-	2	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
41	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
52	-	1	0.0 %
60	-	1	0.0 %
63	-	1	0.0 %
65	-	1	0.0 %
Missing Data			
.	-	2330	50.3 %
Total		4,634	100%

Based upon 2,304 valid cases out of 4,634 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 65.00
- Standard Deviation: 4.42

Location: 861-862 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LONGDEPO: [Depo] Q23A RECODE: How many months using __

Value	Label	Unweighted Frequency	%
0	-	2115	45.6 %
1	-	10	0.2 %
2	-	4	0.1 %
3	-	14	0.3 %
4	-	6	0.1 %
5	-	4	0.1 %
6	-	8	0.2 %
7	-	4	0.1 %
8	-	1	0.0 %
9	-	4	0.1 %
11	-	3	0.1 %
12	-	17	0.4 %
13	-	1	0.0 %
14	-	4	0.1 %
15	-	4	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	14	0.3 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	2	0.0 %
34	-	1	0.0 %
36	-	12	0.3 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
48	-	9	0.2 %
49	-	2	0.0 %

Value	Label	Unweighted Frequency	%
50	-	1	0.0 %
52	-	1	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
60	-	4	0.1 %
65	-	1	0.0 %
66	-	1	0.0 %
69	-	1	0.0 %
72	-	4	0.1 %
77	-	1	0.0 %
84	-	3	0.1 %
96	-	2	0.0 %
Missing Data			
.	-	2330	50.3 %
Total		4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,304 valid cases out of 4,634 total cases.

- Mean: 3.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 384.00
- Standard Deviation: 17.98

Location: 863-865 (width: 3; decimal: 0)

Variable Type: numeric

LONGIUD: [IUD] Q23A RECODE: How many months using __

Value	Label	Unweighted Frequency	%
0	-	1826	39.4 %
1	-	9	0.2 %
2	-	14	0.3 %
3	-	9	0.2 %
4	-	7	0.2 %
5	-	7	0.2 %
6	-	15	0.3 %
7	-	6	0.1 %
8	-	11	0.2 %

Value	Label	Unweighted Frequency	%
9	-	14	0.3 %
10	-	6	0.1 %
11	-	12	0.3 %
12	-	23	0.5 %
13	-	7	0.2 %
14	-	11	0.2 %
15	-	4	0.1 %
16	-	3	0.1 %
17	-	8	0.2 %
18	-	10	0.2 %
19	-	6	0.1 %
20	-	4	0.1 %
21	-	6	0.1 %
22	-	7	0.2 %
23	-	3	0.1 %
24	-	18	0.4 %
25	-	5	0.1 %
26	-	5	0.1 %
27	-	3	0.1 %
28	-	3	0.1 %
29	-	2	0.0 %
30	-	9	0.2 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	6	0.1 %
34	-	6	0.1 %
35	-	5	0.1 %
36	-	38	0.8 %
37	-	2	0.0 %
38	-	6	0.1 %
39	-	6	0.1 %
40	-	4	0.1 %
41	-	2	0.0 %
42	-	13	0.3 %
43	-	1	0.0 %
44	-	5	0.1 %
45	-	7	0.2 %
46	-	1	0.0 %
47	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48	-	23	0.5 %
49	-	4	0.1 %
	Missing Data		
.	-	2330	50.3 %
	Total	4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,304 valid cases out of 4,634 total cases.

- Mean: 6.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 204.00
- Standard Deviation: 18.19

Location: 866-868 (width: 3; decimal: 0)

Variable Type: numeric

TIMEUSE: Q23A RECODE. N months using hormonal method

Value	Label	Unweighted Frequency	%
0	-	15	0.3 %
1	-	64	1.4 %
2	-	65	1.4 %
3	-	65	1.4 %
4	-	52	1.1 %
5	-	40	0.9 %
6	-	62	1.3 %
7	-	29	0.6 %
8	-	40	0.9 %
9	-	42	0.9 %
10	-	22	0.5 %
11	-	21	0.5 %
12	-	106	2.3 %
13	-	22	0.5 %
14	-	29	0.6 %
15	-	24	0.5 %
16	-	16	0.3 %
17	-	30	0.6 %
18	-	39	0.8 %
19	-	8	0.2 %

Value	Label	Unweighted Frequency	%
20	-	17	0.4 %
21	-	17	0.4 %
22	-	18	0.4 %
23	-	16	0.3 %
24	-	135	2.9 %
25	-	17	0.4 %
26	-	12	0.3 %
27	-	14	0.3 %
28	-	16	0.3 %
29	-	16	0.3 %
30	-	36	0.8 %
31	-	7	0.2 %
32	-	15	0.3 %
33	-	15	0.3 %
34	-	12	0.3 %
35	-	14	0.3 %
36	-	118	2.5 %
37	-	10	0.2 %
38	-	14	0.3 %
39	-	12	0.3 %
40	-	9	0.2 %
41	-	7	0.2 %
42	-	37	0.8 %
43	-	8	0.2 %
44	-	10	0.2 %
45	-	10	0.2 %
46	-	6	0.1 %
47	-	7	0.2 %
48	-	87	1.9 %
49	-	10	0.2 %
Missing Data			
.	-	2346	50.6 %
Total		4,634	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,288 valid cases out of 4,634 total cases.

- Mean: 46.58
- Median: 34.00

- Mode: 24.00
- Minimum: 0.00
- Maximum: 469.00
- Standard Deviation: 46.96

Location: 869-871 (width: 3; decimal: 0)

Variable Type: numeric

GAPINS: Q39 RECODE, did R have any gaps in insurance in last six months

Value	Label	Unweighted Frequency	%
0	no	3539	76.4 %
1	yes	1054	22.7 %
Missing Data			
.	-	41	0.9 %
Total		4,634	100%

Based upon 4,593 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 872-872 (width: 1; decimal: 0)

Variable Type: numeric

UNINS: Qs 38 and 39 RECODE. Whether R was WITHOUT health insurance all of the last 6 m

Value	Label	Unweighted Frequency	%
-1	ins type missing	0	0.0 %
0	no	3862	83.3 %
1	yes	716	15.5 %
98	missing info on last 6 mos	0	0.0 %
Missing Data			
.	-	56	1.2 %
Total		4,634	100%

Based upon 4,578 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 873-874 (width: 2; decimal: 0)

Variable Type: numeric

ANYVISIT: Q41 RECODE. Make a visit for any of 5 reasons in last 6 months

Value	Label	Unweighted Frequency	%
0	no	1052	22.7 %

Value	Label	Unweighted Frequency	%
1	yes	3582	77.3 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 875-875 (width: 1; decimal: 0)

Variable Type: numeric

MISSVIS: Number of missed health care visits in last 6 months

Value	Label	Unweighted Frequency	%
0	-	4435	95.7 %
1	-	84	1.8 %
2	-	28	0.6 %
3	-	29	0.6 %
4	-	24	0.5 %
5	-	34	0.7 %
	Total	4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.59

Location: 876-876 (width: 1; decimal: 0)

Variable Type: numeric

NPROBS: Q51 RECODE. Total N of problems experienced in last 6 months

Value	Label	Unweighted Frequency	%
0	-	1932	41.7 %
1	-	1328	28.7 %
2	-	731	15.8 %
3	-	380	8.2 %
4	-	163	3.5 %
5	-	71	1.5 %
6	-	21	0.5 %
7	-	6	0.1 %
8	-	2	0.0 %

Value	Label	Unweighted Frequency	%
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 1.11
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.28

Location: 877-877 (width: 1; decimal: 0)

Variable Type: numeric

RPWANT: Qs13 & 19 RECODE. R&P dis/agree about wanting kids

Value	Label	Unweighted Frequency	%
0	disagree	310	6.7 %
1	more or less agree	3185	68.7 %
3	unsure about one but not both	512	11.0 %
Missing Data			
.	-	627	13.5 %
Total		4,634	100%

Based upon 4,007 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 878-878 (width: 1; decimal: 0)

Variable Type: numeric

RPAVOID: Qs 16 & 20 RECODE. R&P dis/agree about avoiding pregnancy

Value	Label	Unweighted Frequency	%
0	disagree	848	18.3 %
1	more or less agree	3151	68.0 %
3	unsure about one but not both	0	0.0 %
Missing Data			
.	-	635	13.7 %
Total		4,634	100%

Based upon 3,999 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 879-879 (width: 1; decimal: 0)

Variable Type: numeric

FREQBAR: Q26A RECODE Frequency of barrier method use with first/only P in last 30 days

Value	Label	Unweighted Frequency	%
-1	missing info on method or sex	0	0.0 %
1	every time	1271	27.4 %
2	not sure	160	3.5 %
3	not every time	499	10.8 %
5	did not use a barrier method	1679	36.2 %
9	no sex in last 30 days	0	0.0 %
Missing Data			
.	-	1025	22.1 %
Total		4,634	100%

Based upon 3,609 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 880-881 (width: 2; decimal: 0)

Variable Type: numeric

FREQBARB: Q26A RECODE Frequency of barrier method use with SECOND P in last 30 days

Value	Label	Unweighted Frequency	%
1	every time	75	1.6 %
2	not sure	0	0.0 %
3	not every time	16	0.3 %
5	never, did not use barrier method	0	0.0 %
Missing Data			
.	-	4543	98.0 %
Total		4,634	100%

Based upon 91 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 882-882 (width: 1; decimal: 0)

Variable Type: numeric

MISSED: Q23C RECODE. Whether R was imperfect user of hormonal method

Value	Label	Unweighted Frequency	%
-1	skipped/missing	0	0.0 %
0	no	1731	37.4 %

Value	Label	Unweighted Frequency	%
1	yes	553	11.9 %
9	not a user	0	0.0 %
	Missing Data		
.	-	2350	50.7 %
	Total	4,634	100%

Based upon 2,284 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 883-884 (width: 2; decimal: 0)

Variable Type: numeric

MISSEDB: Q23C RECODE. R was imperfect user of hormonal method, lenient version

Value	Label	Unweighted Frequency	%
-1	skipped/missing	0	0.0 %
0	no	1965	42.4 %
1	yes	319	6.9 %
9	not a user	0	0.0 %
	Missing Data		
.	-	2350	50.7 %
	Total	4,634	100%

Based upon 2,284 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 885-886 (width: 2; decimal: 0)

Variable Type: numeric

CONSISTENT: Qs 23C & 26A RECODE. Perfect user of hormonal and barrier methods in last 30 day

Value	Label	Unweighted Frequency	%
-1	missing	0	0.0 %
0	no	1150	24.8 %
1	yes	2822	60.9 %
9	no sex and no method in last 30 days	594	12.8 %
	Missing Data		
.	-	68	1.5 %
	Total	4,634	100%

Based upon 4,566 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 887-888 (width: 2; decimal: 0)

Variable Type: numeric

PROTECT: Qs 23C & 26A RECODE. Protected against pregnancy in the last 30 days

Value	Label	Unweighted Frequency	%
-1	missing	0	0.0 %
0	no	938	20.2 %
1	yes	3050	65.8 %
9	no sex and no method in last 30 days	594	12.8 %
Missing Data			
.	-	52	1.1 %
Total		4,634	100%

Based upon 4,582 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 889-890 (width: 2; decimal: 0)

Variable Type: numeric

PSATIS: Q26A RECODE. Partners satisfaction with barrier methods

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	603	13.0 %
2	somewhat satisfied	720	15.5 %
3	somewhat dissatisfied	299	6.5 %
4	very satisfied	102	2.2 %
5	don't know	119	2.6 %
100	don't know	0	0.0 %
Missing Data			
.	-	2791	60.2 %
Total		4,634	100%

Based upon 1,843 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 891-893 (width: 3; decimal: 0)

Variable Type: numeric

PSATISB: Q26A RECODE. SECOND partners satisfaction with barrier methods

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	36	0.8 %
2	somewhat satisfied	20	0.4 %
3	somewhat dissatisfied	22	0.5 %
4	very satisfied	6	0.1 %
5	don't know	18	0.4 %
100	don't know	0	0.0 %
Missing Data			
-	-	4532	97.8 %
Total		4,634	100%

Based upon 102 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 894-896 (width: 3; decimal: 0)

Variable Type: numeric

RSATIS: Q27 RECODE. Rs satisfaction with barrier methods

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	674	14.5 %
2	somewhat satisfied	894	19.3 %
3	somewhat dissatisfied	295	6.4 %
4	very satisfied	91	2.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
Missing Data			
-	-	2680	57.8 %
Total		4,634	100%

Based upon 1,954 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 897-899 (width: 3; decimal: 0)

Variable Type: numeric

PRONATALIST: Q21 RECODE. Strongly agrees with all items about parenting benefits

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	3142	67.8 %
1	Yes	1492	32.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 900-901 (width: 2; decimal: 0)

Variable Type: numeric

ANTIKID: Q21 RECODE. Disagrees with all items about parenting benefits

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	4469	96.4 %
1	Yes	165	3.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 902-903 (width: 2; decimal: 0)

Variable Type: numeric

NREASONS: Q 23B. N of reasons for using hormonal method

Value	Label	Unweighted Frequency	%
0	-	2351	50.7 %
1	-	1129	24.4 %
2	-	551	11.9 %
3	3 or more	603	13.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Mean: 0.87

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.06

Location: 904-904 (width: 1; decimal: 0)

Variable Type: numeric

PAYCP: Q23E RECODE. How much pay for hormonal method each month

Value	Label	Unweighted Frequency	%
-1	no info on hormonal or cost	0	0.0 %
1	nothing	847	18.3 %
2	\$10 or less	615	13.3 %
3	\$11-\$25	374	8.1 %
4	>\$25	433	9.3 %
9	does not use hormonal methods	0	0.0 %
Missing Data			
.	-	2365	51.0 %
Total		4,634	100%

Based upon 2,269 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 905-906 (width: 2; decimal: 0)

Variable Type: numeric

CONSTAT: Hierarchical ranking of contraceptive use

Value	Label	Unweighted Frequency	%
1	larc	556	12.0 %
2	pill	1389	30.0 %
3	depo	187	4.0 %
4	patch or ring	141	3.0 %
5	condoms	683	14.7 %
6	withdrawal	422	9.1 %
7	other barrier	38	0.8 %
8	no method	239	5.2 %
97	postpartum	25	0.5 %
98	no sex in last 30 days	576	12.4 %
99	trying to get pregnant	364	7.9 %
Missing Data			
.	-	14	0.3 %

Value	Label	Unweighted Frequency	%
	Total	4,634	100%

Based upon 4,620 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 907-908 (width: 2; decimal: 0)

Variable Type: numeric

CPUSE: RECODE Q23: Methods used in the last 30 days, includes those not had sex

Value	Label	Unweighted Frequency	%
0	did not use	540	11.7 %
1	hormonal only	1543	33.3 %
2	1 barrier	885	19.1 %
3	multiple barrier only	316	6.8 %
4	both hormonal and barrier	761	16.4 %
9	no sex in last 30 (& no hormonal used)	0	0.0 %
Missing Data			
.	-	589	12.7 %
	Total	4,634	100%

Based upon 4,045 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 909-909 (width: 1; decimal: 0)

Variable Type: numeric

PSATWITH: Ps satisfaction with withdrawal

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	435	9.4 %
2	somewhat satisfied	399	8.6 %
3	somewhat dissatisfied	135	2.9 %
4	very satisfied	40	0.9 %
5	don't know	108	2.3 %
100	don't know	0	0.0 %
Missing Data			
.	-	3517	75.9 %
	Total	4,634	100%

Based upon 1,117 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 910-912 (width: 3; decimal: 0)

Variable Type: numeric

PSATCOND: Ps satisfaction with condoms

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	294	6.3 %
2	somewhat satisfied	440	9.5 %
3	somewhat dissatisfied	220	4.7 %
4	very satisfied	113	2.4 %
5	don't know	75	1.6 %
100	don't know	0	0.0 %
Missing Data			
.	-	3492	75.4 %
Total		4,634	100%

Based upon 1,142 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 913-915 (width: 3; decimal: 0)

Variable Type: numeric

RSATWITH: Rs satisfaction with withdrawal

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	392	8.5 %
2	somewhat satisfied	472	10.2 %
3	somewhat dissatisfied	175	3.8 %
4	very satisfied	75	1.6 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
Missing Data			
.	-	3520	76.0 %
Total		4,634	100%

Based upon 1,114 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 916-918 (width: 3; decimal: 0)

Variable Type: numeric

RSATCOND: Rs satisfaction with condoms

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	415	9.0 %
2	somewhat satisfied	509	11.0 %
3	somewhat dissatisfied	153	3.3 %
4	very satisfied	60	1.3 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
Missing Data			
.	-	3497	75.5 %
Total		4,634	100%

Based upon 1,137 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 919-921 (width: 3; decimal: 0)

Variable Type: numeric

CONSISTENTB: RECODE Q35 + CONSISTENT1. Used method in each of last 6 months

Value	Label	Unweighted Frequency	%
0	Inconsistent user	1339	28.9 %
1	Consistent user	2658	57.4 %
9	No sex and no method in last 30 days	594	12.8 %
Missing Data			
.	-	43	0.9 %
Total		4,634	100%

Based upon 4,591 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 922-922 (width: 1; decimal: 0)

Variable Type: numeric

PROTECTB: RECODE Q35 + PROTECT1. Protected in each of last 6 months

Value	Label	Unweighted Frequency	%
0	no	1094	23.6 %
1	yes	2799	60.4 %
2	unprotected but trying to get pg	79	1.7 %
9	no sex and no method in last 30 days	594	12.8 %
Missing Data			
.	-	68	1.5 %
Total		4,634	100%

Based upon 4,566 valid cases out of 4,634 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 923-923 (width: 1; decimal: 0)

Variable Type: numeric

WAVE: Wave of survey

Value	Label	Unweighted Frequency	%
1	Wave 1	4634	100.0 %
2	Wave 2	0	0.0 %
3	Wave 3	0	0.0 %
4	Wave 4	0	0.0 %
Total		4,634	100%

Based upon 4,634 valid cases out of 4,634 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 924-924 (width: 1; decimal: 0)

Variable Type: numeric