

ICPSR 37067

**Continuity and Change in
Contraceptive Use, United States,
2012-2014**

Rachel Jones
Alan Guttmacher Institute

ICPSR Codebook for Wave 3

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37067/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #37067

Continuity and Change

DS # 3: Wave 3

1. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR recoded the following variables in the data: **TM_START**, **TM_FINISH**, **Q23B_PILL_OTHER**, **Q23B_PATCH_OTHER**, **Q23B_RING_OTHER**, **Q23B_DEPO_OTHER**, **Q23B_IMPLANT_OTHER**, **Q23B_IUD_OTHER**, **NOBCQUAL**, **APPQUAL**, and **OTROINS**, **OTRODOC**. The day and time were dropped in **TM_START AND TM_FINISH**, and open-ended responses were masked in the other variables.
2. **Variable Link:** The variable **CASEID** is the household-level linking variable for the three datasets.
3. **Extent of Processing:** These data are being released in BETA version to facilitate early access to the study for research purposes. This collection has not been fully processed by DSDR or ICPSR at this time; the original materials provided by the principal investigator were only converted to other file types for ease of use. As the study is processed and given enhanced features by ICPSR, users will be able to access the updated versions of the study. Please report any data errors or problems to user support and we will work with you to resolve any data-related issues.
4. **Suspicious Characters:** Several variable labels in the original deposit file included an acute accent (') in place of an apostrophe (e.g. "DON'T KNOW"). These labels have not been amended for the beta release and may be rendered incorrectly (e.g. "DON?T KNOW") in the datasets. Variable labels will be edited to render properly in future updates.

ICPSR 37067

Continuity and Change in Contraceptive Use, United States, 2012-2014

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

CASEID: Case ID

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

WEIGHT: weights for qualified respondents

Value	Label	Unweighted Frequency	%
0.0519	-	70	2.9 %
0.0520	-	1	0.0 %
0.0522	-	9	0.4 %
0.0537	-	1	0.0 %
0.0541	-	2	0.1 %
0.0542	-	2	0.1 %
0.0545	-	4	0.2 %
0.0548	-	8	0.3 %
0.0551	-	5	0.2 %
0.0552	-	3	0.1 %
0.0556	-	1	0.0 %
0.0558	-	1	0.0 %
0.0561	-	3	0.1 %
0.0564	-	1	0.0 %
0.0569	-	4	0.2 %
0.0572	-	1	0.0 %
0.0573	-	7	0.3 %
0.0581	-	3	0.1 %
0.0587	-	1	0.0 %
0.0589	-	3	0.1 %
0.0599	-	1	0.0 %
0.0609	-	2	0.1 %
0.0637	-	2	0.1 %
0.0647	-	4	0.2 %
0.0648	-	1	0.0 %
0.0649	-	1	0.0 %
0.0657	-	5	0.2 %
0.0659	-	2	0.1 %
0.0667	-	3	0.1 %
0.0671	-	1	0.0 %
0.0673	-	2	0.1 %
0.0681	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.0682	-	3	0.1 %
0.0684	-	1	0.0 %
0.0689	-	1	0.0 %
0.0691	-	1	0.0 %
0.0692	-	1	0.0 %
0.0695	-	1	0.0 %
0.0700	-	1	0.0 %
0.0702	-	2	0.1 %
0.0712	-	2	0.1 %
0.0720	-	2	0.1 %
0.0725	-	2	0.1 %
0.0737	-	2	0.1 %
0.0746	-	2	0.1 %
0.0747	-	5	0.2 %
0.0751	-	2	0.1 %
0.0755	-	1	0.0 %
0.0756	-	2	0.1 %
0.0760	-	2	0.1 %
	Total	2,398	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 1.0000
- Minimum: 0.0519
- Maximum: 5.3307
- Standard Deviation: 1.2504

Location: 5-10 (width: 6; decimal: 4)

Variable Type: numeric

TM_START: Interview start time

Value	Label	Unweighted Frequency	%
01-DEC-2013 00:00	-	388	16.2 %
01-NOV-2013 00:00	-	2010	83.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 11-27 (width: 17; decimal: 0)

Variable Type: character

TM_FINISH: Interview finish time

Value	Label	Unweighted Frequency	%
01-DEC-2013 00:00	-	410	17.1 %
01-NOV-2013 00:00	-	1988	82.9 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 28-44 (width: 17; decimal: 0)

Variable Type: character

DURATION: Interview duration in minutes

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
2	-	35	1.5 %
3	-	116	4.8 %
4	-	220	9.2 %
5	-	315	13.1 %
6	-	306	12.8 %
7	-	263	11.0 %
8	-	182	7.6 %
9	-	152	6.3 %
10	-	112	4.7 %
11	-	93	3.9 %
12	-	64	2.7 %
13	-	53	2.2 %
14	-	44	1.8 %
15	-	29	1.2 %
16	-	32	1.3 %
17	-	29	1.2 %
18	-	22	0.9 %
19	-	19	0.8 %
20	-	15	0.6 %
21	-	12	0.5 %
22	-	11	0.5 %
23	-	8	0.3 %
24	-	6	0.3 %
25	-	8	0.3 %
26	-	8	0.3 %
27	-	7	0.3 %

Value	Label	Unweighted Frequency	%
28	-	3	0.1 %
29	-	4	0.2 %
30	-	5	0.2 %
31	-	4	0.2 %
32	-	4	0.2 %
33	-	4	0.2 %
34	-	5	0.2 %
35	-	1	0.0 %
36	-	6	0.3 %
37	-	2	0.1 %
39	-	1	0.0 %
40	-	2	0.1 %
41	-	2	0.1 %
42	-	1	0.0 %
43	-	4	0.2 %
44	-	2	0.1 %
45	-	2	0.1 %
46	-	2	0.1 %
47	-	2	0.1 %
49	-	3	0.1 %
50	-	2	0.1 %
51	-	3	0.1 %
53	-	4	0.2 %
	Total	2,398	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 258.53
- Median: 7.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 32219.00
- Standard Deviation: 1776.85

Location: 45-49 (width: 5; decimal: 0)

Variable Type: numeric

INTVLANG: Interview Language

Value	Label	Unweighted Frequency	%
1	English	2289	95.5 %

Value	Label	Unweighted Frequency	%
2	Spanish	109	4.5 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

MAINLANG: Primary Language

Value	Label	Unweighted Frequency	%
1	English Dominant	167	7.0 %
2	Bilingual	107	4.5 %
3	Spanish Dominant	96	4.0 %
4	Hispanic missing data	0	0.0 %
5	Non-Hispanic	2028	84.6 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

XIMPLANT: Used Implant at T2

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2362	98.5 %
1	Yes	36	1.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

XIUD: Used IUD at T2

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2173	90.6 %
1	Yes	225	9.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

DOV_Q26_1: [Withdrawl] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	1340	55.9 %
1	Yes	463	19.3 %
	Missing Data		
.	-	595	24.8 %
	Total	2,398	100%

Based upon 1,803 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_2: [Vasectomy] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	1775	74.0 %
1	Yes	28	1.2 %
	Missing Data		
.	-	595	24.8 %
	Total	2,398	100%

Based upon 1,803 valid cases out of 2,398 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_3: [Condoms] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	1300	54.2 %
1	Yes	503	21.0 %
	Missing Data		
.	-	595	24.8 %
	Total	2,398	100%

Based upon 1,803 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_4: [Natural/Calendar] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	1715	71.5 %
1	Yes	88	3.7 %
	Missing Data		
.	-	595	24.8 %
	Total	2,398	100%

Based upon 1,803 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_5: [Spermicide] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	1778	74.1 %
1	Yes	25	1.0 %
	Missing Data		
.	-	595	24.8 %
	Total	2,398	100%

Based upon 1,803 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_6: [None of the above] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	890	37.1 %
1	Yes	913	38.1 %
	Missing Data		
.	-	595	24.8 %
	Total	2,398	100%

Based upon 1,803 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 61-61 (width: 1; decimal: 0)

Variable Type: numeric

DOV_Q26_REFUSED: [Refused/Missing] At sex in the past 30 days, did you use ____

Value	Label	Unweighted Frequency	%
0	No	1789	74.6 %
1	Yes	14	0.6 %
	Missing Data		
.	-	595	24.8 %
	Total	2,398	100%

Based upon 1,803 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

MARITAL: Q1: What is your current marital status?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Married	1186	49.5 %
2	Not married but living together with a partner	424	17.7 %

Value	Label	Unweighted Frequency	%
3	Separated from my spouse	31	1.3 %
4	Never been married	657	27.4 %
5	Widowed	8	0.3 %
6	Divorced	81	3.4 %
	Missing Data		
.	-	11	0.5 %
	Total	2,398	100%

Based upon 2,387 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

STILLP: Q1b: Do you still consider your spouse to be your current partner?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	21	0.9 %
1	Yes	9	0.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2368	98.7 %
	Total	2,398	100%

Based upon 30 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

DATING: Q2: Is there someone whom you see or date on more or less regularly?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	308	12.8 %
1	Yes	457	19.1 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1633	68.1 %
	Total	2,398	100%

Based upon 765 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

NDATING: Q2b: How many partners of this type do you have?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	1	417	17.4 %
2	2	32	1.3 %
3	3 or more	7	0.3 %
	Missing Data		
.	-	1942	81.0 %
	Total	2,398	100%

Based upon 456 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_A: Is {A} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	8	0.3 %
0	Female	18	0.8 %
1	Male	1167	48.7 %
	Missing Data		
.	-	1205	50.3 %
	Total	2,398	100%

Based upon 1,193 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_B: Is {B} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	Female	16	0.7 %
1	Male	407	17.0 %
	Missing Data		
.	-	1974	82.3 %
	Total	2,398	100%

Based upon 424 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_C: Is {C} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	12	0.5 %
1	Male	403	16.8 %
	Missing Data		
.	-	1983	82.7 %
	Total	2,398	100%

Based upon 415 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_D1: Is {D1} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	1	0.0 %
1	Male	38	1.6 %
	Missing Data		
.	-	2359	98.4 %
	Total	2,398	100%

Based upon 39 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_D2: Is {D2} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	3	0.1 %
1	Male	36	1.5 %
	Missing Data		
.	-	2359	98.4 %
	Total	2,398	100%

Based upon 39 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_E1: Is {E1} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	0	0.0 %
1	Male	7	0.3 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Q3B_E2: Is {E2} male or female?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
0	Female	0	0.0 %
1	Male	7	0.3 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

Q4_A: Have you and {A} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	5	0.2 %
1	Yes	1182	49.3 %
2	Yes, though we have broken up and gotten back together during that time	3	0.1 %
3	No	3	0.1 %
4	Unsure	0	0.0 %
	Missing Data		
.	-	1205	50.3 %
	Total	2,398	100%

Based upon 1,193 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

Q4_B: Have you and {B} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Yes	398	16.6 %
2	Yes, though we have broken up and gotten back together during that time	13	0.5 %
3	No	12	0.5 %
4	Unsure	0	0.0 %
	Missing Data		
.	-	1974	82.3 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 424 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

Q4_C: Have you and {C} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Yes	258	10.8 %
2	Yes, though we have broken up and gotten back together during that time	53	2.2 %
3	No	99	4.1 %
4	Unsure	3	0.1 %
	Missing Data		
.	-	1983	82.7 %
	Total	2,398	100%

Based upon 415 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

Q4_D1: Have you and {D1} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Yes	13	0.5 %
2	Yes, though we have broken up and gotten back together during that time	13	0.5 %
3	No	10	0.4 %
4	Unsure	3	0.1 %
	Missing Data		
.	-	2359	98.4 %
	Total	2,398	100%

Based upon 39 valid cases out of 2,398 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

Q4_D2: Have you and {D2} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Yes	13	0.5 %
2	Yes, though we have broken up and gotten back together during that time	7	0.3 %
3	No	16	0.7 %
4	Unsure	3	0.1 %
	Missing Data		
.	-	2359	98.4 %
	Total	2,398	100%

Based upon 39 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

Q4_E1: Have you and {E1} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Yes	0	0.0 %
2	Yes, though we have broken up and gotten back together during that time	5	0.2 %
3	No	1	0.0 %
4	Unsure	1	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

Q4_E2: Have you and {E2} been together for 6 months or longer?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Yes	3	0.1 %
2	Yes, though we have broken up and gotten back together during that time	0	0.0 %
3	No	3	0.1 %
4	Unsure	1	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSA: Q5: [Months;A] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2395	99.9 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.18

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSB: Q5: [Months;B] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2386	99.5 %
2	-	2	0.1 %
3	-	2	0.1 %

Value	Label	Unweighted Frequency	%
4	-	4	0.2 %
5	-	1	0.0 %
6	-	1	0.0 %
72	-	1	0.0 %
120	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 120.00
- Standard Deviation: 2.87

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

MONTHSC: Q5: [Months;C] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2354	98.2 %
1	-	3	0.1 %
2	-	9	0.4 %
3	-	9	0.4 %
4	-	12	0.5 %
5	-	3	0.1 %
6	-	2	0.1 %
7	-	1	0.0 %
8	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
24	-	1	0.0 %
72	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 72.00

- Standard Deviation: 1.66

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSD1: Q5: [Months;D1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2391	99.7 %
1	-	3	0.1 %
2	-	1	0.0 %
3	-	1	0.0 %
6	-	1	0.0 %
14	-	1	0.0 %
Total		2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 0.32

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSD3: Q5: [Months;D2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2392	99.7 %
1	-	1	0.0 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	1	0.0 %
8	-	1	0.0 %
Total		2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00

- Standard Deviation: 0.21

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSE1: Q5: [Months;E1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2393	99.8 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
12	-	1	0.0 %
Total		2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 0.29

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

MONTHSE3: Q5: [Months;E2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2398	100.0 %
Total		2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSA: Q5: [Weeks;A] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2396	99.9 %
1	-	2	0.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSB: Q5: [Weeks;B] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2391	99.7 %
2	-	2	0.1 %
3	-	4	0.2 %
6	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.18

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSC: Q5: [Weeks;C] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2371	98.9 %
1	-	7	0.3 %
2	-	8	0.3 %
3	-	7	0.3 %

Value	Label	Unweighted Frequency	%
4	-	3	0.1 %
5	-	1	0.0 %
9	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.33

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSD1: Q5: [Weeks;D1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2392	99.7 %
1	-	1	0.0 %
2	-	5	0.2 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.09

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSD3: Q5: [Weeks;D2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2395	99.9 %
3	-	3	0.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.11

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSE1: Q5: [Weeks;E1] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2396	99.9 %
2	-	1	0.0 %
3	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.07

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

WEEKSE3: Q5: [Weeks;E2] Approx how many __ have you been in a relationship with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2398	100.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_A: [Months] Approximately how long have you been in a relationship with [A]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2397	100.0 %
3	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.06

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_B: [Months] Approximately how long have you been in a relationship with [B]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2387	99.5 %
1	-	2	0.1 %
3	-	4	0.2 %
4	-	3	0.1 %
5	-	2	0.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.24

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_C: [Months] Approximately how long have you been in a relationship with [C]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2313	96.5 %
1	-	15	0.6 %
2	-	30	1.3 %

Value	Label	Unweighted Frequency	%
3	-	10	0.4 %
4	-	16	0.7 %
5	-	13	0.5 %
8	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.59

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_D1: [Months] Approximately how long have you been in a relationship with [D1]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2390	99.7 %
2	-	2	0.1 %
3	-	2	0.1 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
56	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 1.16

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_D2: [Months] Approximately how long have you been in a relationship with [D2]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2388	99.6 %
1	-	3	0.1 %
2	-	5	0.2 %
3	-	1	0.0 %
7	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.18

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_E1: [Months] Approximately how long have you been in a relationship with [E1]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2396	99.9 %
1	-	2	0.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_MONTHS_E2: [Months] Approximately how long have you been in a relationship with [E2]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2396	99.9 %

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_A: [Weeks] Approximately how long have you been in a relationship with [A]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2396	99.9 %
2	-	2	0.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.06

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_B: [Weeks] Approximately how long have you been in a relationship with [B]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2389	99.6 %
2	-	4	0.2 %
3	-	4	0.2 %
15	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.34

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_C: [Weeks] Approximately how long have you been in a relationship with [C]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2348	97.9 %
1	-	10	0.4 %
2	-	20	0.8 %
3	-	17	0.7 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.36

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_D1: [Weeks] Approximately how long have you been in a relationship with [D1]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2392	99.7 %
1	-	1	0.0 %
2	-	2	0.1 %
3	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.18

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_D2: [Weeks] Approximately how long have you been in a relationship with [D2]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2389	99.6 %
1	-	2	0.1 %
2	-	7	0.3 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.11

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_E1: [Weeks] Approximately how long have you been in a relationship with [E1]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2397	100.0 %
3	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.06

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

Q5A_WEEKS_E2: [Weeks] Approximately how long have you been in a relationship with [E2]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	2395	99.9 %
1	-	1	0.0 %
2	-	1	0.0 %
4	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.09

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

Q6_A: [A] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	6	0.3 %
1	Not at all likely 1	1071	44.7 %
2	2	52	2.2 %
3	3	18	0.8 %
4	4	11	0.5 %
5	5	10	0.4 %
6	Very likely 6	25	1.0 %
	Missing Data		
.	-	1205	50.3 %
	Total	2,398	100%

Based upon 1,193 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Q6_B: [B] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	346	14.4 %
2	2	39	1.6 %
3	3	10	0.4 %
4	4	7	0.3 %
5	5	7	0.3 %
6	Very likely 6	15	0.6 %
	Missing Data		
.	-	1974	82.3 %
	Total	2,398	100%

Based upon 424 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Q6_C: [C] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all likely 1	251	10.5 %
2	2	45	1.9 %
3	3	34	1.4 %
4	4	12	0.5 %
5	5	14	0.6 %
6	Very likely 6	58	2.4 %
	Missing Data		
.	-	1983	82.7 %
	Total	2,398	100%

Based upon 415 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Q6_D1: [D1] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	3	0.1 %
2	2	6	0.3 %
3	3	1	0.0 %
4	4	7	0.3 %
5	5	2	0.1 %
6	Very likely 6	13	0.5 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

Q6_D2: [D2] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	6	0.3 %
2	2	2	0.1 %
3	3	3	0.1 %
4	4	6	0.3 %
5	5	3	0.1 %
6	Very likely 6	12	0.5 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Q6_E1: [E1] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	1	0.0 %
2	2	1	0.0 %
3	3	0	0.0 %
4	4	1	0.0 %
5	5	0	0.0 %
6	Very likely 6	4	0.2 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Q6_E2: [E2] Likelihood _ has had another partner in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all likely 1	2	0.1 %
2	2	1	0.0 %
3	3	1	0.0 %
4	4	1	0.0 %
5	5	1	0.0 %
6	Very likely 6	1	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Q7_A: [Initials for A] How committed are you to your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.2 %
1	Not committed 1	3	0.1 %
2	2	7	0.3 %
3	3	7	0.3 %
4	4	21	0.9 %
5	5	61	2.5 %
6	Very committed 6	1090	45.5 %
	Missing Data		
.	-	1205	50.3 %
	Total	2,398	100%

Based upon 1,193 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Q7_B: [Initials for B] How committed are you to your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
1	Not committed 1	0	0.0 %
2	2	0	0.0 %
3	3	7	0.3 %
4	4	19	0.8 %
5	5	46	1.9 %
6	Very committed 6	349	14.6 %
	Missing Data		
.	-	1974	82.3 %
	Total	2,398	100%

Based upon 424 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Q7_C: [Initials for C] How committed are you to your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.2 %
1	Not committed 1	8	0.3 %
2	2	8	0.3 %
3	3	33	1.4 %
4	4	41	1.7 %
5	5	68	2.8 %
6	Very committed 6	253	10.6 %
	Missing Data		
.	-	1983	82.7 %
	Total	2,398	100%

Based upon 415 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Q7_D1: [Initials for D1] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not committed 1	7	0.3 %
2	2	8	0.3 %
3	3	11	0.5 %
4	4	5	0.2 %
5	5	0	0.0 %
6	Very committed 6	1	0.0 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Q7_D2: [Initials for D2] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not committed 1	10	0.4 %
2	2	10	0.4 %
3	3	6	0.3 %
4	4	1	0.0 %
5	5	2	0.1 %
6	Very committed 6	3	0.1 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Q7_E1: [Initials for E1] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not committed 1	1	0.0 %
2	2	1	0.0 %
3	3	2	0.1 %
4	4	2	0.1 %
5	5	1	0.0 %
6	Very committed 6	0	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

Q7_E2: [Initials for E2] How committed are you to your relationship with [%%initials%%]

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not committed 1	1	0.0 %
2	2	2	0.1 %
3	3	2	0.1 %
4	4	0	0.0 %
5	5	1	0.0 %
6	Very committed 6	0	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Q8_A: [Initials for A] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	8	0.3 %
1	Not at all happy 1	5	0.2 %
2	2	18	0.8 %
3	3	35	1.5 %
4	4	98	4.1 %
5	5	294	12.3 %
6	Very happy 6	735	30.7 %
	Missing Data		
.	-	1205	50.3 %
	Total	2,398	100%

Based upon 1,193 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Q8_B: [Initials for B] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all happy 1	0	0.0 %
2	2	11	0.5 %
3	3	16	0.7 %
4	4	53	2.2 %
5	5	129	5.4 %
6	Very happy 6	214	8.9 %
	Missing Data		
.	-	1974	82.3 %
	Total	2,398	100%

Based upon 424 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Q8_C: [Initials for C] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all happy 1	6	0.3 %
2	2	16	0.7 %
3	3	38	1.6 %
4	4	74	3.1 %
5	5	104	4.3 %
6	Very happy 6	176	7.3 %
	Missing Data		
.	-	1983	82.7 %
	Total	2,398	100%

Based upon 415 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Q8_D1: [Initials for D1] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy 1	3	0.1 %
2	2	5	0.2 %
3	3	6	0.3 %
4	4	11	0.5 %
5	5	4	0.2 %
6	Very happy 6	3	0.1 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Q8_D2: [Initials for D2] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy 1	0	0.0 %
2	2	6	0.3 %
3	3	11	0.5 %
4	4	8	0.3 %
5	5	4	0.2 %
6	Very happy 6	3	0.1 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 2.00
- Maximum: 6.00

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Q8_E1: [Initials for E1] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all happy 1	0	0.0 %
2	2	2	0.1 %
3	3	0	0.0 %
4	4	2	0.1 %
5	5	2	0.1 %
6	Very happy 6	0	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Q8_E2: [Initials for E2] How happy are you in your relationship with [%%initials%%]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy 1	0	0.0 %
2	2	1	0.0 %
3	3	3	0.1 %
4	4	0	0.0 %
5	5	3	0.1 %
6	Very happy 6	0	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Q9_A: [A] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	8	0.3 %
1	Not at all satisfied 1	33	1.4 %
2	2	34	1.4 %
3	3	84	3.5 %
4	4	192	8.0 %
5	5	300	12.5 %
6	Very satisfied 6	539	22.5 %
7	NA, we haven't had sex	3	0.1 %
	Missing Data		
.	-	1205	50.3 %
	Total	2,398	100%

Based upon 1,193 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Q9_B: [B] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all satisfied 1	11	0.5 %
2	2	18	0.8 %
3	3	37	1.5 %
4	4	71	3.0 %
5	5	115	4.8 %
6	Very satisfied 6	169	7.0 %
7	NA, we haven't had sex	2	0.1 %
	Missing Data		
.	-	1974	82.3 %
	Total	2,398	100%

Based upon 424 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Q9_C: [C] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	7	0.3 %
1	Not at all satisfied 1	3	0.1 %
2	2	21	0.9 %
3	3	22	0.9 %
4	4	57	2.4 %
5	5	104	4.3 %
6	Very satisfied 6	172	7.2 %
7	NA, we haven't had sex	29	1.2 %
	Missing Data		
.	-	1983	82.7 %
	Total	2,398	100%

Based upon 415 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Q9_D1: [D1] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all satisfied 1	1	0.0 %
2	2	3	0.1 %
3	3	3	0.1 %
4	4	8	0.3 %
5	5	7	0.3 %
6	Very satisfied 6	7	0.3 %
7	NA, we haven't had sex	2	0.1 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Q9_D2: [D2] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all satisfied 1	0	0.0 %
2	2	4	0.2 %
3	3	4	0.2 %
4	4	5	0.2 %
5	5	12	0.5 %
6	Very satisfied 6	3	0.1 %
7	NA, we haven't had sex	4	0.2 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 2.00
- Maximum: 7.00

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Q9_E1: [E1] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all satisfied 1	1	0.0 %
2	2	1	0.0 %
3	3	1	0.0 %
4	4	1	0.0 %
5	5	1	0.0 %
6	Very satisfied 6	1	0.0 %
7	NA, we haven't had sex	1	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Q9_E2: [E2] How satisfied are you in your sexual relationship with _?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all satisfied 1	1	0.0 %
2	2	1	0.0 %
3	3	0	0.0 %
4	4	0	0.0 %
5	5	0	0.0 %
6	Very satisfied 6	3	0.1 %
7	NA, we haven't had sex	2	0.1 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Q10_A: [A] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	4	0.2 %
1	0	553	23.1 %
2	1	415	17.3 %
3	2-5	185	7.7 %
4	6 or more	36	1.5 %
	Missing Data		
.	-	1205	50.3 %
	Total	2,398	100%

Based upon 1,193 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Q10_B: [B] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %

Value	Label	Unweighted Frequency	%
1	0	164	6.8 %
2	1	159	6.6 %
3	2-5	83	3.5 %
4	6 or more	16	0.7 %
	Missing Data		
.	-	1974	82.3 %
	Total	2,398	100%

Based upon 424 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Q10_C: [C] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	0	203	8.5 %
2	1	120	5.0 %
3	2-5	82	3.4 %
4	6 or more	8	0.3 %
	Missing Data		
.	-	1983	82.7 %
	Total	2,398	100%

Based upon 415 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Q10_D1: [D1] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	17	0.7 %
2	1	6	0.3 %
3	2-5	5	0.2 %
4	6 or more	4	0.2 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Q10_D2: [D2] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	23	1.0 %
2	1	5	0.2 %
3	2-5	4	0.2 %
4	6 or more	0	0.0 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Q10_E1: [E1] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	0	3	0.1 %
2	1	1	0.0 %
3	2-5	2	0.1 %
4	6 or more	0	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Q10_E2: [E2] How many serious arguments have you had with _ in the last 30 days?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	4	0.2 %
2	1	2	0.1 %
3	2-5	1	0.0 %
4	6 or more	0	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Q13_A: [A] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	7	0.3 %
1	Agree	537	22.4 %
2	Somewhat agree	172	7.2 %
3	Somewhat disagree	70	2.9 %
4	Disagree	288	12.0 %
5	Unsure/Don't know	119	5.0 %
	Missing Data		
.	-	1205	50.3 %
	Total	2,398	100%

Based upon 1,193 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Q13_B: [B] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Agree	191	8.0 %
2	Somewhat agree	66	2.8 %
3	Somewhat disagree	19	0.8 %
4	Disagree	85	3.5 %
5	Unsure/Don't know	62	2.6 %
	Missing Data		
.	-	1974	82.3 %
	Total	2,398	100%

Based upon 424 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Q13_C: [C] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	131	5.5 %
2	Somewhat agree	75	3.1 %
3	Somewhat disagree	17	0.7 %
4	Disagree	79	3.3 %
5	Unsure/Don't know	113	4.7 %
	Missing Data		
.	-	1983	82.7 %
	Total	2,398	100%

Based upon 415 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Q13_D1: [D1] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
1	Agree	1	0.0 %
2	Somewhat agree	5	0.2 %
3	Somewhat disagree	0	0.0 %
4	Disagree	19	0.8 %
5	Unsure/Don't know	7	0.3 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Q13_D2: [D2] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	2	0.1 %
2	Somewhat agree	3	0.1 %
3	Somewhat disagree	1	0.0 %
4	Disagree	20	0.8 %
5	Unsure/Don't know	6	0.3 %
	Missing Data		
.	-	2366	98.7 %
	Total	2,398	100%

Based upon 32 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Q13_E1: [E1] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	1	0.0 %
2	Somewhat agree	1	0.0 %

Value	Label	Unweighted Frequency	%
3	Somewhat disagree	0	0.0 %
4	Disagree	5	0.2 %
5	Unsure/Don't know	0	0.0 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Q13_E2: [E2] How strongly do you agree- Want to have [more] children with _

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	0	0.0 %
2	Somewhat agree	0	0.0 %
3	Somewhat disagree	0	0.0 %
4	Disagree	5	0.2 %
5	Unsure/Don't know	2	0.1 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 4.00
- Maximum: 5.00

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

PREG: In the last 6 months, did you experience any of the following?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	I had a miscarriage	44	1.8 %
2	I had an abortion	12	0.5 %
3	I had a baby	93	3.9 %
4	I	148	6.2 %

Value	Label	Unweighted Frequency	%
5	I might be pregnant	64	2.7 %
6	None of the above	2027	84.5 %
	Missing Data		
.	-	10	0.4 %
	Total	2,398	100%

Based upon 2,388 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

BORNMO: In the previous question, you said that you had a baby in the last 6 months. In

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Jan	0	0.0 %
2	Feb	0	0.0 %
3	Mar	0	0.0 %
4	Apr	1	0.0 %
5	May	1	0.0 %
6	Jun	2	0.1 %
7	Jul	8	0.3 %
8	Aug	19	0.8 %
9	Sept	20	0.8 %
10	Oct	25	1.0 %
11	Nov	16	0.7 %
12	Dec	0	0.0 %
	Missing Data		
.	-	2306	96.2 %
	Total	2,398	100%

Based upon 92 valid cases out of 2,398 total cases.

- Minimum: 4.00
- Maximum: 11.00

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

AVOIDPG: This last time you became pregnant, how important was it to you to AVOID becomin

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy1	184	7.7 %
2	2	27	1.1 %
3	3	23	1.0 %
4	4	22	0.9 %
5	5	9	0.4 %
6	Very important to avoid pregnancy6	28	1.2 %
	Missing Data		
.	-	2105	87.8 %
	Total	2,398	100%

Based upon 293 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

HAPPYPG: How did you feel when you found out you were pregnant?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy to be pregnant1	18	0.8 %
2	2	11	0.5 %
3	3	16	0.7 %
4	4	28	1.2 %
5	5	50	2.1 %
6	Very happy to be pregnant6	173	7.2 %
	Missing Data		
.	-	2102	87.7 %
	Total	2,398	100%

Based upon 296 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

FERTINT: Right before you became pregnant this time, did you yourself want to have a(noth

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	30	1.3 %
1	Yes	235	9.8 %
3	Dont Know	24	1.0 %
4	Didnt care	6	0.3 %
	Missing Data		
.	-	2103	87.7 %
	Total	2,398	100%

Based upon 295 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

TIMINGPG: Would you say you became pregnant:

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Too soon	35	1.5 %
2	At about the right time	167	7.0 %
3	Later than you wanted	33	1.4 %
	Missing Data		
.	-	2163	90.2 %
	Total	2,398	100%

Based upon 235 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

BCPREG: During the month you became pregnant were you:

Value	Label	Unweighted Frequency	%
1	No, wanted to get pregnant	178	7.4 %
2	No, different reasons	61	2.5 %
3	Yes, but not all the time	36	1.5 %
4	Yes, all the time	20	0.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2103	87.7 %
	Total	2,398	100%

Based upon 295 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 252-252 (width: 1; decimal: 0)

Variable Type: numeric

AVOID3: How important is it to you to AVOID becoming pregnant now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy 1	318	13.3 %
2	2	101	4.2 %
3	3	172	7.2 %
4	4	234	9.8 %
5	5	321	13.4 %
6	Very important to avoid pregnancy 6	1090	45.5 %
	Missing Data		
.	-	162	6.8 %
	Total	2,398	100%

Based upon 2,236 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

INTEND: Which of the following best describes your current plans regarding having another

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	I am trying to get pregnant now.	183	7.6 %
2	I am not trying to get pregnant now but expect to try in the future.	979	40.8 %
3	I don't want to have any (more) children.	539	22.5 %
4	I'm not sure if I want to have a(nother) baby.	527	22.0 %
5	currently pregnant	148	6.2 %
	Missing Data		
.	-	22	0.9 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 2,376 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

FEELPG: How would you feel if you found out you were pregnant today?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all happy to be pregnant 1	511	21.3 %
2	2	283	11.8 %
3	3	355	14.8 %
4	4	392	16.3 %
5	5	283	11.8 %
6	Very happy to be pregnant 6	413	17.2 %
	Missing Data		
.	-	161	6.7 %
	Total	2,398	100%

Based upon 2,237 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

Q19_A: [A] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	5	0.2 %
1	Agree	451	18.8 %
2	Somewhat agree	160	6.7 %
3	Somewhat disagree	87	3.6 %
4	Disagree	297	12.4 %
5	Unsure/don't know	77	3.2 %
	Missing Data		
.	-	1321	55.1 %
	Total	2,398	100%

Based upon 1,077 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

Q19_B: [B] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Agree	181	7.5 %
2	Somewhat agree	86	3.6 %
3	Somewhat disagree	22	0.9 %
4	Disagree	64	2.7 %
5	Unsure/don't know	52	2.2 %
	Missing Data		
.	-	1991	83.0 %
	Total	2,398	100%

Based upon 407 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 5.00

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

Q19_C: [C] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	137	5.7 %
2	Somewhat agree	70	2.9 %
3	Somewhat disagree	21	0.9 %
4	Disagree	72	3.0 %
5	Unsure/don't know	102	4.3 %
	Missing Data		
.	-	1996	83.2 %
	Total	2,398	100%

Based upon 402 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

Q19_D1: [D1] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	4	0.2 %
2	Somewhat agree	3	0.1 %
3	Somewhat disagree	1	0.0 %
4	Disagree	12	0.5 %
5	Unsure/don't know	11	0.5 %
	Missing Data		
.	-	2367	98.7 %
	Total	2,398	100%

Based upon 31 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

Q19_D2: [D2] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	2	0.1 %
2	Somewhat agree	6	0.3 %
3	Somewhat disagree	0	0.0 %
4	Disagree	13	0.5 %
5	Unsure/don't know	10	0.4 %
	Missing Data		
.	-	2367	98.7 %
	Total	2,398	100%

Based upon 31 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

Q19_E1: [E1] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	0	0.0 %
2	Somewhat agree	1	0.0 %
3	Somewhat disagree	0	0.0 %
4	Disagree	3	0.1 %
5	Unsure/don't know	3	0.1 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

Q19_E2: [E2] How strongly do you agree- __ wants to have [more] children with me

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Agree	0	0.0 %
2	Somewhat agree	0	0.0 %
3	Somewhat disagree	1	0.0 %
4	Disagree	3	0.1 %
5	Unsure/don't know	3	0.1 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 3.00
- Maximum: 5.00

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

Q20_A: [A] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	6	0.3 %
1	Not at all important to avoid pregnancy 1	225	9.4 %

Value	Label	Unweighted Frequency	%
2	2	72	3.0 %
3	3	96	4.0 %
4	4	171	7.1 %
5	5	161	6.7 %
6	Very important to avoid pregnancy 6	346	14.4 %
	Missing Data		
.	-	1321	55.1 %
	Total	2,398	100%

Based upon 1,077 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

Q20_B: [B] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	Not at all important to avoid pregnancy 1	57	2.4 %
2	2	22	0.9 %
3	3	39	1.6 %
4	4	53	2.2 %
5	5	55	2.3 %
6	Very important to avoid pregnancy 6	179	7.5 %
	Missing Data		
.	-	1991	83.0 %
	Total	2,398	100%

Based upon 407 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

Q20_C: [C] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
1	Not at all important to avoid pregnancy 1	32	1.3 %

Value	Label	Unweighted Frequency	%
2	2	8	0.3 %
3	3	21	0.9 %
4	4	47	2.0 %
5	5	48	2.0 %
6	Very important to avoid pregnancy 6	243	10.1 %
	Missing Data		
.	-	1996	83.2 %
	Total	2,398	100%

Based upon 402 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

Q20_D1: [D1] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy 1	2	0.1 %
2	2	0	0.0 %
3	3	2	0.1 %
4	4	1	0.0 %
5	5	3	0.1 %
6	Very important to avoid pregnancy 6	23	1.0 %
	Missing Data		
.	-	2367	98.7 %
	Total	2,398	100%

Based upon 31 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

Q20_D2: [D2] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy 1	2	0.1 %

Value	Label	Unweighted Frequency	%
2	2	1	0.0 %
3	3	3	0.1 %
4	4	1	0.0 %
5	5	1	0.0 %
6	Very important to avoid pregnancy 6	23	1.0 %
	Missing Data		
.	-	2367	98.7 %
	Total	2,398	100%

Based upon 31 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

Q20_E1: [E1] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Not at all important to avoid pregnancy 1	0	0.0 %
2	2	0	0.0 %
3	3	1	0.0 %
4	4	2	0.1 %
5	5	0	0.0 %
6	Very important to avoid pregnancy 6	3	0.1 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 6.00

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

Q20_E2: [E2] How important is it to _ that you avoid pregnancy now?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Not at all important to avoid pregnancy 1	1	0.0 %

Value	Label	Unweighted Frequency	%
2	2	0	0.0 %
3	3	0	0.0 %
4	4	1	0.0 %
5	5	1	0.0 %
6	Very important to avoid pregnancy 6	4	0.2 %
	Missing Data		
.	-	2391	99.7 %
	Total	2,398	100%

Based upon 7 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

TUBAL: 22. In the last 6 months, have you had your tubes tied (tubal ligation) or had a

Value	Label	Unweighted Frequency	%
-1	Refused	20	0.8 %
0	No	2344	97.7 %
1	Yes	34	1.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 1.00

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

PILL: [birth control pills] In the last 30 days, which of the following methods have

Value	Label	Unweighted Frequency	%
0	No	1674	69.8 %
1	Yes	724	30.2 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 289-289 (width: 1; decimal: 0)

Variable Type: numeric

PATCH: [the birth control patch (Ortho Evra)] In the last 30 days, which of the follow

Value	Label	Unweighted Frequency	%
0	No	2392	99.7 %
1	Yes	6	0.3 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

RING: [the vaginal ring (Nuvaring)] In the last 30 days, which of the following metho

Value	Label	Unweighted Frequency	%
0	No	2341	97.6 %
1	Yes	57	2.4 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

DEPO: [the birth control shot (Depo-Provera)] In the last 30 days, which of the follo

Value	Label	Unweighted Frequency	%
0	No	2321	96.8 %
1	Yes	77	3.2 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

IMPLANT: [the Implant (Implanon)] In the last 30 days, which of the following methods ha

Value	Label	Unweighted Frequency	%
0	No	2360	98.4 %
1	Yes	38	1.6 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 293-293 (width: 1; decimal: 0)

Variable Type: numeric

IUD: [the IUD (Mirena, copper intrauterine device)] In the last 30 days, which of th

Value	Label	Unweighted Frequency	%
0	No	2162	90.2 %
1	Yes	236	9.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 294-294 (width: 1; decimal: 0)

Variable Type: numeric

NOBC: [None of the above] In the last 30 days, which of the following methods have y

Value	Label	Unweighted Frequency	%
0	No	1136	47.4 %
1	Yes	1262	52.6 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 295-295 (width: 1; decimal: 0)

Variable Type: numeric

XBC: [Refused] In the last 30 days, which of the following methods have you used, e

Value	Label	Unweighted Frequency	%
0	No	2382	99.3 %

Value	Label	Unweighted Frequency	%
1	Yes	16	0.7 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 296-296 (width: 1; decimal: 0)

Variable Type: numeric

Q23A_PILL: For how many of the last 6 months have you used birth control pills?

Value	Label	Unweighted Frequency	%
-1	Refused	2	0.1 %
1	0	8	0.3 %
2	1	21	0.9 %
3	2	21	0.9 %
4	3	20	0.8 %
5	4	23	1.0 %
6	5	21	0.9 %
7	6	608	25.4 %
	Missing Data		
.	-	1674	69.8 %
	Total	2,398	100%

Based upon 724 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 7.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

Q23A_PATCH: For how many of the last 6 months have you used the birth control patch?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	0	0.0 %
2	1	0	0.0 %
3	2	2	0.1 %
4	3	1	0.0 %
5	4	0	0.0 %
6	5	1	0.0 %

Value	Label	Unweighted Frequency	%
7	6	2	0.1 %
	Missing Data		
.	-	2392	99.7 %
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Minimum: 3.00
- Maximum: 7.00

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

Q23A_RING: For how many of the last 6 months have you used the vaginal ring (Nuvaring)?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	0	0.0 %
2	1	3	0.1 %
3	2	2	0.1 %
4	3	3	0.1 %
5	4	4	0.2 %
6	5	1	0.0 %
7	6	44	1.8 %
	Missing Data		
.	-	2341	97.6 %
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Minimum: 2.00
- Maximum: 7.00

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

Q23A_DEPO: For how many of the last 6 months have you used the birth control shot (Depo-Pro)

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	2	0.1 %
2	1	2	0.1 %
3	2	29	1.2 %
4	3	7	0.3 %

Value	Label	Unweighted Frequency	%
5	4	2	0.1 %
6	5	2	0.1 %
7	6	33	1.4 %
	Missing Data		
.	-	2321	96.8 %
	Total	2,398	100%

Based upon 77 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

Q23A_IMPLANT: For how many of the last 6 months have you used the implant (Implanon)?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	1	0.0 %
2	1	2	0.1 %
3	2	3	0.1 %
4	3	1	0.0 %
5	4	2	0.1 %
6	5	1	0.0 %
7	6	28	1.2 %
	Missing Data		
.	-	2360	98.4 %
	Total	2,398	100%

Based upon 38 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

Q23A_IUD: For how many of the last 6 months have you used the IUD (Mirena, copper IUD)?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	0	3	0.1 %
2	1	12	0.5 %

Value	Label	Unweighted Frequency	%
3	2	11	0.5 %
4	3	3	0.1 %
5	4	5	0.2 %
6	5	6	0.3 %
7	6	196	8.2 %
	Missing Data		
.	-	2162	90.2 %
	Total	2,398	100%

Based upon 236 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

Q23B_PILL_1: [Prevent pregnancy] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	73	3.0 %
1	Yes	651	27.1 %
	Missing Data		
.	-	1674	69.8 %
	Total	2,398	100%

Based upon 724 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 309-309 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_2: [Reduce menstrual pain/cramps] Why are you using [pill]:

Value	Label	Unweighted Frequency	%
0	No	434	18.1 %
1	Yes	290	12.1 %
	Missing Data		
.	-	1674	69.8 %
	Total	2,398	100%

Based upon 724 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 310-310 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_3: [Help with acne] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	594	24.8 %
1	Yes	130	5.4 %
	Missing Data		
.	-	1674	69.8 %
	Total	2,398	100%

Based upon 724 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 311-311 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_4: [Regulate my period] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	354	14.8 %
1	Yes	370	15.4 %
	Missing Data		
.	-	1674	69.8 %
	Total	2,398	100%

Based upon 724 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 312-312 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_5: [Treat ovarian cyst/PCOS] Why are you using [pill]:

Value	Label	Unweighted Frequency	%
0	No	668	27.9 %
1	Yes	56	2.3 %
	Missing Data		
.	-	1674	69.8 %
	Total	2,398	100%

Based upon 724 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 313-313 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_6: [Other:] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	708	29.5 %
1	Yes	16	0.7 %
	Missing Data		
.	-	1674	69.8 %
	Total	2,398	100%

Based upon 724 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 314-314 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_REFUSED: [Refused] Which of the following are reasons you are using [pill] :

Value	Label	Unweighted Frequency	%
0	No	722	30.1 %
1	Yes	2	0.1 %
	Missing Data		
.	-	1674	69.8 %
	Total	2,398	100%

Based upon 724 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 315-315 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PILL_OTHER: [birth control pills: specify] Which of the following are reasons you are using

Value	Label	Unweighted Frequency	%
	-	2383	99.4 %
[MASKED]	-	15	0.6 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 316-323 (width: 8; decimal: 0)

Variable Type: character

Q23B_PATCH_1: [Prevent pregnancy] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	2	0.1 %
1	Yes	4	0.2 %
	Missing Data		
.	-	2392	99.7 %
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 324-324 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_2: [Reduce menstrual pain/cramps] Why are you using [patch]:

Value	Label	Unweighted Frequency	%
0	No	4	0.2 %
1	Yes	2	0.1 %
	Missing Data		
.	-	2392	99.7 %
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 325-325 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_3: [Help with acne] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	4	0.2 %
1	Yes	2	0.1 %
	Missing Data		
.	-	2392	99.7 %
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 326-326 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_4: [Regulate my period] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	4	0.2 %
1	Yes	2	0.1 %
	Missing Data		
.	-	2392	99.7 %
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 327-327 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_5: [Treat ovarian cyst/PCOS] Why are you using [patch]:

Value	Label	Unweighted Frequency	%
0	No	6	0.3 %
1	Yes	0	0.0 %
	Missing Data		
.	-	2392	99.7 %
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 328-328 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_6: [Other:] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	6	0.3 %
1	Yes	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2392	99.7 %
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 329-329 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_REFUSED: [Refused] Which of the following are reasons you are using [patch] :

Value	Label	Unweighted Frequency	%
0	No	6	0.3 %
1	Yes	0	0.0 %
	Missing Data		
.	-	2392	99.7 %
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 330-330 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_PATCH_OTHER: [birth control patch: specify] Which of the following are reasons you are using

Value	Label	Unweighted Frequency	%
.	-	2398	100.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 331-331 (width: 1; decimal: 0)

Variable Type: character

Q23B_RING_1: [Prevent pregnancy] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	3	0.1 %
1	Yes	54	2.3 %
	Missing Data		
.	-	2341	97.6 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 332-332 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_2: [Reduce menstrual pain/cramps] Why are you using [ring]:

Value	Label	Unweighted Frequency	%
0	No	42	1.8 %
1	Yes	15	0.6 %
	Missing Data		
.	-	2341	97.6 %
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 333-333 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_3: [Help with acne] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	54	2.3 %
1	Yes	3	0.1 %
	Missing Data		
.	-	2341	97.6 %
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 334-334 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_4: [Regulate my period] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	32	1.3 %
1	Yes	25	1.0 %
	Missing Data		
.	-	2341	97.6 %
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 335-335 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_5: [Treat ovarian cyst/PCOS] Why are you using [ring]:

Value	Label	Unweighted Frequency	%
0	No	55	2.3 %
1	Yes	2	0.1 %
	Missing Data		
.	-	2341	97.6 %
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 336-336 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_6: [Other:] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	57	2.4 %
1	Yes	0	0.0 %
	Missing Data		
.	-	2341	97.6 %
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 337-337 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_REFUSED: [Refused] Which of the following are reasons you are using [ring] :

Value	Label	Unweighted Frequency	%
0	No	57	2.4 %
1	Yes	0	0.0 %
	Missing Data		
.	-	2341	97.6 %
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 338-338 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_RING_OTHER: [Other: specify] Why are you using [ring]

Value	Label	Unweighted Frequency	%
.	-	2398	100.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 339-339 (width: 1; decimal: 0)

Variable Type: character

Q23B_DEPO_1: [Prevent pregnancy] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	13	0.5 %
1	Yes	64	2.7 %
	Missing Data		
.	-	2321	96.8 %
	Total	2,398	100%

Based upon 77 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 340-340 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_2: [Reduce menstrual pain/cramps] Why are you using [Depo]:

Value	Label	Unweighted Frequency	%
0	No	56	2.3 %
1	Yes	21	0.9 %
	Missing Data		
.	-	2321	96.8 %
	Total	2,398	100%

Based upon 77 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 341-341 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_3: [Help with acne] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	72	3.0 %
1	Yes	5	0.2 %
	Missing Data		
.	-	2321	96.8 %
	Total	2,398	100%

Based upon 77 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 342-342 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_4: [Regulate my period] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	58	2.4 %
1	Yes	19	0.8 %
	Missing Data		
.	-	2321	96.8 %
	Total	2,398	100%

Based upon 77 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 343-343 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_5: [Treat ovarian cyst/PCOS] Why are you using [Depo]:

Value	Label	Unweighted Frequency	%
0	No	75	3.1 %
1	Yes	2	0.1 %
	Missing Data		
.	-	2321	96.8 %
	Total	2,398	100%

Based upon 77 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 344-344 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_6: [Other:] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	71	3.0 %
1	Yes	6	0.3 %
	Missing Data		
.	-	2321	96.8 %
	Total	2,398	100%

Based upon 77 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 345-345 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_REFUSED: [Refused] Which of the following are reasons you are using [Depo] :

Value	Label	Unweighted Frequency	%
0	No	77	3.2 %
1	Yes	0	0.0 %
	Missing Data		
.	-	2321	96.8 %
	Total	2,398	100%

Based upon 77 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 346-346 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_DEPO_OTHER: [Other: specify] Why are you using [depo]

Value	Label	Unweighted Frequency	%
	-	2393	99.8 %
[MASKED]	-	5	0.2 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 347-354 (width: 8; decimal: 0)

Variable Type: character

Q23B_IMPLANT_1: [Prevent pregnancy] Which of the following are reasons you are using [implant]

Value	Label	Unweighted Frequency	%
0	No	4	0.2 %
1	Yes	34	1.4 %
	Missing Data		
.	-	2360	98.4 %
	Total	2,398	100%

Based upon 38 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 355-355 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_2: [Reduce menstrual pain/cramps] Why are you using [implant]:

Value	Label	Unweighted Frequency	%
0	No	29	1.2 %
1	Yes	9	0.4 %
	Missing Data		
.	-	2360	98.4 %
	Total	2,398	100%

Based upon 38 valid cases out of 2,398 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 356-356 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_3: [Help with acne] Which of the following are reasons you are using [implant] :

Value	Label	Unweighted Frequency	%
0	No	37	1.5 %
1	Yes	1	0.0 %
	Missing Data		
.	-	2360	98.4 %
	Total	2,398	100%

Based upon 38 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 357-357 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_4: [Regulate my period] Which of the following are reasons you are using [implant]

Value	Label	Unweighted Frequency	%
0	No	27	1.1 %
1	Yes	11	0.5 %
	Missing Data		
.	-	2360	98.4 %
	Total	2,398	100%

Based upon 38 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 358-358 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_5: [Treat ovarian cyst/PCOS] Why are you using [implant]:

Value	Label	Unweighted Frequency	%
0	No	37	1.5 %
1	Yes	1	0.0 %
	Missing Data		
.	-	2360	98.4 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 38 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 359-359 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_6: [Other:] Which of the following are reasons you are using [implant] :

Value	Label	Unweighted Frequency	%
0	No	38	1.6 %
1	Yes	0	0.0 %
	Missing Data		
.	-	2360	98.4 %
	Total	2,398	100%

Based upon 38 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 360-360 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_REFUSED: [Refused] Which of the following are reasons you are using [implant] :

Value	Label	Unweighted Frequency	%
0	No	38	1.6 %
1	Yes	0	0.0 %
	Missing Data		
.	-	2360	98.4 %
	Total	2,398	100%

Based upon 38 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 361-361 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IMPLANT_OTHER: [Other: specify] Why are you using [implant]

Value	Label	Unweighted Frequency	%
-		2398	100.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 362-362 (width: 1; decimal: 0)

Variable Type: character

Q23B_IUD_1: [Prevent pregnancy] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	8	0.3 %
1	Yes	228	9.5 %
	Missing Data		
.	-	2162	90.2 %
	Total	2,398	100%

Based upon 236 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 363-363 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_2: [Reduce menstrual pain/cramps] Why are you using [IUD]:

Value	Label	Unweighted Frequency	%
0	No	178	7.4 %
1	Yes	58	2.4 %
	Missing Data		
.	-	2162	90.2 %
	Total	2,398	100%

Based upon 236 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 364-364 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_3: [Help with acne] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	229	9.5 %

Value	Label	Unweighted Frequency	%
1	Yes	7	0.3 %
	Missing Data		
.	-	2162	90.2 %
	Total	2,398	100%

Based upon 236 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 365-365 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_4: [Regulate my period] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	185	7.7 %
1	Yes	51	2.1 %
	Missing Data		
.	-	2162	90.2 %
	Total	2,398	100%

Based upon 236 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 366-366 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_5: [Treat ovarian cyst/PCOS] Why are you using [IUD]:

Value	Label	Unweighted Frequency	%
0	No	226	9.4 %
1	Yes	10	0.4 %
	Missing Data		
.	-	2162	90.2 %
	Total	2,398	100%

Based upon 236 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 367-367 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_6: [Other:] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	232	9.7 %
1	Yes	4	0.2 %
	Missing Data		
.	-	2162	90.2 %
	Total	2,398	100%

Based upon 236 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 368-368 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_REFUSED: [Refused] Which of the following are reasons you are using [IUD] :

Value	Label	Unweighted Frequency	%
0	No	233	9.7 %
1	Yes	3	0.1 %
	Missing Data		
.	-	2162	90.2 %
	Total	2,398	100%

Based upon 236 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 369-369 (width: 1; decimal: 0)

Variable Type: numeric

Q23B_IUD_OTHER: [Other: specify] Why are you using [IUD]

Value	Label	Unweighted Frequency	%
	-	2394	99.8 %
[MASKED]	-	4	0.2 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 370-377 (width: 8; decimal: 0)

Variable Type: character

MISSPILL: birth control pills : Altogether, in the last 30 days, how many pills did you mi

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	469	19.6 %
1	-	107	4.5 %
2	-	72	3.0 %
3	-	28	1.2 %
4	-	12	0.5 %
5	-	11	0.5 %
6	-	4	0.2 %
7	-	2	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.1 %
15	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	3	0.1 %
	Missing Data		
.	-	1681	70.1 %
	Total	2,398	100%

Based upon 717 valid cases out of 2,398 total cases.

- Mean: 1.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.97

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

PATCHON: birth control patch : Altogether, in the last 30 days, how many times did you pu

Value	Label	Unweighted Frequency	%
0	0	4	0.2 %
1	1	2	0.1 %
2	2	0	0.0 %
3	3 or more	0	0.0 %
	Missing Data		
.	-	2392	99.7 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 380-380 (width: 1; decimal: 0)

Variable Type: numeric

RINGON: vaginal ring (Nuvaring) : The last time that you inserted the Nuvaring, was it:

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	The day I was supposed to	48	2.0 %
2	1 day later than I was supposed to	4	0.2 %
3	2 or more days later than I was supposed to	5	0.2 %
4	Earlier than I was supposed to	0	0.0 %
	Missing Data		
.	-	2341	97.6 %
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

DEPOWHN: the birth control shot (Depo-Provera) : Thinking about the last time you receive

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Earlier than scheduled	7	0.3 %
2	Later than scheduled	10	0.4 %
3	On time	55	2.3 %
4	My last shot was my first depo shot.	5	0.2 %
	Missing Data		
.	-	2321	96.8 %
	Total	2,398	100%

Based upon 77 valid cases out of 2,398 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_PILL: [pill] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	5	0.2 %
1	Very satisfied	468	19.5 %
2	Somewhat satisfied	199	8.3 %
3	Somewhat dissatisfied	41	1.7 %
4	Very dissatisfied	11	0.5 %
	Missing Data		
.	-	1674	69.8 %
	Total	2,398	100%

Based upon 724 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_PATCH: [patch] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Very satisfied	4	0.2 %
2	Somewhat satisfied	2	0.1 %
3	Somewhat dissatisfied	0	0.0 %
4	Very dissatisfied	0	0.0 %
	Missing Data		
.	-	2392	99.7 %
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_RING: [ring] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Very satisfied	48	2.0 %
2	Somewhat satisfied	6	0.3 %
3	Somewhat dissatisfied	1	0.0 %
4	Very dissatisfied	1	0.0 %
	Missing Data		
.	-	2341	97.6 %
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_DEPO: [Depo] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Very satisfied	52	2.2 %
2	Somewhat satisfied	16	0.7 %
3	Somewhat dissatisfied	5	0.2 %
4	Very dissatisfied	4	0.2 %
	Missing Data		
.	-	2321	96.8 %
	Total	2,398	100%

Based upon 77 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_IMPLANT: [Implant] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Very satisfied	26	1.1 %
2	Somewhat satisfied	7	0.3 %
3	Somewhat dissatisfied	3	0.1 %

Value	Label	Unweighted Frequency	%
4	Very dissatisfied	1	0.0 %
	Missing Data		
.	-	2360	98.4 %
	Total	2,398	100%

Based upon 38 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

Q23D_IUD: [IUD] Overall, how satisfied are you with __?

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
1	Very satisfied	169	7.0 %
2	Somewhat satisfied	50	2.1 %
3	Somewhat dissatisfied	10	0.4 %
4	Very dissatisfied	4	0.2 %
	Missing Data		
.	-	2162	90.2 %
	Total	2,398	100%

Based upon 236 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

PAY4BC: [birth control pills : \$] In an average month, approximately how much do you, yo

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	397	16.6 %
1	-	5	0.2 %
2	-	6	0.3 %
3	-	6	0.3 %
4	-	11	0.5 %
5	-	30	1.3 %
6	-	2	0.1 %

Value	Label	Unweighted Frequency	%
7	-	7	0.3 %
8	-	10	0.4 %
9	-	22	0.9 %
10	-	54	2.3 %
11	-	1	0.0 %
12	-	10	0.4 %
13	-	2	0.1 %
15	-	25	1.0 %
16	-	2	0.1 %
18	-	1	0.0 %
20	-	21	0.9 %
21	-	3	0.1 %
22	-	1	0.0 %
24	-	2	0.1 %
25	-	16	0.7 %
26	-	1	0.0 %
27	-	4	0.2 %
28	-	2	0.1 %
29	-	1	0.0 %
30	-	26	1.1 %
31	-	1	0.0 %
32	-	2	0.1 %
34	-	1	0.0 %
35	-	11	0.5 %
40	-	4	0.2 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.1 %
50	-	4	0.2 %
55	-	2	0.1 %
56	-	1	0.0 %
60	-	2	0.1 %
65	-	1	0.0 %
68	-	1	0.0 %
70	-	3	0.1 %
75	-	1	0.0 %
85	-	2	0.1 %
86	-	1	0.0 %
100	-	2	0.1 %

Value	Label	Unweighted Frequency	%
150	-	1	0.0 %
2182	-	1	0.0 %
	Missing Data		
.	-	1685	70.3 %
	Total	2,398	100%

Based upon 713 valid cases out of 2,398 total cases.

- Mean: 11.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2182.00
- Standard Deviation: 82.85

Location: 397-400 (width: 4; decimal: 0)

Variable Type: numeric

PAY4PAT: [birth control patch : \$] In an average month, approximately how much do you, yo

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	4	0.2 %
30	-	2	0.1 %
	Missing Data		
.	-	2392	99.7 %
	Total	2,398	100%

Based upon 6 valid cases out of 2,398 total cases.

- Mean: 10.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 15.49

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

PAY4RING: [vaginal ring (Nuvaring) : \$] In an average month, approximately how much do you

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	35	1.5 %
1	-	1	0.0 %
4	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
10	-	1	0.0 %
15	-	2	0.1 %
18	-	1	0.0 %
20	-	1	0.0 %
30	-	4	0.2 %
35	-	3	0.1 %
50	-	1	0.0 %
60	-	1	0.0 %
80	-	2	0.1 %
94	-	1	0.0 %
100	-	2	0.1 %
	Missing Data		
.	-	2341	97.6 %
	Total	2,398	100%

Based upon 57 valid cases out of 2,398 total cases.

- Mean: 15.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 27.66

Location: 403-405 (width: 3; decimal: 0)

Variable Type: numeric

PAY4DEPO: [the birth control shot (Depo-Provera) : \$] How much do you, yourself, have to p

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	45	1.9 %
5	-	4	0.2 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	2	0.1 %
18	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
25	-	2	0.1 %
30	-	2	0.1 %
50	-	2	0.1 %

Value	Label	Unweighted Frequency	%
55	-	1	0.0 %
70	-	2	0.1 %
75	-	3	0.1 %
80	-	2	0.1 %
150	-	2	0.1 %
	Missing Data		
.	-	2326	97.0 %
	Total	2,398	100%

Based upon 72 valid cases out of 2,398 total cases.

- Mean: 16.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 150.00
- Standard Deviation: 32.93

Location: 406-408 (width: 3; decimal: 0)

Variable Type: numeric

PAY4IMPL: [implant (Implanon) : \$] How much did you, yourself, have to pay when you got yo

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	3	0.1 %
30	-	1	0.0 %
40	-	2	0.1 %
150	-	1	0.0 %
300	-	1	0.0 %
3000	-	1	0.0 %
	Missing Data		
.	-	2389	99.6 %
	Total	2,398	100%

Based upon 9 valid cases out of 2,398 total cases.

- Mean: 395.56
- Median: 40.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3000.00
- Standard Deviation: 981.61

Location: 409-412 (width: 4; decimal: 0)

Variable Type: numeric

PAY4IUD: [IUD (Mirena, copper intrauterine device) : \$] How much did you, yourself, have

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	-	23	1.0 %
10	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
20	-	1	0.0 %
40	-	1	0.0 %
168	-	1	0.0 %
500	-	1	0.0 %
	Missing Data		
.	-	2368	98.7 %
	Total	2,398	100%

Based upon 30 valid cases out of 2,398 total cases.

- Mean: 25.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 94.90

Location: 413-415 (width: 3; decimal: 0)

Variable Type: numeric

SEXMO: Q24a: In the past 30 days, have you had vaginal sex with a man?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	565	23.6 %
1	Yes	1810	75.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	23	1.0 %
	Total	2,398	100%

Based upon 2,375 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

NSEXMO: Q24: Past 30 days, approx how many times did you have sex with a man?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	1	138	5.8 %
2	2-5	835	34.8 %
3	6-10	530	22.1 %
4	11 or more	295	12.3 %
	Missing Data		
.	-	600	25.0 %
	Total	2,398	100%

Based upon 1,798 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

NSEXP: Q25: In the past 30 days, how many men have you had sex with?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	1	1745	72.8 %
2	2	47	2.0 %
3	3 or more	13	0.5 %
	Missing Data		
.	-	593	24.7 %
	Total	2,398	100%

Based upon 1,805 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

WITHDRAW: Q26: [withdraw] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	1307	54.5 %
1	Yes	438	18.3 %
	Missing Data		
.	-	653	27.2 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 1,745 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 422-422 (width: 1; decimal: 0)

Variable Type: numeric

VASECTOMY: Q26: [vasectomy] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	1720	71.7 %
1	Yes	25	1.0 %
	Missing Data		
.	-	653	27.2 %
	Total	2,398	100%

Based upon 1,745 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 423-423 (width: 1; decimal: 0)

Variable Type: numeric

CONDOM: Q26: [condom] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	1274	53.1 %
1	Yes	471	19.6 %
	Missing Data		
.	-	653	27.2 %
	Total	2,398	100%

Based upon 1,745 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 424-424 (width: 1; decimal: 0)

Variable Type: numeric

NFP: Q26: [natural/calendar method] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	1659	69.2 %
1	Yes	86	3.6 %
	Missing Data		
.	-	653	27.2 %
	Total	2,398	100%

Based upon 1,745 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 425-425 (width: 1; decimal: 0)

Variable Type: numeric

SPERM: Q26: [spermicide/barrier method] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	1722	71.8 %
1	Yes	23	1.0 %
	Missing Data		
.	-	653	27.2 %
	Total	2,398	100%

Based upon 1,745 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 426-426 (width: 1; decimal: 0)

Variable Type: numeric

NOBARRIER: Q26: [none of the above] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	843	35.2 %
1	Yes	902	37.6 %
	Missing Data		
.	-	653	27.2 %
	Total	2,398	100%

Based upon 1,745 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 427-427 (width: 1; decimal: 0)

Variable Type: numeric

XBARR: Q26: [Refused] In the past 30 days, did you use __?

Value	Label	Unweighted Frequency	%
0	No	1731	72.2 %
1	Yes	14	0.6 %
	Missing Data		
.	-	653	27.2 %
	Total	2,398	100%

Based upon 1,745 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 428-428 (width: 1; decimal: 0)

Variable Type: numeric

SP1WD: Q26: [withdraw] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	38	1.6 %
1	Yes	20	0.8 %
	Missing Data		
.	-	2340	97.6 %
	Total	2,398	100%

Based upon 58 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 429-429 (width: 1; decimal: 0)

Variable Type: numeric

SP1VAS: Q26: [vasectomy] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	57	2.4 %
1	Yes	1	0.0 %
	Missing Data		
.	-	2340	97.6 %
	Total	2,398	100%

Based upon 58 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 430-430 (width: 1; decimal: 0)

Variable Type: numeric

SP1COND: Q26: [condom] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	31	1.3 %
1	Yes	27	1.1 %
	Missing Data		
.	-	2340	97.6 %
	Total	2,398	100%

Based upon 58 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 431-431 (width: 1; decimal: 0)

Variable Type: numeric

SP1NFP: Q26: [natural/calendar] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	56	2.3 %
1	Yes	2	0.1 %
	Missing Data		
.	-	2340	97.6 %
	Total	2,398	100%

Based upon 58 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 432-432 (width: 1; decimal: 0)

Variable Type: numeric

SP1SPERM: Q26: [spermicide/other barrier] In the past 30 days, did you use __ with Partner

Value	Label	Unweighted Frequency	%
0	No	57	2.4 %
1	Yes	1	0.0 %
	Missing Data		
.	-	2340	97.6 %
	Total	2,398	100%

Based upon 58 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 433-433 (width: 1; decimal: 0)

Variable Type: numeric

SP1NONE: Q26: [None of the above] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	42	1.8 %
1	Yes	16	0.7 %
	Missing Data		
.	-	2340	97.6 %
	Total	2,398	100%

Based upon 58 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 434-434 (width: 1; decimal: 0)

Variable Type: numeric

XBARR1: Q26: [Refused] In the past 30 days, did you use __ with Partner 1?

Value	Label	Unweighted Frequency	%
0	No	58	2.4 %
1	Yes	0	0.0 %
	Missing Data		
.	-	2340	97.6 %
	Total	2,398	100%

Based upon 58 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 435-435 (width: 1; decimal: 0)

Variable Type: numeric

SP2WD: Q26: [withdrawal] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	42	1.8 %
1	Yes	13	0.5 %
	Missing Data		
.	-	2343	97.7 %
	Total	2,398	100%

Based upon 55 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 436-436 (width: 1; decimal: 0)

Variable Type: numeric

SP2VAS: Q26: [vasectomy] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	53	2.2 %
1	Yes	2	0.1 %
	Missing Data		
.	-	2343	97.7 %
	Total	2,398	100%

Based upon 55 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 437-437 (width: 1; decimal: 0)

Variable Type: numeric

SP2COND: Q26: [condom] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	29	1.2 %
1	Yes	26	1.1 %
	Missing Data		
.	-	2343	97.7 %
	Total	2,398	100%

Based upon 55 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 438-438 (width: 1; decimal: 0)

Variable Type: numeric

SP2NFP: Q26: [natural/calendar] In the past 30 days, did you use __ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	53	2.2 %
1	Yes	2	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2343	97.7 %
	Total	2,398	100%

Based upon 55 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 439-439 (width: 1; decimal: 0)

Variable Type: numeric

SP2SPERM: Q26: [spermicide/other barrier] In the past 30 days, did you use ___ with Partner

Value	Label	Unweighted Frequency	%
0	No	54	2.3 %
1	Yes	1	0.0 %
	Missing Data		
.	-	2343	97.7 %
	Total	2,398	100%

Based upon 55 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 440-440 (width: 1; decimal: 0)

Variable Type: numeric

SP2NONE: Q26: [None of the above] In the past 30 days, did you use ___ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	42	1.8 %
1	Yes	13	0.5 %
	Missing Data		
.	-	2343	97.7 %
	Total	2,398	100%

Based upon 55 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 441-441 (width: 1; decimal: 0)

Variable Type: numeric

XBARR2: Q26: [Refused] In the past 30 days, did you use ___ with Partner 2?

Value	Label	Unweighted Frequency	%
0	No	55	2.3 %
1	Yes	0	0.0 %
	Missing Data		
.	-	2343	97.7 %
	Total	2,398	100%

Based upon 55 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 442-442 (width: 1; decimal: 0)

Variable Type: numeric

NWITHDRAW: Q26a: [Withdrawl;Partner 1] Past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	262	10.9 %
2	More than half the times you had sex	80	3.3 %
3	About half the time you had sex	40	1.7 %
4	Less than half the time you had sex	75	3.1 %
5	Never	1	0.0 %
	Missing Data		
.	-	1940	80.9 %
	Total	2,398	100%

Based upon 458 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

NCONDOMS: Q26a: [Condom;Partner 1] Past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	306	12.8 %
2	More than half the times you had sex	70	2.9 %
3	About half the time you had sex	33	1.4 %
4	Less than half the time you had sex	81	3.4 %
5	Never	7	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1901	79.3 %
	Total	2,398	100%

Based upon 497 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

NNFP: Q26a: [Natural;Partner 1] Past 30 days, how often did you use __ with __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	46	1.9 %
2	More than half the times you had sex	16	0.7 %
3	About half the time you had sex	11	0.5 %
4	Less than half the time you had sex	15	0.6 %
5	Never	0	0.0 %
	Missing Data		
.	-	2310	96.3 %
	Total	2,398	100%

Based upon 88 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

NSPERM: Q26a: [Spermicide/Oth;Partner 1] In the past 30 days, how often did you use __ w

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	14	0.6 %
2	More than half the times you had sex	3	0.1 %
3	About half the time you had sex	2	0.1 %
4	Less than half the time you had sex	5	0.2 %
5	Never	0	0.0 %
	Missing Data		
.	-	2374	99.0 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 24 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

NWITHDRAW2: In the last 30 days, when you had sex [with SP2], did you and he use [Withdrawal]

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
1	Every time you had sex	9	0.4 %
2	More than half the times you had sex	1	0.0 %
3	About half the time you had sex	1	0.0 %
4	Less than half the time you had sex	1	0.0 %
5	Never	0	0.0 %
	Missing Data		
.	-	2385	99.5 %
	Total	2,398	100%

Based upon 13 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 4.00

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

NCONDOMS2: In the last 30 days, when you had sex [with SP2], did you and he use [Condoms]?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	20	0.8 %
2	More than half the times you had sex	3	0.1 %
3	About half the time you had sex	2	0.1 %
4	Less than half the time you had sex	0	0.0 %
5	Never	1	0.0 %
	Missing Data		
.	-	2372	98.9 %
	Total	2,398	100%

Based upon 26 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 453-454 (width: 2; decimal: 0)

Variable Type: numeric

NNFPR: In the last 30 days, when you had sex [with SP2], did you and he use [Calendar m

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	0	0.0 %
2	More than half the times you had sex	0	0.0 %
3	About half the time you had sex	1	0.0 %
4	Less than half the time you had sex	0	0.0 %
5	Never	1	0.0 %
	Missing Data		
.	-	2396	99.9 %
	Total	2,398	100%

Based upon 2 valid cases out of 2,398 total cases.

- Minimum: 3.00
- Maximum: 5.00

Location: 455-456 (width: 2; decimal: 0)

Variable Type: numeric

NSPERMR: In the last 30 days, when you had sex [with SP2], did you and he use [Spermicide

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Every time you had sex	0	0.0 %
2	More than half the times you had sex	0	0.0 %
3	About half the time you had sex	1	0.0 %
4	Less than half the time you had sex	0	0.0 %
5	Never	0	0.0 %
	Missing Data		
.	-	2397	100.0 %
	Total	2,398	100%

Based upon 1 valid cases out of 2,398 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 457-458 (width: 2; decimal: 0)

Variable Type: numeric

RSAT1: Q27: [withdrawl] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	1935	80.7 %
1	very satisfied	172	7.2 %
2	somewhat satisfied	208	8.7 %
3	somewhat dissatisfied	54	2.3 %
4	very satisfied	29	1.2 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 459-461 (width: 3; decimal: 0)

Variable Type: numeric

RSAT3: Q27: [condoms] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	1895	79.0 %
1	very satisfied	200	8.3 %
2	somewhat satisfied	224	9.3 %
3	somewhat dissatisfied	56	2.3 %
4	very satisfied	23	1.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 462-464 (width: 3; decimal: 0)

Variable Type: numeric

RSAT4: Q27: [natural/calendar] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	2310	96.3 %
1	very satisfied	42	1.8 %

Value	Label	Unweighted Frequency	%
2	somewhat satisfied	35	1.5 %
3	somewhat dissatisfied	9	0.4 %
4	very satisfied	2	0.1 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 465-467 (width: 3; decimal: 0)

Variable Type: numeric

RSAT5: Q27: [spermicide/other barrier] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	2373	99.0 %
1	very satisfied	11	0.5 %
2	somewhat satisfied	11	0.5 %
3	somewhat dissatisfied	3	0.1 %
4	very satisfied	0	0.0 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 468-470 (width: 3; decimal: 0)

Variable Type: numeric

RSAT2: Q27: [vasectomy] How satisfied are you with __

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	2370	98.8 %
1	very satisfied	21	0.9 %
2	somewhat satisfied	4	0.2 %
3	somewhat dissatisfied	2	0.1 %
4	very satisfied	1	0.0 %
5	don't know	0	0.0 %

Value	Label	Unweighted Frequency	%
100	don't know	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 471-473 (width: 3; decimal: 0)

Variable Type: numeric

HOWDUAL: Q28: In the past 30 days, describe dual method use

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Use these methods at the same time	303	12.6 %
2	Switch between methods	96	4.0 %
3	Both of the above	80	3.3 %
	Missing Data		
.	-	1919	80.0 %
	Total	2,398	100%

Based upon 479 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

EC: Q30: In the last 30 days, did you use emergency contraception?

Value	Label	Unweighted Frequency	%
-1	Refused	16	0.7 %
0	No	1762	73.5 %
1	Yes	32	1.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	588	24.5 %
	Total	2,398	100%

Based upon 1,810 valid cases out of 2,398 total cases.

- Minimum: -1.00

- Maximum: 1.00

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Q32: Would you switch methods if cost wasnt an issue?

Value	Label	Unweighted Frequency	%
-1	Refused	5	0.2 %
0	No	970	40.5 %
1	Yes	237	9.9 %
3	Dont Know	455	19.0 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	731	30.5 %
Total		2,398	100%

Based upon 1,667 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

Q32A: Would you use a method if cost wasnt an issue?

Value	Label	Unweighted Frequency	%
-1	Refused	1	0.0 %
0	No	227	9.5 %
1	Yes	54	2.3 %
3	Dont Know	63	2.6 %
4	Didnt care	0	0.0 %
Missing Data			
.	-	2053	85.6 %
Total		2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 3.00

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

NOSEX: Q33_1: [Do not have sex often] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	330	13.8 %
1	Yes	15	0.6 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 482-482 (width: 1; decimal: 0)

Variable Type: numeric

BCPROBS: Q33_2: [Problems using methods] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	331	13.8 %
1	Yes	14	0.6 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 483-483 (width: 1; decimal: 0)

Variable Type: numeric

SIDEFF: Q33_3: [Worried about side effects] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	316	13.2 %
1	Yes	29	1.2 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 484-484 (width: 1; decimal: 0)

Variable Type: numeric

HEALTHBC: Q33_4: [Health reasons] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	335	14.0 %
1	Yes	10	0.4 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 485-485 (width: 1; decimal: 0)

Variable Type: numeric

FORGET: Q33_5: [Forget to use] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	336	14.0 %
1	Yes	9	0.4 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 486-486 (width: 1; decimal: 0)

Variable Type: numeric

CHOICE: Q33_6: [Do not like choices available] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	329	13.7 %
1	Yes	16	0.7 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 487-487 (width: 1; decimal: 0)
Variable Type: numeric

PNOBC: Q33_8: [Partner does not want] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	336	14.0 %
1	Yes	9	0.4 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 488-488 (width: 1; decimal: 0)
Variable Type: numeric

INFERTBC: Q33_10: [Infertile/Subfecund] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	289	12.1 %
1	Yes	56	2.3 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 489-489 (width: 1; decimal: 0)
Variable Type: numeric

NOMIND: Q33_11: [Would not mind if became pregnant] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	251	10.5 %
1	Yes	94	3.9 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 490-490 (width: 1; decimal: 0)

Variable Type: numeric

Q33_12: [I

Value	Label	Unweighted Frequency	%
0	No	248	10.3 %
1	Yes	97	4.0 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 491-491 (width: 1; decimal: 0)

Variable Type: numeric

AFFORDBC: Q33_13: [Cannot afford method I want] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	336	14.0 %
1	Yes	9	0.4 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 492-492 (width: 1; decimal: 0)

Variable Type: numeric

TRYINGPG: Q33_14: [I am trying to get pregnant] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	223	9.3 %
1	Yes	122	5.1 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 493-493 (width: 1; decimal: 0)

Variable Type: numeric

OTRONOBC: Q33_15: [Other] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	314	13.1 %
1	Yes	31	1.3 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 494-494 (width: 1; decimal: 0)

Variable Type: numeric

XNOUSE: Q33_16: [Refused] Why are you not using any method?

Value	Label	Unweighted Frequency	%
0	No	341	14.2 %
1	Yes	4	0.2 %
	Missing Data		
.	-	2053	85.6 %
	Total	2,398	100%

Based upon 345 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 495-495 (width: 1; decimal: 0)

Variable Type: numeric

NOBCQUAL: Q33_17: [Other-specify] Why are you not using any method?

Value	Label	Unweighted Frequency	%
	-	2374	99.0 %
[MASKED]	-	24	1.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 496-503 (width: 8; decimal: 0)

Variable Type: character

USE6MOS: Q35: In the last 6 months, did you use a method every month

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	515	21.5 %
1	Yes	1269	52.9 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	614	25.6 %
	Total	2,398	100%

Based upon 1,784 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

WANTPG: Q35b: During that period, pregnant or trying to get pregnant?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	241	10.1 %
1	Yes	273	11.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	1884	78.6 %
	Total	2,398	100%

Based upon 514 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

APPTRACK: Do you use any kind of app, computer program or website that helps keep track of

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1925	80.3 %
1	Yes	447	18.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	26	1.1 %
	Total	2,398	100%

Based upon 2,372 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

APPAVOID: [It helps me decide when to have sex because I do NOT want to get pregnant.] For

Value	Label	Unweighted Frequency	%
0	No	355	14.8 %
1	Yes	92	3.8 %
	Missing Data		
.	-	1951	81.4 %
	Total	2,398	100%

Based upon 447 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 510-510 (width: 1; decimal: 0)

Variable Type: numeric

APPTRY: [It helps me decide when to have sex because I want to get pregnant.] For which

Value	Label	Unweighted Frequency	%
0	No	327	13.6 %
1	Yes	120	5.0 %
	Missing Data		
.	-	1951	81.4 %
	Total	2,398	100%

Based upon 447 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 511-511 (width: 1; decimal: 0)

Variable Type: numeric

APPBC: [It helps me decide which method of pregnancy prevention to use.] For which of t

Value	Label	Unweighted Frequency	%
0	No	416	17.3 %
1	Yes	31	1.3 %
	Missing Data		
.	-	1951	81.4 %
	Total	2,398	100%

Based upon 447 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 512-512 (width: 1; decimal: 0)

Variable Type: numeric

APPNOBC: [It lets me know if it is safe to have sex without using any method of pregnancy

Value	Label	Unweighted Frequency	%
0	No	398	16.6 %
1	Yes	49	2.0 %
	Missing Data		
.	-	1951	81.4 %
	Total	2,398	100%

Based upon 447 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 513-513 (width: 1; decimal: 0)

Variable Type: numeric

APPOTHER: [Other:] For which of the following reasons do you use it?

Value	Label	Unweighted Frequency	%
0	No	233	9.7 %
1	Yes	214	8.9 %
	Missing Data		
.	-	1951	81.4 %
	Total	2,398	100%

Based upon 447 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 514-514 (width: 1; decimal: 0)

Variable Type: numeric

Q36B_REFUSED: [Refused] For which of the following reasons do you use it?

Value	Label	Unweighted Frequency	%
0	No	427	17.8 %
1	Yes	20	0.8 %
	Missing Data		
.	-	1951	81.4 %
	Total	2,398	100%

Based upon 447 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 515-515 (width: 1; decimal: 0)

Variable Type: numeric

APPQUAL: [Other: Specify] For which of the following reasons do you use it?

Value	Label	Unweighted Frequency	%
	-	2212	92.2 %
[MASKED]	-	186	7.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 516-523 (width: 8; decimal: 0)

Variable Type: character

TYPEINS: Q38: What type of health insurance do you currently have?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Private health insurance I get through my job or school, a family member or that I pay for myself.	1650	68.8 %
2	{#\POV_Q38} or some other government-sponsored health insurance.	318	13.3 %
3	Some other type of health insurance	11	0.5 %
4	I don't have health insurance.	401	16.7 %
	Missing Data		
.	-	18	0.8 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 2,380 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

OTROINS: Q38: [Other-specify] What type of health insurance do you have?

Value	Label	Unweighted Frequency	%
[MASKED]	-	2398	100.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 526-533 (width: 8; decimal: 0)

Variable Type: character

SIXINS: Q39: Did you have health insurance during all of the last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	103	4.3 %
1	Yes	1869	77.9 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	426	17.8 %
	Total	2,398	100%

Based upon 1,972 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

ANYINS: Q39b: Did you have health insurance during any of the last 6 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	328	13.7 %

Value	Label	Unweighted Frequency	%
1	Yes	65	2.7 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	2005	83.6 %
	Total	2,398	100%

Based upon 393 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

REGCARE: Q40: Do you have a regular place you go to for medical care?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	533	22.2 %
1	Yes	1843	76.9 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	22	0.9 %
	Total	2,398	100%

Based upon 2,376 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

GYNVISIT: Q41a: [Annual GYN visit/pap smear] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1341	55.9 %
1	Yes	1021	42.6 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	36	1.5 %
	Total	2,398	100%

Based upon 2,362 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

BCVISIT: Q41b: [birth control] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1705	71.1 %
1	Yes	629	26.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	64	2.7 %
	Total	2,398	100%

Based upon 2,334 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

WHCVIS: Q41c: [Other womens health care incl preg] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1782	74.3 %
1	Yes	577	24.1 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	39	1.6 %
	Total	2,398	100%

Based upon 2,359 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

GENVISIT: Q41d: [General health visit] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1525	63.6 %
1	Yes	823	34.3 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	50	2.1 %
	Total	2,398	100%

Based upon 2,348 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

SICKVIS: Q41e: [Sick/health issue] Did you make a visit for __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1418	59.1 %
1	Yes	934	38.9 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	46	1.9 %
	Total	2,398	100%

Based upon 2,352 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

TYPEDOC: Q43: Last womens health visit, what type of facility?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Private doctor	1023	42.7 %
2	Planned Parenthood or other family planning clinic	112	4.7 %
3	Public health department or community health clinic	114	4.8 %
4	Student health clinic	23	1.0 %
5	Some other type of health care facility	23	1.0 %
	Missing Data		
.	-	1103	46.0 %
	Total	2,398	100%

Based upon 1,295 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

OTRODOC: Q43: [Other-specify] Last womens health visit, what type of facility?

Value	Label	Unweighted Frequency	%
	-	2380	99.2 %
[MASKED]	-	18	0.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

Location: 552-559 (width: 8; decimal: 0)

Variable Type: character

PAIDOOD: Q44_1: [Respondent paid some or all incl copay] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	821	34.2 %
1	Yes	478	19.9 %
	Missing Data		
.	-	1099	45.8 %
	Total	2,398	100%

Based upon 1,299 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 560-560 (width: 1; decimal: 0)

Variable Type: numeric

INSPAID: Q44_2: [Insurance paid some or all] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	383	16.0 %
1	Yes	916	38.2 %
	Missing Data		
.	-	1099	45.8 %
	Total	2,398	100%

Based upon 1,299 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 561-561 (width: 1; decimal: 0)

Variable Type: numeric

REDUCFEE: Q44_3: [Reduced fee] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	1243	51.8 %
1	Yes	56	2.3 %
	Missing Data		
.	-	1099	45.8 %
	Total	2,398	100%

Based upon 1,299 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 562-562 (width: 1; decimal: 0)

Variable Type: numeric

FREECARE: Q44_4: [Free services] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	1176	49.0 %
1	Yes	123	5.1 %
	Missing Data		
.	-	1099	45.8 %
	Total	2,398	100%

Based upon 1,299 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 563-563 (width: 1; decimal: 0)

Variable Type: numeric

XHOWPAY: Q44_5: [Refused] How did you pay for the visit?

Value	Label	Unweighted Frequency	%
0	No	1285	53.6 %
1	Yes	14	0.6 %
	Missing Data		
.	-	1099	45.8 %
	Total	2,398	100%

Based upon 1,299 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 564-564 (width: 1; decimal: 0)

Variable Type: numeric

DOCTALK: Q47a: [Doctor talked about having children] At last visit, how strongly agree

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	675	28.1 %
1	Yes	619	25.8 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	1104	46.0 %
	Total	2,398	100%

Based upon 1,294 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

BCINFO: Q47b: [Got info about birth control] At last visit, did you __

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	767	32.0 %
1	Yes	528	22.0 %
3	Dont Know	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Didnt care	0	0.0 %
	Missing Data		
.	-	1103	46.0 %
	Total	2,398	100%

Based upon 1,295 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

HOUREMP: Q48_1: [Employment] Approx how many hours did you spend on __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	includes 58 nonresponders	769	32.1 %
1	-	9	0.4 %
2	-	3	0.1 %
3	-	5	0.2 %
4	-	6	0.3 %
5	-	13	0.5 %
6	-	9	0.4 %
7	-	3	0.1 %
8	-	17	0.7 %
9	-	2	0.1 %
10	-	24	1.0 %
11	-	3	0.1 %
12	-	15	0.6 %
13	-	2	0.1 %
14	-	8	0.3 %
15	-	34	1.4 %
16	-	15	0.6 %
17	-	4	0.2 %
18	-	8	0.3 %
20	-	73	3.0 %
21	-	4	0.2 %
22	-	7	0.3 %
23	-	1	0.0 %
24	-	22	0.9 %
25	-	45	1.9 %

Value	Label	Unweighted Frequency	%
26	-	8	0.3 %
27	-	9	0.4 %
28	-	12	0.5 %
29	-	5	0.2 %
30	-	86	3.6 %
31	-	5	0.2 %
32	-	31	1.3 %
33	-	3	0.1 %
34	-	9	0.4 %
35	-	72	3.0 %
36	-	30	1.3 %
37	-	10	0.4 %
38	-	25	1.0 %
39	-	7	0.3 %
40	-	614	25.6 %
41	-	7	0.3 %
42	-	27	1.1 %
43	-	11	0.5 %
44	-	14	0.6 %
45	-	90	3.8 %
46	-	7	0.3 %
47	-	2	0.1 %
48	-	17	0.7 %
49	-	1	0.0 %
	Total	2,398	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 24.54
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 19.97

Location: 569-571 (width: 3; decimal: 0)

Variable Type: numeric

HOURED: Q48_2: [Attending school] Approx how many hours did you spend on __?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	includes 188 nonresponders	2005	83.6 %
1	-	7	0.3 %
2	-	8	0.3 %
3	-	21	0.9 %
4	-	15	0.6 %
5	-	26	1.1 %
6	-	22	0.9 %
7	-	7	0.3 %
8	-	20	0.8 %
9	-	9	0.4 %
10	-	40	1.7 %
11	-	1	0.0 %
12	-	30	1.3 %
13	-	4	0.2 %
14	-	6	0.3 %
15	-	29	1.2 %
16	-	7	0.3 %
17	-	2	0.1 %
18	-	4	0.2 %
20	-	49	2.0 %
24	-	7	0.3 %
25	-	13	0.5 %
27	-	1	0.0 %
30	-	25	1.0 %
32	-	1	0.0 %
35	-	4	0.2 %
36	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	22	0.9 %
45	-	2	0.1 %
48	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
60	-	3	0.1 %
96	-	1	0.0 %
100	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 2.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 7.92

Location: 572-574 (width: 3; decimal: 0)

Variable Type: numeric

STRESSA: [You were unable to control important things in your life] In the last 30 days,

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Never	539	22.5 %
2	Almost never	675	28.1 %
3	Sometimes	777	32.4 %
4	Fairly often	261	10.9 %
5	Very often	109	4.5 %
	Missing Data		
.	-	37	1.5 %
	Total	2,398	100%

Based upon 2,361 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

STRESSB: [Confident about your ability to handle your personal problems] In the last 30 d

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Never	87	3.6 %
2	Almost never	168	7.0 %
3	Sometimes	623	26.0 %
4	Fairly often	831	34.7 %
5	Very often	650	27.1 %
	Missing Data		
.	-	39	1.6 %
	Total	2,398	100%

Based upon 2,359 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

STRESSC: [Things were going your way] In the last 30 days, how often have you felt:

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
1	Never	90	3.8 %
2	Almost never	222	9.3 %
3	Sometimes	908	37.9 %
4	Fairly often	799	33.3 %
5	Very often	339	14.1 %
	Missing Data		
.	-	40	1.7 %
	Total	2,398	100%

Based upon 2,358 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

DEATH: Q51_1: [Close friend/family member died] In the past 6 months, important problem

Value	Label	Unweighted Frequency	%
0	No	2070	86.3 %
1	Yes	328	13.7 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 581-581 (width: 1; decimal: 0)

Variable Type: numeric

RENT: Q51_2: [Fell behind on rent/mortgage] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2235	93.2 %
1	Yes	163	6.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 582-582 (width: 1; decimal: 0)

Variable Type: numeric

JOBPROB: Q51_3: [Changed job/was unemployed] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2000	83.4 %
1	Yes	398	16.6 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 583-583 (width: 1; decimal: 0)

Variable Type: numeric

MEDPROB: Q51_4[Sudden medical problem] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2146	89.5 %
1	Yes	252	10.5 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 584-584 (width: 1; decimal: 0)

Variable Type: numeric

FAMHLTH: Q51_5: [Dependent/relative had serious medical problem] In the past 6 months, pr

Value	Label	Unweighted Frequency	%
0	No	2163	90.2 %
1	Yes	235	9.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 585-585 (width: 1; decimal: 0)

Variable Type: numeric

MOVED: Q51_6: [Respondent moved] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2086	87.0 %
1	Yes	312	13.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 586-586 (width: 1; decimal: 0)

Variable Type: numeric

PSYCH: Q51_7: [Mental/emotional health/substance abuse counseling] In the past 6 months

Value	Label	Unweighted Frequency	%
0	No	2257	94.1 %
1	Yes	141	5.9 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 587-587 (width: 1; decimal: 0)

Variable Type: numeric

MONEY: Q51_8: [Financial situation got worse] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	1915	79.9 %
1	Yes	483	20.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 588-588 (width: 1; decimal: 0)

Variable Type: numeric

Q51_9: Q51_9: [None of the above] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	1336	55.7 %
1	Yes	1062	44.3 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 589-589 (width: 1; decimal: 0)

Variable Type: numeric

NOEVENT: Q51_10: [Refused] In the past 6 months, important problems?

Value	Label	Unweighted Frequency	%
0	No	2359	98.4 %
1	Yes	39	1.6 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 590-590 (width: 1; decimal: 0)

Variable Type: numeric

AGE: Age

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
18	-	10	0.4 %
19	-	35	1.5 %
20	-	57	2.4 %
21	-	89	3.7 %
22	-	107	4.5 %
23	-	147	6.1 %
24	-	172	7.2 %
25	-	185	7.7 %
26	-	155	6.5 %
27	-	154	6.4 %
28	-	179	7.5 %
29	-	160	6.7 %

Value	Label	Unweighted Frequency	%
30	-	121	5.0 %
31	-	106	4.4 %
32	-	92	3.8 %
33	-	102	4.3 %
34	-	93	3.9 %
35	-	103	4.3 %
36	-	94	3.9 %
37	-	83	3.5 %
38	-	83	3.5 %
39	-	71	3.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 28.59
- Median: 28.00
- Mode: 25.00
- Minimum: 18.00
- Maximum: 39.00
- Standard Deviation: 5.30

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

DEGREE: Education (Highest Degree Received)

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	No formal education	0	0.0 %
2	1st, 2nd, 3rd, or 4th grade	1	0.0 %
3	5th or 6th grade	13	0.5 %
4	7th or 8th grade	7	0.3 %
5	9th grade	13	0.5 %
6	10th grade	23	1.0 %
7	11th grade	21	0.9 %
8	12th grade NO DIPLOMA	25	1.0 %
9	HIGH SCHOOL GRADUATE - high school DIPLOMA or the equivalent (GED)	312	13.0 %
10	Some college, no degree	580	24.2 %
11	Associate degree	268	11.2 %
12	Bachelors degree	790	32.9 %
13	Masters degree	277	11.6 %
14	Professional or Doctorate degree	68	2.8 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 2.00
- Maximum: 14.00

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

ED: Education (Categorical)

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Less than high school	103	4.3 %
2	High school	312	13.0 %
3	Some college	848	35.4 %
4	Bachelor's degree or higher	1135	47.3 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

RACETH: Race / Ethnicity

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	White, Non-Hispanic	1621	67.6 %
2	Black, Non-Hispanic	204	8.5 %
3	Other, Non-Hispanic	97	4.0 %
4	Hispanic	368	15.3 %
5	2+ Races, Non-Hispanic	108	4.5 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

SEX: Gender

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	2398	100.0 %
1	Male	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

HHEAD: Household Head

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	No	731	30.5 %
1	Yes	1667	69.5 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

HHSIZE: Household Size

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	-	265	11.1 %
2	-	727	30.3 %
3	-	579	24.1 %
4	-	455	19.0 %
5	-	213	8.9 %
6	-	104	4.3 %
7	-	21	0.9 %

Value	Label	Unweighted Frequency	%
8	-	15	0.6 %
9	-	10	0.4 %
10	-	5	0.2 %
11	-	1	0.0 %
12	-	2	0.1 %
13	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 3.09
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 1.54

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

HHTYPE: Housing Type

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	A one-family house detached from any other house	1256	52.4 %
2	A one-family house attached to one or more houses	265	11.1 %
3	A building with 2 or more apartments	786	32.8 %
4	A mobile home	90	3.8 %
5	Boat, RV, van, etc.	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

HHINC: Household Income

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Less than \$5,000	93	3.9 %

Value	Label	Unweighted Frequency	%
2	\$5,000 to \$7,499	46	1.9 %
3	\$7,500 to \$9,999	53	2.2 %
4	\$10,000 to \$12,499	63	2.6 %
5	\$12,500 to \$14,999	56	2.3 %
6	\$15,000 to \$19,999	100	4.2 %
7	\$20,000 to \$24,999	141	5.9 %
8	\$25,000 to \$29,999	164	6.8 %
9	\$30,000 to \$34,999	153	6.4 %
10	\$35,000 to \$39,999	153	6.4 %
11	\$40,000 to \$49,999	288	12.0 %
12	\$50,000 to \$59,999	227	9.5 %
13	\$60,000 to \$74,999	227	9.5 %
14	\$75,000 to \$84,999	147	6.1 %
15	\$85,000 to \$99,999	167	7.0 %
16	\$100,000 to \$124,999	152	6.3 %
17	\$125,000 to \$149,999	66	2.8 %
18	\$150,000 to \$174,999	46	1.9 %
19	\$175,000 or more	56	2.3 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

MARSTAT: Marital Status

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Married	1112	46.4 %
2	Widowed	4	0.2 %
3	Divorced	73	3.0 %
4	Separated	25	1.0 %
5	Never married	783	32.7 %
6	Living with partner	401	16.7 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

MSA: MSA Status

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	Non-Metro	293	12.2 %
1	Metro	2105	87.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

REGION: Region 4 - Based on State of Residence

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Northeast	408	17.0 %
2	Midwest	640	26.7 %
3	South	711	29.6 %
4	West	639	26.6 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

REGION9: Region 9 - Based on State of Residence

Value	Label	Unweighted Frequency	%
1	New England	119	5.0 %
2	Mid-Atlantic	289	12.1 %
3	East-North Central	423	17.6 %

Value	Label	Unweighted Frequency	%
4	West-North Central	217	9.0 %
5	South Atlantic	386	16.1 %
6	East-South Central	112	4.7 %
7	West-South Central	213	8.9 %
8	Mountain	202	8.4 %
9	Pacific	437	18.2 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 615-615 (width: 1; decimal: 0)

Variable Type: numeric

OWNHOME: Ownership Status of Living Quarters

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Owned or being bought by you or someone in your household	1189	49.6 %
2	Rented for cash	1142	47.6 %
3	Occupied without payment of cash rent	67	2.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

STATE: State

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
11	me	9	0.4 %
12	nh	9	0.4 %
13	vt	7	0.3 %
14	ma	63	2.6 %
15	ri	8	0.3 %

Value	Label	Unweighted Frequency	%
16	ct	23	1.0 %
21	ny	130	5.4 %
22	nj	43	1.8 %
23	pa	116	4.8 %
31	oh	102	4.3 %
32	in	50	2.1 %
33	il	101	4.2 %
34	mi	93	3.9 %
35	wi	77	3.2 %
41	mn	64	2.7 %
42	ia	40	1.7 %
43	mo	52	2.2 %
44	nd	7	0.3 %
45	sd	8	0.3 %
46	ne	19	0.8 %
47	ks	27	1.1 %
51	de	5	0.2 %
52	md	31	1.3 %
53	dc	7	0.3 %
54	va	49	2.0 %
55	wv	11	0.5 %
56	nc	79	3.3 %
57	sc	23	1.0 %
58	ga	66	2.8 %
59	fl	115	4.8 %
61	ky	37	1.5 %
62	tn	32	1.3 %
63	al	30	1.3 %
64	ms	13	0.5 %
71	ar	21	0.9 %
72	la	26	1.1 %
73	ok	21	0.9 %
74	tx	145	6.0 %
81	mt	13	0.5 %
82	id	19	0.8 %
83	wy	3	0.1 %
84	co	38	1.6 %
85	nm	17	0.7 %
86	az	50	2.1 %

Value	Label	Unweighted Frequency	%
87	ut	44	1.8 %
88	nv	18	0.8 %
91	wa	69	2.9 %
92	or	52	2.2 %
	Total	2,398	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 11.00
- Maximum: 95.00

Location: 618-619 (width: 2; decimal: 0)

Variable Type: numeric

INFANTS: Presence of Household Members - Children 0-1

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	2059	85.9 %
1	-	327	13.6 %
2	-	12	0.5 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

Location: 620-621 (width: 2; decimal: 0)

Variable Type: numeric

TODDLERS: Presence of Household Members - Children 2-5

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	1800	75.1 %
1	-	472	19.7 %
2	-	115	4.8 %

Value	Label	Unweighted Frequency	%
3	-	11	0.5 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.58

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

KIDS: Presence of Household Members - Children 6-12

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	1881	78.4 %
1	-	344	14.3 %
2	-	142	5.9 %
3	-	22	0.9 %
4	-	8	0.3 %
5	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.66

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

TEENS: Presence of Household Members - Children 13-17

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
0	-	2164	90.2 %
1	-	189	7.9 %

Value	Label	Unweighted Frequency	%
2	-	38	1.6 %
3	-	6	0.3 %
4	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.40

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

NADULTS: Presence of Household Members - Adults 18+

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	-	379	15.8 %
2	-	1449	60.4 %
3	-	343	14.3 %
4	-	163	6.8 %
5	-	41	1.7 %
6	-	16	0.7 %
7	-	3	0.1 %
8	-	3	0.1 %
12	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 2.22
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.95

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

EMPSTAT: Current Employment Status

Value	Label	Unweighted Frequency	%
-2	Not asked	0	0.0 %
-1	refused	0	0.0 %
1	Working - as a paid employee	1476	61.6 %
2	Working - self-employed	118	4.9 %
3	Not working - on temporary layoff from a job	21	0.9 %
4	Not working - looking for work	299	12.5 %
5	Not working - retired	0	0.0 %
6	Not working - disabled	39	1.6 %
7	Not working - other	445	18.6 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

INTERNET: HH Internet Access

Value	Label	Unweighted Frequency	%
0	No	107	4.5 %
1	Yes	2291	95.5 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 632-632 (width: 1; decimal: 0)

Variable Type: numeric

UNION: Q1 RECODE. Rs union status

Value	Label	Unweighted Frequency	%
1	married	1187	49.5 %
2	cohabiting	426	17.8 %
3	separated from spouse	31	1.3 %
4	never married	664	27.7 %
5	prev married	90	3.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 633-633 (width: 1; decimal: 0)

Variable Type: numeric

UNIONB: Q1 and 2 RECODE. Rs union status

Value	Label	Unweighted Frequency	%
1	married	1196	49.9 %
2	cohabiting	426	17.8 %
3	dating	457	19.1 %
4	never married	272	11.3 %
5	prev married	47	2.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 634-634 (width: 1; decimal: 0)

Variable Type: numeric

PGENDER: Q3b RECODE. Ps gender

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	Female	47	2.0 %
1	Male	2015	84.0 %
	Missing Data		
.	-	336	14.0 %
	Total	2,398	100%

Based upon 2,062 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 635-636 (width: 2; decimal: 0)

Variable Type: numeric

NOBREAK: Q4 RECODE. Been together for 6 months or longer

Value	Label	Unweighted Frequency	%
1	yes	1851	77.2 %
2	broken up but back together	82	3.4 %
3	no	124	5.2 %

Value	Label	Unweighted Frequency	%
4	unsure	6	0.3 %
9	not in relationship	0	0.0 %
	Missing Data		
.	-	335	14.0 %
	Total	2,398	100%

Based upon 2,063 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 637-637 (width: 1; decimal: 0)

Variable Type: numeric

PWANTS: Q19 RECODE. P wants kids with R

Value	Label	Unweighted Frequency	%
1	agree	773	32.2 %
2	somewhat agree	320	13.3 %
3	somewhat disagree	131	5.5 %
4	disagree	448	18.7 %
5	unsure, dk	245	10.2 %
	Missing Data		
.	-	481	20.1 %
	Total	2,398	100%

Based upon 1,917 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 638-638 (width: 1; decimal: 0)

Variable Type: numeric

PAVOID: Q20 RECODE. How important to P to avoid preg now?

Value	Label	Unweighted Frequency	%
1	not at all imp	316	13.2 %
2	-	102	4.3 %
3	-	159	6.6 %
4	-	274	11.4 %
5	-	267	11.1 %
6	very important	794	33.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	486	20.3 %
	Total	2,398	100%

Based upon 1,912 valid cases out of 2,398 total cases.

- Mean: 4.28
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.87

Location: 639-639 (width: 1; decimal: 0)

Variable Type: numeric

B2: intermediate variable used to construct hormonal3

Value	Label	Unweighted Frequency	%
0	-	1278	53.3 %
1	-	1103	46.0 %
2	-	16	0.7 %
3	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.52

Location: 640-640 (width: 1; decimal: 0)

Variable Type: numeric

HORMONAL: Q23 RECODE. hormonal method used by R in last 30 days

Value	Label	Unweighted Frequency	%
1	pill	711	29.6 %
2	patch	5	0.2 %
3	ring	55	2.3 %
4	depo	72	3.0 %
5	implant	33	1.4 %
6	iud	227	9.5 %
7	multiple methods	17	0.7 %
8	none	1278	53.3 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 641-641 (width: 1; decimal: 0)

Variable Type: numeric

WITHDRAWR: Q26 RECODE. R used withdrawal at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	1347	56.2 %
1	yes	463	19.3 %
	Missing Data		
.	-	588	24.5 %
	Total	2,398	100%

Based upon 1,810 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 642-642 (width: 1; decimal: 0)

Variable Type: numeric

SNIP: Q26 RECODE. R used vasectomy at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1782	74.3 %
1	Yes	28	1.2 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	588	24.5 %
	Total	2,398	100%

Based upon 1,810 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

CONDOMR: Q26 RECODE. R used condom at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	1307	54.5 %
1	yes	503	21.0 %
	Missing Data		
.	-	588	24.5 %
	Total	2,398	100%

Based upon 1,810 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 645-645 (width: 1; decimal: 0)

Variable Type: numeric

NFPR: Q26 RECODE. R used NFP at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	1722	71.8 %
1	yes	88	3.7 %
	Missing Data		
.	-	588	24.5 %
	Total	2,398	100%

Based upon 1,810 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 646-646 (width: 1; decimal: 0)

Variable Type: numeric

SPERM: Q26 RECODE. R used other barrier method at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	1785	74.4 %
1	yes	25	1.0 %
	Missing Data		
.	-	588	24.5 %
	Total	2,398	100%

Based upon 1,810 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 647-647 (width: 1; decimal: 0)

Variable Type: numeric

NOBARR: Q26 RECODE. R used NO barrier method at all with any P in last 30 days

Value	Label	Unweighted Frequency	%
0	no	881	36.7 %
1	yes	922	38.4 %
	Missing Data		
.	-	595	24.8 %
	Total	2,398	100%

Based upon 1,803 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 648-648 (width: 1; decimal: 0)

Variable Type: numeric

MOGAMY: Q6 RECODE. how likely P had other P

Value	Label	Unweighted Frequency	%
1	not at all likely	1672	69.7 %
2	-	143	6.0 %
3	-	63	2.6 %
4	-	38	1.6 %
5	-	33	1.4 %
6	very likely	115	4.8 %
	Missing Data		
.	-	334	13.9 %
	Total	2,398	100%

Based upon 2,064 valid cases out of 2,398 total cases.

- Mean: 1.53
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.31

Location: 649-649 (width: 1; decimal: 0)

Variable Type: numeric

COMMIT: Q7 RECODE. how committed is R to relationship

Value	Label	Unweighted Frequency	%
1	not at all	19	0.8 %
2	-	25	1.0 %
3	-	60	2.5 %
4	-	86	3.6 %
5	-	176	7.3 %
6	very committed	1693	70.6 %
	Missing Data		
.	-	339	14.1 %
	Total	2,398	100%

Based upon 2,059 valid cases out of 2,398 total cases.

- Mean: 5.65
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.90

Location: 650-650 (width: 1; decimal: 0)

Variable Type: numeric

HAPPY: Q8 RECODE. how happy is R with relationship

Value	Label	Unweighted Frequency	%
1	not at all	14	0.6 %
2	-	52	2.2 %
3	-	95	4.0 %
4	-	238	9.9 %
5	-	533	22.2 %
6	very happy	1128	47.0 %
	Missing Data		
.	-	338	14.1 %
	Total	2,398	100%

Based upon 2,060 valid cases out of 2,398 total cases.

- Mean: 5.24
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.06

Location: 651-651 (width: 1; decimal: 0)

Variable Type: numeric

SEXSAT: Q9 RECODE. how happy is R with sexual relationship

Value	Label	Unweighted Frequency	%
1	not at all	49	2.0 %
2	-	77	3.2 %
3	-	147	6.1 %
4	-	329	13.7 %
5	-	527	22.0 %
6	very satisfied	888	37.0 %
7	NA, no sex yet	37	1.5 %
	Missing Data		
.	-	344	14.3 %
	Total	2,398	100%

Based upon 2,054 valid cases out of 2,398 total cases.

- Mean: 4.96
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.29

Location: 652-652 (width: 1; decimal: 0)

Variable Type: numeric

ARGUE: Q10 RECODE. N of serious arguments in last 30 days

Value	Label	Unweighted Frequency	%
1	0	940	39.2 %
2	1	701	29.2 %
3	2-5	357	14.9 %
4	6-10	64	2.7 %
5	11 or more	0	0.0 %
	Missing Data		
.	-	336	14.0 %
	Total	2,398	100%

Based upon 2,062 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 653-653 (width: 1; decimal: 0)

Variable Type: numeric

WANTWP: Q13 RECODE. R wants kids with P

Value	Label	Unweighted Frequency	%
1	agree	861	35.9 %
2	somewhat agree	319	13.3 %
3	somewhat disagree	106	4.4 %
4	disagree	476	19.8 %
5	unsure, dk	301	12.6 %
	Missing Data		
.	-	335	14.0 %
	Total	2,398	100%

Based upon 2,063 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 654-654 (width: 1; decimal: 0)

Variable Type: numeric

PREVENT: Q23b RECODE. use hormonal to prevent preg

Value	Label	Unweighted Frequency	%
0	no	100	4.2 %
1	yes	1020	42.5 %
9	no answer, code to 0?	0	0.0 %
	Missing Data		
.	-	1278	53.3 %
	Total	2,398	100%

Based upon 1,120 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 655-655 (width: 1; decimal: 0)

Variable Type: numeric

CRAMPS: Q23b RECODE. use hormonal for cramps

Value	Label	Unweighted Frequency	%
0	no	728	30.4 %
1	yes	392	16.3 %
	Missing Data		
.	-	1278	53.3 %
	Total	2,398	100%

Based upon 1,120 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 656-656 (width: 1; decimal: 0)

Variable Type: numeric

ACNE: Q23b RECODE. use hormonal for acne

Value	Label	Unweighted Frequency	%
0	no	975	40.7 %
1	yes	145	6.0 %
	Missing Data		
.	-	1278	53.3 %
	Total	2,398	100%

Based upon 1,120 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 657-657 (width: 1; decimal: 0)

Variable Type: numeric

PERIOD: Q23b RECODE. use hormonal for period

Value	Label	Unweighted Frequency	%
0	no	645	26.9 %
1	yes	475	19.8 %
	Missing Data		
.	-	1278	53.3 %
	Total	2,398	100%

Based upon 1,120 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 658-658 (width: 1; decimal: 0)

Variable Type: numeric

CYSTS: Q23b RECODE. use hormonal for cysts

Value	Label	Unweighted Frequency	%
0	no	1052	43.9 %
1	yes	68	2.8 %
	Missing Data		
.	-	1278	53.3 %
	Total	2,398	100%

Based upon 1,120 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 659-659 (width: 1; decimal: 0)

Variable Type: numeric

OTROBC: Q23b RECODE. use hormonal for other reasons

Value	Label	Unweighted Frequency	%
0	no	1099	45.8 %
1	yes	21	0.9 %
	Missing Data		
.	-	1278	53.3 %
	Total	2,398	100%

Based upon 1,120 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 660-660 (width: 1; decimal: 0)

Variable Type: numeric

SATISBC: Q23d RECODE. overall satisfaction with hormonal method

Value	Label	Unweighted Frequency	%
1	very satisfied	758	31.6 %
2	somewhat satisfied	275	11.5 %
3	somewhat dissatisfied	58	2.4 %
4	very dissatisfied	20	0.8 %
	Missing Data		
.	-	1287	53.7 %
	Total	2,398	100%

Based upon 1,111 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 661-661 (width: 1; decimal: 0)

Variable Type: numeric

IDEALBC: Q32 RECODE. if cost not a barrier, desire other method?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
0	No	1197	49.9 %
1	Yes	291	12.1 %
3	Dont Know	518	21.6 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	392	16.3 %
	Total	2,398	100%

Based upon 2,006 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

WOMENHC: Q41 RECODE. received any womens health care in last 6 months

Value	Label	Unweighted Frequency	%
0	no	1099	45.8 %
1	yes	1299	54.2 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 664-664 (width: 1; decimal: 0)

Variable Type: numeric

RHHINC: RECODE. Household income

Value	Label	Unweighted Frequency	%
4999	-	93	3.9 %
6250	-	46	1.9 %
8750	-	53	2.2 %
11250	-	63	2.6 %
13750	-	56	2.3 %
17500	-	100	4.2 %
22500	-	141	5.9 %
27500	-	164	6.8 %
32500	-	153	6.4 %
37500	-	153	6.4 %

Value	Label	Unweighted Frequency	%
45000	-	288	12.0 %
55000	-	227	9.5 %
67500	-	227	9.5 %
80000	-	147	6.1 %
92500	-	167	7.0 %
112500	-	152	6.3 %
137500	-	66	2.8 %
162500	-	46	1.9 %
176000	-	56	2.3 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 56012.68
- Median: 45000.00
- Mode: 45000.00
- Minimum: 4999.00
- Maximum: 176000.00
- Standard Deviation: 40340.35

Location: 665-670 (width: 6; decimal: 0)

Variable Type: numeric

POVRATE: RECODE. Estimated poverty status based on HHINC and HHSIZE

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
16	-	5	0.2 %
18	-	6	0.3 %
20	-	3	0.1 %
21	-	13	0.5 %
22	-	1	0.0 %
23	-	4	0.2 %
25	-	1	0.0 %
26	-	29	1.2 %
27	-	11	0.5 %
28	-	2	0.1 %
29	-	1	0.0 %
32	-	36	1.5 %
35	-	1	0.0 %
36	-	3	0.1 %
37	-	12	0.5 %
39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
40	-	10	0.4 %
41	-	4	0.2 %
44	-	18	0.8 %
45	-	10	0.4 %
48	-	9	0.4 %
49	-	1	0.0 %
50	-	4	0.2 %
54	-	12	0.5 %
55	-	6	0.3 %
56	-	15	0.6 %
58	-	37	1.5 %
63	-	9	0.4 %
69	-	5	0.2 %
70	-	15	0.6 %
71	-	6	0.3 %
73	-	18	0.8 %
74	-	16	0.7 %
76	-	7	0.3 %
82	-	26	1.1 %
86	-	1	0.0 %
87	-	9	0.4 %
89	-	11	0.5 %
90	-	25	1.0 %
91	-	1	0.0 %
95	-	1	0.0 %
96	-	21	0.9 %
98	-	6	0.3 %
100	-	12	0.5 %
103	-	10	0.4 %
105	-	1	0.0 %
106	-	1	0.0 %
113	-	32	1.3 %
114	-	1	0.0 %
	Total	2,398	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 301.25

- Median: 242.00
- Mode: 290.00
- Minimum: 14.00
- Maximum: 1532.00
- Standard Deviation: 228.02

Location: 671-674 (width: 4; decimal: 0)

Variable Type: numeric

POVCAT: RECODE. Estimated poverty status based on HHINC and HHSIZE

Value	Label	Unweighted Frequency	%
1	lt 100%	433	18.1 %
2	100-199%	562	23.4 %
3	200%+	1396	58.2 %
	Missing Data		
.	-	7	0.3 %
	Total	2,398	100%

Based upon 2,391 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 675-675 (width: 1; decimal: 0)

Variable Type: numeric

ANYVISIT: Q41 RECODE. Make a visit for any of 5 reasons in last 6 months

Value	Label	Unweighted Frequency	%
0	no	680	28.4 %
1	yes	1718	71.6 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 676-676 (width: 1; decimal: 0)

Variable Type: numeric

MISSVIS: Number of missed health care visits in last 6 months

Value	Label	Unweighted Frequency	%
0	-	2303	96.0 %
1	-	49	2.0 %
2	-	4	0.2 %
3	-	9	0.4 %

Value	Label	Unweighted Frequency	%
4	-	14	0.6 %
5	-	19	0.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.59

Location: 677-677 (width: 1; decimal: 0)

Variable Type: numeric

NPROBS: Q51 RECODE. Total N of problems experienced in last 6 months

Value	Label	Unweighted Frequency	%
0	-	1101	45.9 %
1	-	680	28.4 %
2	-	359	15.0 %
3	-	166	6.9 %
4	-	59	2.5 %
5	-	21	0.9 %
6	-	10	0.4 %
7	-	1	0.0 %
8	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.18

Location: 678-678 (width: 1; decimal: 0)

Variable Type: numeric

BREAKUP: RECODE q4: Broke up and got back together with P from prior survey

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	1981	82.6 %

Value	Label	Unweighted Frequency	%
1	Yes	82	3.4 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Missing Data		
.	-	335	14.0 %
	Total	2,398	100%

Based upon 2,063 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 679-680 (width: 2; decimal: 0)

Variable Type: numeric

MOWEEKS: intermediate variable used to construct months

Value	Label	Unweighted Frequency	%
0.00	-	2220	92.6 %
4.33	-	25	1.0 %
8.66	-	45	1.9 %
12.99	-	30	1.3 %
17.32	-	38	1.6 %
21.65	-	22	0.9 %
25.98	-	6	0.3 %
30.31	-	1	0.0 %
34.64	-	2	0.1 %
47.63	-	1	0.0 %
51.96	-	2	0.1 %
60.62	-	1	0.0 %
103.92	-	1	0.0 %
242.48	-	1	0.0 %
311.76	-	2	0.1 %
519.60	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 1.65941201001
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 519.600000000000
- Standard Deviation: 15.51095780552

Location: 681-695 (width: 15; decimal: 11)

Variable Type: numeric

WEEKS: RECODE Q5: [Weeks] How many __ been (back together with Partner

Value	Label	Unweighted Frequency	%
0	-	2286	95.3 %
1	-	21	0.9 %
2	-	44	1.8 %
3	-	35	1.5 %
4	-	4	0.2 %
5	-	3	0.1 %
6	-	3	0.1 %
9	-	1	0.0 %
15	-	1	0.0 %
Total		2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.66

Location: 696-697 (width: 2; decimal: 0)

Variable Type: numeric

MONTHS: RECODE Q5: [Months] How many __ been (back together with Partner

Value	Label	Unweighted Frequency	%
0	-	2207	92.0 %
1	-	35	1.5 %
2	-	37	1.5 %
3	-	33	1.4 %
4	-	37	1.5 %
5	-	27	1.1 %
6	-	9	0.4 %
7	-	2	0.1 %
8	-	2	0.1 %
12	-	3	0.1 %
14	-	1	0.0 %
24	-	1	0.0 %
56	-	1	0.0 %

Value	Label	Unweighted Frequency	%
72	-	2	0.1 %
120	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 120.00
- Standard Deviation: 3.60

Location: 698-700 (width: 3; decimal: 0)

Variable Type: numeric

HOWLONG: RECODE Q4 & Q5: How long been with P

Value	Label	Unweighted Frequency	%
-1	not in rel, or missing data on relationship	0	0.0 %
1	-	35	1.5 %
2	-	37	1.5 %
3	-	33	1.4 %
4	-	37	1.5 %
5	-	27	1.1 %
6	6 months or longer	1873	78.1 %
	Missing Data		
.	-	356	14.8 %
	Total	2,398	100%

Based upon 2,042 valid cases out of 2,398 total cases.

- Mean: 5.74
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.94

Location: 701-702 (width: 2; decimal: 0)

Variable Type: numeric

TIMEUSE: RECODE Q23A: How many of last 6 months used hormonal method?

Value	Label	Unweighted Frequency	%
-1	missing	0	0.0 %
0	-	8	0.3 %

Value	Label	Unweighted Frequency	%
1	-	36	1.5 %
2	-	63	2.6 %
3	-	33	1.4 %
4	-	36	1.5 %
5	-	32	1.3 %
6	6 or more months	910	37.9 %
99	not a user	0	0.0 %
	Missing Data		
.	-	1280	53.4 %
	Total	2,398	100%

Based upon 1,118 valid cases out of 2,398 total cases.

- Mean: 5.39
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.42

Location: 703-704 (width: 2; decimal: 0)

Variable Type: numeric

RPWANT: Qs13 & 19 RECODE. R&P dis/agree about wanting kids

Value	Label	Unweighted Frequency	%
0	disagree	162	6.8 %
1	more or less agree	1480	61.7 %
3	unsure about one but not both	268	11.2 %
	Missing Data		
.	-	488	20.4 %
	Total	2,398	100%

Based upon 1,910 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 705-705 (width: 1; decimal: 0)

Variable Type: numeric

RPAVOID: Qs 16 & 20 RECODE. R&P dis/agree about avoiding pregnancy

Value	Label	Unweighted Frequency	%
0	disagree	371	15.5 %
1	more or less agree	1535	64.0 %

Value	Label	Unweighted Frequency	%
3	unsure about one but not both	0	0.0 %
	Missing Data		
.	-	492	20.5 %
	Total	2,398	100%

Based upon 1,906 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 706-706 (width: 1; decimal: 0)

Variable Type: numeric

VAR10: N of barrier methods used with 1st P among women with 1 P

Value	Label	Unweighted Frequency	%
0	-	1569	65.4 %
1	-	641	26.7 %
2	-	162	6.8 %
3	-	26	1.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.67

Location: 707-707 (width: 1; decimal: 0)

Variable Type: numeric

FREQBAR: Q26A RECODE Frequency of barrier method use with first/only P in last 30 days

Value	Label	Unweighted Frequency	%
-1	missing info on method or sex	0	0.0 %
1	every time	607	25.3 %
2	not sure	51	2.1 %
3	not every time	212	8.8 %
5	did not use a barrier method	918	38.3 %
9	no sex in last 30 days	0	0.0 %
	Missing Data		
.	-	610	25.4 %
	Total	2,398	100%

Based upon 1,788 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 708-709 (width: 2; decimal: 0)

Variable Type: numeric

VAR11: intermediate variable used to construct freqbar3

Value	Label	Unweighted Frequency	%
0	-	2356	98.2 %
1	-	35	1.5 %
2	-	6	0.3 %
3	-	1	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.17

Location: 710-710 (width: 1; decimal: 0)

Variable Type: numeric

VAR12: intermediate variable used to construct freqbarb3

Value	Label	Unweighted Frequency	%
0	-	2356	98.2 %
1	-	40	1.7 %
2	-	2	0.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.14

Location: 711-711 (width: 1; decimal: 0)

Variable Type: numeric

FREQBARB: Q26A RECODE Frequency of barrier method use with SECOND P in last 30 days

Value	Label	Unweighted Frequency	%
1	every time	32	1.3 %
2	not sure	0	0.0 %
3	not every time	9	0.4 %
5	never, did not use barrier method	13	0.5 %
	Missing Data		
.	-	2344	97.7 %
	Total	2,398	100%

Based upon 54 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 712-712 (width: 1; decimal: 0)

Variable Type: numeric

VARZ: intermediate variable used to construct protect3

Value	Label	Unweighted Frequency	%
0	-	1522	63.5 %
1	-	672	28.0 %
2	-	177	7.4 %
3	-	27	1.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.68

Location: 713-713 (width: 1; decimal: 0)

Variable Type: numeric

MISSED: Q23C RECODE. Whether R was imperfect user of hormonal method

Value	Label	Unweighted Frequency	%
-1	skipped/missing	0	0.0 %
0	no	848	35.4 %
1	yes	266	11.1 %
9	not a user	0	0.0 %
	Missing Data		
.	-	1284	53.5 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 1,114 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 714-715 (width: 2; decimal: 0)

Variable Type: numeric

MISSEDB: Q23C RECODE. R was imperfect user of hormonal method, lenient version

Value	Label	Unweighted Frequency	%
-1	skipped/missing	0	0.0 %
0	no	960	40.0 %
1	yes	154	6.4 %
9	not a user	0	0.0 %
	Missing Data		
.	-	1284	53.5 %
	Total	2,398	100%

Based upon 1,114 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 716-717 (width: 2; decimal: 0)

Variable Type: numeric

CONSISTENT: Qs 23C & 26A RECODE. Perfect user of hormonal and barrier methods in last 30 day

Value	Label	Unweighted Frequency	%
-1	missing	0	0.0 %
0	no	533	22.2 %
1	yes	1377	57.4 %
9	no sex in last 30 days	347	14.5 %
	Missing Data		
.	-	141	5.9 %
	Total	2,398	100%

Based upon 2,257 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 718-719 (width: 2; decimal: 0)

Variable Type: numeric

PROTECT: Qs 23C & 26A RECODE. Protected against pregnancy in the last 30 days

Value	Label	Unweighted Frequency	%
-1	missing	0	0.0 %
0	no	420	17.5 %
1	yes	1495	62.3 %
9	no sex in last 30 days	347	14.5 %
	Missing Data		
.	-	136	5.7 %
	Total	2,398	100%

Based upon 2,262 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 720-721 (width: 2; decimal: 0)

Variable Type: numeric

VAR16: intermediate variable used to construct rsatis3

Value	Label	Unweighted Frequency	%
0	-	1522	63.5 %
1	-	672	28.0 %
2	-	177	7.4 %
3	-	27	1.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.68

Location: 722-722 (width: 1; decimal: 0)

Variable Type: numeric

RSATIS: Q27 RECODE. Rs satisfaction with barrier methods

Value	Label	Unweighted Frequency	%
0	didn't use/not applicable	0	0.0 %
1	very satisfied	345	14.4 %
2	somewhat satisfied	387	16.1 %

Value	Label	Unweighted Frequency	%
3	somewhat dissatisfied	112	4.7 %
4	very satisfied	32	1.3 %
5	don't know	0	0.0 %
100	don't know	0	0.0 %
	Missing Data		
.	-	1522	63.5 %
	Total	2,398	100%

Based upon 876 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 723-725 (width: 3; decimal: 0)

Variable Type: numeric

NREASONS: Q 23B. N of reasons for using hormonal method

Value	Label	Unweighted Frequency	%
0	-	1286	53.6 %
1	-	523	21.8 %
2	-	281	11.7 %
3	3 or more	308	12.8 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.07

Location: 726-726 (width: 1; decimal: 0)

Variable Type: numeric

PAYCP: Q23E RECODE. How much pay for hormonal method each month

Value	Label	Unweighted Frequency	%
-1	no info on hormonal or cost	0	0.0 %
1	nothing	501	20.9 %
2	\$10 or less	163	6.8 %
3	\$11-\$25	96	4.0 %
4	>\$25	117	4.9 %
9	does not use hormonal methods	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1521	63.4 %
	Total	2,398	100%

Based upon 877 valid cases out of 2,398 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 727-728 (width: 2; decimal: 0)

Variable Type: numeric

BIRTH3MO: Q14i: Gave birth in the last 3 months?

Value	Label	Unweighted Frequency	%
-1	Refused	0	0.0 %
0	No	2337	97.5 %
1	Yes	61	2.5 %
3	Dont Know	0	0.0 %
4	Didnt care	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 729-730 (width: 2; decimal: 0)

Variable Type: numeric

CONSTAT: Hierarchical ranking of contraceptive use

Value	Label	Unweighted Frequency	%
0	tubal or snip	62	2.6 %
1	larc	269	11.2 %
2	pill	697	29.1 %
3	depo	74	3.1 %
4	patch or ring	59	2.5 %
5	condoms	279	11.6 %
6	withdrawal	180	7.5 %
7	other barrier	23	1.0 %
8	no method	103	4.3 %
97	preg or postpartum	146	6.1 %
98	no sex in last 30 days	314	13.1 %

Value	Label	Unweighted Frequency	%
99	trying to get pregnant	183	7.6 %
	Missing Data		
.	-	9	0.4 %
	Total	2,398	100%

Based upon 2,389 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 99.00

Location: 731-732 (width: 2; decimal: 0)

Variable Type: numeric

VAR99: intermediate variable used to construct hormonal3

Value	Label	Unweighted Frequency	%
0	-	1522	63.5 %
1	-	672	28.0 %
2	-	177	7.4 %
3	-	27	1.1 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.68

Location: 733-733 (width: 1; decimal: 0)

Variable Type: numeric

CPUSE: RECODE Q23: Methods used in the last 30 days, includes those not had sex

Value	Label	Unweighted Frequency	%
0	tubal or snip	62	2.6 %
1	hormonal only	791	33.0 %
2	1 barrier	383	16.0 %
3	multiple barrier only	137	5.7 %
4	both hormonal and barrier	325	13.6 %
5	did not use	355	14.8 %
9	no sex in last 30 (& no hormonal used)	0	0.0 %
	Missing Data		
.	-	345	14.4 %

Value	Label	Unweighted Frequency	%
	Total	2,398	100%

Based upon 2,053 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 734-734 (width: 1; decimal: 0)

Variable Type: numeric

GAPINS: Q39 RECODE, did R have any gaps in insurance in last six months

Value	Label	Unweighted Frequency	%
0	no	1878	78.3 %
1	yes	502	20.9 %
	Missing Data		
.	-	18	0.8 %
	Total	2,398	100%

Based upon 2,380 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 735-735 (width: 1; decimal: 0)

Variable Type: numeric

UNINS: Qs 38 and 39 RECODE. Whether R was WITHOUT health insurance all of the last 6 m

Value	Label	Unweighted Frequency	%
-1	ins type missing	0	0.0 %
0	no	2044	85.2 %
1	yes	336	14.0 %
98	missing info on last 6 mos	0	0.0 %
	Missing Data		
.	-	18	0.8 %
	Total	2,398	100%

Based upon 2,380 valid cases out of 2,398 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 736-737 (width: 2; decimal: 0)

Variable Type: numeric

PROTECTB: RECODE Q35 + protect3, measures whether R was protected in each of last six mont

Value	Label	Unweighted Frequency	%
-1	refused	119	5.0 %
0	no	527	22.0 %
1	yes	1351	56.3 %
2	unprotected but trying to get pg	32	1.3 %
9	no sex and no method in last 30 days	347	14.5 %
	Missing Data		
.	-	22	0.9 %
	Total	2,398	100%

Based upon 2,376 valid cases out of 2,398 total cases.

- Minimum: -1.00
- Maximum: 9.00

Location: 738-739 (width: 2; decimal: 0)

Variable Type: numeric

WAVE: Wave of survey

Value	Label	Unweighted Frequency	%
1	Wave 1	0	0.0 %
2	Wave 2	0	0.0 %
3	Wave 3	2398	100.0 %
4	Wave 4	0	0.0 %
	Total	2,398	100%

Based upon 2,398 valid cases out of 2,398 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 740-740 (width: 1; decimal: 0)

Variable Type: numeric