ENR 3.3 RNAV 経路 ENR 3.3 RNAV ROUTES

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y10 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Procedure for Flight Altitude Assignment between Fukuoka FIR and Russian Federation FIRs will be applied on this route. See ENR 3.5.3.5
▲ LUMIN *454500N 1415018E*	WKE 014°/20.6NM RSE 052° /40.9NM	194 [183.8]	20.6	UNL ------	FL200 [3000]		↓	RSE<2.0nm to WKE/WKE>		Fukuoka ACC Freq:133.3 279.2MHz Fukuoka ACC (at or above FL335) Freq:133.3 279.2MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
▲ WAKKANAI(WKE) *452426N 1414820E*		014 [003.8]				↑				
YOROI *450031N 1414708E*		193 [182.0]	24.0	UNL ------	FL160 [3000]		↓	RSE<WKE/ 22.0nm to YOROI>		
RUMOI *434158N 1414345E*	WKE 192°/24.0NM RSE 129°/29.1NM	192 [181.8]	78.6	UNL ------	9000 [6000]		↓	AWE<58.6nm to RUMOI/8.6nm to RUMOI> SPE<28.6nm to RUMOI/23.6nm to RUMOI> WKE<58.6nm to RUMOI/28.6nm to RUMOI>	YOROI/ 58.6nm to RUMOI INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
▲ CHITOSE(CHE) *424200N 1414110E*	CHE 011°/60.0NM	012 [001.7]				↑				
TOBBY *415507N 1414536E*		192 [181.8]	60.0	UNL ------	7000 [6000]		↓	AWE<3.0nm to CHE/2.0nm to CHE>	2.0nm to CHE/CHE, INS or IRS or GNSS or VOR/DME required.	
LARCH *413011N 1414755E*	CHE 185°/47NM MKE 202°/39.2NM	012 [001.8]				↑				
PANSY *400014N 1411912E*		185 [176.0]	47.0	UNL ------	FL150 [3000]		↓		CHE/ 45.0nm to TOBBY, INS or IRS or GNSS or VOR/DME required.	
	CHE 185°/47NM MKE 202°/39.2NM	185 [176.0]	25.0	UNL ------	FL160 [3000]		↓			
		202 [193.7]	92.6	UNL ------	FL240 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
		202 [194.2]	35.3	UNL ------	FL260 [6000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
▲ HANAMAKI(HPE) *392600N 1410801E*										
		202 [193.2]	41.5	UNL ———	FL260 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
VINAR *384538N 1405555E*		201 [193.0]	12.4	UNL ———	FL260 [6000]		↓			
ZAHAN *383333N 1405220E*		202 [193.0]	20.0	UNL ———	FL260 [5000]		↓			
ORORI *381404N 1404637E*	SDE 318°/8.9NM YTE 123°/21.8NM	202 [192.9]	30.0	UNL ———	FL260 [5000]		↓			
RUBIS *374451N 1403808E*	SDE 218°/27.1NM	201 [192.9]	30.4	UNL ———	FL200 [6000]		↓			
ASHRA *371516N 1402939E*	IXE 293°/23.9NM	201 [192.8]	4.5	UNL ———	FL200 [6000]		↓			
SASAP *371055N 1402824E*		201 [192.8]	15.7	UNL ———	FL150 [5000]		↓			
GUSGI *365538N 1402405E*		201 [192.7]	11.2	UNL ———	FL150 [5000]		↓			
DAIGO *364440N 1402059E*		197 [189.2]	6.9	UNL ———	8000 [4000]		↓			
TEDIX *363752N 1401937E*		197 [189.2]	13.6	UNL ———	8000 [4000]		↓			
GODIN *362425N 1401656E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y100 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ AOMORI(MRE) *404420N 1404219E*										Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
		166 [156.5]	38.4	UNL ------	9000 [8000]		↓	HWE<MRE/ 35.6nm to ESBUN> HVT<MRE/ ESBUN> HPE<3.7nm to ESBUN/ESBUN>		
ESBUN *400907N 1410219E*	HPE 003°/43.4NM	166 [156.7]	15.0	UNL ------	9000 [6000]		↓	HVT<ESBUN/ 6.6nm to ENBIM> HPE<ESBUN/ 6.6nm to ENBIM>	6.6nm to ENBIM/ ENBIM INS or IRS or GNSS or VOR/DME required.	
ENBIM *395519N 1411003E*		192 [183.1]	29.4	UNL ------	9000 [6000]		↓	UWE<27.4nm to HPE/HPE>	ENBIM/ 27.4nm to HPE INS or IRS or GNSS or VOR/DME required.	
▲ HANAMAKI(HPE) *392600N 1410801E*										
Y101 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ RUGMO *430434N 1432949E*										Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(134.25) 255.2(260.4)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
	OBE 040°/23.9NM	255 [245.8]	74.7	UNL ------	9000 [9000]		↓	TCE<RUGMO/ 62.0nm to MKE> MRE<5.0nm to MKE/MKE>		
MUKAWA(MKE) *423318N 1415720E*	CHE 136°/ 14.7NM	202 [192.9]	39.2	UNL ------	FL150 [3000]		↓	MRE<MKE/ 38.2nm to TOBBY> SPE<25.0nm to TOBBY/20.0nm to TOBBY>		
TOBBY *415507N 1414536E*	CHE 185°/47.0NM MKE 202°/39.2NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y102 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
CAVES *401551N 1415455E*	MQE 005°/24.0NM	225 [216.1]	61.5	UNL ------	FL210 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
▲ HANAMAKI(HPE) *392600N 1410801E*		196 [187.3]	53.0	UNL ------	8000 [4000]		↓	UWE<HPE/ 24.7nm to METEL><19.7nm to METEL/ 14.7nm to METEL> MXT<HPE/ 49.7nm to METEL><9.7nm to METEL/ METEL>	(*1)	
METEL *383326N 1405921E*		196 [187.2]	25.3	UNL ------	8000 [4000]		↓	MXT<METEL/ SDE>		
▲ SENDAI(SDE) *380819N 1405517E*		211 [202.9]	39.5	UNL ------	6000 [6000]		↓	MXT<SDE/ 30.5nm to HERON> IXE<36.5nm to HERON/ HERON>		
HERON *373156N 1403556E*		031 [022.7]				↑				
FUKUSHIMA(FKE) *371328N 1402614E*		211 [202.7] 031 [022.6]	20.0	UNL ------	6000 [6000]	↑	↓		HERON/ 10nm to FKE, INS or IRS or GNSS or VOR/DME required.	

(*1) DME GAP: 24.7nm to METEL/19.7nm to METEL, 14.7nm to METEL/9.7nm to METEL, INS or IRS or GNSS or VOR/DME required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y103 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] KAGRA *434023N 1421949E*										
	AWE 283°/5.5NM SPE 065°/53.9NM	246 [236.5]	16.0	UNL ------	6000 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
UTASI *433132N 1420126E*	AWE 255°/20.7NM	197 [187.0]	18.1	UNL ------	10000 [6000]		↓	SPE<3.0nm to OLMOK/ OLMOK>		
OLMOK *431336N 1415825E*	CHE 031°/34.1NM MKE 010°/40.3NM	197 [186.9]	79.1	UNL ------	10000 [5000]		↓	SPE<OLMOK/ 76.0nm to TOBBY>		
TOBBY *415507N 1414536E*	CHE 185°/47.0NM MKE 202°/39.2NM									
Y104 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ AKSUN *454507N 1405416E*										Procedure for Flight Altitude Assignment between Fukuoka FIR and Russian Federation FIRs will be applied on this route. See ENR 3.5.3.5
	RSE 349°/32.6NM	169 [158.6] 349 [338.7]	18.4	UNL ------	FL230 [3000]	↓	↑	WKE<AKSUN/ ORISU> RSE<AKSUN/ 17.4nm to ORISU>		Fukuoka ACC Freq:133.3 279.2MHz Fukuoka ACC (at or above FL335) Freq:133.3 279.2MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
ORISU *452758N 1410350E*		169 [158.6] 349 [338.7]	14.2	UNL ------	FL230 [8000]	↓	↑	WKE<ORISU/ RSE> AWE<1.0nm to RSE/RSE>		
RISHIRI(RSE) *451444N 1411112E*	WKE 260°/27.9NM	130 [119.1] 310 [299.4]	18.5	UNL ------	FL200 [8000]	↓	↑	WKE<RSE/ 14.4nm to LEDAX> AWE<RSE/ 17.5nm to LEDAX>		
LEDAX *450543N 1413406E*		130 [119.4] 310 [299.5]	10.6	UNL ------	FL200 [3000]	↓	↑			
YOROI *450031N 1414708E*	WKE 192°/24.0NM RSE 129°/29.1NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y105 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] NOMOX *431912N 1442824E*										Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(134.25) 255.2(260.4)MHz
	TCE 044°/20.8NM	224 [215.1]	20.8	UNL ------	5000 [3000]		↓	TBE<NOMOX/ 12.0nm to TCE>	12.0nm to TCE/TCE, INS or IRS or GNSS or VOR/DME required.	
▲ KUSHIRO(TCE) *430210N 1441203E*		221 [212.1]	37.8	UNL ------	10000 [3000]		↓	TCE<18.8nm to YUDOH/ YUDOH> OBE<TCE/ YUDOH> TBE<TCE/ 35.3nm to YUDOH>		
YUDOH *423005N 1434447E*										
Y106 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ MIYAKO(MQE) *395156N 1415704E*										
		213 [205.2]	114.3	UNL ------	FL200 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
▲ SENDAI(SDE) *380819N 1405517E*		218 [210.1]	27.1	UNL ------	FL200 [5000]		↓			
RUBIS *374451N 1403808E*	SDE 218°/27.1NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y107 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] SULPU *361647N 1401524E*										
		197 [189.1]	15.7	UNL ------	8000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
COLOR *360116N 1401220E*		190 [181.8]	27.0	UNL ------	8000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz
HONDA *353417N 1401119E*		190 [182.2]	36.1	UNL ------	6000 [4000]		↓	CVT<30.0nm to YOHRO/20.0nm to YOHRO>		Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
YOHRO *345817N 1400936E*		271 [263.5]	13.1	UNL ------	6000 [3000]		↓			
UTIBO *345647N 1395344E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y108 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] DAIGO *364440N 1402059E*										
		167 [160.3]	64.9	UNL ------	FL150 [5000]	↓		CVT<55.0nm to INUBO/50.0nm to INUBO> <45.0nm to INUBO/40.0nm to INUBO>		Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
INUBO *354335N 1404758E*		348 [340.5]					↑			
		220 [212.9]	38.8	UNL ------	10000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz
MESSE *351101N 1402215E*										
Y109 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ ODERI *443900N 1451520E*										Procedure for Flight Altitude Assignment between Fukuoka FIR and Russian Federation FIRs will be applied on this route. See ENR 3.5.3.5
		235 [225.9]	32.8	UNL ------	12000 [3000]		↓	MVE<7.8nm to UBRAS/UBRAS> TBE<7.8nm to UBRAS/5.0nm to UBRAS>	ODERI/7.8nm to UBRAS, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.3(120.575) 279.2(277.1)MHz
UBRAS *441607N 1444226E*		055 [045.5]				↑				
		235 [225.6]	32.8	UNL ------	12000 [4000]		↓	MVE<UBRAS/25.0nm to TBE>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(134.25) 255.2(260.4)MHz
▲ MEMANBETSU(TBE) *435306N 1440958E*		055 [045.2]				↑				
		128 [118.2]	38.7	UNL ------	8000 [6000]	↓		TCE<25.0nm to NSE/NSE>		
NAKASHIBETSU(NSE) *433439N 1445702E*		308 [298.8]					↑			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y11 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ CHITOSE(CHE) *424200N 1414110E*										
NAVER *420744N 1413129E*		021 [011.8]	35.0	UNL ------	6000 [3000]	↑		MKE<29.0nm to CHE/23.0nm to CHE>	2.0nm to CHE/CHE, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz
IBURI *415559N 1412811E*	HWE 064°/37.6NM	021 [011.8]	12.0	UNL ------	6000 [3000]	↑		HWE<IBURI/ 10.0nm to NAVER>		Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz
NONUT *415105N 1412648E*	HWE 080°/30.1NM MRE 035°/79.6NM	021 [011.9]	5.0	UNL ------	6000 [5000]	↑		HWE<NONUT/ IBURI>		Tokyo ACC (below FL335) Freq:119.3 276.5MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz
CAPLY *411753N 1411731E*	HWE 089°/27.9NM MRE 036°/74.7NM	021 [011.8]	33.9	UNL ------	6000 [5000]	↑		HWE<7.0nm to NONUT/ NONUT>		Tokyo ACC (below FL335) Freq:132.6(123.775) 276.9MHz
JYONA *404832N 1410927E*	MRE 047°/42.8NM	021 [011.7]	30.0	UNL ------	6000 [5000]	↑				Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
▲ SAMBO *401116N 1405701E*	MRE 088°/21.0NM	022 [014.2]	38.5	UNL ------	13000 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
PEONY *395026N 1405000E*		022 [014.4]	21.5	UNL ------	13000 [8000]	↑				
VARSU *393004N 1404313E*		023 [014.4]	21.0	UNL ------	13000 [8000]	↑				Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
HANKA *390106N 1403341E*		023 [014.3]	29.9	UNL ------	13000 [7000]	↑				
		022 [014.1]	39.0	UNL ------	13000 [7000]	↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) ▲ YAMAGATA(YTE) *382319N 1402129E*										
		020 [011.7]	47.5	UNL -------	FL150 [9000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 300.2(303.4)MHz
SHIRO *373648N 1400911E*		020 [011.7]	5.0	UNL -------	FL150 [9000]	↑				
SADVO *373153N 1400754E*		020 [011.6]	30.2	UNL -------	FL150 [8000]	↑				
SYOEN *370219N 1400014E*		020 [011.6]	10.0	UNL -------	11000 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
YAITA *365231N 1395743E*		010 [002.0]	27.3	UNL -------	11000 [4000]	↑				
AGRIS *362515N 1395633E*										
Y110 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ OBIHIRO(OBE) *424402N 1431314E*										
		170 [160.2]	18.0	UNL -------	5000 [4000]		↓	TCE<15.0nm to TAIKI/TAIKI> OBE<15.0nm to TAIKI/TAIKI>	OBE/ 15.0nm toTAIKI, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(134.25) 255.2(260.4)MHz
TAIKI *422706N 1432128E*		350 [340.3]				↑				
		170 [160.2]	16.5	UNL -------	5000 [3000]		↓			
RACKO *421133N 1432902E*		350 [340.3]				↑				
		170 [160.3]	14.4	UNL -------	9000 [3000]		↓			
HIROO *415802N 1433531E*		350 [340.4]				↑				
		170 [160.4]	17.7	UNL -------	9000 [3000]		↓			
IGDIP *414121N 1434328E*		350 [340.5]				↑				
	TCE 204°/83.6NM	170 [160.5]	20.3	UNL -------	10000 [3000]		↓			
EPDOM *412212N 1435229E*	TCE 198°/101.1NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y111 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ MEMANBETSU(TBE) *435306N 1440958E*										
	MVE 136°/41.7NM	006 [356.7]	24.0	UNL ------	7000 [7000]	↑		OBE<3.0nm to TBE/TBE> MVE<3.0nm to TBE/TBE>		
OZORA *432908N 1441153E*	TBE 186°/24.0NM	009 [359.8]	27.0	UNL ------	7000 [7000]	↑		TBE<TCE/ 24.0nm to OZORA> OBE<TCE/ OZORA>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(134.25) 255.2(260.4)MHz
▲ KUSHIRO(TCE) *430210N 1441203E*		020 [010.5]	13.1	UNL ------	5000 [3000]	↑		TCE<CRANE/ 3.0nm to TCE> OBE<CRANE/ 3.0nm to TCE>	3.0nm to TCE/TCE INS or IRS or GNSS or VOR/DME required.	
CRANE *424917N 1440847E*		021 [011.4]	16.3	UNL ------	5000 [3000]	↑		TCE<AKESI/ CRANE> OBE<AKESI/ CRANE>		
AKESI *423316N 1440424E*		026 [016.4]	15.0	UNL ------	10000 [3000]	↑		TCE<SUMGA/ AKESI> OBE<SUMGA/ AKESI>		
SUMGA *421854N 1435838E*	OBE 136°/41.9NM	026 [016.6]	39.2	UNL ------	10000 [3000]	↑		TCE<15.0nm to SUMGA/ SUMGA> OBE<15.0nm to SUMGA/ SUMGA>		
IGDIP *414121N 1434328E*	TCE 204°/83.6NM	025 [016.4]	69.2	UNL ------	FL180 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(123.775) 255.2(276.9)MHz
OMGOL *403504N 1431722E*	MQE 063°/75.0NM	244 [235.3] 063 [054.4]	75.0	UNL ------	FL180 [4000]	↑	↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
(continued) ▲ MIYAKO(MQE) *395156N 1415704E*										
			115.6	UNL ———	FL270 [9000]					Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 300.2(303.4)MHz
▲ YAMAGATA(YTE) *382319N 1402129E*		048 [039.4]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y112 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
MENIB *432929N 1442823E*	TCE 033°/29.8NM	189 [179.9]	10.3	UNL ------	6000 [4000]		↓	TBE<MENIB/ NOMOX> TCE<MENIB/ 5.0nm to NOMOX>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(134.25) 255.2(260.4)MHz
NOMOX *431912N 1442824E*	TCE 044°/20.8NM	189 [179.9]	18.2	UNL ------	6000 [3000]		↓	TBE<NOMOX/ 6.0nm to ONISO>	6.0nm to ONISO/ ONISO, INS or IRS or GNSS or VOR/DME required.	
ONISO *430103N 1442825E*	TCE 104°/12.0NM	200 [190.7]	29.8	UNL ------	6000 [3000]		↓	OBE<26.8nm to ENTOD/ ENTOD> TCE<26.8nm to ENTOD/ ENTOD>	ONISO/ 26.8nm to ENTOD, INS or IRS or GNSS or VOR/DME required.	
ENTOD *423150N 1442054E*	TCE 177°/31.0NM	206 [197.0]	13.6	UNL ------	10000 [3000]		↓	OBE<ENTOD/ PADMO> TCE<ENTOD/ PADMO>		
PADMO *421852N 1441532E*	TCE 186°/43.4NM	206 [197.0]	59.3	UNL ------	10000 [3000]		↓	OBE<PADMO/ 25.0nm to EPDOM> TCE<PADMO/ 25.0nm to EPDOM>		
EPDOM *412212N 1435229E*	OBE 170°/86.9NM	206 [196.8]	37.9	UNL ------	FL180 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
ESLUK *404553N 1433804E*	OBE 180°/119.7NM	244 [235.5]	19.1	UNL ------	FL180 [3000]		↓			
OMGOL *403504N 1431722E*	MQE 063°/75.0NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y113 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ HAKODATE(HWE) *414627N 1404956E*										
		195 [185.3] 015 [005.3]	20.0	UNL -------	6000 [4000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5MHz
TAXIR *412632N 1404728E*		195 [185.3] 014 [005.3]	20.0	UNL -------	6000 [5000]	↑	↓	HVT<17.0nm to HIBAR/HIBAR>		
HIBAR *410638N 1404502E*	HWE 194°/40.0NM	194 [185.3] 014 [005.2]	6.5	UNL -------	6000 [4000]	↑	↓			
BYOBU *410010N 1404414E*	MRE 014°/15.9NM	194 [185.2] 014 [005.2]	15.9	UNL -------	6000 [6000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
▲ AOMORI(MRE) *404420N 1404219E*		195 [186.5] 015 [006.5]	15.0	UNL -------	6000 [6000]	↑	↓	HVT<YACHI/ MRE>		
YACHI *402925N 1404005E*	MRE 196°/15.0NM	195 [186.5] 015 [006.5]	12.0	UNL -------	6000 [6000]	↑	↓	HVT<HINAI/ YACHI>		
HINAI *401730N 1403818E*	MRE 196°/27.0NM	195 [186.4] 015 [006.4]	20.4	UNL -------	8000 [7000]	↑	↓	HVT<10.4nm to ORUMU/7.5nm to ORUMU> HWE<7.5nm to ORUMU/ ORUMU>	(*1)	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
ORUMU *395716N 1403519E*		195 [186.4] 015 [006.4]	15.3	UNL -------	8000 [7000]	↑	↓	HWE<ORUMU/ WAPPA>		
WAPPA *394204N 1403306E*		196 [186.6] 015 [006.5]	49.1	UNL -------	FL200 [7000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 300.2(303.4)MHz
MEMEB *385319N 1402551E*	UWE 174°/45.2NM YTE 015°/30.2NM	195 [186.5] 015 [006.5]	30.2	UNL -------	FL200 [7000]	↑	↓			
▲ YAMAGATA(YTE) *382319N 1402129E*										

(*1) DME GAP: HINAI/10.4nm to ORUMU, INS or IRS or GNSS or VOR/DME required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y114 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ ANIMO *451156N 1434045E*										Procedure for Flight Altitude Assignment between Fukuoka FIR and Russian Federation FIRs will be applied on this route. See ENR 3.5.3.5
		220 [210.1]	105.8	UNL ------	FL180 [6000]		↓			Fukuoka ACC Freq:133.3 279.2MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
ASAHIKAWA(AWE) *434002N 1422725E*		038 [029.3]				↑				
Y115 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] USUBA *383214N 1400945E*										
		009 [000.5]	25.1	UNL ------	9000 [7000]	↑		YTE<GASAN/ 15.0nm to USUBA> SDE<18.0nm to USUBA/6.0nm to USUBA> GTC<8.0nm to USUBA/ USUBA>		
GASAN *380712N 1400930E*	YTE 219°/18.7NM	008 [000.5]	30.4	UNL ------	9000 [9000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:127.65 303.4MHz
SHIRO *373648N 1400911E*		007 [359.6]	13.8	UNL ------	9000 [8000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
HATRI *372300N 1400919E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y116 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ BISIV *445931N 1441658E*										Procedure for Flight Altitude Assignment between Fukuoka FIR and Russian Federation FIRs will be applied on this route. See ENR 3.5.3.5
		232 [222.9] 052 [042.3]	56.0	UNL -------	12000 [4000]	↑	↓	(*1)	(*2)	Fukuoka ACC Freq:133.3 279.2MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2MHz
▲ MONBETSU(MVE) *441819N 1432342E*		236 [226.8] 056 [046.5]	25.0	UNL -------	10000 [7000]	↑	↓	TBE<22.0nm to LUBEK/LUBEK>	MVE/ 22.0nm to LUBEK, INS or IRS or GNSS or VOR/DME required.	
LUBEK *440109N 1425823E*		236 [226.8] 056 [046.4]	30.8	UNL -------	10000 [8000]	↑	↓	TBE<LUBEK/ 25.0nm to AWE> SPE<5.0nm to AWE/AWE> MKE<5.0nm to AWE/AWE>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
ASAHIKAWA(AWE) *434002N 1422725E*		219 [210.2] 039 [030.1]	15.0	UNL -------	10000 [5000]	↑	↓	MKE<AWE/ 10.0nm to ASIBE> SPE<AWE/ ASIBE>		
ASIBE *432704N 1421701E*		220 [210.4] 039 [029.9]	52.2	UNL -------	10000 [6000]	↑	↓	SPE<ASIBE/ 32.0nm to CHE> CHE<10.0nm to CHE/3.0nm to CHE>	3.0nm to CHE/CHE, INS or IRS or GNSS or VOR/DME required.	
▲ CHITOSE(CHE) *424200N 1414110E*										

(*1)Critical DME: MVE<46.0nm to MVE/6.0nm to MVE>
TBE<46.0nm to MVE/3.0nm to MVE>
AWE<6.0nm to MVE/3.0nm to MVE>
(*2)DME GAP: BISIV/4.6nm to MVE, 3.0nm to MVE/MVE, INS or IRS or GNSS or VOR/DME required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y117 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
JYONA *404832N 1410927E*			59.3	UNL ------	FL210 [8000]					Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
LEKOL *395026N 1405413E*		020 [011.2]	43.1	UNL ------	13000 [8000]	↑				
TOLEK *390813N 1404325E*		020 [011.1]	53.2	UNL ------	FL200 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
NISEP *381602N 1403023E*		020 [011.0]	33.0	UNL ------	FL200 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 300.2(303.4)MHz
NIRAX *374338N 1402226E*		019 [010.9]	9.1	UNL ------	FL150 [8000]	↑				
BUSNI *373441N 1402016E*		019 [010.9]	42.4	UNL ------	FL150 [8000]	↑				
NASNO *365306N 1401016E*		019 [010.8]	21.9	UNL ------	11000 [5000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
KIMIN *363120N 1400738E*		014 [005.5]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y118 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] UBRAS *441607N 1444226E*										
	TBE 055°/32.8NM	200 [190.2]	57.9	UNL ―――	8000 [6000]		↓	TBE<UBRAS/ 50.0nm to NOMOX> MVE<UBRAS/ 50.0nm to NOMOX> TCE<40.0nm to NOMOX/25.0nm to NOMOX>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(134.25) 255.2(260.4)MHz
NOMOX *431912N 1442824E*	TCE 044°/20.8NM									
Y119 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] OHMAR *411834N 1405916E*										
			34.3	UNL ―――	FL250 [6000]					Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
ELBIT *404420N 1405807E*		010 [001.4]				↑				
			33.1	UNL ―――	FL250 [8000]					
▲ SAMBO *401116N 1405701E*		010 [001.4]				↑				
			21.0	UNL ―――	9000 [8000]			HPE<11.3nm to SAMBO/9.8nm to SAMBO>	9.5nm to SAMBO/ 6.6nm to SAMBO, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
LEKOL *395026N 1405413E*		015 [005.9]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y12 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ CHITOSE(CHE) *424200N 1414110E*										
		224 [214.6]	67.3	UNL ------	6000 [6000]		↓	MKE<46.0nm to HWE/44.0nm to HWE> MKE<23.5nm to HWE/12.0nm to HWE> MRE<23.5nm to HWE/12.0nm to HWE> MKE<2.0nm to HWE/HWE> MRE<2.0nm to HWE/HWE>	CHE/ 65.3nm to HWE, 37.0nm to HWE/ 23.5nm to HWE, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3 276.5MHz
▲ HAKODATE(HWE) *414627N 1404956E*		227 [218.3]	48.7	UNL ------	FL160 [4000]		↓			
TAPPI *410805N 1400954E*		204 [194.7]	42.9	UNL ------	FL210 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
ARIKA *402637N 1395540E*		203 [194.5]	27.3	UNL ------	FL210 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
OTOME *400013N 1394646E*		204 [194.4]	126.7	UNL ------	FL210 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
▲ NIIGATA(GTC) *375730N 1390654E*		217 [208.2]	35.7	UNL ------	FL240 [4000]		↓			
IPKIL *372600N 1384537E*		217 [208.0]	20.9	UNL ------	FL240 [5000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
FINGA *370733N 1383319E*		216 [207.9]	20.8	UNL ------	FL240 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
ISDAM *364913N 1382111E*		216 [207.8]	25.0	UNL ------	FL240 [7000]		↓			
KIBOM *362705N 1380641E*		216 [207.6]	20.0	UNL ------	FL240 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
MATSUMOTO(MBE) *360922N 1375511E*		217 [208.7]	19.0	UNL ------	FL180 [10000]		↓			
MATPI *355241N 1374357E*		217 [208.5]	14.1	UNL ------	FL180 [10000]		↓			
IPNUN *354018N 1373540E*		217 [208.5]	6.7	UNL ------	FL180 [8000]		↓			
TOLUM *353424N 1373144E*		215 [206.8]	7.1	UNL ------	FL160 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
NAKTU *352802N 1372747E*	KCC 073°/29.4NM	217 [208.6] 037 [028.5]	22.0	UNL ------	FL160 [7000]	↑	↓			
POTEB *350841N 1371453E*		217 [208.5] 036 [028.3]	30.0	UNL ------	FL160 [4000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
KOHWA *344217N 1365729E*	CBE 148°/12.0NM	225 [217.4] 045 [037.1]	30.2	UNL ------	6000 [5000]	↑	↓			
SHIMA *341816N 1363519E*	CBE 205°/34.9NM	225 [217.8] 045 [037.7]	15.8	UNL ------	8000 [5000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
AYANO *340546N 1362337E*										
	KEC 045°/49.1NM	225 [217.7]	20.2	UNL ------	8000 [4000]		↓			
RAYJO *334948N 1360847E*		045 [037.6]				↑				
		225 [217.6]	28.9	UNL ------	8000 [4000]		↓			
▲ KUSHIMOTO(KEC) *332652N 1354740E*		045 [037.4]				↑				
		209 [201.7]	23.2	UNL ------	FL260 [3000]		↓			
OSTOD *330520N 1353727E*										
	KEC 209°/23.2NM	209 [201.6]	64.3	UNL ------	FL260 [3000]		↓			Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
LAXEL *320534N 1350932E*										
Y120 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
DALBI *420449N 1403052E*										
		205 [195.6]	30.7	UNL ------	FL150 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5MHz
RURUD *413517N 1401953E*										
		205 [195.4]	28.2	UNL ------	FL150 [5000]		↓			
TAPPI *410805N 1400954E*										
		194 [184.6]	64.0	UNL ------	FL160 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
OBAKO *400422N 1400316E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y121 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MATSUMOTO(MBE) *360922N 1375511E*										Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
RIPSI *355340N 1374133E*		223 [215.2] 043 [035.0]	19.2	UNL ------	12000 [10000]	↑	↓	YME<MBE/ 6.2nm to RIPSI>		
MAPLE *354220N 1373147E*		223 [215.0] 043 [034.9]	13.8	UNL ------	12000 [9000]	↑	↓			
MAMLA *353347N 1372425E*		223 [215.0] 043 [034.9]	10.4	UNL ------	10000 [9000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
SWING *352322N 1371529E*		223 [214.9] 043 [034.9]	12.7	UNL ------	10000 [7000]	↑	↓			
CHUBU(CBE) *345129N 1364811E*		223 [215.1] 043 [034.9]	39.0	UNL ------	10000 [5000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz
LABEL *343516N 1361053E*		250 [242.3] 070 [062.0]	34.7	UNL ------	FL190 [6000]	↑	↓			Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y122 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ HAKODATE(HWE) *414627N 1404956E*										Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz
		209 [199.3]	108.1	UNL -------	FL210 [8000]		↓			Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
OBAKO *400422N 1400316E*	UWE 356°/28.0NM	208 [199.5]	58.6	UNL -------	FL160 [4000]		↓	UWE<15.0nm to YOHKO/10.0nm to YOHKO> GTC<15.0nm to YOHKO/10.0nm to YOHKO> SDE<3.0nm to YOHKO/ YOHKO>		
YOHKO *390905N 1393807E*		208 [199.2]	32.7	UNL -------	11000 [3000]		↓	SDE<32.6nm to ATUMI/29.6nm to ATUMI> MXT<30.0nm to ATUMI/10.0nm to ATUMI> GTC<10.0nm to ATUMI/5.0nm to ATUMI> YTE<5.0nm to ATUMI/ATUMI>		Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
ATUMI *383813N 1392422E*	GTC 027°/43.0NM	207 [197.8]	15.0	UNL -------	8000 [3000]		↓		ATUMI / BUDOH, INS or IRS or GNSS or VOR/DME required.	
BUDOH *382359N 1391831E*		207 [199.1]	15.0	UNL -------	7000 [3000]		↓		BUDOH / INAHO, INS or IRS or GNSS or VOR/DME required.	
INAHO *380947N 1391217E*	GTC 027°/13.0NM	207 [199.1]	13.0	UNL -------	7000 [3000]		↓		INAHO / GTC, INS or IRS or GNSS or VOR/DME required.	
▲ NIIGATA(GTC) *375730N 1390654E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y124 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ MIYAKO(MQE) *395156N 1415704E*										
		244 [235.8] 064 [055.3]	45.8	UNL -------	FL210 [9000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
▲ HANAMAKI(HPE) *392600N 1410801E*		236 [227.1] 055 [046.8]	26.1	UNL -------	11000 [8000]	↑	↓	UWE<HPE/ 23.1nm to TOLEK>		Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
TOLEK *390813N 1404325E*		235 [226.8] 055 [046.7]	10.4	UNL -------	11000 [8000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 300.2(303.4)MHz
HANKA *390106N 1403341E*		237 [228.2] 056 [048.0]	16.6	UNL -------	11000 [7000]	↑	↓		.	
MAMRO *385001N 1401748E*		235 [227.0] 055 [046.3]	76.5	UNL -------	12000 [8000]	↑	↓	(*1)	.	Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz
▲ NIIGATA(GTC) *375730N 1390654E*										Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz

(*1)Critical DME: NTE<2.5nm to GTC/GTC>
FKE<2.5nm to GTC/GTC><18.5nm to GTC/11.5nm to GTC>
GTC<54.5nm to GTC/38.5nm to GTC>

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y125 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] RURUD *413517N 1401953E*										
		185 [175.4]	71.2	UNL ------	FL150 [6000]		↓	HVT<6.9nm to IWASE/IWASE>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
IWASE *402422N 1402720E*										
		176 [167.3]	27.8	UNL ------	FL150 [7000]		↓	HVT<IWASE/ 20.0nm to ORUMU >		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
ORUMU *395716N 1403519E*										
		176 [167.4] 356 [347.4]	27.9	UNL ------	12000 [7000]	↑	↓			
VARSU *393004N 1404313E*										
		176 [167.4]	45.5	UNL ------	12000 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
VINAR *384538N 1405555E*										
		176 [167.6]	12.5	UNL ------	12000 [3000]		↓			
METEL *383326N 1405921E*										
		176 [167.6]	38.3	UNL ------	FL200 [3000]		↓			
JUGEM *375601N 1410946E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y126 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] NAKTU *352802N 1372747E*										
		181 [174.0]	12.3	UNL -------	FL160 [9000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (Between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
TEBAS *351550N 1372921E*		181 [174.0]	25.5	UNL -------	FL160 [8000]		↓			
KIKOL *345028N 1373235E*										
Y128 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] AYANO *340546N 1362337E*										Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
		215 [207.6]	135.4	UNL -------	FL260 [3000]		↓			
LAXEL *320534N 1350932E*										
Y13 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ CHITOSE(CHE) *424200N 1414110E*										
			47.0	UNL -------	6000 [4000]			HWE<44.0nm to CHE/40.0nm to CHE> HVT<34.5nm to CHE/32.0nm to CHE>	2.0nm to CHE/CHE, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3 276.5MHz
SIRAO *415758N 1411856E*		030 [020.4]				↑				
	HWE 071°/24.5NM	030 [020.7]	5.0	UNL -------	6000 [3000]	↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
IDEMI *415317N 1411634E*										
	HWE 080°/21.0NM	030 [020.7]	13.1	UNL ------	6000 [5000]	↑				
TIKYU *414103N 1411021E*										
	HWE 118°/16.2NM	030 [020.3]	14.5	UNL ------	6000 [5000]	↑				
MEKAB *412727N 1410338E*										
	HWE 161°/21.6NM MRE 030°/46.0NM	030 [020.2]	9.5	UNL ------	6000 [5000]	↑				
OHMAR *411834N 1405916E*										
	HWE 175°/28.8NM MRE 029°/36.6NM	030 [020.5]	26.6	UNL ------	6000 [5000]	↑		HVT<SMELT/ 17.5nm to OHMAR> MKE<6.5nm to OHMAR/4.5nm to OHMAR> HWE<6.5nm to OHMAR/2.0nm to OHMAR>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5(276.9)MHz
SMELT *405342N 1404654E*										
	HWE 191°/52.8NM MRE 030°/10.0NM	030 [020.3]	10.0	UNL ------	6000 [4000]	↑		HVT<8.0nm to SMELT/SMELT>	MRE/8.0nm to SMELT, INS or IRS or GNSS or VOR/DME required.	
▲ AOMORI(MRE) *404420N 1404219E*										
		034 [025.3]	68.4	UNL ------	10000 [6000]	↑		HVT<50.0nm to MRE/MRE>	2.0nm to MRE/MRE, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz
AKITA *394242N 1400344E*										
		031 [022.6]	44.4	UNL ------	FL210 [3000]	↑				Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
BENNY *390144N 1394132E*										
		041 [032.6]	64.9	UNL ------	FL210 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
BASIN *380716N 1385631E*										
	GTC 329°/12.7NM	040 [031.9]	111.3	UNL ------	FL200 [12000]	↑				Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
KROBE *363313N 1374152E*										
	GTC 228°/108.2NM	045 [037.0]	27.0	UNL ------	FL200 [12000]	↑				
GOHEI *361152N 1372128E*										
	KCC 029°/60.0NM	045 [037.0]	62.9	UNL ------	FL200 [12000]	↑				Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
GUJYO *352151N 1363438E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y130 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] OLSIM *433252N 1432055E*										Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
UGURO *432016N 1423956E*	AWE 110°/39.4NM	257 [247.3]	32.3	UNL ------	10000 [9000]		↓			
NUGNO *431259N 1421643E*	AWE 165°/21.8NM	257 [246.8]	18.4	UNL ------	9000 [8000]		↓			
TOMAM *430821N 1420204E*	AWE 206°/28.2NM	256 [246.6]	11.7	UNL ------	9000 [8000]		↓	SPE<6.0nm to TOMAM/ TOMAM>		
	AWE 220°/36.7NM									
Y131 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] HINAI *401730N 1403818E*										Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
AKITA *394242N 1400344E*		045 [037.1]	43.8	UNL ------	8000 [6000]	↑			AKITA/ HINAI, INS or IRS or GNSS or VOR/DME required.	
Y132 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] NULKI *433302N 1435314E*										Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(134.25) 255.2(260.4)MHz
LUXES *430134N 1434858E*	OBE 040°/57.1NM TCE 345°/33.8NM	195 [185.7]	31.6	UNL ------	7000 [5000]		↓	TCE<22.0nm to LUXES/5.0nm to LUXES>		
YUDOH *423005N 1434447E*	OBE 065°/31.5NM TCE 277°/16.9NM	195 [185.6]	31.6	UNL ------	10000 [5000]		↓	TBE<LUXES/ 17.0nm to YUDOH> OBE<17.0nm to YUDOH/YUDOH> TCE<17.0nm to YUDOH/YUDOH>		

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y133 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MARON *374640N 1373322E*										
		013 [005.7]	95.3	UNL ------	FL200 [11000]	↑		GTC<15.0nm to MARON/ MARON>		Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
GOHEI *361152N 1372128E*	KCC 029°/60.0NM									
Y134 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ENKAT *432332N 1442024E*										Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(134.25) 255.2(260.4)MHz
	OBE 060°/63.0NM TCE 025°/22.2NM	263 [253.9]	31.2	UNL ------	7000 [7000]		↓	OBE<28.0nm to ADMIG/19.0nm to ADMIG> TCE<16.0nm to ADMIG/ADMIG>		
ADMIG *431445N 1433920E*	OBE 041°/36.2NM TCE 307°/27.0NM	263 [253.4]	29.9	UNL ------	10000 [4000]		↓	TCE<ADMIG/ 20.0nm to NODUK>		
NODUK *430606N 1430004E*										
Y135 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ AOMORI(MRE) *404420N 1404219E*										
			34.9	UNL ------	9000 [7000]			HVT<21.1nm to MRE/12.5nm to MRE><2.8nm to MRE/MRE>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
▲ SAMBO *401116N 1405701E*		350 [341.4]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y137 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] NONUT *415105N 1412648E*										
		045 [036.1]	29.3	UNL ———	10000 [5000]	↑				Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5(276.9)MHz
MEKAB *412727N 1410338E*										
Y138 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] NONUT *415105N 1412648E*										
		060 [050.6]	15.9	UNL ———	10000 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5(276.9)MHz
TIKYU *414103N 1411021E*										
Y139 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ASIBE *432704N 1421701E*										
	AWE 220°/15.0NM	033 [023.0]	15.0	UNL ———	8000 [7000]	↑		SPE<EMREG/ 12.0nm to ASIBE>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
EMREG *431315N 1420856E*	CHE 042°/37.3NM MKE 021°/40.9NM	032 [022.6]	71.1	UNL ———	8000 [7000]	↑		MKE<61.0nm to EMREG/55.4nm to EMREG> HVT<39.5nm to EMREG/36.0nm to EMREG> SPE<5.9nm to EMREG/ EMREG>		
NAVER *420744N 1413129E*	CHE 201°/35.0NM	053 [043.6]	13.5	UNL ———	10000 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5(276.9)MHz
SIRAO *415758N 1411856E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y14 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
OLDUS *432704N 1432629E*										
	TCE 316°/41.5NM	232 [222.7]	28.5	UNL ------	10000 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
NODUK *430606N 1430004E*		243 [233.1]	29.5	UNL ------	9000 [8000]		↓			
BOKSO *424819N 1422755E*		246 [236.4]	27.0	UNL ------	12000 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz
MUKAWA(MKE) *423318N 1415720E*		236 [227.2]	68.5	UNL ------	13000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz
HAKODATE(HWE) *414627N 1404956E*		216 [207.4]	89.8	UNL ------	FL210 [7000]		↓			Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
ARIKA *402637N 1395540E*		216 [207.2]	26.5	UNL ------	FL210 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
NYUDO *400303N 1393951E*		215 [206.5]	132.7	UNL ------	FL260 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
GOLDO *380357N 1382435E*		249 [240.8] 069 [060.7]	16.6	UNL ------	FL260 [6000]	↑	↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
TATAM *375550N 1380613E*	GTC 277°/47.9NM	249 [240.7]	113.3	UNL ------	FL260 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
HOTAL *365916N 1360239E*		067 [059.4]	86.7	UNL ------	FL260 [2000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 278.2MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz
SAMON *361434N 1343012E*		247 [238.5]	32.1	UNL ------	FL260 [3000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
SUGNO *355742N 1335622E*		066 [058.1]	48.6	UNL ------	FL260 [4000]	↑	↓			
MIHOU *353152N 1330538E*		246 [238.1]	70.2	UNL ------	FL240 [5000]	↑	↓			
BESMU *344845N 1315752E*		066 [057.7]	34.3	UNL ------	FL240 [5000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
OLTUN *342729N 1312515E*		241 [232.4]	25.7	UNL ------	12000 [5000]	↑	↓			
STOUT *341127N 1310058E*		240 [231.8]	43.9	UNL ------	12000 [5000]	↑	↓			
▲ FUKUOKA(DGC) *334034N 1302323E*		239 [231.4]	32.2	UNL ------	6000 [6000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
OSTEP *330832N 1302632E*		233 [225.5]	5.0	UNL ------	8000 [4000]	↑	↓			
OMUTA *330332N 1302701E*		053 [045.1]	11.8	UNL ------	8000 [4000]	↑	↓			
		183 [175.3]								
		003 [355.3]								
		183 [175.3]								
		003 [355.3]								
		182 [174.9]								
		002 [355.0]								

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
(continued)										
TAIME *325147N 1302816E*		183 [175.5]	12.5	UNL ------	8000 [4000]		↓			
FUGEN *323919N 1302925E*		003 [355.5]				↑				
		183 [175.5]	15.7	UNL ------	8000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
HINAG *322342N 1303054E*		003 [355.5]				↑				
		184 [176.9]	5.7	UNL ------	8000 [4000]		↓			
SASIK *321759N 1303116E*		004 [356.9]				↑				
		181 [173.9]	8.0	UNL ------	8000 [6000]		↓			
SAPIS *321003N 1303215E*		001 [354.0]				↑				
		183 [173.9]	28.3	UNL ------	8000 [6000]		↓			
▲ KAGOSHIMA(HKC) *314150N 1303459E*		002 [355.3]				↑				Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
		169 [162.2]	9.4	UNL ------	6000 [6000]	↓		NHT<5.0nm to ELPAG/ELPAG>		
ELPAG *313256N 1303820E*		349 [342.2]					↑			
		169 [162.2]	13.6	UNL ------	7000 [6000]	↓				MCA:ELPAG 7000
KINKO *311958N 1304312E*		349 [342.3]					↑			
		169 [162.3]	14.1	UNL ------	7000 [5000]	↓		JAT<10.0nm to TOZAK/5.0nm to TOZAK>	5.0nm to TOZAK/ TOZAK, INS or IRS or GNSS or VOR/DME required.	
TOZAK *310633N 1304813E*		349 [342.3]					↑			
		169 [162.3]	12.2	UNL ------	7000 [5000]	↓			TOZAK/ ISMAD, INS or IRS or GNSS or VOR/DME required.	
ISMAD *305457N 1305232E*		349 [342.3]					↑			
		169 [162.3]	7.7	UNL ------	5000 [3000]	↓			ISMAD/ KAGYA, INS or IRS or GNSS or VOR/DME required.	
KAGYA *304735N 1305515E*		349 [342.4]					↑			
		169 [162.3]	12.0	UNL ------	5000 [4000]	↓			KAGYA/ TGE, INS or IRS or GNSS or VOR/DME required.	
▲ NAKATANE(TGE) *303608N 1305930E*		349 [342.4]					↑			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y141 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
SAMON *361434N 1343012E*			108.9	UNL ———	FL290 [8000]					Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
BIHOK *345337N 1330050E*		049 [041.5]	45.0	UNL ———	FL290 [7000]	↑				
OYSTR *341950N 1322444E*		049 [041.2]	20.0	UNL ———	FL290 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
MARCO *340446N 1320850E*		049 [041.0]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y142 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ NIIGATA(GTC) *375730N 1390654E*										
		255 [246.4]	36.9	UNL ------	10000 [3000]		↓		(*2)	Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
BEGSA *374237N 1382414E*		075 [066.0]				↑				
		255 [246.0]	88.3	UNL ------	10000 [4000]		↓	(*1)	(*3)	Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45 126.1MHz
NESKO *370558N 1364315E*		074 [064.9]				↑				
		253 [244.9]	118.5	UNL ------	FL260 [3000]		↓			MCA:NESKO FL260 Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 278.2MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz
SAMON *361434N 1343012E*		071 [063.6]				↑				

(*1)Critical DME:
MBE<65.3nm to NESKO/55.3nm to NESKO>
KMC<30.7nm to NESKO/22.3nm to NESKO>
NTE<45.0nm to NESKO/14.0nm to NESKO>
(*2)DME GAP: GTC/BEGSA, INS or GNSS or VOR/DME required.
(*3)DME GAP: BEGSA/65.3nm to NESKO, INS or GNSS or VOR/DME required.
55.3nm to NESKO/45.0nm to NESKO, INS or GNSS or VOR/DME required.
10.0nm to NESKO/NESKO, INS or GNSS or VOR/DME required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y143 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] SAKYU *355501N 1343105E*										
		256 [247.8] 075 [067.1]	61.2	UNL ———	FL160 [4000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
ORUDA *353133N 1332129E*		255 [247.1] 075 [067.0]	4.3	UNL ———	8000 [4000]	↑	↓			
ADLEB *352952N 1331635E*		255 [247.0] 075 [067.0]	6.7	UNL ———	8000 [4000]	↑	↓			
DULOK *352714N 1330859E*		255 [247.0] 075 [066.7]	20.0	UNL ———	8000 [5000]	↑	↓			
LATOR *351923N 1324627E*		255 [246.7] 074 [066.6]	17.2	UNL ———	7000 [5000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
VIBEL *351234N 1322707E*		258 [249.9]	10.2	UNL ———	7000 [4000]		↓	STD<7.0nm to OSPEL/2.0nm to OSPEL>	2.0nm to OSPEL/ OSPEL, INS or IRS or GNSS or VOR/DME required.	
OSPEL *350904N 1321524E*		258 [249.8]	10.5	UNL ———	7000 [3000]		↓	STD<6.0nm to SAMBA/2.0nm to SAMBA>	OSPEL/8.5 nm to SAMBA, 2.0nm to SAMBA/ SAMBA, INS or IRS or GNSS or VOR/DME required.	
SAMBA *350526N 1320324E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y144 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ HAKODATE(HWE) *414627N 1404956E*										
		201 [191.9]	83.9	UNL ------	8000 [6000]		↓	HVT<9.7nm to IWASE/4.0nm to IWASE>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
IWASE *402422N 1402720E*	MRE 219°/23.0NM	200 [191.6]	30.0	UNL ------	7000 [6000]		↓		IWASE/ MAGGY, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
MAGGY *395457N 1401927E*										
Y145 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KAGOSHIMA(HKC) *314150N 1303459E*										
		184 [177.0] 004 [357.0]	31.2	UNL ------	6000 [6000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4MHz Kobe ACC (below FL335) Freq:133.85(134.6) MHz
AMMON *311043N 1303652E*		184 [177.0] 004 [357.0]	25.7	UNL ------	6000 [5000]	↑	↓	(*1)		
MABNO *304502N 1303825E*		184 [177.0] 004 [357.0]	7.7	UNL ------	5000 [3000]	↑	↓	HKC<7.7nm to ONSKE/ ONSKE> TGE<7.7nm to ONSKE/ ONSKE>		
ONSKE *303723N 1303853E*										

(*1)Critical DME: JAT<25.7nm to MABNO/21.0nm to MABNO>
TGE<12.8nm to MABNO/5.1nm to MABNO>
HKC<5.1nm to MABNO/MABNO>
TGE<5.1nm to MABNO/MABNO>

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y146 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] DALBI *420449N 1403052E*										
		179 [169.6]	39.3	UNL ------	6000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(123.775) 276.5MHz
TEPIS *412611N 1404019E*		179 [169.7]	19.9	UNL ------	6000 [4000]		↓			
HIBAR *410638N 1404502E*										
Y15 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] OWLET *374623N 1402747E*										
	SDE 233°/30.9NM		5.0	UNL ------	11000 [5000]					
NIRAX *374338N 1402226E*		065 [057.0]	12.5	UNL ------	11000 [9000]	↑				
SHIRO *373648N 1400911E*		065 [056.8]	8.2	UNL ------	11000 [9000]	↑				
INAWA *373217N 1400030E*		064 [056.7]	15.1	UNL ------	11000 [8000]	↑				
	GTC 129°/49.3NM		17.6	UNL ------	11000 [9000]					
HEIKE *372401N 1394439E*		064 [056.6]	27.6	UNL ------	FL240 [10000]	↑				
DANDY *371026N 1393042E*		046 [039.2]	47.1	UNL ------	FL240 [10000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
TADMI *364902N 1390857E*		046 [039.0]	41.3	UNL ------	FL240 [12000]	↑				
MYOGI *361228N 1383210E*	OSE 342°/94.4NM	045 [038.8]								Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
TENRU *354011N 1380025E*		045 [038.4]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y151 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MYOGI *361228N 1383210E*										
	OSE 342°/94.4NM	035 [027.6]	22.8	UNL ------	FL240 [12000]	↑				
AMIDA *355218N 1381904E*	MBE 140°/25.8NM	035 [027.5]	29.1	UNL ------	FL150 [13000]	↑		MBE<CHAUS/AMIDA>		MCA:AMIDA FL240 Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
CHAUS *352633N 1380229E*	MBE 180°/43.2NM									
Y153 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ HANAMAKI(HPE) *392600N 1410801E*										
		039 [030.1]	20.8	UNL ------	8000 [7000]	↑		UWE<2.8nm to HPE/HPE>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
SIOMO *390802N 1405430E*		039 [030.1]	9.1	UNL ------	8000 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
RUNID *390010N 1404838E*	HPE 219°/29.9NM	038 [029.8]	42.5	UNL ------	8000 [8000]	↑		HPE<11.5nm to RUNID/1.5nm to RUNID>		
▲ YAMAGATA(YTE) *382319N 1402129E*		034 [025.9]	66.1	UNL ------	FL200 [8000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 303.4MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
HEIKE *372401N 1394439E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y155 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] HAKBA *371536N 1375305E*										
		187 [178.7] 007 [358.7]	9.5	UNL ------	12000 [4000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
HAPPO *370605N 1375321E*		187 [178.5] 007 [358.5]	37.3	UNL ------	12000 [9000]	↑	↓			
AZUMI *362850N 1375433E*		187 [178.5] 007 [358.5]	19.5	UNL ------	11000 [8000]	↑	↓	(*1)	(*2)	Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
MATSUMOTO(MBE) *360922N 1375511E*		180 [171.7] 360 [351.7]	10.0	UNL ------	10000 [8000]	↑	↓	(*3)	(*4)	
OKVAB *355927N 1375658E*	MBE 180°/10.0NM	180 [171.7] 360 [351.8]	19.5	UNL ------	12000 [9000]	↑	↓	OSE<TENRU/ 6.6nm to OKVAB> <5.1nm to OKVAB/4.2nm to OKVAB>	(*5)	Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
TENRU *354011N 1380025E*		001 [353.0]	13.7	UNL ------	FL150 [11000]	↑				
CHAUS *352633N 1380229E*										

(*1)Critical DME: YME<17.6nm to AZUMI/16.8nm to AZUMI>
SND<14.5nm to AZUMI/12.1nm to AZUMI><8.9nm to AZUMI/6.0nm to AZUMI>
MBE<16.8nm to AZUMI/15.5nm to AZUMI><14.5nm to AZUMI/12.1nm to AZUMI><8.9nm to AZUMI/6.0nm to AZUMI>
KCC<17.6nm to AZUMI/15.5nm to AZUMI>
(*2)DME GAP: MBE/17.6nm to AZUMI, 15.5nm to AZUMI/14.5nm to AZUMI, 10.0nm to AZUMI/8.9nm to AZUMI,
INS or IRS or GNSS or VOR/DME required.
(*3)Critical DME: XMT<8.4nm to MBE/3.6nm to MBE><2.8nm to MBE/MBE>
MBE<8.4nm to MBE/3.6nm to MBE>
SND<2.8nm to MBE/MBE>
(*4)DME GAP: OKVAB/8.4nm to MBE, 3.6nm to MBE/2.8nm to MBE, INS or IRS or GNSS or VOR/DME required.
(*5)DME GAP: 6.6nm to OKVAB/5.1nm to OKVAB, 4.2nm to OKVAB/OKVAB, INS or IRS or GNSS or VOR/DME required.

Y157 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] IBELU *375906N 1401638E*										
			23.1	UNL ------	9000 [9000]					Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:127.65 303.4MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
SHIRO *373648N 1400911E*		023 [014.8]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y16 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
INUBO *354335N 1404758E*		283 [276.4]	26.2	UNL ------	FL240 [3000]		↓			
TETRA *354626N 1401556E*		293 [285.1]	21.9	UNL ------	FL240 [3000]		↓			
ENPAR *355205N 1394954E*		292 [284.9]	11.8	UNL ------	FL200 [3000]		↓			
NIXIS *355505N 1393551E*		286 [278.7]	35.1	UNL ------	FL200 [8000]		↓			
TEPEX *360015N 1385258E*		279 [270.9]	15.5	UNL ------	FL240 [9000]		↓			
ISDOS *360027N 1383350E*		279 [270.7]	17.5	UNL ------	FL240 [12000]		↓			
NOGUP *360037N 1381216E*		279 [270.5]	25.8	UNL ------	FL240 [10000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz
IGPOS *360045N 1374023E*		278 [270.1]	9.1	UNL ------	FL240 [11000]		↓			Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
BIDIK *360046N 1372910E*		278 [270.0]	53.4	UNL ------	FL200 [10000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
ADGOM *360029N 1362313E*		278 [269.4]	78.5	UNL ------	FL200 [5000]		↓			
MADUL *355859N 1344613E*		277 [268.4]	40.4	UNL ------	FL200 [3000]		↓			
SUGNO *355742N 1335622E*		276 [267.9]	156.6	UNL ------	FL260 [3000]		↓			Fukuoka ACC Freq:124.15(134.4) 280.1(236.4)MHz
▲ SAPRA *354926N 1304325E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y18 (RNAV5) [VOR/DME, DME/DME, INS or IRS,GNSS] BEKLA *354959N 1391010E*										
OLBER *354828N 1383945E*		274 [266.6]	24.7	UNL -------	FL170 [11000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
AGSEB *354741N 1382509E*		274 [266.3]	11.9	UNL -------	FL170 [11000]		↓			
PIGAP *354721N 1381901E*		274 [266.2]	5.0	UNL -------	FL170 [10000]		↓			
DOLNU *354604N 1375607E*		274 [266.1]	18.6	UNL -------	FL160 [12000]		↓			
VERUG *354524N 1374501E*		274 [265.9]	9.0	UNL -------	FL160 [12000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
ELKOT *354413N 1372913E*		273 [264.8]	12.9	UNL -------	FL160 [12000]		↓			
OVMAX *353007N 1355359E*		268 [260.1]	78.7	UNL -------	FL160 [9000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
▲ MIYAZU(YME) *352850N 1350813E*		276 [268.2]	37.3	UNL -------	FL160 [6000]		↓			
LEPGU *353029N 1340927E*		281 [272.3]	47.9	UNL -------	7000 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
RAKDA *353110N 1333824E*		280 [271.7]	25.3	UNL -------	7000 [4000]		↓			
ORUDA *353133N 1332129E*		280 [271.7]	13.8	UNL -------	7000 [7000]		↓			
MIHOU *353152N 1330538E*		279 [271.5]	12.9	UNL -------	7000 [7000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y182 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] PIGAP *354721N 1381901E*										
		297 [288.6]	13.6	UNL ------	FL190 [12000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
IDMEN *355140N 1380309E*										
		297 [288.5]	15.2	UNL ------	FL190 [10000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125 320.0MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
OGISO *355627N 1374522E*										
		297 [288.3]	6.0	UNL ------	FL190 [9000]		↓			
AKNOM *355819N 1373822E*										
		297 [288.2]	7.8	UNL ------	FL190 [10000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
BIDIK *360046N 1372910E*										
Y186 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ MIYAZU(YME) *352850N 1350813E*										
		281 [273.7]	21.9	UNL ------	7000 [6000]		↓	TRE<YME/ 20.0nm to KANNA>		Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz
KANNA *353011N 1344122E*										
	YME 281°/21.9NM	281 [273.4]	25.7	UNL ------	7000 [7000]		↓	OIE<KANNA/ 20.0nm to TRE>		Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
TOTTORI(TRE) *353138N 1340954E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y188 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] RAKDA *353110N 1333824E*										
		298 [290.1]	43.9	UNL ------	8000 [7000]		↑			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
TOZAN *351615N 1342904E*										
Y19 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ AOMORI(MRE) *404420N 1404219E*										
		043 [034.0]	67.4	UNL ------	10000 [6000]	↑		UWE<40.0nm to MRE/35.0nm to MRE> HVT<35.0nm to MRE/5.0nm to MRE>	5.0nm to MRE/MRE, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
NAMMY *394836N 1395238E*										
		041 [032.7]	125.1	UNL ------	FL260 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
GOLDO *380357N 1382435E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y20 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
GUSRO *353945N 1390813E*		275 [266.9]	22.8	UNL ------	FL170 [9000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
LEBOS *353828N 1384011E*		274 [266.4]	23.0	UNL ------	FL170 [13000]		↓			
MADEG *353658N 1381157E*		274 [266.1]	19.8	UNL ------	13000 [13000]		↓			
SUGAL *353535N 1374741E*		273 [264.9]	13.0	UNL ------	FL160 [10000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (between FL335 and FL195) Freq:123.9(126.1) 255.2(278.2)MHz Tokyo ACC (below FL195) Freq:120.5(128.325) 301.2(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
TOLUM *353424N 1373144E*		263 [255.0]	14.0	UNL ------	FL160 [7000]		↓			
ENDAG *353047N 1371511E*		263 [254.8]	42.0	UNL ------	FL160 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
MORVA *351938N 1362534E*		263 [254.4]	32.0	UNL ------	FL160 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
ARASI *351055N 1354754E*		266 [258.4]	26.0	UNL ------	12000 [6000]		↓			
GINJI *350540N 1351651E*	KCE 013°/27.9NM	266 [258.1]	17.8	UNL ------	12000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
WAKIT *350158N 1345532E*	KCE 336°/28.3NM	265 [257.9]	11.9	UNL ------	12000 [6000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
KAMMY *345928N 1344119E*										
		264 [256.5]	42.3	UNL ------	12000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
CLOVE *344927N 1335113E*		263 [255.7]	72.8	UNL ------	FL240 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
BASIL *343056N 1322541E*		263 [254.8]	12.8	UNL ------	FL240 [6000]		↓			
SUNPI *342734N 1321044E*		263 [254.7]	28.0	UNL ------	FL240 [7000]		↓			
RUVEK *342007N 1313804E*		262 [254.4]	31.9	UNL ------	12000 [5000]		↓			
STOUT *341127N 1310058E*		254 [246.8]	10.5	UNL ------	12000 [5000]		↓			
KIRIN *340718N 1304919E*		254 [246.7]	12.5	UNL ------	12000 [4000]		↓			
EBISU *340220N 1303528E*		254 [246.9]	44.2	UNL ------	FL180 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
IKI(IKE) *334451N 1294637E*										
Y201 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
WAKIT *350158N 1345532E*										Fukuoka ACC (at or above FL335)
		208 [199.9]	11.0	UNL ------	5000 [4000]		↓			Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
UBNET *345136N 1345058E*	KIE 334°/31.5NM	208 [199.8]	12.5	UNL ------	5000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
TRACY										
343949N 1344548E										
Y202										
(RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
KAMMY										
345928N 1344119E		263 [255.3]	15.0	UNL ------	11000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
LALAH										
345538N 1342340E		262 [255.1]	10.6	UNL ------	11000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz Fukuoka ACC (at or above FL335) Freq: 133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq: 132.7(126.1) 301.7(278.2)MHz
BRITE										
345253N 1341110E		262 [255.0]	43.2	UNL ------	8000 [5000]		↓	IWT<10.0nm to AMURO/5.0nm to AMURO>	BRITE/ 25.0nm to AMURO, 20.0nm to AMURO/ 10.0nm to AMURO, INS or IRS or GNSS or VOR/DME required.	
AMURO										
344131N 1332027E										
Y203										
(RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz
WAKIT										
350158N 1345532E		223 [215.3]	37.6	UNL ------	5000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
WIMPY										
343115N 1342909E										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y204 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] KAMMY *345928N 1344119E*										
		261 [252.5]	101.1	UNL ------	FL240 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz Fukuoka ACC (at or above FL335) Freq: 133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq: 132.7(126.1) 301.7(278.2)MHz Fukuoka ACC (at or above FL335) Freq: 133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq: 132.5(134.25) 246.1(315.5)MHz
UKELI *342810N 1324428E*										
		259 [251.4]	74.7	UNL ------	FL240 [6000]		↓			
MINTO *340353N 1311905E*										
		251 [243.5]	15.3	UNL ------	FL180 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
IBIPI *335702N 1310233E*										
		251 [243.4]	36.5	UNL ------	FL160 [5000]		↓			
▲ FUKUOKA(DGC) *334034N 1302323E*										
		215 [207.1]	23.3	UNL ------	7000 [6000]		↓			
OHGIE *331953N 1301042E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y205 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] WAKIT *350158N 1345532E*										
		260 [252.8]	13.3	UNL ------	7000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
TRIPY *345801N 1344003E*		260 [252.6]	6.9	UNL ------	7000 [5000]		↓			
MIMMY *345557N 1343201E*		260 [252.6]	13.9	UNL ------	7000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
SIMAG *345147N 1341555E*		260 [252.4]	5.7	UNL ------	4000 [4000]		↓			
BENES *345004N 1340919E*		260 [252.4]	16.6	UNL ------	4000 [4000]		↓		BENES/ OYE, INS or IRS or GNSS or VOR/DME required.	
KIBI (OYE) *344501N 1335006E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y206 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MIHOU *353152N 1330538E*										Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
YAKMO *353012N 1324647E*		272 [263.9] 092 [083.7]	15.4	UNL -------	FL190 [4000]	↑	↓			
OPERA *352950N 1324237E*		272 [263.8] 092 [083.7]	3.4	UNL -------	FL190 [4000]	↑	↓			
ENRUN *352736N 1321817E*		272 [263.7] 092 [083.5]	20.0	UNL -------	FL190 [4000]	↑	↓			Fukuoka ACC Freq:133.15(132.9) 277.1(228.4)MHz
▲ KALEK *351232N 1295305E*		272 [263.5] 090 [082.1]	119.5	UNL -------	FL190 [3000]	↑	↓			
Y207 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] IPLES *352428N 1373346E*										Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
IGREN *352126N 1370812E*		270 [261.8]	21.1	UNL -------	FL160 [10000]		↓			
APILU *351754N 1363922E*		270 [261.6]	23.8	UNL -------	FL160 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
IGOTO *351534N 1362052E*		270 [261.3]	15.3	UNL -------	FL160 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
HIKNE *351415N 1361037E*		269 [261.1]	8.5	UNL -------	FL160 [6000]		↓			
KRAMA *351308N 1360257E*		268 [259.9]	6.4	UNL -------	FL160 [4000]		↓			
ARASI *351055N 1354754E*		268 [259.9]	12.5	UNL -------	FL160 [6000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y208 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ INVOK *344719N 1291923E*										
		329 [321.7]	40.3	UNL ------	10000 [3000]		↑	MIT<3.0nm to INVOK/INVOK>		
BEETL *341545N 1294945E*		351 [343.6]	59.3	UNL ------	FL230 [6000]		↑			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.3)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
KOIMA *331855N 1301001E*		351 [343.8]	63.5	UNL ------	FL230 [7000]		↑			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
SASIK *321759N 1303116E*		352 [345.2]	114.0	UNL ------	FL230 [7000]		↑			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
LUKRA *302756N 1310542E*										
Y209 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] BESNA *343718N 1290751E*										
		157 [148.4]	40.0	UNL ------	7000 [3000]	↓		MIT<BESNA/ 33.7nm to PAVGA>		Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
PAVGA *340311N 1293310E*		157 [148.6]	6.3	UNL ------	7000 [3000]	↓				
FRAIZ *335749N 1293707E*		157 [148.7]	9.0	UNL ------	6000 [3000]	↓				
SARUP *335008N 1294245E*		157 [148.7]	6.2	UNL ------	6000 [3000]	↓		KUE<3.0nm to IKE/IKE>		
IKI(IKE) *334451N 1294637E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y21 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] AKSEL *344040N 1395127E*										Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
RUNSO *342917N 1394305E*		038 [031.1]	13.3	UNL ———	10000 [3000]	↑				
SELNO *341704N 1390729E*		074 [067.3]	31.8	UNL ———	10000 [4000]	↑				
PAMVI *341224N 1385648E*		069 [062.1]	10.0	UNL ———	FL150 [4000]	↑				
MENUR *335441N 1381644E*		069 [061.7]	37.6	UNL ———	FL150 [3000]	↑				
BILLY *333640N 1373711E*		068 [061.1]	37.5	UNL ———	FL150 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
Y22 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] TEPEX *360015N 1385258E*		274 [266.4]	54.9	UNL ———	FL240 [12000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125 320.0MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
OGISO *355627N 1374522E*										
		273 [265.2]	127.2	UNL ------	FL200 [13000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz
TAREB *354406N 1350921E*		272 [263.7]	101.4	UNL ------	FL200 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
MIHOU *353152N 1330538E*										
Y23 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz
ARTIC *344256N 1384816E*										
		071 [063.2]	23.2	UNL ------	FL150 [4000]	↑				
BOKJO *343232N 1382306E*										
		097 [090.1]	17.4	UNL ------	FL150 [3000]	↑				
ENSYU *343236N 1380203E*										
		097 [089.7]	21.7	UNL ------	FL160 [3000]	↑				
BOGON *343233N 1373544E*										
		097 [089.4]	31.2	UNL ------	FL160 [3000]	↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
FLUTE *343219N 1365749E*			42.9	UNL ------	FL250 [7000]					Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Tokyo ACC (below FL335) Freq:125.7(128.325) 276.5(255.1)MHz
ELMIR *342146N 1360724E*		083 [075.5]	57.9	UNL ------	FL250 [7000]	↑				
ANSUM *340659N 1345943E*		083 [074.9]	38.4	UNL ------	FL250 [8000]	↑				
UKAKO *335650N 1341505E*		082 [074.5]	36.5	UNL ------	FL250 [9000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
AVNUT *334656N 1333245E*		082 [074.1]	29.8	UNL ------	FL210 [9000]	↑				
SPIDE *333840N 1325818E*	MYE 136°/17.9NM	082 [073.8]	33.5	UNL ------	FL150 [7000]	↑				
BEGOP *332618N 1322056E*		076 [068.2]	34.9	UNL ------	FL150 [4000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
OOITA *331313N 1314212E*		075 [067.8]	103.9	UNL ------	FL210 [8000]	↑				
KASTE *325036N 1294122E*	IKE 192°/54.5NM	083 [076.9]	44.8	UNL ------	FL210 [4000]	↑				
FUKUE(FUE) *324007N 1284936E*		083 [076.2]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y231 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MIRIO *340006N 1344233E*										
BECKY *335509N 1343031E*		071 [063.6]	11.1	UNL ------	7000 [5000]	↑				
JANGO *334834N 1341435E*		070 [063.5]	14.8	UNL ------	9000 [8000]	↑				
ROSIE *334248N 1332926E*	KRE 067°/32.4NM	088 [081.1]	38.0	UNL ------	9000 [9000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz
SPIDE *333840N 1325818E*	KRE 324°/14.0NM	089 [080.8]	26.3	UNL ------	FL150 [8000]	↑				
OMKAT *333312N 1321837E*	MYE 136°/17.9NM	088 [080.4]	33.5	UNL ------	FL150 [7000]	↑				
IPRIR *332815N 1314402E*		088 [080.1]	29.3	UNL ------	FL150 [4000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
Y232 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] AWAJI *341613N 1344247E*										Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
SUNNY *335513N 1341248E*		237 [229.9]	32.5	UNL ------	10000 [8000]		↓			
▲ KOCHI(KRE) *333230N 1334049E*		237 [229.6]	35.0	UNL ------	10000 [9000]		↓			
SATKI *330721N 1331329E*		230 [222.3]	34.0	UNL ------	10000 [4000]		↓			
		229 [222.1]	22.4	UNL ------	10000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (between FL335 and FL285) Freq:127.15(134.6) 251.0(316.4)MHz Kobe ACC (below FL285) Freq:133.85(134.6) 315.3(316.4)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
AGRUM *325043N 1325538E*		229 [222.0]	51.2	UNL ------	6000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
SIROK *321232N 1321510E*										
Y233 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
UTIBO *345647N 1395344E*			27.6	UNL ------	6000 [5000]					Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz
▲ OSHIMA(XAC) *344244N 1392450E*		066 [059.2]				↑				
Y235 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
FLUTE *343219N 1365749E*			42.7	UNL ------	FL250 [7000]					Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35 (128.325) 312.0 (255.1)MHz Tokyo ACC (below FL285) Freq:125.7 (128.325) 276.5 (255.1)MHz
LEKUT *342420N 1360655E*		087 [079.0]				↑				
HALKA *341306N 1345902E*		086 [078.3]	57.2	UNL ------	FL250 [7000]	↑				
EMSIG *340551N 1341834E*		086 [077.9]	34.3	UNL ------	FL250 [5000]	↑				
		086 [077.4]	17.1	UNL ------	FL250 [7000]	↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
SUGIG *340209N 1335822E*										
		079 [071.1]	11.2	UNL ------	FL250 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
MIMUP *335831N 1334533E*										
		079 [070.9]	16.6	UNL ------	FL250 [8000]	↑				
ISMEX *335307N 1332637E*										
		079 [070.7]	17.5	UNL ------	FL250 [9000]	↑				
ATGOL *334723N 1330646E*										
		078 [070.3]	42.5	UNL ------	FL250 [9000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz
OMKAT *333312N 1321837E*										
						↑				Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
Y236 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
TANTA *341605N 1342729E*										
		209 [200.6]	11.9	UNL ------	9000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
OBLUR *340459N 1342227E*										
		238 [230.3]	15.9	UNL ------	9000 [8000]		↓			
OVNAD *335448N 1340740E*										
		238 [230.2]	13.7	UNL ------	10000 [9000]		↓			
VEXOT *334600N 1335500E*										
		242 [234.4]	12.9	UNL ------	10000 [8000]		↓			
IVROG *333828N 1334224E*										
		242 [234.2]	22.2	UNL ------	FL160 [5000]		↓			
OSBED *332527N 1332047E*										
		239 [231.2]	38.1	UNL ------	FL160 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (between FL335 and FL285) Freq:127.15(134.6) 251.0(316.4)MHz Kobe ACC (below FL285) Freq:133.85(134.6) 315.3(316.4)MHz
IVTER *330131N 1324526E*										
		235 [226.8]	17.5	UNL ------	FL200 [5000]		↓			
AVMOM *324932N 1323016E*										
		234 [226.7]	31.9	UNL ------	FL160 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
MULAB *322735N 1320245E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y24 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KUSHIMOTO(KEC) *332652N 1354740E*										
		262 [254.3]	18.4	UNL ------	12000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
ALBAT *332152N 1352629E*	KEC 262°/18.4NM	260 [252.8]	23.4	UNL ------	12000 [3000]		↓			
HALON *331456N 1345950E*	KEC 262°/41.7NM	261 [253.9]	18.6	UNL ------	10000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
TURFY *330945N 1343832E*	KEC 261°/60.3NM	261 [253.7] 081 [073.5]	21.4	UNL ------	5000 [3000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
JAKAL *330343N 1341403E*	KRE 143°/40.0NM	261 [253.9] 081 [073.6]	35.0	UNL ------	5000 [3000]	↑	↓	KRE<30.0nm to GREEN/GREEN>		
GREEN *325355N 1333359E*	SUC 080°/30.0NM	261 [253.6] 081 [073.3]	30.0	UNL ------	6000 [4000]	↑	↓	KRE<30.0nm to SUC/20.0nm to SUC>		Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
▲ SHIMIZU(SUC) *324521N 1325948E*		248 [241.1]	177.7	UNL ------	FL160 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
KOSHI *311719N 1295753E*	HKC 240°/40.0NM									
Y242 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] TURFY *330945N 1343832E*										Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
		280 [273.4]	27.9	UNL ------	10000 [4000]		↓			
PANCH *331121N 1340518E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y244 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
RUPAP *332419N 1345951E*										
		260 [252.3]	17.8	UNL ------	FL200 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
EMTOT *331852N 1343931E*										
		260 [252.1]	26.6	UNL ------	FL200 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
ISLUB *331039N 1340916E*										
		248 [240.7]	34.0	UNL ------	FL200 [3000]		↓			
GREEN *325355N 1333359E*										
Y25 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
IKI(IKE) *334451N 1294637E*										
			16.4	UNL ------	7000 [3000]					
ISKUP *332847N 1295047E*		355 [347.8]					↑			
			18.2	UNL ------	7000 [5000]					
GUSPA *331058N 1295522E*		355 [347.9]					↑			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
			23.5	UNL ------	7000 [5000]					
ROBKU *324803N 1300113E*		356 [347.9]					↑			
			12.0	UNL ------	7000 [4000]					
GOKYO *323617N 1300413E*		356 [347.9]					↑			
			35.1	UNL ------	11000 [4000]					Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
LELAD *320117N 1300123E*		011 [003.9]				↑				
			44.1	UNL ------	11000 [3000]					
KOSHI *311719N 1295753E*		011 [003.9]				↑				Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
	HKC 240°/40.0NM		26.8	UNL ------	FL160 [5000]					
MOMPA *305041N 1295457E*		012 [005.4]				↑				
			30.2	UNL ------	FL160 [5000]					
		012 [005.3]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) ATNOX *302036N 1295140E*										
		012 [005.3]	20.5	UNL -------	FL160 [3000]	↑		TGE<BOMAP/ 19.2nm to ATNOX> HKC<BOMAP/ 19.2nm to ATNOX>		Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (between FL335 and FL275) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL275) Freq:133.85(134.6) 315.3(225.65)MHz
▲ BOMAP *300013N 1294928E*	HKC 209°/108.9NM	194 [187.7]	39.4	UNL -------	11000 [6000]	↑	↓	TGE<IGREK/ 22.0nm to BOMAP> ALT<IGREK/ 22.0nm to BOMAP>	22.0nm to BOMAP/ BOMAP, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
IGREK *292114N 1294324E*		014 [007.7] 194 [187.7]	13.3	UNL -------	11000 [3000]	↑	↓	TGE<KANAH/ IGREK> ALT<5.6nm to IGREK/IGREK>		
KANAH *290804N 1294122E*		014 [007.7] 193 [187.6]	41.8	UNL -------	11000 [4000]	↑	↓	AME<AMAMI/ 3.0nm to KANAH> TGE<3.0nm to KANAH/ KANAH>		
AMAMI *282637N 1293503E*		013 [007.6]				↑				Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
Y251 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] TSUSHIMA(VCE) *341653N 1292013E*										
		144 [136.0]	9.0	UNL -------	4000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
AGATA *341023N 1292748E*		324 [316.1]				↑				
		157 [148.5]	5.0	UNL -------	4000 [3000]		↓			
OMDUK *340607N 1293057E*		337 [328.5]				↑				
		157 [148.5]	8.3	UNL -------	4000 [3000]		↓			
ISTAK *335905N 1293609E*		337 [328.6]				↑				
		157 [148.6]	16.7	UNL -------	4000 [3000]		↓	DGC<3.0nm to IKE/IKE> MIT<3.0nm to IKE/IKE>		
IKI(IKE) *334451N 1294637E*		337 [328.7]				↑				
		180 [172.0]	24.8	UNL -------	7000 [4000]		↓			
		360 [352.0]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
AKNAG *332017N 1295045E*		180 [172.0]	19.2	UNL ------	7000 [5000]		↓			
SALID *330116N 1295355E*		360 [352.1]				↑				
		180 [172.1]	7.0	UNL ------	7000 [4000]		↓			
▲ NAGASAKI(OLE) *325419N 1295505E*		360 [352.1]				↑				
Y252 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GOKYO *323617N 1300413E*										
HINAG *322342N 1303054E*		307 [299.3]	25.8	UNL ------	10000 [5000]		↑			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
LALAG *321338N 1304050E*		328 [320.2]	13.1	UNL ------	10000 [6000]		↑			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
Y253 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] IKI(IKE) *334451N 1294637E*										
ATSAG *333953N 1294211E*		225 [216.6]	6.2	UNL ------	6000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
EKIRI *333255N 1293558E*		045 [036.6]				↑				
		225 [216.6]	8.7	UNL ------	6000 [3000]		↓			
OLVIN *332854N 1293223E*		044 [036.5]				↑				
		224 [216.5]	5.0	UNL ------	11000 [3000]		↓			
FUKUE(FUE) *324007N 1284936E*		044 [036.5]				↑				
		224 [216.5]	60.6	UNL ------	11000 [4000]		↓			
		044 [036.1]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y255 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] OMDUK *340607N 1293057E*										
TERIG *335626N 1293510E*		168 [160.2] 348 [340.2]	10.3	UNL -------	4000 [3000]	↓	↑	AHT<OMDUK/ TERIG>		Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
OLNUX *334857N 1293825E*	IKE 329°/15.0NM	168 [160.2] 348 [340.2]	8.0	UNL -------	4000 [3000]	↓	↑	AHT<TERIG/ 3.0nm to OLNUX>	3.0nm to OLNUX/ OLNUX INS or IRS or GNSS or VOR/DME required.	
AKNAG *332017N 1295045E*	IKE 309°/8.0NM	168 [160.2] 348 [340.3]	30.5	UNL -------	7000 [4000]	↓	↑	OLE<OLNUX/ 23.5nm to AKNAG>		
Y256 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MARCO *340446N 1320850E*										
HASSY *340719N 1314344E*		285 [277.1]	21.0	UNL -------	12000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
RISRU *340934N 1312044E*		285 [276.9]	19.2	UNL -------	12000 [5000]		↓			
CARRY *341037N 1310942E*		285 [276.6]	9.2	UNL -------	12000 [4000]		↓			
STOUT *341127N 1310058E*		284 [276.5]	7.3	UNL -------	12000 [5000]		↓			
Y26 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ SEPIA *300032N 1303805E*										
SWANO *293429N 1300431E*		235 [228.3] 054 [048.1]	39.1	UNL -------	FL180 [3000]	↑	↓		SEPIA/ SWANO, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
	TGE 225°/77.9NM	232 [226.3] 051 [045.9]	50.7	UNL -------	FL180 [3000]	↑	↓	ALT<25.7nm to ANOXA/ ANOXA> TGE <25.7nm to ANOXA/10.7nm to ANOXA>	SWANO/ 25.7nm to ANOXA, INS or IRS or GNSS required.	

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) ANOXA *285920N 1292237E*	ONC 026°/100.1NM	233 [226.4] 052 [045.9]	68.5	UNL ------	FL260 [3000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
POLAM *281154N 1282622E*		232 [225.9] 052 [045.6]	61.1	UNL ------	FL260 [3000]	↑	↓			Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
YURIX *272917N 1273654E*		229 [223.4] 048 [042.7]	110.4	UNL ------	FL260 [3000]	↑	↓			
KAORU *260838N 1261227E*		228 [222.8] 047 [042.3]	107.1	UNL ------	FL260 [3000]	↑	↓	MJC<72.1nm to LILRA/LILRA>		
LILRA *244947N 1245215E*		227 [222.2] 047 [041.9]	71.1	UNL ------	FL260 [3000]	↑	↓	YNE<58.2nm to IGURU/48.2nm to IGURU> KXC<63.2nm to IGURU/48.2nm to IGURU> MJC<LILRA/ 68.2nm to IGURU>		
▲ IGURU *235700N 1240000E*	MJC 239°/86.4NM									
Y27 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ RUSAR *295154N 1275014E*										
YURIX *272917N 1273654E*		190 [184.7] 009 [004.6]	143.2	UNL ------	FL260 [2000]	↑	↓	ALT<40.0nm to RUSAR / 35.0nm to RUSAR> ONC <40.0nm to RUSAR / 35.0nm to RUSAR>		Fukuoka ACC Freq:127.5(132.6) 230.6(276.8)MHz Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
AMMEK *253553N 1270538E*		198 [194.0] 018 [013.7]	116.9	UNL ------	FL260 [3000]	↑	↓	KXC<AMMEK / 95.0nm to YURIX>		
▲ SAKON *240715N 1264153E*		198 [193.7] 017 [013.6]	91.3	UNL ------	FL260 [2000]	↑	↓	KXC<10.0nm to AMMEK / AMMEK> MJC <SAKON / 90.3nm to AMMEK> NHC <SAKON / 70.0nm to AMMEK>		
	MJC 121°/86.3NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y28 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
NINOX *352953N 1390953E*										
		274 [266.7]	23.9	UNL ———	FL170 [10000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
BIVET *352826N 1384037E*										
		274 [266.3]	24.9	UNL ———	FL170 [13000]		↓			
ISPOR *352648N 1381010E*										
		274 [266.1]	18.9	UNL ———	FL170 [13000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (between FL335 and FL195) Freq:123.9(126.1) 255.2(278.2)MHz Tokyo ACC (below FL195) Freq:120.5(128.325) 301.2(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
KIDAX *352527N 1374700E*										
		273 [264.8]	10.8	UNL ———	FL160 [10000]		↓			
IPLES *352428N 1373346E*										
		263 [255.1]	23.6	UNL ———	FL160 [10000]		↓			
IDNIL *351820N 1370549E*										
		263 [254.8]	9.2	UNL ———	FL160 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
▲ NAGOYA(KCC) *351555N 1365454E*										
		263 [254.7]	33.6	UNL ———	7000 [7000]		↓			
BIWWA *350658N 1361522E*		083 [074.3]				↑				
		262 [254.5]	12.0	UNL ———	7000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
ADGUN *350345N 1360117E*		082 [074.3]				↑				
		262 [254.2]	10.0	UNL ———	7000 [5000]		↓			
MIDER *350101N 1354934E*		082 [074.1]				↑				
		265 [257.3]	23.4	UNL ———	6000 [5000]		↓			
SANDA *345550N 1352144E*										
		264 [256.6]	18.6	UNL ———	6000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
		084 [076.4]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
HYOGO *345131N 1345944E*										
		265 [257.2] 085 [077.0]	17.6	UNL ------	6000 [4000]	↑	↓			
ASANO *344734N 1343848E*	KCE 297°/30.3NM	265 [256.8]	10.0	UNL ------	6000 [4000]		↓			
OLIVE *344518N 1342700E*	KTE 040°/38.8NM	264 [256.9]	11.9	UNL ------	6000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
BIZEN *344236N 1341254E*		264 [256.9]	10.1	UNL ------	6000 [4000]		↓			
PIONE *344017N 1340054E*		257 [249.5]	21.1	UNL ------	6000 [4000]		↓			
DANGO *343252N 1333654E*		256 [248.3]	12.3	UNL ------	6000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
WASYU *342818N 1332301E*		256 [249.3]	10.9	UNL ------	8000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
BINGO *342426N 1331041E*		256 [248.9]	15.6	UNL ------	8000 [5000]		↓			
BAMBO *341848N 1325302E*	MYE 026°/30.5NM	256 [249.1]	17.4	UNL ------	8000 [5000]		↓			
ONDOC *341234N 1323320E*	MYE 351°/23.8NM	256 [249.1]	21.7	UNL ------	8000 [5000]		↓			
MARCO *340446N 1320850E*		262 [255.0]	20.0	UNL ------	8000 [5000]		↓			
CLIPA *335935N 1314536E*		262 [254.8]	27.6	UNL ------	8000 [4000]		↓			
HIZET *335218N 1311333E*	DGC 082°/43.3NM	261 [254.5]	38.3	UNL ------	8000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) ACTIE *334158N 1302914E*										
	DGC 082°/5.1NM SWE 259°/28.7NM	261 [254.1]	5.1	UNL ------	10000 [5000]		↓			
▲ FUKUOKA(DGC) *334034N 1302323E*		239 [232.8]	46.5	UNL ------	10000 [6000]		↓			
ISAKY *331222N 1293911E*										
Y281 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] PIONE *344017N 1340054E*										
		267 [259.1]	13.9	UNL ------	FL240 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
SOUJA *343739N 1334422E*		267 [259.4]	50.3	UNL ------	FL240 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
UKELI *342810N 1324428E*		267 [258.9]	19.3	UNL ------	FL240 [5000]		↓			
CARPS *342425N 1322134E*		267 [259.4]	8.0	UNL ------	FL240 [6000]		↓			
UNSOB *342256N 1321202E*		267 [259.3]	25.6	UNL ------	FL240 [6000]		↓			
ELNEB *341806N 1314134E*		267 [259.0]	34.2	UNL ------	12000 [5000]		↓			
STOUT *341127N 1310058E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y282 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
WAKIT *350158N 1345532E*										
		231 [223.7]	19.9	UNL ------	10000 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
ASANO *344734N 1343848E*										
		227 [219.5]	15.0	UNL ------	10000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
AYAME *343602N 1342714E*										
		227 [219.4]	13.4	UNL ------	10000 [5000]		↓			
SHION *342542N 1341657E*										
		223 [215.9]	13.3	UNL ------	10000 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
HIBIS *341455N 1340730E*										
		223 [215.9]	17.3	UNL ------	10000 [8000]		↓			
OBOKE *340054N 1335517E*										
		210 [203.0]	12.8	UNL ------	9000 [9000]		↓			
POPPY *334905N 1334915E*	KRE 030°/18.0NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y283 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] BAMBO *341848N 1325302E*										
		203 [195.4]	8.7	UNL ------	6000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
KINOE *341026N 1325015E*		203 [195.5]	6.4	UNL ------	6000 [5000]		↓			
ITUKI *340416N 1324811E*		023 [015.4]				↑				
		209 [200.9]	15.5	UNL ------	6000 [6000]		↓			
▲ MATSUYAMA(MYE) *334948N 1324132E*		028 [020.9]				↑				
Y284 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MARCO *340446N 1320850E*										
		266 [258.9]	18.4	UNL ------	5000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
DEMIZ *340112N 1314706E*		266 [258.7]	5.0	UNL ------	5000 [4000]		↓			
KATTA *340013N 1314113E*		266 [258.6]	20.5	UNL ------	5000 [4000]		↓			
UBE(UBE) *335608N 1311701E*										
Y285 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MARCO *340446N 1320850E*										
		264 [256.8]	20.0	UNL ------	5000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
SAZOH *340010N 1314525E*		264 [256.6]	17.8	UNL ------	5000 [5000]		↓			
IWAYA *335601N 1312433E*	SWE 084°/19.5NM	263 [256.4]	10.0	UNL ------	4000 [3000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
ASARI *335339N 1311252E*										
	SWE 084°/9.5NM	263 [256.3]	9.5	UNL ------	4000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
SUOH(SWE) *335124N 1310146E*										
Y287 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
MIHOU *353152N 1330538E*										
		338 [329.6]	5.4	UNL ------	7000 [7000]		↑			
DULOK *352714N 1330859E*			57.5	UNL ------	7000 [7000]					Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
		338 [329.9]					↑			
SOUJA *343739N 1334422E*										
Y288 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
INOOK *342952N 1333719E*										Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
			17.9	UNL ------	5000 [4000]					
		042 [034.6]				↑				
TAKMA *341510N 1332459E*			29.1	UNL ------	7000 [4000]					Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
		088 [080.5]				↑				
KINOE *341026N 1325015E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y289 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
SHTLE *344951N 1365654E*			37.3	UNL ———	FL170 [5000]					Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 AND FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
OLKED *345251N 1361134E*		102 [094.4]	41.0	UNL ———	FL170 [5000]	↑				Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
SANDA *345550N 1352144E*		102 [093.9]				↑				Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
Y293 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
YULIA *314301N 1350435E*	KEC 207°/110.1NM	244 [236.7]	87.2	UNL ———	FL290 [3000]		↓			Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
GUSLU *305444N 1333937E*		063 [056.0] 243 [236.0]	116.2	UNL ———	FL290 [3000]	↑	↓	TGE<1.0nm to TONAR/TONAR> AME <1.0nm to TONAR/TONAR>		
TONAR *294903N 1314839E*		062 [055.1] 250 [243.6]	260.3	UNL ———	FL290 [3000]	↑	↓	(*1)	164.6nm to GAKIA/ 139.6nm to GAKIA, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC Freq:132.3(132.1) 255.2MHz Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
GAKIA *274858N 1272515E*	NHC 358°/97.3NM	067 [061.5]				↑				Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz

(*1) Critical DME: TGE<TONAR/259.3nm to GAKIA>
AME<TONAR/259.3nm to GAKIA> <139.6nm to GAKIA/134.6nm to GAKIA>
HKC<184.7nm to GAKIA/159.6nm to GAKIA>

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y295 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
KOSKA *351521N 1393515E*		256 [248.2]	38.7	UNL ------	7000 [6000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz
DALMA *350050N 1385122E*		075 [067.8]								
SHIZUOKA(SZE) *344749N 1381136E*		256 [248.4]	35.1	UNL ------	11000 [6000]	↑	↓	XAC<23.8nm to SZE/8.8nm to SZE>	8.8nm to SZE/SZE, INS or IRS or GNSS or VOR/DME required.	
GAKKI *344452N 1374050E*		075 [068.1]								
KIKOL *345028N 1373235E*		271 [263.5]	25.4	UNL ------	7000 [4000]	↑	↓	KCC<20.0nm to GAKKI/GAKKI>	SZE/ 20.0nm to GAKKI, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
MORIZ *350324N 1371323E*		090 [083.2]								
KOMAK *351111N 1370200E*		317 [309.6]	8.8	UNL ------	7000 [5000]	↑	↓			
▲ NAGOYA(KCC) *351555N 1365454E*		137 [129.5]								
APILU *351754N 1363922E*		317 [309.5]	20.4	UNL ------	7000 [5000]	↑	↓			
MORVA *351938N 1362534E*		136 [129.3]								
▲ MIYAZU(YME) *352850N 1350813E*		317 [309.6]	12.2	UNL ------	5000 [5000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
		137 [129.8]								
		316 [309.3]	7.5	UNL ------	5000 [4000]	↑	↓			
		136 [129.2]								
		287 [279.0]	12.8	UNL ------	13000 [3000]	↑	↓			
		107 [098.8]								
		287 [278.8]	11.4	UNL ------	13000 [6000]	↑	↓			
		107 [098.7]								
		287 [278.7]	63.7	UNL ------	13000 [6000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
		106 [097.9]								

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y296 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GAKKI *344452N 1374050E*										
		253 [246.2]	34.9	UNL -------	FL160 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
HANTO *343041N 1370204E*										
Y30 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ MIYAKO(MQE) *395156N 1415704E*										
		206 [197.9]	121.7	UNL -------	FL200 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
JUGEM *375601N 1410946E*		205 [197.4]	10.0	UNL -------	FL200 [3000]		↓			
GUGBI *374632N 1410600E*	SDE 169°/24.6NM	205 [197.4]	22.8	UNL -------	FL200 [4000]		↓			
BONGO *372445N 1405726E*		205 [197.2]	26.3	UNL -------	FL200 [6000]		↓			
ENTAK *365937N 1404742E*		205 [197.1]	27.6	UNL -------	FL140 [5000]		↓			
GURIP *363316N 1403736E*		205 [197.0]	14.7	UNL -------	11000 [4000]		↓			
SWAMP *361914N 1403217E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y301 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ IGROD *413900N 1364700E*										Procedure for Flight Altitude Assignment between Fukuoka FIR and Russian Federation FIRs will be applied on this route. See ENR 3.5.3.5
CLALA *391107N 1375216E*	MRE 298°/185.4NM	169 [161.1]	156.1	UNL ------	FL230 [3000]	↓		(*1)	(*2)	Fukuoka ACC Freq:120.75(120.575) 279.5(277.1)MHz Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
REALU *384901N 1381725E*		147 [138.4]	29.5	UNL ------	FL230 [4000]	↓				
VIROP *384221N 1382456E*		147 [138.7]	8.9	UNL ------	FL230 [3000]	↓				
ENVAS *383044N 1393732E*		110 [101.2]	57.9	UNL ------	FL200 [5000]	↓				
▲ YAMAGATA(YTE) *382319N 1402129E*		110 [101.9]	35.2	UNL ------	FL200 [7000]	↓				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 300.2(303.4)MHz

(*1)Critical DME: MRE<80.1nm to CLALA/75.1nm to CLALA> <20.1nm to CLALA/5.1nm to CLALA>
GTC<80.1nm to CLALA/75.1nm to CLALA> <20.1nm to CLALA/5.1nm to CLALA>
(*2)DME GAP: IGROD/80.1nm to CLALA, 75.1nm to CLALA/20.1nm to CLALA, 5.1nm to CLALA/CLALA, INS or IRS or GNSS required.

Y302 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] LARCH *413011N 1414755E*		197 [188.0]	125.5	UNL ------	FL240 [9000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(123.775) 255.2(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
BUTOS *392600N 1412518E*		196 [187.8]	90.9	UNL ------	FL240 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
JUGEM *375601N 1410946E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y303 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ NIIGATA(GTC) *375730N 1390654E*										
VIKET *374205N 1393415E*		134 [125.4]	26.6	UNL ———	FL200 [7000]	↓				Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
AKTIL *372100N 1401103E*		134 [126.0]	36.0	UNL ———	FL140 [6000]	↓				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
SASAP *371055N 1402824E*		134 [126.2]	17.1	UNL ———	FL140 [6000]	↓				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
ESKAS *370635N 1403549E*		134 [126.3]	7.3	UNL ———	FL140 [5000]	↓				
ENTAK *365937N 1404742E*			11.8	UNL ———	FL140 [5000]	↓				
Y304 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ IGROD *413900N 1364700E*										
BISAM *395508N 1381516E*		157 [146.8]	123.6	UNL ———	FL330 [3000]	↓		(*1)	(*2)	Fukuoka ACC Freq:120.75(120.575) 279.5(277.1)MHz
OLKAP *391718N 1390820E*		142 [132.5]	55.7	UNL ———	FL330 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
AKNED *384322N 1395439E*		142 [133.1]	49.5	UNL ———	FL200 [3000]		↓			
		142 [133.6]	29.0	UNL ———	FL200 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 300.2(303.4)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) ▲ YAMAGATA(YTE) *382319N 1402129E*										
		144 [136.2] 324 [316.2]	10.1	UNL ------	FL200 [7000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
NISEP *381602N 1403023E*										
		144 [136.3]	40.8	UNL ------	FL200 [7000]		↓			
GUGBI *374632N 1410600E*										
(*1) Critical DME: UWE<118.0nm to BISAM/103.0nm to BISAM> <93.0nm to BISAM/38.0nm to BISAM> HWE<118.0nm to BISAM/103.0nm to BISAM> <93.0nm to BISAM/51.0nm to BISAM> (*2) DME GAP: IGROD/118.0nm to BISAM, INS or IRS or GNSS required. 103.0nm to BISAM/93.0nm to BISAM, INS or IRS or GNSS required.										
Y305 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
REALU *384901N 1381725E*										
		181 [172.9]	45.4	UNL ------	FL240 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
GOLDO *380357N 1382435E*										
		181 [173.0]	56.9	UNL ------	FL240 [6000]		↓			
FINGA *370733N 1383319E*	GTC 217°/56.6NM									
Y307 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
VIROP *384221N 1382456E*										Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
		147 [137.5]	81.3	UNL ------	FL200 [7000]		↓			
VIKET *374205N 1393415E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y31 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GUSGI *365538N 1402405E*										
		116 [109.2]	20.2	UNL ―――	FL150 [9000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
SYOEN *370219N 1400014E*		116 [109.0]	10.0	UNL ―――	FL150 [9000]	↑				
WAKOH *370535N 1394824E*		116 [108.9]	14.9	UNL ―――	FL150 [9000]	↑				
DANDY *371026N 1393042E*		115 [108.4]	38.8	UNL ―――	FL240 [9000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz MCA:KOHAK FL240
KOHAK *372249N 1384431E*	GTC 216°/39.0NM	115 [108.1]	40.7	UNL ―――	FL200 [5000]	↑				Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
HISUI *373534N 1375553E*	GTC 258°/60.3NM									
Y311 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GOLDO *380357N 1382435E*										
		046 [038.5]	36.3	UNL ―――	FL200 [6000]	↑		(*1)		Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
HISUI *373534N 1375553E*	GTC 258°/60.3NM	257 [248.8]	8.4	UNL ―――	5000 [5000]		↓		GENGE/ HISUI, INS or IRS or GNSS required.	
GENGE *373232N 1374601E*		077 [068.7]	41.2	UNL ―――	5000 [5000]	↑			NTE/ GENGE, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45 (126.1)MHz
NOTO(NTE) *371724N 1365747E*		076 [068.2]				↑				

(*1) Critical DME: GTC<10.0nm to GOLDO/GOLDO>
MBE<HISUI/25.0nm to GOLDO>

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y312 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
ODATE(ODE) *401154N 1402143E*	MRE 215°/36.0NM	202 [193.1]	13.0	UNL ------	8000 [5000]	↑	↓		ODE/ BONJI, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
BONJI *395913N 1401753E*	MRE 212°/48.8NM UWE 021°/22.8NM	202 [193.0]	22.8	UNL ------	8000 [6000]	↑	↓		BONJI/ UWE, INS or IRS or GNSS or VOR/DME required.	
▲ YUWA(UWE) *393702N 1401113E*		036 [026.7]	20.0	UNL ------	9000 [4000]	↑		GTC<3.0nm to UWE/UWE> YTE<YAYOI/ UWE>		
YAYOI *391910N 1395934E*	UWE 215°/20.0NM	036 [027.2]	16.9	UNL ------	9000 [5000]	↑		MXT<SEBGA/ 7.0nm to YAYOI>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
SEBGA *390409N 1394936E*	UWE 215°/36.9NM	036 [026.7]	24.9	UNL ------	9000 [4000]	↑		(*1)		
KENSI *384156N 1393512E*	GTC 035°/49.7NM	035 [026.4]	49.7	UNL ------	11000 [4000]	↑		GTC<35.0nm to KENSI/KENSI> YTE<35.0nm to KENSI/9.0nm to KENSI>	GTC/ 47.0nm to KENSI, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
▲ NIIGATA(GTC) *375730N 1390654E*		222 [213.3]	40.0	UNL ------	12000 [4000]	↑	↓	NTE<35.0nm to MAGNA/ MAGNA> GTC<35.0nm to MAGNA/ MAGNA>	GTC/ 35.0nm to MAGNA, INS or IRS or GNSS or VOR/DME required.	
MAGNA *372400N 1383917E*		041 [033.0]	10.4	UNL ------	12000 [6000]	↑	↓	NTE<MAGNA/ NAEBA> GTC<MAGNA/ NAEBA>		
NAEBA *371515N 1383209E*		221 [213.0]	45.2	UNL ------	12000 [9000]	↑	↓	NTE<NAEBA/ PAPNA> GTC<NAEBA/ 30.0nm to PAPNA>		Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
PAPNA *363722N 1380123E*		221 [213.1]	10.1	UNL ------	12000 [7000]	↑	↓	NTE<PAPNA/ AZUMI>		
AZUMI *362850N 1375433E*		041 [032.8]	87.5	UNL ------	13000 [13000]	↑	↓	MBE<AZUMI/ 82.5nm to KCC> NTE<AZUMI/ 82.5nm to KCC> YME<82.5nm to KCC/77.5nm to KCC>		Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
▲ NAGOYA(KCC) *351555N 1365454E*		041 [033.2]				↑				

(*1)Critical DME: GTC <KENSI/16.0nm to SEBGA> <13.0nm to SEBGA/10.0nm to SEBGA>
MXT <KENSI/16.0nm to SEBGA> <5.0nm to SEBGA/SEBGA>

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y32 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ AOMORI(MRE) *404420N 1404219E*										
		208 [199.6] 028 [019.3]	52.4	UNL ―――	7000 [6000]	↑	↓		(*1)	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
MAGGY *395457N 1401927E*		208 [199.5] 028 [019.4]	19.0	UNL ―――	6000 [6000]	↑	↓		(*2)	
▲ YUWA(UWE) *393702N 1401113E*		183 [173.8] 003 [353.8]	20.0	UNL ―――	8000 [8000]	↑	↓	UWE<15.0nm to CHOKA/10.0nm to CHOKA> GTC<15.0nm to CHOKA/5.0nm to CHOKA>	(*3)	
CHOKA *391710N 1401401E*		183 [173.8] 003 [353.8]	17.2	UNL ―――	8000 [6000]	↑	↓	MXT<11.0nm to MIKUM/5.0nm to MIKUM> <3.0nm to MIKUM/MIKUM>		
MIKUM *390004N 1401624E*	UWE 182°/37.2NM	183 [173.8] 003 [353.9]	8.0	UNL ―――	8000 [6000]	↑	↓	MXT<MIKUM/5.0nm to HOKUU>		Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 300.2(303.4)MHz
HOKUU *385208N 1401731E*	YTE 002°/29.0NM	183 [173.8] 003 [353.9]	29.0	UNL ―――	8000 [7000]	↑	↓	SDE<28.0nm to YTE/3.0nm to YTE> YTE<18.0nm to YTE/3.0nm to YTE>	HOKUU / 28.0nm to YTE, 3.0nm to YTE/YTE, INS or IRS or GNSS or VOR/DME required.	
▲ YAMAGATA(YTE) *382319N 1402129E*		169 [161.1]	13.7	UNL ―――	FL200 [9000]		↓			
ZUNDA *381020N 1402708E*	YTE 169°/13.7NM	169 [161.2]	26.9	UNL ―――	FL200 [9000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
RUBIS *374451N 1403808E*										

(*1)DME GAP: MRE/MAGGY, INS or IRS or GNSS or VOR/DME required.
(*2)DME GAP: MAGGY/UWE, INS or IRS or GNSS or VOR/DME required.
(*3)DME GAP: UWE/15.0nm to CHOKA, 5.0nm to CHOKA/CHOKA, INS or IRS or GNSS or VOR/DME required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y320 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ YUWA(UWE) *393702N 1401113E*										Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
IRVIS *391733N 1401747E*		174 [165.4]	20.1	UNL ------	FL200 [4000]		↓			
MEMEB *385319N 1402551E*	MRE 202°/88.9NM	174 [165.5]	25.0	UNL ------	FL200 [7000]		↓			
TAKRA *381556N 1403807E*	UWE 174°/45.2NM YTE 015°/30.2NM	174 [165.5]	38.6	UNL ------	FL200 [7000]		↓			
RUBIS *374451N 1403808E*	YTE 128°/15.0NM SDE 307°/15.5NM	189 [180.0]	31.1	UNL ------	FL200 [5000]		↓			
Y322 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] YUSKE *262330N 1281419E*										Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
▲ SEDKU *245600N 1240000E*	NHC 076°/33.9NM	255 [250.0]	245.5	UNL ------	FL290 [2000]		↓	KXC<165.0nm to SEDKU/130.0nm to SEDKU> MJC<115.5nm to SEDKU/60.0nm to SEDKU>		
	MJC 282°/71.1NM									
Y324 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] SOUJA *343739N 1334422E*										Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
YAKMO *353012N 1324647E*		326 [318.5]	70.8	UNL ------	FL160 [7000]		↓			
STAGE *353452N 1324136E*		325 [317.8]	6.3	UNL ------	FL160 [4000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y33 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] SHOOT *344252N 1380150E*										
		096 [089.1]	52.9	UNL ———	FL150 [4000]	↑				Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz
KOHWA *344217N 1365729E*										
		086 [079.4]	39.0	UNL ———	FL150 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz
LABEL *343516N 1361053E*										
		087 [079.2]	25.8	UNL ———	FL150 [6000]	↑				Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
ANRIN *343032N 1354010E*										
		087 [078.8]	40.2	UNL ———	FL150 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Tokyo ACC (below FL335) Freq:125.7(128.325) 276.5(255.1)MHz
PROOF *342253N 1345223E*										
		083 [076.2]	43.4	UNL ———	FL150 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
▲ KAGAWA(KTE) *341245N 1340121E*										
		076 [069.5]	7.8	UNL ———	9000 [6000]	↑				
KOMPI *341002N 1335233E*	KTE 257°/7.8NM									
		077 [069.7]	22.1	UNL ———	9000 [7000]	↑				
SAKAI *340225N 1332729E*										
		077 [069.3]	12.9	UNL ———	9000 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz
MALTA *335826N 1331252E*	MYE 079°/27.4NM									
		079 [071.5]	27.4	UNL ———	9000 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
▲ MATSUYAMA(MYE) *334948N 1324132E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y331 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KAGAWA(KTE) *341245N 1340121E*										Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
		107 [099.6]	16.9	UNL ------	5000 [5000]	↓				
KULUL *340955N 1342131E*		108 [099.7]	12.6	UNL ------	5000 [5000]	↓				
TOKUSHIMA(TSC) *340747N 1343631E*										
Y332 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MIHOU *353152N 1330538E*										Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Fukuoka ACC Freq:124.15(134.4) 280.1(236.4)MHz
		359 [350.9]	71.4	UNL ------	FL260 [4000]		↓			
KAPPA *364218N 1325137E*		179 [170.8]				↑				
		359 [350.8]	37.0	UNL ------	FL260 [3000]		↓	YME<IGRAS/ 36nm to KAPPA>		
▲ IGRAS *371845N 1324410E*		179 [170.7]				↑				
Y333 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MADUL *355859N 1344613E*										Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
		299 [290.4]	52.1	UNL ------	FL260 [3000]		↓			
DISSH *361654N 1334540E*		118 [109.8]				↑				
		309 [300.6]	50.4	UNL ------	FL260 [3000]		↓			Fukuoka ACC Freq:124.15(134.4) 280.1(236.4)MHz
KAPPA *364218N 1325137E*		129 [120.0]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y34 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
OMGOR *340920N 1343854E*	KCE 233°/40.5NM	244 [235.6]	13.7	UNL -------	9000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
ENSIP *340134N 1342515E*	KCE 236°/54.1NM	243 [235.2]	11.1	UNL -------	9000 [8000]		↓			
GOTVI *335515N 1341419E*	KRE 057°/36.0NM	243 [234.6]	29.1	UNL -------	10000 [9000]		↓			
NUPNU *333821N 1334548E*	OYE 191°/66.8NM	242 [234.3]	21.2	UNL -------	FL160 [6000]		↓			
LOTVO *332557N 1332512E*	KRE 250°/14.6NM	242 [233.9]	41.3	UNL -------	FL160 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (between FL315 and FL285) Freq:127.15(134.6) 251.0(316.4)MHz Kobe ACC (below FL285) Freq:133.85(134.6) 315.3(316.4)MHz
IVTER *330131N 1324526E*	KRE 243°/55.7NM	270 [261.9]	19.3	UNL -------	FL200 [6000]		↓			
IGBOD *325847N 1322243E*	KRE 250°/73.5NM	238 [230.3]	37.0	UNL -------	FL160 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL355) Freq:133.85(134.6) 315.3(316.4)MHz
UPNIP *323504N 1314859E*	KRE 246°/110.0NM	238 [230.0]	52.3	UNL -------	FL160 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
VALVU *320117N 1310145E*	KUE 176°/49.7NM	237 [229.6]	30.0	UNL -------	FL160 [8000]		↓			
▲ KAGOSHIMA(HKC) *314150N 1303459E*										
Y340 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
IVROG *333828N 1334224E*	OYE 193°/66.9NM	249 [241.0]	57.8	UNL -------	FL160 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
RUSUD *331013N 1324206E*	MZE 046°/100.5NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y342 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] TETTA *261504N 1285957E*										
	NHC 092°/73.1NM	249 [244.1]	304.9	UNL ------	FL290 [2000]		↓	(*1)		Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
▲ IGURU *235700N 1240000E*	MJC 239°/86.4NM									
(*1)Critical DME: NHC<235.0nm to IGURU/230.0nm to IGURU> KXC<160.0nm to IGURU/130.0nm to IGURU> MJC<125.0nm to IGURU/110.0nm to IGURU> <55.0nm to IGURU/50.0nm to IGURU> <30.0nm to IGURU/25.0nm to IGURU>										
Y347 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ IGROD *413900N 1364700E*										
		194 [184.1]	114.5	UNL ------	FL300 [3000]	↓		(*1)	(*2)	Fukuoka ACC Freq:120.75(120.575) 279.5(277.1)MHz
EKVIK *394452N 1363619E*		148 [139.6]	103.5	UNL ------	FL150 [3000]	↓		(*3)	(*4)	Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
HANAB *382535N 1380157E*	GTC 308°/58.3NM	149 [140.5]	28.0	UNL ------	9000 [6000]	↓		GTC<HANAB/GOLDO> NTE<HANAB/GOLDO>		
GOLDO *380357N 1382435E*		109 [100.7]	34.0	UNL ------	9000 [6000]	↓		(*5)	(*6)	
▲ NIIGATA(GTC) *375730N 1390654E*										
(*1)Critical DME: UWE<25.0nm to EKVIK/20.0nm to EKVIK> GTC<45.0nm to EKVIK/40.0nm to EKVIK> <35.0nm to EKVIK/20.0nm to EKVIK> (*2)DME GAP: IGROD/45.0nm to EKVIK, 40.0nm to EKVIK/35.0nm to EKVIK, INS or IRS or GNSS or VOR/DME required. 20.0nm to EKVIK/EKVIK, INS or IRS or GNSS required. (*3)Critical DME: GTC<33.5nm to HANAB/HANAB> NTE<33.5nm to HANAB/HANAB> (*4)DME GAP: EKVIK/33.5nm to HANAB, INS or IRS or GNSS required. (*5)Critical DME: GTC<GOLDO/4.0nm to GTC> NTE<GOLDO/4.0nm to GTC> (*6)DME GAP: 4.0nm to GTC/GTC, INS or IRS or GNSS or VOR/DME required.										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y35 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
IGLEV *340405N 1335941E*			9.5	UNL ———	11000 [6000]					Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
OTBAB *340318N 1334814E*		093 [085.2]	16.1	UNL ———	11000 [7000]	↑				
URDET *335902N 1332931E*		083 [074.6]	29.3	UNL ———	9000 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
SALTY *335110N 1325531E*	MYE 091°/11.7NM	082 [074.2]	81.6	UNL ———	FL150 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
RISBI *332529N 1312230E*		079 [071.2]	32.0	UNL ———	FL150 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
PIPED *331506N 1304617E*		078 [070.9]	30.0	UNL ———	FL150 [6000]	↑				
EKABU *330513N 1301231E*		078 [070.6]	74.1	UNL ———	FL150 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
FUKUE(FUE) *324007N 1284936E*	SGE 256°/79.3NM	077 [069.8]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y351 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
SALTY *335110N 1325531E*										
	MYE 091°/11.7NM	065 [057.8]	72.0	UNL ------	13000 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
OOITA *331313N 1314212E*										
Y353 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
AVKUL *343135N 1340339E*										
	OYE 148°/17.5NM	033 [024.3]	5.0	UNL ------	9000 [4000]	↑				
IDSIS *342702N 1340109E*										
	OYE 161°/20.2NM	032 [024.3]	5.0	UNL ------	9000 [4000]	↑				
LOVGI *342229N 1335840E*										
	OYE 170°/23.6NM	054 [045.7]	33.7	UNL ------	9000 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:124.15(124.95) 280.1(315.7)MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
URDET *335902N 1332931E*										
	OYE 208°/49.1NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y36 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GOLDO *380357N 1382435E*										
		243 [234.7]	99.1	UNL ———	FL260 [7000]		↓	(*1)		Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
NESKO *370558N 1364315E*		242 [233.6]	39.7	UNL ———	FL260 [3000]		↓	GTC<25.0nm to SQUID/SQUID> KCC<NESKO/ 35.0nm to SQUID>		
SQUID *364220N 1360324E*	KMC 326°/25.0NM	241 [233.3]	50.4	UNL ———	FL260 [3000]		↓	(*2)	(*3)	Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz
CHILY *361203N 1351321E*		225 [217.4]	31.8	UNL ———	FL160 [3000]		↓			
PEPAR *354643N 1344932E*	YME 327°/23.5NM	225 [217.1]	45.8	UNL ———	13000 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
SPICE *351011N 1341544E*	TRE 175°/22.0NM	224 [216.8]	16.3	UNL ———	13000 [7000]		↓			
SAEKI *345708N 1340350E*		181 [172.5]	16.0	UNL ———	10000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
UPLOV *344118N 1340623E*		181 [172.5]	7.9	UNL ———	10000 [4000]		↓			
ATMUG *343330N 1340737E*										

(*1)Critical DME: KCC<15.0nm to NESKO/NESKO>
GTC<30.0nm to NESKO/25.0nm to NESKO>
(*2)Critical DME: GTC<SQUID/40.0nm to CHILY>
TRE<35.0nm to CHILY/5.0nm to CHILY>
YME<1.0nm to CHILY/CHILY>
(*3)DME GAP: 40.0nm to CHILY/35.0nm to CHILY, INS or IRS or GNSS required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y361 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] SAEKI *345708N 1340350E*										
	TRE 196°/34.9NM	178 [170.6]	14.0	UNL ------	13000 [6000]	↑				
TONBI *351053N 1340104E*	TRE 207°/22.0NM	122 [114.6]	49.9	UNL ------	13000 [8000]	↑				Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz
MIHOU *353152N 1330538E*										Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
Y37 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ AVGOK *433608N 1381447E*										Procedure for Flight Altitude Assignment between Fukuoka FIR and Russian Federation FIRs will be applied on this route. See ENR 3.5.3.5
		012 [003.5]	265.7	UNL ------	FL240 [2000]		↑	(*1)	70.0nm to AVGOK/ AVGOK, INS or IRS or GNSS required.	Proceed to Khabarovsk FIR : Change of cruising level from Odd to Even in this section. See ENR 3.5.3.5 Fukuoka ACC Freq:133.3(120.575) 279.2(277.1)MHz Fukuoka ACC Freq:120.75(120.575) 279.5(277.1)MHz
CLALA *391107N 1375216E*		012 [003.5]	17.8	UNL ------	FL230 [2000]		↑			
HAIJI *385321N 1375052E*		328 [318.9]	32.0	UNL ------	FL150 [3000]	↑		GTC<SUKOB/ HAIJI> NTE<SUKOB/ HAIJI>		
SUKOB *382920N 1381753E*		328 [319.5]	68.1	UNL ------	FL230 [6000]	↑				
SANJO *373752N 1391421E*	GTC 172°/20.5NM	351 [343.4]	9.5	UNL ------	9000 [7000]	↑		FKE<GOSEN/ SANJO> GTC<GOSEN/ SANJO>		Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
GOSEN *372844N 1391747E*										
	GTC 172°/30.0NM		9.1	UNL ------	9000 [6000]			FKE<TAGOK/ GOSEN>		
TAGOK *372002N 1392103E*		351 [343.4]				↑				
	GTC 172°/39.1NM		22.6	UNL ------	11000 [9000]			FKE<5.0nm to TAGOK/ TAGOK>		
MAUKA *365825N 1392905E*		351 [343.5]				↑				
			30.3	UNL ------	11000 [11000]					
KALON *362924N 1393946E*		351 [343.6]				↑				
	SYE 351°/30.0NM		14.1	UNL ------	7000 [5000]					MCA:KALON 11000 Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
AGRIS *362515N 1395633E*		295 [287.2]				↑				
(*1)Critical DME: GTC<210.0nm to AVGOK/200.0nm to AVGOK> UWE<210.0nm to AVGOK/200.0nm to AVGOK><175.0nm to AVGOK/70.0nm to AVGOK> HWE<135.0nm to AVGOK/70.0nm to AVGOK>										
Y371 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
KALON *362924N 1393946E*										
	SYE 351°/30.0NM		36.1	UNL ------	FL190 [5000]					Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
YONOH *355328N 1393603E*		012 [004.8]				↑				
			44.9	UNL ------	FL150 [3000]					Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz
JYOGA *350846N 1393135E*		012 [004.6]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y372 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] KALON *362924N 1393946E*										
	SYE 351°/30.0NM		6.2	UNL ------	7000 [6000]					Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
AKAGI *362328N 1394156E*		351 [343.6]				↑				
Y373 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] SANOH *362346N 1393649E*										
	SYE 342°/25.6NM		30.3	UNL ------	FL190 [5000]					Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
YONOH *355328N 1393603E*		009 [001.2]				↑				
Y375 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ IGROD *413900N 1364700E*										Procedure for Flight Altitude Assignment between Fukuoka FIR and Russian Federation FIRs will be applied on this route. See ENR 3.5.3.5
	MRE 298°/185.4NM		172.8	UNL ------	FL230 [3000]			UWE<147.6nm to IGROD/82.7nm to IGROD> GTC<147.6nm to IGROD/77.7nm to IGROD>	77.7nm to IGROD/ IGROD, INS or IRS or GNSS required.	Fukuoka ACC Freq:120.75(120.575) 279.5(277.1)MHz Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
HAIJI *385321N 1375052E*		351 [344.0]					↑			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y377 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ IGROD *413900N 1364700E*										
		174 [164.9]	134.3	UNL ------	FL290 [3000]	↓		(*1)	(*2)	Fukuoka ACC Freq:120.75(120.575) 279.5(277.1)MHz
MEDIO *392916N 1373220E*		354 [345.4]					↑			
(*1)Critical DME: GTC<MEDIO/120.0nm to IGROD> <105.0nm to IGROD/90.0nm to IGROD> UWE<MEDIO/120.0nm to IGROD> <105.0nm to IGROD/90.0nm to IGROD> (*2)DME GAP: 120.0nm to IGROD/105.0nm to IGROD, 90.0nm to IGROD/IGROD, INS or IRS or GNSS required.										
Y38 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] KOHWA *344217N 1365729E*										
		296 [288.9]	58.8	UNL ------	7000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
MIDER *350101N 1354934E*		116 [108.3]				↑				
		291 [283.2]	26.5	UNL ------	8000 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
ROKKO *350701N 1351801E*		110 [102.9]				↑				
		291 [283.3]	41.1	UNL ------	9000 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
TOZAN *351615N 1342904E*		110 [102.8]				↑				
		291 [283.0]	16.6	UNL ------	9000 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
		110 [102.8]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
TSUNO *351958N 1340912E*		291 [283.2]	44.0	UNL ------	8000 [7000]		↓			
ADLEB *352952N 1331635E*		111 [102.7]				↑				
		291 [282.7]	9.1	UNL ------	8000 [7000]		↓			
MIHOU *353152N 1330538E*		111 [102.6]				↑				
		286 [278.8]	19.8	UNL ------	FL160 [4000]		↓			
STAGE *353452N 1324136E*		287 [279.2]	97.1	UNL ------	FL200 [3000]		↓			Fukuoka ACC Freq:124.15(134.4) 280.1(236.4)MHz
▲ SAPRA *354926N 1304325E*										
Y381 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GOLDO *380357N 1382435E*										
		232 [224.3]	103.7	UNL ------	12000 [6000]		↓	(*1)	(*2)	Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4MHz
HIMMY *364916N 1365407E*		051 [043.4]				↑				
	KMC 051°/35.0NM	231 [223.4]	35.0	UNL ------	12000 [6000]		↓	(*3)	(*4)	
▲ KOMATSU(KMC) *362347N 1362415E*		051 [043.1]				↑				
	YME 055°/82.6NM	236 [228.6]	82.6	UNL ------	12000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
▲ MIYAZU(YME) *352850N 1350813E*		055 [047.9]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										

(*1)Critical DME: GTC<75.0nm to HIMMY/60.0nm to HIMMY>
MBE<75.0nm to HIMMY/55.0nm to HIMMY>
(*2)DME GAP: GOLDO/75.0nm to HIMMY, 55.0nm to HIMMY/HIMMY, INS or IRS or GNSS or VOR/DME required.

(*3)Critical DME: KMC<15.0nm to KOMATSU/5.0nm to KOMATSU>
KCC<15.0nm to KOMATSU/KOMATSU>
YME<5.0nm to KOMATSU/KOMATSU>
(*4)DME GAP: HIMMY/15.0nm to KOMATSU, INS or IRS or GNSS or VOR/DME required.

Y382 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KOMATSU(KMC) *362347N 1362415E*										Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
		230 [221.8]	20.0	UNL ------	FL200 [4000]		↓			
OVRES *360852N 1360745E*		230 [221.6]	40.6	UNL ------	FL200 [5000]		↓			
SOTOM *353826N 1353433E*	YME 073°/23.5NM	230 [221.3]	48.4	UNL ------	11000 [5000]		↓			
WAKIT *350158N 1345532E*										

Y383 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KOMATSU(KMC) *362347N 1362415E*										Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
		168 [159.7] 348 [339.9]	32.3	UNL ------	12000 [8000]	↓	↑			
OHNNO *355328N 1363803E*	KCC 348°/40.0NM	168 [159.9] 348 [339.9]	6.8	UNL ------	12000 [7000]	↓	↑			
HACHI *354704N 1364057E*	KCC 348°/33.2NM	168 [159.9] 348 [340.0]	8.2	UNL ------	12000 [7000]	↓	↑	YME<HACHI/MINOU>		

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
MINOU *353924N 1364424E*	KCC 348°/25.0NM	168 [159.9]	25.0	UNL ------	6000 [6000]	↓		YME<MINOU/ 3.0nm to KCC>		Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
▲ NAGOYA(KCC) *351555N 1365454E*		348 [340.0]					↑			
Y384 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ KOMATSU(KMC) *362347N 1362415E*	YME 055°/82.6NM	224 [215.3]	20.0	UNL ------	11000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
AVNON *360727N 1360956E*		224 [215.2]	44.4	UNL ------	11000 [5000]		↓			
MENOU *353109N 1353833E*	YME 092°/24.8NM	223 [214.9]	29.4	UNL ------	9000 [6000]		↓			
ROKKO *350701N 1351801E*										
Y386 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
▲ KOMATSU(KMC) *362347N 1362415E*		253 [244.6]	85.1	UNL ------	FL160 [3000]		↓			
PEPAR *354643N 1344932E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y39 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
MIHOU *353152N 1330538E*		150 [142.0]	39.3	UNL -------	8000 [6000]	↓				Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
YUBAR *350052N 1333511E*		330 [322.2]					↑			
		150 [142.3]	20.0	UNL -------	5000 [5000]	↓		IWT<YUBAR/ 10.0nm to OYE>		Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
KIBI (OYE) *344501N 1335006E*		330 [322.4]					↑			
Y40 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
▲ MATSUYAMA(MYE) *334948N 1324132E*		241 [232.8]	36.4	UNL -------	10000 [5000]		↓			
SHONO *332744N 1320647E*		060 [052.5]				↑				
	MYE 241°/36.4NM	243 [234.9]	25.2	UNL -------	10000 [4000]		↓			
OOITA *331313N 1314212E*		062 [054.6]				↑				
		250 [242.2]	12.0	UNL -------	8000 [8000]		↓			
WOODY *330737N 1312932E*		070 [062.0]				↑				
		249 [241.8]	7.3	UNL -------	8000 [7000]		↓			
IGLAT *330410N 1312153E*		069 [061.7]				↑				
		249 [241.7]	6.7	UNL -------	8000 [8000]		↓			
ASONO *330058N 1311449E*		069 [061.6]				↑				
	KUE 069°/23.2NM	250 [242.1]	5.0	UNL -------	8000 [8000]		↓			
		070 [062.0]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
KAZMA *325838N 1310934E*		250 [242.0]	18.2	UNL ------	8000 [8000]		↓			
▲ KUMAMOTO (KUE) *325005N 1305029E*		069 [061.8]				↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
ESNAL *325113N 1303618E*		283 [275.4]	12.0	UNL ------	7000 [7000]		↓			
TAIME *325147N 1302816E*		103 [095.3]				↑				
IRPIN *325218N 1302204E*	KUE 282°/18.8NM HKC 003°/70.2NM	282 [274.9]	6.8	UNL ------	7000 [7000]		↓			
MILEP *325250N 1301501E*		102 [094.8]				↑				
▲ NAGASAKI (OLE) *325419N 1295505E*		283 [275.8]	5.2	UNL ------	6000 [3000]		↓			
OSETO *325037N 1293747E*		103 [095.7]				↑				
AGRIT *324632N 1291848E*		283 [275.2]	5.9	UNL ------	7000 [4000]		↓			
CARCO *324302N 1290248E*		103 [095.1]				↑				
FUKUE(FUE) *324007N 1284936E*		283 [275.1]	16.8	UNL ------	7000 [6000]		↓			
		103 [094.9]				↑				
		263 [255.8]	15.0	UNL ------	7000 [5000]		↓	IKE<8.0nm to OSETO/ OSETO>		Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
		083 [075.6]				↑				
		263 [255.7]	16.5	UNL ------	7000 [3000]		↓	IKE<OSETO/ 14.5nm to AGRIT>		
		083 [075.5]				↑				
		263 [255.5]	13.9	UNL ------	5000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz
		083 [075.4]				↑				
		263 [255.4]	11.5	UNL ------	5000 [4000]		↓			Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
		083 [075.2]				↑				
Y401 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Tokyo ACC (below FL335) Freq:125.7(128.325) 276.5(255.1)MHz
KAINA *341307N 1351435E*			29.6	UNL ------	5000 [3000]					
MIRIO *340006N 1344233E*		072 [063.7]				↑				
KAZRA *335538N 1335846E*			36.6	UNL ------	11000 [9000]					
		091 [082.8]				↑				
			9.1	UNL ------	13000 [9000]					Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
		092 [084.0]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
ZOROH *335441N 1334748E*	KRE 021°/22.9NM	092 [083.9]	12.9	UNL ------	13000 [8000]	↑				
RIVER *335320N 1333223E*	MYE 092°/42.4NM	092 [083.7]	18.3	UNL ------	13000 [9000]	↑				
JINBE *335121N 1331027E*	MYE 094°/24.1NM	097 [089.1]	12.4	UNL ------	13000 [8000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz
SALTY *335110N 1325531E*		091 [083.3]	11.7	UNL ------	13000 [7000]	↑				Fukuoka ACC Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
▲ MATSUYAMA (MYE) *334948N 1324132E*										
Y402 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ SHIMIZU (SUC) *324521N 1325948E*		236 [229.1]	50.0	UNL ------	6000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
SIROK *321232N 1321510E*		236 [228.7]	14.8	UNL ------	6000 [3000]		↓			
RYUGU *320246N 1320204E*										
Y403 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] KAINA *341307N 1351435E*										Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Tokyo ACC (below FL335) Freq:125.7(128.325) 276.5(255.1)MHz
KAIFU *333610N 1343231E*		050 [043.2]	50.9	UNL ------	7000 [4000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y41 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
NATCH *341133N 1361140E*										
		069 [061.7]	64.8	UNL ------	10000 [8000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
VERDI *334110N 1350242E*										
		099 [091.4]	17.8	UNL ------	FL210 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
IGPIG *334139N 1344117E*										
		099 [091.1]	31.9	UNL ------	FL210 [7000]	↑				
TARBY *334221N 1340300E*	KRE 069°/21.0NM									
		082 [074.8]	44.9	UNL ------	FL170 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
KASLY *333044N 1331059E*	KRE 273°/25.0NM									
		083 [074.7]	8.9	UNL ------	FL170 [7000]	↑				
ENGUV *332823N 1330038E*										
		082 [074.4]	27.3	UNL ------	FL170 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
DONAR *332105N 1322905E*	MYE 207°/30.6NM									
		085 [078.4]	40.0	UNL ------	9000 [5000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
OOITA *331313N 1314212E*										
Y412 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
TARBY *334221N 1340300E*	KRE 069°/21.0NM									
		099 [090.8]	27.9	UNL ------	FL160 [7000]	↑				
ROSIE *334248N 1332926E*	KRE 324°/14.0NM									
		108 [099.7]	40.5	UNL ------	FL160 [9000]	↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) ▲ MATSUYAMA(MYE) *334948N 1324132E*										
		079 [070.7]	51.9	UNL ------	11000 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
ENGID *333254N 1314233E*										
Y415 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] NATCH *341133N 1361140E*										Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
		031 [023.9]	49.0	UNL ------	9000 [8000]	↑				
▲ KUSHIMOTO(KEC) *332652N 1354740E*										
Y43 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MENUR *335441N 1381644E*										
		085 [077.7]	32.4	UNL ------	FL150 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
INVEL *334753N 1373841E*	CBE 154°/76.1NM		27.1	UNL ------	FL150 [3000]					
		085 [077.4]				↑				
ISEBI *334203N 1370650E*										
		084 [077.2]	18.1	UNL ------	9000 [3000]	↑				
KILAP *333804N 1364535E*										
		084 [076.7]	49.6	UNL ------	9000 [3000]	↑		GBD<46.6nm to KILAP/32.8nm to KILAP> KEC<46.6nm to KILAP/32.8nm to KILAP>	3.0nm to KEC/KEC, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
▲ KUSHIMOTO(KEC) *332652N 1354740E*										
		280 [273.1]	23.4	UNL ------	6000 [3000]		↓	SUC<KEC/ 20.4nm to KISEI>		
		100 [092.8]				↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
KISEI *332804N 1351944E*										
	KEC 281°/23.4NM		16.6	UNL ------	FL210 [3000]					
		099 [093.0]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
PADOC *332858N 1345950E*	KEC 281°/40.0NM		76.6	UNL ------	FL210 [7000]					Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
ROSIE *334248N 1332926E*		107 [100.0]				↑				
Y45 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ NIIGATA(GTC) *375730N 1390654E*										
TERAD *373613N 1382849E*		243 [234.9] 062 [054.5]	36.9	UNL ------	8000 [4000]	↑	↓		GTC/ TERAD, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
HAKBA *371536N 1375305E*	GTC 244°/36.9NM	242 [234.2] 062 [053.8]	35.1	UNL ------	10000 [3000]	↑	↓		TERAD/ 10.0nm to HAKBA, INS or IRS or GNSS or VOR/DME required.	
GORYU *371155N 1374610E*	MBE 007°/66.3NM	244 [236.2] 064 [056.1]	6.6	UNL ------	11000 [3000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
IKUJI *370218N 1372933E*	GTC 244°/78.6NM	242 [234.1] 062 [054.0]	16.4	UNL ------	11000 [3000]	↑	↓	NTE<15.0nm to IKUJI/IKUJI>		
URUSI *364909N 1370754E*	KMC 061°/65.0NM	241 [232.9] 061 [052.7]	21.7	UNL ------	11000 [3000]	↑	↓	NTE<IKUJI/ URUSI>		
IMIZU *364422N 1365926E*	KMC 061°/43.3NM	243 [234.9] 063 [054.8]	8.3	UNL ------	8000 [3000]	↑	↓	NTE<URUSI/ IMIZU>		
	KMC 061°/35.0NM	243 [234.8] 062 [054.6]	14.0	UNL ------	8000 [4000]	↑	↓	NTE<IMIZU/ OYABE>		

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
OYABE *363618N 1364513E*	KMC 061°/21.0NM	241 [233.5]	21.0	UNL ------	8000 [4000]	↑	↓	NTE<OYABE/ 5.0nm to KMC>	5.0nm to KMC/KMC, INS or IRS or GNSS or VOR/DME required.	
▲ KOMATSU(KMC) *362347N 1362415E*		061 [053.3] 261 [253.1]	41.5	UNL ------	FL160 [3000]	↑	↓			
SONBU *361132N 1353503E*	YME 034°/47.9NM	080 [072.6] 261 [252.6]	41.4	UNL ------	FL160 [3000]	↑	↓			
MADUL *355859N 1344613E*		080 [072.1] 260 [252.1]	12.9	UNL ------	FL160 [3000]	↑	↓			
SAKYU *355501N 1343105E*		080 [072.0] 261 [252.0]	44.9	UNL ------	FL160 [3000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
ATPOD *354055N 1333831E*		080 [071.5] 260 [251.5]	28.2	UNL ------	FL160 [4000]	↑	↓			
MIHOU *353152N 1330538E*		080 [071.1] 217 [208.0]	23.9	UNL ------	7000 [7000]	↑	↓			
KYOKA *351046N 1325154E*		036 [027.9] 217 [208.4]	12.4	UNL ------	7000 [7000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
RUTGO *345954N 1324444E*		037 [028.3] 217 [208.3]	40.3	UNL ------	7000 [5000]	↑	↓			
CARPS *342425N 1322134E*		036 [028.1] 216 [208.2]	22.3	UNL ------	7000 [6000]	↑	↓			
MARCO *340446N 1320850E*		036 [028.1] 211 [203.4]	10.0	UNL ------	5000 [5000]	↑	↓			
SQRUM *335537N 1320404E*		031 [023.3] 211 [203.3]	10.1	UNL ------	5000 [4000]	↑	↓			
YANAI *334623N 1315917E*		031 [023.2] 211 [203.3]	36.1	UNL ------	5000 [4000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
OOITA *331313N 1314212E*		031 [023.2] 219 [212.0]	28.7	UNL ------	8000 [8000]	↑	↓			
		039 [031.7]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
SOBOH *324851N 1312409E*										
	SUC 280°/80.5NM	220 [212.2]	15.3	UNL ------	8000 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
AKLEM *323553N 1311428E*		040 [032.1]				↑				
		220 [212.1]	13.2	UNL ------	8000 [8000]		↓			
RAFUL *322443N 1310610E*		039 [032.0]				↑				
		219 [211.5]	20.0	UNL ------	8000 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
MOCOS *320740N 1305351E*		039 [031.4]				↑				
	HKC 039°/30.4NM	219 [211.9]	30.4	UNL ------	8000 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
▲ KAGOSHIMA(HKC) *314150N 1303459E*		039 [031.7]				↑				
	MZE 263°/45.0NM	208 [201.2]	6.5	UNL ------	6000 [4000]		↓	SGE<HKC/3.5nm to ISKID> MZE<HKC/3.5nm to ISKID>		
ISKID *313547N 1303214E*		028 [021.1]				↑				
	HKC 209°/6.5NM	207 [200.6]	20.8	UNL ------	6000 [5000]		↓	HKC<15nm to MAKRA/MAKRA> TGE<15nm to MAKRA/MAKRA>		
MAKRA *311622N 1302342E*		027 [020.5]				↑				
	HKC 209°/27.2NM TGE 329°/50.6NM	208 [201.9]	12.8	UNL ------	12000 [4000]		↓	HKC<MAKRA/SAZMA> TGE<MAKRA/SAZMA>		
SAZMA *310431N 1301808E*		028 [021.9]				↑				
	HKC 209°/40.0NM	209 [201.8]	32.2	UNL ------	12000 [3000]		↓	HKC<SAZMA/ENPAD> TGE<SAZMA/ENPAD>		
ENPAD *303437N 1300414E*		029 [021.7]				↑				
		208 [201.2]	15.0	UNL ------	12000 [3000]		↓	HKC<ENPAD/OLSER> TGE<ENPAD/OLSER>		
OLSER *302037N 1295756E*		028 [021.2]				↑				
		207 [199.8]	21.7	UNL ------	12000 [3000]		↓	HKC<OLSER/BOMAP> TGE<OLSER/BOMAP>		Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (between FL335 and FL275) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL275) Freq:133.85(134.6) 315.3(225.65)MHz
		026 [019.7]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) ▲ BOMAP *300013N 1294928E*										
	HKC 209°/108.9NM	209 [201.8]	43.0	UNL ———	12000 [5000]		↓	TGE<3.7nm to LEMEG/LEMEG> ALT<3.7nm to LEMEG/LEMEG>	BOMAP/ 3.7nm to LEMEG, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
LEMEG *292018N 1293109E*		028 [021.7]				↑				
		206 [199.6]	22.3	UNL ———	12000 [3000]		↓	TGE<LEMEG/ANOXA> ALT<LEMEG/ANOXA>		
ANOXA *285920N 1292237E*		026 [019.5]				↑				
	ONC 026°/100.1NM	207 [201.0]	34.7	UNL ———	11000 [2000]		↓		ANOXA/ MEKAX, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
MEKAX *282655N 1290826E*		027 [020.9]				↑				
		207 [200.9]	18.8	UNL ———	8000 [3000]		↓	ONC<MEKAX/HACHA> ALT<MEKAX/HACHA>		
HACHA *280924N 1290051E*		027 [020.8]				↑				
	ONC 026°/46.6NM	208 [202.0]	16.5	UNL ———	8000 [4000]		↓	ALT<HACHA/6.9nm to BINID> ONC<11.9nm to BINID/6.9nm to BINID>	6.9nm to BINID/ BINID, INS or IRS or GNSS or VOR/DME required.	
BINID *275408N 1285353E*		028 [021.9]				↑				
		207 [200.6]	30.1	UNL ———	8000 [4000]		↓		BINID/ ONC, INS or IRS or GNSS or VOR/DME required.	
▲ ERABU(ONC) *272558N 1284156E*		026 [020.5]				↑				
		223 [217.8]	32.7	UNL ———	FL180 [3000]		↓		ERABU/ 3nm to LEXUS, INS or IRS or GNSS required.	
LEXUS *270010N 1281928E*		043 [037.7]				↑				
	ONC 223°/32.7NM	223 [217.7]	25.1	UNL ———	FL180 [4000]		↓	KXC<LEXUS/OKUMA>		
OKUMA *264017N 1280219E*		042 [037.5]				↑				
	KXC 081°/73.0NM	222 [217.5]	35.0	UNL ———	FL180 [4000]		↓	KXC<OKUMA/25nm to NHC> TIT<15nm to NHC/NHC>	25nm to NHC/20nm to NHC, INS or IRS or GNSS required.	
▲ NAHA(NHC) *261231N 1273834E*		042 [037.4]				↑				
										Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
Y451 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KAGOSHIMA(HKC) *314150N 1303459E*										Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
			61.6	UNL ———	FL270 [5000]					
MOMPA *305041N 1295457E*		040 [033.6]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y452 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz
ONDOC *341234N 1323320E*		233 [225.1]	13.3	UNL ------	FL200 [4000]		↓			Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
HATIA *340312N 1322159E*		233 [225.0]	11.7	UNL ------	FL200 [5000]		↓			
BALIE *335455N 1321200E*		214 [206.0]	13.7	UNL ------	FL200 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
EGESO *334235N 1320446E*		214 [205.9]	15.8	UNL ------	FL200 [3000]		↓			
APOGU *332820N 1315628E*		226 [218.3]	19.3	UNL ------	10000 [4000]		↓			
OOITA *331313N 1314212E*										
Y453 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
SUNFL *342612N 1322907E*		226 [218.1]	27.2	UNL ------	5000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
MARCO *340446N 1320850E*		046 [037.9]	34.3	UNL ------	6000 [5000]	↑				
BUTUR *334245N 1313708E*		058 [049.9]				↑				
Y455 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
KINKO *311958N 1304312E*			10.7	UNL ------	9000 [4000]					
AMMON *311043N 1303652E*		037 [030.3]	58.0	UNL ------	9000 [5000]	↑		TGE<IGUSA/ 15.0nm to AMMON> HKC<IGUSA/ 15.0nm to AMMON>		Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
		037 [030.0]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) IGUSA *302037N 1300303E*										
			23.5	UNL -------	9000 [3000]			TGE<19.5nm to IGUSA/IGUSA> HKC<19.5nm to IGUSA/IGUSA>	BOMAP/ 19.5nm to IGUSA, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (between FL335 and FL275) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL275) Freq:133.85(134.6) 315.3(225.65)MHz
▲ BOMAP		037 [029.9]				↑				
300013N 1294928E	HKC 209°/108.9NM									
Y456 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] SAZMA *310431N 1301808E*										Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
		189 [182.5]	106.7	UNL -------	9000 [5000]		↓	TGE<100.0nm to RURIK/30.0nm to RURIK> HKC<100.0nm to RURIK/30.0nm to RURIK>	30.0nm to RURIK/ RURIK, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (between FL335 and FL275) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL275) Freq:133.85(134.6) 315.3(225.65)MHz
RURIK *291759N 1301252E*		191 [184.4]	47.9	UNL -------	4000 [3000]		↓		RURIK/ POMAS, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
POMAS *283015N 1300839E*										
Y457 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ SEPIA *300032N 1303805E*										Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
			93.9	UNL -------	4000 [3000]				POMAS/ SEPIA, INS or IRS or GNSS or VOR/DME required.	
POMAS *283015N 1300839E*		022 [015.8]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y46 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ TAPOP *322017N 1361622E*	KEC 167°/70.8NM	333 [326.0]	74.5	UNL ------	FL160 [3000]		↓			Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
ALBAT *332152N 1352629E*		325 [317.7]	8.4	UNL ------	FL160 [3000]		↓			
KISEI *332152N 1352629E*	KEC 281°/23.4NM	327 [319.3]	6.0	UNL ------	11000 [3000]		↓			
EMSUV *333237N 1351502E*		327 [319.2]	9.0	UNL ------	10000 [3000]		↓			
EVERT *333925N 1350759E*		329 [322.1]	16.6	UNL ------	10000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
CANDY *335230N 1345542E*										
Y47 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ KUSHIMOTO(KEC) *332652N 1354740E*		168 [160.0]	12.7	UNL ------	FL150 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
OTOWA *331455N 1355253E*	KEC 167°/12.7NM	348 [340.0] 168 [160.0]	34.6	UNL ------	FL150 [3000]	↓	↑			
MAYON *324227N 1360654E*	KEC 167°/47.3NM	348 [340.1] 168 [160.2]	23.6	UNL ------	FL150 [3000]	↓	↑			Fukuoka ACC Freq:124.55(133.3) 236.7MHz
▲ TAPOP *322017N 1361622E*	KEC 167°/70.8NM	348 [340.2] 168 [160.2]	57.8	UNL ------	FL200 [3000]	↓	↑	HCE<29.8nm to BUBDO/ BUBDO>		
▲ BUBDO *312555N 1363914E*	KEC 167°/128.6NM	347 [340.4]					↑			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y48 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] EVERT *333925N 1350759E*										
USHIO *330641N 1351124E*		002 [355.0]	32.9	UNL ------	FL160 [3000]	↑				
NOBEP *323048N 1351506E*	KEC 244°/36.5NM	002 [355.1]	36.0	UNL ------	FL210 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz Fukuoka ACC Freq:124.55 (133.3) 236.7 (300.2)MHz
Y50 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] INUBO *354335N 1404758E*										
PIGOK *351854N 1395556E*		247 [240.0]	49.1	UNL ------	FL150 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz FUKUOKA ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz
TOKIS *351047N 1393018E*		256 [248.9]	22.5	UNL ------	FL150 [3000]		↓			
SEDRI *350914N 1385727E*		274 [266.8]	26.9	UNL ------	FL170 [6000]		↓			
ELNIS *350726N 1382252E*		274 [266.5]	28.4	UNL ------	FL170 [7000]		↓			
OVKIM *350631N 1380637E*		274 [266.2]	13.3	UNL ------	12000 [8000]		↓			
		274 [266.0]	22.4	UNL ------	12000 [8000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
(continued)										
SANOR *350455N 1373921E*		258 [250.7]	10.1	UNL ------	12000 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
OLTOM *350134N 1372742E*		258 [250.8]	30.4	UNL ------	FL210 [7000]		↓			
AKUVU *345130N 1365245E*		253 [244.9]	38.1	UNL ------	FL210 [6000]		↓			
LABEL *343516N 1361053E*		250 [242.6]	71.0	UNL ------	FL210 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Tokyo ACC (below FL335) Freq:125.7(128.325) 276.5(255.1)MHz
BALSA *340211N 1345453E*		249 [241.9]	97.9	UNL ------	FL210 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
SUKMO *331520N 1331145E*	KRE 242°/29.7NM	243 [235.0]	23.3	UNL ------	FL160 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (between FL335 and FL285) Freq:127.15(134.6) 251.0(316.4)MHz Kobe ACC (below FL285) Freq:133.85(134.6) 315.3(316.4)MHz
AVKAM *330156N 1324858E*		242 [234.8]	39.0	UNL ------	FL160 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
DONKY *323923N 1321107E*	SUC 269°/41.4NM MZE 045°/60.2NM	242 [235.2]	6.7	UNL ------	FL160 [8000]		↓			
LEONA *323534N 1320436E*		242 [235.1]	93.0	UNL ------	FL160 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
▲ KAGOSHIMA(HKC) *314150N 1303459E*		238 [232.4]	40.0	UNL ------	FL160 [5000]		↓			
KOSHI *311719N 1295753E*	HKC 240°/40.0NM	238 [232.1]	50.0	UNL ------	FL200 [3000]		↓			
JEDAI *304629N 1291204E*		239 [232.7]	89.3	UNL ------	FL200 [3000]		↓			Fukuoka ACC Freq:127.5(132.6) 230.6(276.8)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) ▲ RUSAR *295154N 1275014E*										
AKVAS *293513N 1272753E*		235 [229.4] 055 [049.2]	25.6	UNL ------	FL160 [3000]	↑	↓	TGE<RUSAR/ 10.0nm to AKVAS> ALT<5.0nm to AKVAS/AKVAS> ONC<5.0nm to AKVAS/AKVAS>		
URUMA *285812N 1263445E*	TKE 331°/129.5NM	237 [231.6] 057 [051.2]	59.3	UNL ------	FL160 [3000]	↑	↓	ALT<AKVAS/ 50.0nm to URUMA> ONC<AKVAS/ 50.0nm to URUMA>	50.0nm to URUMA/ URUMA, INS or IRS or GNSS required.	
SAPET *283813N 1260753E*	TKE 306°/139.7NM	235 [229.8] 055 [049.6]	30.9	UNL ------	FL160 [3000]	↑	↓	KXC<20.0nm to SAPET/SAPET> TKE<15.0nm to SAPET/5.0nm to SAPET>	URUMA/ 20.0nm to SAPET, INS or IRS or GNSS required.	
IGMON *273720N 1244314E*	KXC 353°/139.6NM	237 [231.1] 055 [050.5]	96.4	UNL ------	FL160 [3000]	↑	↓	KXC<SAPET/ 80.0nm to IGMON> ONC<95.0nm to IGMON/80.0nm to IGMON>	80.0nm to IGMON/ IGMON, INS or IRS or GNSS required.	
	KXC 311°/130.8NM									
Y501 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MEXIR *324920N 1340423E*										Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
▲ SHIMIZU(SUC) *324521N 1325948E*		273 [266.1] 093 [085.5]	54.5	UNL ------	FL160 [4000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
LEONA *323534N 1320436E*		266 [258.3] 085 [077.9]	47.5	UNL ------	FL160 [4000]	↑	↓			
RAFUL *322443N 1310610E*		265 [257.8] 085 [077.3]	50.5	UNL ------	10000 [8000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
		265 [257.3] 084 [077.0]	30.3	UNL ------	10000 [8000]	↑	↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
SASIK *321759N 1303116E*										
		213 [205.2]	12.0	UNL ------	8000 [5000]		↓			
TEMIP *320707N 1302513E*		032 [025.2]				↑				
		212 [205.2]	5.0	UNL ------	8000 [5000]		↓			
ADNOK *320235N 1302242E*		032 [025.1]				↑				
		212 [205.1]	14.9	UNL ------	8000 [6000]		↓	KUE<ADNOK/ 5.0nm to IKASU>		
IKASU *314905N 1301515E*		032 [025.1]				↑				
		212 [205.1]	15.0	UNL ------	8000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz
ANLIK *313528N 1300747E*		032 [025.0]				↑				
		212 [205.0]	20.0	UNL ------	8000 [3000]		↓			Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
KOSHI *311719N 1295753E*		032 [024.9]				↑				
Y502 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] TOKIS *351047N 1393018E*										
			23.8	UNL ------	FL170 [3000]					Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
UTIBO *345647N 1395344E*		313 [306.2]				↑				
Y504 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GOKYO *323617N 1300413E*										
			12.4	UNL ------	9000 [4000]					Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
		340 [332.2]					↑			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
HONDO *322519N 1301105E*										
			24.8	UNL ———	9000 [5000]					Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
ADNOK *320235N 1302242E*		344 [336.7]					↑			
			23.2	UNL ———	FL210 [6000]					
▲ KAGOSHIMA(HKC) *314150N 1303459E*		341 [333.4]					↑			
Y506 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] VEMRA *325439N 1304343E*										
		194 [185.8]	39.5	UNL ———	FL160 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
IGEKU *321523N 1303858E*		193 [185.8]	16.7	UNL ———	FL160 [6000]		↓			
ATLUV *315847N 1303659E*		193 [185.8]	17.0	UNL ———	FL160 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
▲ KAGOSHIMA(HKC) *314150N 1303459E*										
Y51 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] INUBO *354335N 1404758E*										
		125 [117.9]	26.8	UNL ———	FL250 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
LARIX *355612N 1401846E*		112 [104.7]	33.9	UNL ———	FL250 [3000]	↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
SANEP *360455N 1393821E*			64.4	UNL ------	FL250 [8000]					Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
OLTAX *361412N 1381929E*		106 [097.9]	37.0	UNL ------	FL260 [13000]	↑				Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
NOKUG *361451N 1373337E*		099 [090.8]	148.0	UNL ------	FL260 [11000]	↑		YME<88.0nm to NOKUG/83.0nm to NOKUG>		
SAMON *361434N 1343012E*		098 [089.0]	20.1	UNL ------	FL260 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz
OVSOS *361555N 1340518E*		102 [093.7]	15.9	UNL ------	FL260 [3000]	↑				
DISSH *361654N 1334540E*		102 [093.5]	113.0	UNL ------	FL260 [4000]	↑				Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
▲ LANAT *362224N 1312542E*		100 [092.1]				↑				Fukuoka ACC Freq:124.15(134.4) 280.1(236.4)MHz
Y511 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
CHESS *352033N 1362906E*	CBE 340°/33.0NM		13.0	UNL ------	7000 [7000]					Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
SHIZU *353157N 1362128E*		159 [151.4]	9.4	UNL ------	11000 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
		159 [151.4]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
MARIA *354014N 1361554E*	CBE 340°/55.5NM	160 [153.0]	6.2	UNL ------	11000 [7000]	↑				
TRUGA *354546N 1361226E*	CBE 340°/61.7NM KCC 319°/45.7NM	126 [118.8]	22.6	UNL ------	13000 [7000]	↑				
SABAE *355643N 1354803E*		126 [118.5]	32.0	UNL ------	FL160 [3000]	↑				
CHILY *361203N 1351321E*		102 [093.9]	34.9	UNL ------	FL260 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz
SAMON *361434N 1343012E*										
Y512 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ ADNAP *371151N 1453959E*		298 [290.8]	107.9	UNL ------	FL270 [3000]		↓	MQE<91.9nm to OATIS/47.9nm to OATIS> IXE<91.9nm to OATIS/68.9nm to OATIS>	ADNAP/ 91.9nm to OATIS, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
▲ OATIS *374859N 1433223E*		117 [109.5]				↑				
SOVMO *375126N 1431400E*		287 [279.7]	14.7	UNL ------	FL270 [3000]		↓			
BEKEN *380021N 1420342E*		107 [099.5]				↑				
▲ SENDAI(SDE) *380819N 1405517E*	IXE 052°/72.9NM	287 [279.5]	56.2	UNL ------	FL270 [3000]		↓			
ELDAK *380134N 1394540E*		107 [098.8]				↑				
▲ NIIGATA(GTC) *375730N 1390654E*		287 [278.8]	54.5	UNL ------	FL270 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 300.2(303.4)MHz
		106 [098.1]				↑				
		271 [263.3]	55.2	UNL ------	FL210 [9000]		↓			
		091 [082.6]				↑				
		271 [262.6]	30.9	UNL ------	FL150 [9000]		↓			Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
		091 [082.2]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y513 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KOMATSU(KMC) *362347N 1362415E*										
			92.4	UNL ------	FL260 [3000]					Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz
SAMON *361434N 1343012E*		091 [083.7]				↑				
Y514 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ ASTER *391352N 1423159E*										
	SDE 056°/100.0NM	238 [229.5]	100.0	UNL ------	FL210 [4000]		↓			Fukuoka ACC Freq:128.2(126.8) 297.5(258.8)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
▲ SENDAI(SDE) *380819N 1405517E*										
Y515 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] LANCE *375422N 1402834E*										
			36.7	UNL ------	11000 [9000]					Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 303.4MHz
AIZUH *374540N 1394325E*		085 [076.1]				↑				
			8.1	UNL ------	11000 [8000]					
VIKET *374205N 1393415E*		072 [063.6]				↑				
			18.9	UNL ------	11000 [7000]			GTC<6.9nm to VIKET/1.8nm to VIKET> SDE<6.9nm to VIKET/1.8nm to VIKET>	ETIGO/ 6.9nm to VIKET, INS or IRS or GNSS or VOR/DME required.	
ETIGO *373339N 1391252E*		072 [063.4]				↑				
			31.9	UNL ------	FL240 [7000]					
		072 [063.1]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) ESMAD *371919N 1383704E*										
			90.1	UNL -------	FL240 [8000]					Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 276.9MHz
ZUWAI *363750N 1365659E*		071 [062.1]				↑				
	KMC 070°/29.8NM		29.8	UNL -------	FL240 [6000]					Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
▲ KOMATSU(KMC) *362347N 1362415E*		069 [061.7]				↑				
Y517 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ESKAS *370635N 1403549E*										Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
			17.1	UNL -------	FL150 [5000]					
LIVET *370404N 1401436E*		089 [081.4]				↑				
			11.6	UNL -------	FL150 [7000]					
SYOEN *370219N 1400014E*		089 [081.3]				↑				
			10.0	UNL -------	FL150 [9000]					
YAGAN *370047N 1394752E*		089 [081.1]				↑				
	IXE 270°/57.0NM		15.2	UNL -------	FL150 [10000]					
MAUKA *365825N 1392905E*		088 [080.9]				↑				
			19.9	UNL -------	FL240 [10000]					
IKAHO *365514N 1390431E*		088 [080.7]				↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
			29.0	UNL -------	FL240 [10000]					
HAKKA *365035N 1382845E*		088 [080.6]				↑				
	GTC 213°/73.5NM		18.8	UNL -------	FL240 [10000]					
OTARI *364725N 1380535E*		087 [080.2]				↑				
	GTC 224°/85.4NM		55.9	UNL -------	FL240 [12000]					
ZUWAI *363750N 1365659E*		087 [079.8]				↑				Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
	KMC 070°/29.8NM		120.4	UNL -------	FL260 [6000]			KCC<60.0nm to ZUWAI/50.0nm to ZUWAI>		
SAMON *361434N 1343012E*		085 [078.1]				↑				
										Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y519 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
SYOEN *370219N 1400014E*										
		034 [025.9]	42.9	UNL ———	11000 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
SANOH *362346N 1393649E*	SYE 342°/25.6NM									
Y52 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
SUKBO *322545N 1360049E*										
		252 [245.3]	47.9	UNL ———	FL260 [3000]		↓			Fukuoka ACC Freq 124.55 (133.3) 236.7 (300.2)MHz
LAXEL *320534N 1350932E*		240 [232.5]	103.1	UNL ———	FL260 [3000]		↓			
ALDEM *310210N 1333408E*		239 [231.7]	116.8	UNL ———	FL260 [3000]		↓			Fukuoka ACC Freq:132.3(132.1) 255.2(276.1)MHz
TONAR *294903N 1314839E*		242 [235.3]	143.0	UNL ———	FL260 [4000]		↓	(*1)		Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
AMAMI *282637N 1293503E*		235 [229.2]	286.3	UNL ———	FL260 [5000]		↓	(*2)		Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
SHIMO *251602N 1253549E*	MJC 034°/33.7NM	232 [228.1]	117.7	UNL ———	FL260 [3000]		↓	(*3)	(*4)	
▲ IGURU *235700N 1240000E*	MJC 239°/86.4NM									

(*1) Critical DME: AME<TONAR/142.0nm to AMAMI> <60.0nm to AMAMI/55.0nm to AMAMI>
TGE<TONAR/142.0nm to AMAMI> <65.0nm to AMAMI/60.0nm to AMAMI> <1.0nm to AMAMI/AMAMI>
MDE<15.0nm to AMAMI/10.0nm to AMAMI>
(*2) Critical DME: TGE<AMAMI/285.3nm to SHIMO>
MDE<275.0nm to SHIMO/235.0nm to SHIMO>
MJC<25.0nm to SHIMO/SHIMO>
(*3) Critical DME: MJC<SHIMO/95nm to IGURU> <40nm to IGURU/20nm to IGURU>
YNE<SHIMO/115nm to IGURU> <70nm to IGURU/45nm to IGURU> <40nm to IGURU/35nm to IGURU>
KXC<70nm to IGURU/45nm to IRUGU>
(*4) DME GAP: 45nm to IGURU/40nm to IGURU, INS or IRS or GNSS or VOR/DME required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y521 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
TONAR *294903N 1314839E*										Fukuoka ACC Freq:132.3(132.1) 255.2(276.1)MHz
		244 [237.6]	83.4	UNL -------	12000 [3000]		↓	TGE<36.0nm to ESTRA/ESTRA>	TONAR/ 36.0nm to ESTRA, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
ESTRA *290402N 1302806E*		243 [237.0]	36.7	UNL -------	4000 [3000]		↓	TGE<ESTRA/ 28.0nm to TUMGI>	28.0nm to TUMGI/ TUMGI, INS or IRS or GNSS or VOR/DME required.	
TUMGI *284357N 1295301E*										
Y525 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
TONAR *294903N 1314839E*										
		236 [229.6]	187.7	UNL -------	12000 [3000]		↓	(*1)	(*2)	Fukuoka ACC Freq:132.3(132.1) 255.2(276.1)MHz Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
PEBLA *274558N 1290711E*		234 [228.3]	30.0	UNL -------	12000 [3000]		↓	TKE<10.0nm to ONC/5.0nm to ONC>	5.0nm to ONC/ONC, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
▲ ERABU(ONC) *272558N 1284156E*		245 [239.4]	36.7	UNL -------	FL160 [4000]		↓	TIT<25nm to PRIUS/PRIUS>	ONC/25nm to PRIUS, INS or IRS or GNSS or VOR/DME required.	
PRIUS *270714N 1280629E*		244 [239.1]	12.8	UNL -------	8000 [4000]		↓			
IHEYA *270040N 1275410E*		245 [239.0]	74.1	UNL -------	FL160 [4000]		↓	TKE<3.0nm to KXC/KXC>		Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
KUMEJIMA(KXC) *262219N 1264319E*										

(*1) Critical DME: TGE<186.7nm to PEBLA/90.0nm to PEBLA> <75.0nm to PEBLA/65.0nm to PEBLA> <60.0nm to PEBLA/50.0nm to PEBLA>
TKE<15.0nm to PEBLA/PEBLA>
ALT<30.0nm to PEBLA/25.0nm to PEBLA>
ONC<30.0nm to PEBLA/25.0nm to PEBLA>

(*2) DME GAP: TONAR/186.7nm to PEBLA, INS or IRS or GNSS or VOR/DME required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y527 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] BILLY *333640N 1373711E*										
		028 [020.6]	27.6	UNL ------	FL210 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz
DOMBI *331051N 1372532E*		027 [020.2]	112.1	UNL ------	FL250 [3000]	↑		HCE<BUBDO/ 55.0nm to DOMBI>		Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(225.3)MHz Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
▲ BUBDO *312555N 1363914E*										
Y53 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] NIXOV *333644N 1342743E*										
	SUC 062°/89.8NM KRE 090°/39.3NM	063 [055.3]	15.2	UNL ------	9000 [6000]	↑				
OLBUG *332807N 1341244E*	SUC 062°/74.6NM KRE 106°/27.0NM	063 [055.2]	17.3	UNL ------	9000 [6000]	↑				
ENKOV *331817N 1335544E*	SUC 062°/57.3NM KRE 146°/18.9NM	063 [054.9]	28.6	UNL ------	9000 [3000]	↑		KRE<UPGEB/ ENKOV>		
UPGEB *330154N 1332744E*	SUC 062°/28.7NM KRE 207°/32.5NM	062 [054.7]	28.7	UNL ------	9000 [4000]	↑		KRE<SUC/ UPGEB>		Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (between FL335 and FL285) Freq:127.15(134.6) 251.0(316.4)MHz Kobe ACC (below FL285) Freq:133.85(134.6) 315.3(316.4)MHz
▲ SHIMIZU(SUC) *324521N 1325948E*		046 [038.6]	48.6	UNL ------	FL150 [4000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
MADOG *320731N 1322346E*	SUC 226°/48.6NM	041 [033.8]	60.0	UNL ------	FL150 [3000]	↑				
OMUSU *311745N 1314422E*		040 [033.5]	59.9	UNL ------	FL150 [3000]	↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) LUKRA *302756N 1310542E*										
			32.9	UNL ------	FL150 [3000]			AME<VEGAR/ 8.5nm to LUKRA> HKC<VEGAR/ 9.8nm to LUKRA>		Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4MHz Kobe ACC (between FL335 and FL275) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL275) Freq:133.85(134.6) 315.3(225.65)MHz
VEGAR *300027N 1304445E*		040 [033.3]				↑				
	TGE 206°/37.9NM		50.7	UNL ------	11000 [3000]			HKC<13.0nm to VEGAR/ VEGAR> AME<13.0nm to VEGAR/ VEGAR>	RURIK/ 13.0nm to VEGAR, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6)MHz Kobe ACC (below FL335) Freq:119.3MHz
RURIK *291759N 1301252E*		039 [033.0]				↑				
			61.2	UNL ------	FL150 [4000]			AME<59.2nm to RURIK/45.7nm to RURIK>	(*1)	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
AMAMI *282637N 1293503E*		039 [032.7]				↑				
(*1)AMAMI/59.2nm to RURIK, INS or IRS or GNSS or VOR/DME required. 45.7nm to RURIK/RURIK, INS or IRS or GNSS or VOR/DME required.										
Y531 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] YURIX *272917N 1273654E*										Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
			265.9	UNL ------	FL250 [3000]			MJC<ALBAX / 261.0nm to YURIX> KXC<176.0nm to YURIX / 126.0nm to YURIX>		
ALBAX *233410N 1251932E*		031 [027.3]				↑				
										Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y532 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KAGOSHIMA(HKC) *314150N 1303459E*										
	TGE 349°/69.0NM	013 [007.5]	102.2	UNL ------	9000 [7000]	↑		TGE<AKASE/ 41.7nm to HKC> HKC<AKASE/ 41.7nm to HKC>		Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (between FL335 and FL275) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL275) Freq:133.85(134.6) 315.3(225.65)MHz
AKASE *300034N 1301917E*										
	TGE 231°/49.7NM	013 [007.4]	43.0	UNL ------	7000 [3000]	↑		TGE<10.0nm to AKASE/AKASE> HKC<10.0nm to AKASE/AKASE>	RURIK/ 10.0nm to AKASE, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
RURIK *291759N 1301252E*										
	TGE 214°/88.0NM									
Y533 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] AZAMA *260939N 1274803E*										
		044 [040.4]	205.9	UNL ------	FL250 [3000]	↑				Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
ALBAX *233410N 1251932E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y535 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
KALGU *301224N 1311722E*			15.8	UNL ———	FL250 [3000]			AME<1.0nm to KALGU/KALGU> TGE<1.0nm to KALGU/KALGU>		Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (between FL335 and FL275) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL275) Freq:133.85(134.6) 315.3(225.65)MHz
ASTAK *300022N 1310529E*		047 [040.5]	122.6	UNL ———	FL250 [4000]	↑		HKC < 80.0nm to ASTAK/20.0nm to ASTAK> ALT<20.0nm to ASTAK/ ASTAK>	AMAMI/ 80.0nm to ASTAK, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
AMAMI *282637N 1293503E*		045 [039.7]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y537 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
LOVGI *342229N 1335840E*	OYE 170°/23.6NM	013 [005.3]	25.7	UNL ------	9000 [9000]	↑				
EMAJA *335653N 1335545E*	KRE 034°/27.4NM	013 [005.3]	8.2	UNL ------	9000 [9000]	↑				
RUSEV *334844N 1335450E*	KRE 042°/20.0NM	013 [005.3]	5.0	UNL ------	9000 [9000]	↑				
OBKAG *334345N 1335417E*	KRE 052°/15.9NM	013 [005.3]	9.8	UNL ------	9000 [7000]	↑				
RURMU *333357N 1335311E*	KRE 089°/10.4NM	049 [041.1]	7.0	UNL ------	9000 [5000]	↑				
LUXAD *332841N 1334739E*	KRE 131°/6.9NM	049 [041.1]	5.0	UNL ------	9000 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
IDLUP *332455N 1334343E*	KRE 169°/8.0NM	049 [040.8]	37.2	UNL ------	9000 [3000]	↑				
STORK *325648N 1331435E*		055 [047.3]	16.9	UNL ------	9000 [4000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (between FL335 and FL285) Freq:127.15(134.6) 251.0(316.4)MHz Kobe ACC (below FL285) Freq:133.85(134.6) 315.3(316.4)MHz Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
▲ SHIMIZU(SUC) *324521N 1325948E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y54 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
TOHME *345111N 1372826E*										
		258 [250.8]	27.0	UNL ------	FL170 [5000]		↓			
KOHWA *344217N 1365729E*										
		239 [231.9]	124.9	UNL ------	FL260 [8000]		↓			
RUPAP *332419N 1345951E*										
		238 [230.8]	23.0	UNL ------	10000 [3000]		↓			
TURFY *330945N 1343832E*										
Y542 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
SINGU *342104N 1360755E*										
		250 [242.6]	11.4	UNL ------	10000 [8000]		↓			
SOMEI *341549N 1355540E*										
		250 [242.7]	29.0	UNL ------	8000 [8000]		↓			
DINAH *340226N 1352434E*										
		250 [242.7]	17.0	UNL ------	6000 [6000]		↓	GBD<DINAH/ 3.0nm to DOPDA> AJD<DINAH/ 3.0nm to DOPDA>	3.0nm to DOPDA/ DOPDA, INS or IRS or GNSS or VOR/DME required.	
DOPDA *335436N 1350622E*										
		304 [296.9]	4.0	UNL ------	4000 [4000]		↓			
UBUYU *335625N 1350205E*										
		304 [296.8]	5.4	UNL ------	3000 [3000]		↓			
DATIS *335852N 1345613E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y544 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] KOHWA *344217N 1365729E*										
		250 [242.8]	46.0	UNL ------	12000 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
SINGU *342104N 1360755E*		265 [257.8]	16.3	UNL ------	10000 [8000]		↓			
RIDGE *341735N 1354838E*		264 [257.6]	20.4	UNL ------	8000 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Tokyo ACC (below FL335) Freq:125.7(128.325) 276.5(255.1)MHz
DUBKA *341309N 1352434E*										
Y546 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] KOHWA *344217N 1365729E*										
		258 [250.5]	33.6	UNL ------	8000 [6000]		↓	XMT<30.6nm to OHDAI/23.6nm to OHDAI>	KOHWA/ 30.6nm to OHDAI, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325)27 6.5(255.1)MHz
OHDAI *343100N 1361905E*		269 [261.1]	11.9	UNL ------	7000 [7000]		↓			
AGPUK *342908N 1360451E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y55 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
SABRI *324613N 1394314E*			126.7	UNL ———	FL250 [3000]					
LELIN *342006N 1380117E*		145 [137.4]	30.0	UNL ———	FL160 [3000]	↑				
GAKKI *344452N 1374050E*		153 [145.7]	35.8	UNL ———	FL150 [4000]	↑	↓			
KOHWA *344217N 1365729E*		273 [266.0] 093 [085.6]				↑				
Y551 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MH
ENSYU *343236N 1380203E*			21.3	UNL ———	FL160 [3000]					
GAKKI *344452N 1374050E*		132 [125.0]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y56 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] LAXAS *350153N 1391433E*										
		266 [258.4]	13.0	UNL ------	FL170 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz
KAGNA *345916N 1385904E*		274 [266.4]	40.3	UNL ------	FL170 [6000]		↓			
BOPNO *345636N 1381003E*		274 [266.0]	17.5	UNL ------	FL170 [6000]		↓			
SARGI *345520N 1374850E*		274 [265.7]	6.8	UNL ------	FL170 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MH
IBENO *345449N 1374033E*		258 [250.0]	10.6	UNL ------	FL170 [5000]		↓			
TOHME *345111N 1372826E*		234 [226.7]	29.9	UNL ------	FL260 [5000]		↓			
HANTO *343041N 1370204E*		224 [218.0]	51.4	UNL ------	FL260 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
NADAR *335006N 1362402E*	CBE 206°/64.6NM	224 [217.5]	24.7	UNL ------	12000 [3000]		↓			
SIOMI *333028N 1360600E*	KEC 084°/15.7NM	263 [256.8]	15.7	UNL ------	12000 [3000]		↓			
▲ KUSHIMOTO(KEC) *332652N 1354740E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y562 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] NADAR *335006N 1362402E*										Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
	CBE 206°/64.6NM	199 [192.0]	69.2	UNL ------	FL260 [3000]		↓			
MAYON *324227N 1360654E*										
Y564 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ELNIS *350726N 1382252E*										Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
		258 [250.2]	36.9	UNL ------	FL170 [7000]		↓			
IBENO *345449N 1374033E*										
Y566 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] JYOGA *350846N 1393135E*										Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz
		251 [243.8]	15.6	UNL ------	FL150 [3000]		↓			
LAXAS *350153N 1391433E*										
Y57 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] PUTER *381957N 1453107E*										
			98.3	UNL ------	FL270 [3000]			(*1)	PUTER/ 95.0nm to DOVIX, INS or IRS or GNSS required.	
DOVIX *370207N 1441527E*		044 [037.2]				↑				Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
			82.9	UNL ------	FL200 [3000]				POROT/ DOVIX, INS or IRS or GNSS required.	
		043 [036.5]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
POROT										
355547N 1431341E		249 [242.3]	155.0	UNL ------	FL250 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
LIGNI		068 [060.7]				↑				
344149N 1402652E			67.4	UNL ------	FL250 [3000]					Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 277.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
LAKOS		066 [059.0]				↑				
340730N 1391641E			45.0	UNL ------	FL250 [3000]					
TASOT		066 [058.6]				↑				
334412N 1383018E			23.7	UNL ------	FL250 [3000]					
MOSLO		065 [058.4]				↑				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 277.3(278.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
333150N 1380604E		245 [238.4]	11.0	UNL ------	FL250 [3000]		↓			
IGMIS		065 [058.3]				↑				
332603N 1375449E		245 [238.3]	28.8	UNL ------	FL250 [3000]		↓			
DOMBI		065 [058.0]				↑				
331051N 1372532E		245 [238.0]	84.3	UNL ------	FL250 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
SUKBO		064 [057.3]				↑				
322545N 1360049E			64.1	UNL ------	FL250 [3000]					
YULIA		055 [047.9]				↑				
314301N 1350435E	KEC 207°/110.1NM		87.7	UNL ------	FL290 [3000]					
AKTAP		058 [051.4]				↑				
304842N 1334402E			110.4	UNL ------	FL290 [3000]					Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
		057 [050.6]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
SHIBK *293914N 1320450E*			202.4	UNL -------	FL290 [3000]			AME<45.0nm to SHIBK/ 40.0nm to SHIBK>		Fukuoka ACC Freq:132.3(132.1) 255.2(276.1)MHz Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
TAMAK *273153N 1290553E*		056 [050.3]	107.7	UNL -------	FL250 [4000]	↑				Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
AZAMA *260939N 1274803E*	NHC 113°/9.0NM	045 [039.9]	30.9	UNL -------	8000 [3000]	↑		KXC<VELNO/ 25.0nm to AZAMA> NHC<15.0nm to AZAMA/3.0nm to AZAMA> TIT<15.0nm to AZAMA/3.0nm to AZAMA>	(*2)	
VELNO *255347N 1271834E*		064 [059.0]	24.5	UNL -------	8000 [3000]	↑		KXC<23.5nm to VELNO/10.7nm to VELNO><4.1nm to VELNO/VELNO>	(*3)	
GEMNI *254109N 1265519E*	NHC 236°/50.0NM	064 [058.8]	24.0	UNL -------	8000 [3000]	↑		KXC<FREED/ 19.0nm to GEMNI><14.0nm to GEMNI/GEMNI> NHC<FREED/ 19.0nm to GEMNI><14.0nm to GEMNI/GEMNI>	19.0nm to GEMNI/ 14.0nm to GEMNI, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
FREED *252840N 1263233E*		064 [058.6]	79.9	UNL -------	8000 [3000]	↑		KXC<9.2nm to FREED/FREED> NHC<4.2nm to FREED/FREED>	MJC/9.2nm to FREED, INS or IRS or GNSS or VOR/DME required.	
▲ MIYAKOJIMA(MJC) *244639N 1251736E*		063 [058.0]	86.4	UNL -------	FL270 [3000]	↑		YNE<IGURU/ 54.0nm to MJC> <10.0nm to MJC/MJC> MJC<IGURU/ 40.0nm to MJC> KXC<19.0nm to MJC/MJC>		
▲ IGURU *235700N 1240000E*	MJC 239°/86.4NM	059 [054.7]				↑				

(*1) Critical DME: MQE<95.0nm to DOVIX/18.0nm to DOVIX>
IXE<95.0nm to DOVIX/58.0nm to DOVIX> <50.0nm to DOVIX/44.0nm to DOVIX>

(*2) DME GAP: VELNO/28.9nm to AZAMA, 25nm to AZAMA/15.0nm to AZAMA, 3.0nm to AZAMA/AZAMA, INS or IRS or GNSS or VOR/DME required.

(*3) DME GAP: GEMNI/23.5nm to VELNO, 10.7nm to VELNO/9.7nm to VELNO, 2.0nm to VELNO/VELNO, INS or IRS or GNSS or VOR/DME required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y571 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] BILLY *333640N 1373711E*										
OVSUN *331355N 1370549E*		056 [048.9]	34.7	UNL ------	FL210 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
NUMKO *325435N 1363930E*	KEC 108°/66.6NM	056 [048.6]	29.4	UNL ------	FL250 [3000]	↑				
SUKBO *322545N 1360049E*		055 [048.3]	43.5	UNL ------	FL250 [3000]	↑				Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
Y573 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ SEDKU *245600N 1240000E*										
LILRA *244947N 1245215E*	MJC 282°/71.1NM	102 [097.3] 283 [277.7]	47.8	UNL ------	FL160 [3000]	↓	↑	IGE<37.0nm to LILRA/LILRA> MJC<6.0nm to LILRA/LILRA>		Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
▲ MIYAKOJIMA(MJC) *244639N 1251736E*		103 [097.7] 283 [277.8]	23.2	UNL ------	FL160 [3000]	↓	↑	IGE<LILRA/3.0nm to MJC> MJC<LILRA/3.0nm to MJC> YNE<3.0nm to MJC/MJC> KXC<3.0nm to MJC/MJC>		

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y574 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
SHIBK *293914N 1320450E*										
	TGE 142°/80.2NM		31.0	UNL ------	12000 [3000]			AME<26.1nm to SHIBK/10.0nm to SHIBK> TGE<LEBAG/10.0nm to SHIBK>	10.0nm to SHIBK/SHIBK, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC Freq:132.3(132.1) 255.2(276.1)MHz
LEBAG *292158N 1313514E*		063 [056.0]				↑				
			66.9	UNL ------	12000 [3000]			TGE<55.0nm to LEBAG/LEBAG>		Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz
HINJA *284423N 1303202E*		062 [055.5]				↑				
			24.9	UNL ------	6000 [3000]				POMAS/HINJA, INS or IRS or GNSS or VOR/DME required.	
POMAS *283015N 1300839E*		062 [055.4]				↑				
	ONC 055°/100.0NM		29.8	UNL ------	6000 [4000]			ALT<26.8nm to POMAS/19.8nm to POMAS> ONC<AMAMI/POMAS> AME<AMAMI/26.8nm to POMAS>		Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
AMAMI *282637N 1293503E*		089 [082.9]				↑				
Y575 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
ALBAT *332152N 1352629E*										
	KEC 262°/18.4NM		52.0	UNL ------	FL210 [3000]					Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
NOBEP *323048N 1351506E*		018 [010.5]				↑				
			25.7	UNL ------	FL210 [3000]					
LAXEL *320534N 1350932E*		017 [010.5]				↑				
			23.0	UNL ------	FL210 [3000]					
YULIA *314301N 1350435E*		017 [010.5]				↑				Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
	KEC 207°/110.1NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y576 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GANJU *255220N 1264324E*										
	NHC 253°/53.6NM	244 [240.4]	52.8	UNL ------	8000 [2000]		↓	KXC<GANJU/ 10.0nm to GANAS> NHC<20.0nm to GANAS/15.0nm to GANAS>	10.0nm to GANAS/ GANAS, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
GANAS *252606N 1255239E*	KXC 225°/72.4NM	244 [240.0]	10.0	UNL ------	8000 [3000]		↓		GANAS/ YUTAH, INS or IRS or GNSS or VOR/DME required.	
YUTAH *252106N 1254305E*	MJC 038°/41.5NM	244 [239.5]	29.5	UNL ------	8000 [3000]		↓	MJC<19.5nm to YUZKI/YUZKI> IGE<19.5nm to YUZKI/14.5nm to YUZKI><1.0nm to YUZKI/YUZKI>	YUTAH/ 19.5nm to YUZKI, INS or IRS or GNSS or VOR/DME required.	
YUZKI *250607N 1251504E*	MJC 357°/19.6NM	237 [233.2]	10.4	UNL ------	8000 [3000]		↓	MJC<YUZKI/ DIANA> IGE<YUZKI/ 9.4nm to DIANA>		
DIANA *245953N 1250553E*	MJC 326°/17.0NM	236 [230.8]	16.0	UNL ------	8000 [3000]		↓	IGE<5.0nm to LILRA/LILRA> MJC<DIANA/ LILRA>		
LILRA *244947N 1245215E*		238 [233.1]	43.3	UNL ------	8000 [4000]		↓	IGE<LILRA/ 37.0nm to IGE> <23.0nm to IGE/ 3.0nm to IGE> MJC<LILRA/ 37.0nm to IGE> YNE<23.0nm to IGE/3.0nm to IGE>	37.0nm to IGE/23.0nm to IGE, 3.0nm to IGE/IGE, INS or IRS or GNSS or VOR/DME required.	
▲ ISHIGAKIJIMA(IGE) *242346N 1241417E*	YNE 098°/67.9NM									
Y577 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ MAKMU *384115N 1443042E*										
			176.6	UNL ------	FL250 [3000]			TLD<146.6nm to MAKMU/ 136.6nm to MAKMU> HUC<136.6nm to MAKMU/ 119.6nm to MAKMU> MQE<62.6nm to MAKMU/40.6nm to MAKMU>	40.6nm to MAKMU/ MAKMU, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
POROT *355547N 1431341E*		027 [019.9]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y579 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ RUGMA *323012N 1265753E*										Fukuoka ACC Freq:133.6(132.6) 316.2(276.8)MHz
		171 [164.1]	13.9	UNL ———	FL240 [3000]		↓		POTET/ RUGMA, INS or IRS or GNSS required.	
POTET *321648N 1270223E*		351 [344.2]				↑				
		171 [164.1]	15.0	UNL ———	FL240 [3000]		↓		POTET/ BIGIT, INS or IRS or GNSS required.	
BIGIT *320221N 1270714E*		351 [344.1]				↑				
		171 [164.2]	49.0	UNL ———	FL240 [3000]		↓	TGE<19.0nm to ESBIS/ESBIS>	BIGIT/ 19nm to ESBIS, INS or IRS or GNSS required.	
ESBIS *311513N 1272253E*		351 [344.3]				↑				
		170 [164.1]	61.6	UNL ———	FL240 [3000]		↓			Fukuoka ACC Freq:127.5(132.6) 276.8MHz
LESKA *301557N 1274225E*		350 [344.3]				↑				
		170 [164.3]	25.0	UNL ———	FL200 [3000]		↓			
▲ RUSAR *295154N 1275014E*		350 [344.3]				↑				
		168 [161.7]	21.4	UNL ———	FL200 [3000]		↓			Fukuoka ACC Freq:127.5(132.6) 230.6(276.8)MHz
MELEN *293134N 1275757E*		348 [341.8]				↑				
		168 [161.8]	31.8	UNL ———	FL200 [3000]		↓			
GUPTI *290124N 1280919E*		347 [341.9]				↑				
		170 [163.1]	51.8	UNL ———	12000 [3000]		↓	ALT<GUPTI/ 26.8nm to POLAM> <16.8nm to POLAM/1.8nm to POLAM>		Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
POLAM *281154N 1282622E*		350 [343.2]				↑				
		170 [163.2]	17.5	UNL ———	12000 [3000]		↓			
CHAMP *275507N 1283205E*		350 [343.3]				↑				
		169 [163.3]	30.4	UNL ———	12000 [3000]		↓	(*1)		
▲ ERABU(ONC) *272558N 1284156E*		348 [343.4]				↑				
		218 [212.4]	90.3	UNL ———	FL210 [4000]		↓			
AZAMA *260939N 1274803E*		037 [032.0]				↑				
		211 [206.3]	136.4	UNL ———	FL210 [3000]		↓	KXC<115nm to SAKON/110nm to SAKON> MJC<55nm to SAKON/ SAKON>		Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
▲ SAKON *240715N 1264153E*	MJC 121°/86.3NM	030 [025.8]				↑				

(*1) Critical DME: TKE<ERABU/25nm to CHAMP>
KXC<ERABU/25nm to CHAMP>
ONC<25nm to CHAMP/10nm to CHAMP>

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y587 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
HATSU *345836N 1392953E*		177 [169.7]	30.1	UNL ------	5000 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
GEMBU *342901N 1393624E*		357 [349.8]					↑			
KINME *334249N 1394623E*		177 [169.8]	47.0	UNL ------	5000 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 277.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
GYOGN *333149N 1394845E*		357 [349.9]					↑			
SANGO *332250N 1394814E*		177 [169.9]	11.2	UNL ------	5000 [3000]	↓				
		357 [349.9]					↑			
		189 [182.7]	9.0	UNL ------	6000 [3000]		↓			
		009 [002.7]				↑				
Y588 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
NIKKO *362915N 1395147E*		208 [200.7]	23.6	UNL ------	5000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
KOGAR *360712N 1394128E*		028 [020.6]				↑				
		208 [200.8]	13.0	UNL ------	4000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
OMIYA *355506N 1393549E*		028 [020.7]				↑				
		195 [187.1]	21.9	UNL ------	5000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5 301.2MHz
EDARR *353326N 1393230E*		015 [007.1]				↑				
		180 [172.9]	18.2	UNL ------	4000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1 292.4MHz
		360 [352.9]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
KOSKA *351521N 1393515E*										
		202 [194.7]	17.3	UNL ------	5000 [3000]		↓			
HATSU *345836N 1392953E*		022 [014.7]				↑				
		202 [194.7]	5.0	UNL ------	5000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz
SUNOD *345345N 1392820E*		022 [014.6]				↑				
		202 [194.6]	11.4	UNL ------	5000 [5000]		↓			
▲ OSHIMA(XAC) *344244N 1392450E*		022 [014.6]				↑				
		176 [169.2]	31.5	UNL ------	5000 [5000]	↓				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 277.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
NIVIL *341151N 1393157E*		356 [349.3]					↑			
		176 [169.3]	7.7	UNL ------	5000 [5000]	↓				
▲ OYAMA(MOE) *340416N 1393341E*		356 [349.3]					↑			
		176 [168.7]	25.0	UNL ------	5000 [5000]	↓				
EBINE *333945N 1393932E*		355 [348.8]					↑			
		175 [168.8]	33.6	UNL ------	5000 [5000]	↓			29.6nm to HCE/HCE	
▲ HACHIJOJIMA(HCE) *330652N 1394719E*		355 [348.9]					↑			
Y59 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] AZAMA *260939N 1274803E*										
			51.0	UNL ------	FL250 [3000]			KXC <AMMEK / 31.0nm to AZAMA>		
AMMEK *253553N 1270538E*		052 [048.4]				↑				
		235 [229.9]	206.9	UNL ------	FL270 [2000]		↓			Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
KAZIK *232106N 1241318E*		053 [048.7]				↑				
	MJC 219°/103.8NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y591 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] BESMU *344845N 1315752E*										
UBMIL *341553N 1305305E*		066 [058.1]	62.7	UNL ------	FL250 [5000]	↑				
EBISU *340220N 1303528E*	IKE 068°/63.3NM	055 [047.0]	19.9	UNL ------	FL250 [4000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
RUTIR *331844N 1294346E*		052 [044.4]	61.3	UNL ------	FL250 [4000]	↑				
FUKUE(FUE) *324007N 1284936E*	IKE 193°/26.2NM	057 [049.4]	59.7	UNL ------	FL230 [4000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
ISPIT *320736N 1272110E*		073 [066.1]	81.5	UNL ------	FL210 [4000]	↑		HKC<68.0nm to FUE/54.0nm to FUE> HKC<42.0nm to FUE/23.0nm to FUE>	ISPIT/ 68.0nm to FUE, INS or IRS or GNSS required. 54.0nm to FUE/ 42.0nm to FUE, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
BIGIT *320221N 1270714E*		073 [066.0]	12.9	UNL ------	FL210 [3000]	↑			BIGIT/ ISPIT, INS or IRS or GNSS required.	
BEDAR *315401N 1262910E*		082 [075.4]	33.4	UNL ------	FL210 [3000]	↑			BEDAR/ BIGIT, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(132.6) 316.2(276.8)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y592 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
ISAKY *331222N 1293911E*										
		255 [247.9]	50.7	UNL ------	FL210 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
ASOVO *325303N 1284315E*										
		255 [247.4]	25.1	UNL ------	FL210 [3000]		↓			Fukuoka ACC Freq:133.6(132.6) 316.2(276.8)MHz
CAMAS *324321N 1281545E*										
		254 [247.1]	67.4	UNL ------	FL210 [3000]		↓	HKC<48.0nm to POTET/43.0nm to POTET>	43.0nm to POTET/ POTET, INS or IRS or GNSS required.	
POTET *321648N 1270223E*										
		261 [255.5]	20.2	UNL ------	FL240 [3000]		↓		POTET/ ONIKU, INS or IRS or GNSS required.	
▲ ONIKU *321142N 1263917E*										
Y597 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
MIHOU *353152N 1330538E*										Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
		130 [122.1]	21.0	UNL ------	8000 [4000]	↑				
PEPOS *354303N 1324348E*										
		130 [122.0]	4.1	UNL ------	8000 [3000]	↑				
KABKI *354514N 1323929E*										
		130 [121.9]	40.0	UNL ------	8000 [3000]	↑				
FOGEL *360626N 1315743E*										
		130 [121.5]	30.4	UNL ------	FL210 [3000]	↑				Fukuoka ACC Freq:124.15(134.4) 280.1(236.4)MHz
▲ LANAT *362224N 1312542E*										
Y599 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ SAPRA *354926N 1304325E*										
		100 [092.0]	94.3	UNL ------	FL260 [3000]	↓		OIE<SAPRA/ 93.3nm to KABKI>		Fukuoka ACC Freq:124.15(134.4) 280.1(236.4)MHz
KABKI *354514N 1323929E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Y60 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] INUBO *354335N 1404758E*										
		257 [249.9]	10.7	UNL ------	FL150 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
NIPEN *353954N 1403536E*										
		259 [252.1]	36.0	UNL ------	FL150 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1(128.325) 292.4(255.1)MHz
REDEK *352844N 1395334E*										
		256 [248.9]	22.1	UNL ------	FL150 [3000]		↓			
IGNOT *352043N 1392816E*										
		274 [266.8]	26.5	UNL ------	FL170 [7000]		↓			
MITOP *351911N 1385550E*										
		274 [266.5]	38.8	UNL ------	FL170 [FL150]		↓			
MEBNI *351639N 1380824E*										
		274 [266.0]	16.7	UNL ------	FL170 [10000]		↓			
BEGUL *351529N 1374800E*										
		272 [264.8]	9.8	UNL ------	FL170 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
TEKEL *351435N 1373601E*										
		258 [250.8]	41.7	UNL ------	FL200 [7000]		↓			
SUNAM *350042N 1364755E*										
		261 [253.2]	72.3	UNL ------	FL200 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
KINAI *343923N 1352352E*		266 [257.8]	46.4	UNL -------	FL200 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
SABTU *342921N 1342851E*		265 [257.3]	15.1	UNL -------	FL200 [5000]		↓			
TOKOM *342600N 1341103E*		265 [257.1]	30.3	UNL -------	FL200 [4000]		↓			
HABAR *341910N 1333520E*		259 [251.0]	22.7	UNL -------	FL200 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
ARIGI *341144N 1330920E*		259 [250.8]	50.4	UNL -------	FL200 [5000]		↓			
BALIE *335455N 1321200E*		263 [255.2]	91.1	UNL -------	FL240 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
CHINU *333055N 1302628E*		252 [245.1]	43.7	UNL -------	FL240 [6000]		↓			
ISAKY *331222N 1293911E*		239 [232.4]	52.7	UNL -------	FL240 [5000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
FUKUE(FUE) *324007N 1284936E*										
	SGE 256°/79.3NM	263 [256.0]	93.5	UNL ------	FL240 [4000]		↓	HKC<68.0nm to POTET/42.0nm to POTET>	42.0nm to POTET/ POTET, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(132.6) 316.2(276.8)MHz
POTET *321648N 1270223E*										
Y602 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
HABAR *341910N 1333520E*										
		266 [259.0]	73.0	UNL ------	FL180 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.5(134.25) 246.1(315.5)MHz
MARCO *340446N 1320850E*										
Y604 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
WASYU *342818N 1332301E*										
			39.7	UNL ------	FL200 [4000]					Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz
TOKOM *342600N 1341103E*		281 [273.5]					↑			
										Fukuoka ACC (at or above FL335) Freq:124.95 315.7MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y61 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KAGAWA(KTE) *341245N 1340121E*										Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
PYONG *341011N 1334859E*		084 [075.8]	10.6	UNL ―――	FL150 [5000]	↑				
SUROV *340601N 1332908E*		084 [075.7]	17.0	UNL ―――	FL150 [5000]	↑				Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
FIATO *340037N 1330355E*		083 [075.4]	21.6	UNL ―――	FL150 [4000]	↑				
	MYE 067°/21.5NM									
Y62 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ BOMAP *300013N 1294928E*										Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
YURIX *272917N 1273654E*	HKC 209°/108.9NM	225 [218.1] 043 [037.1]	190.6	UNL ―――	FL260 [5000]	↑	↓			Kobe ACC (below FL335) Freq:119.3 279.2MHz Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
KUMEJIMA(KXC) *262219N 1264319E*		222 [215.7] 041 [035.3]	82.3	UNL ―――	FL260 [4000]	↑	↓			
DUFFY *260826N 1263048E*		225 [219.0] 045 [038.9]	17.9	UNL ―――	FL260 [4000]	↑	↓			
SOARA *255901N 1262211E*		225 [219.5] 045 [039.4]	12.2	UNL ―――	FL260 [3000]	↑	↓			
GANAS *252606N 1255239E*		225 [219.1] 044 [038.8]	42.4	UNL ―――	8000 [3000]	↑	↓	KXC<SOARA/ 27.0nm to GANAS>	16.0nm to GANAS/ GANAS, INS or IRS or GNSS or VOR/DME required.	
▲ MIYAKOJIMA(MJC) *244639N 1251736E*		224 [218.9] 044 [038.7]	50.7	UNL ―――	FL260 [3000]	↑	↓			
KAZIK *232106N 1241318E*		220 [214.7] 039 [034.2]	103.8	UNL ―――	FL260 [3000]	↑	↓	KXC<MJC/ 100.0nm to KAZIK> YNE<MJC/ 100.0nm to KAZIK>		

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
M750 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
BILLY *333640N 1373711E*										
		083 [075.5]	89.8	UNL ------	FL210 [3000]	↑		XMT<OTOWA/ 70.0nm to BILLY>		Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
OTOWA *331455N 1355253E*	KEC 167°/12.7NM	083 [075.1]	35.3	UNL ------	FL210 [3000]	↑				
IMPAL *330558N 1351207E*		081 [073.8]	21.5	UNL ------	FL210 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
MUKEP *330001N 1344732E*	KEC 250°/57.1NM	081 [073.4]	37.8	UNL ------	FL210 [3000]	↑				
MEXIR *324920N 1340423E*		071 [064.0]	25.9	UNL ------	FL150 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
EGERU *323801N 1333641E*		071 [063.9]	9.5	UNL ------	FL150 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
MAGUT *323351N 1332634E*		071 [063.3]	59.3	UNL ------	FL150 [3000]	↑				
MADOG *320731N 1322346E*	SUC 226°/48.6NM	066 [058.9]	60.9	UNL ------	FL160 [6000]	↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
MIDAI *313621N 1312213E*										
		065 [058.2]	87.5	UNL ------	FL160 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
MOMPA *305041N 1295457E*										
		059 [052.0]	60.1	UNL ------	FL270 [5000]	↑				
INVAM *301355N 1285952E*										
		058 [051.5]	68.4	UNL ------	FL270 [3000]	↑				
MELEN *293134N 1275757E*										
		055 [050.1]	202.1	UNL ------	FL270 [3000]	↑		(*1)		
MUMBA *272352N 1245954E*										
		055 [050.2]	39.5	UNL ------	FL270 [3000]	↑		KXC<36.5nm to MUMBA/MUMBA> MJC<36.5nm to MUMBA/MUMBA> YNE<1.0nm to MUMBA/MUMBA>		
MAMOD *265841N 1242544E*										
	KXC 293°/128.3NM	055 [050.1]	29.9	UNL ------	FL270 [3000]	↑				Fukuoka ACC Freq:127.5(132.6) 230.6(276.8)MHz
MOLKA *263931N 1240000E*										

(*1)Critical DME: YNE<MUMBA/201.0nm to MELEN>
TKE<143.9nm to MELEN/140.9nm to MELEN> <133.9nm to MELEN/131.9nm to MELEN>
<122.9nm to MELEN/121.9nm to MELEN> <118.9nm to MELEN/117.9nm to MELEN>
ALT<0.9nm to MELEN/MELEN> ONC<0.9nm to MELEN/MELEN>

Y71 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ OSHIMA(XAC) *344244N 1392450E*										
		098 [090.3]	20.4	UNL ------	10000 [5000]	↑				
SPENS *344253N 1390005E*										
		098 [090.2]	9.7	UNL ------	10000 [5000]	↑				
ARTIC *344256N 1384816E*										
		097 [089.7]	38.2	UNL ------	FL150 [6000]	↑		SZE<20.0nm to ARTIC/ARTIC> HYD<15.0nm to ARTIC/ARTIC>		Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
SHOOT *344252N 1380150E*										
		104 [096.5]	17.4	UNL ------	FL150 [4000]	↑				
GAKKI *344452N 1374050E*										
		105 [097.6]	36.5	UNL ------	9000 [4000]	↑		(*1)	SHTLE/ 30.0nm to GAKKI, INS or IRS or GNSS or VOR/DME required.	

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
SHTLE *344951N 1365654E*										
			18.0	UNL ------	FL160 [3000]					
		110 [101.6]				↑				
BERMA *345329N 1363528E*										Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
			38.4	UNL ------	FL160 [6000]					
		109 [101.1]				↑				
MIDER *350101N 1354934E*										Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz
			229.3	UNL ------	FL260 [7000]					
		118 [109.5]				↑				
▲ LANAT *362224N 1312542E*										Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.55(126.1) 300.9(278.2)MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Fukuoka ACC Freq:124.15(134.4) 280.1(236.4)MHz
(*1)Critical DME: KCC<30.0nm to GAKKI/25.0nm to GAKKI> <20.0nm to GAKKI/GAKKI> XMT<30.0nm to GAKKI/25.0nm to GAKKI> <20.0nm to GAKKI/GAKKI>										
Y74 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
TOPAT *255822N 1292725E*										Fukuoka ACC Freq:124.5(132.1) 279.5(276.1)MHz
		282 [277.6]	90.0	UNL ------	FL260 [3000]		↓			
		102 [096.8]				↑				
AZAMA *260939N 1274803E*										Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz Between NHC and BORDO below FL380 E bound only.
		293 [288.6]	9.0	UNL ------	FL260 [3000]		↓			
		113 [108.6]				↑				
▲ NAHA(NHC) *261231N 1273834E*										
		272 [267.4]	77.4	UNL ------	FL260 [3000]		↓			
		092 [086.8]				↑				
KAORU *260838N 1261227E*										
		272 [266.8]	119.3	UNL ------	FL260 [3000]		↓			
		091 [085.8]				↑				
▲ BORDO *260100N 1240000E*	MJC 321°/102.3NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y741 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ ATOTI *300013N 1251154E*										
		025 [019.2]	78.3	UNL -------	FL310 [3000]	↑			BOLUT/ ATOTI, INS or IRS or GNSS required.	Fukuoka ACC Freq:127.5MHz
BOLUT *284622N 1244212E*										
		044 [038.2]	59.9	UNL -------	FL270 [3000]	↑			LIPLO/ BOLUT, INS or IRS or GNSS required.	
LIPLO *275929N 1235958E*										
Y742 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MUGUS *300006N 1245712E*										
		206 [200.3]	67.1	UNL -------	FL320 [3000]		↓		MUGUS/ SUBTA, INS or IRS or GNSS required.	Fukuoka ACC Freq:127.5MHz
SUBTA *285709N 1243034E*										
		221 [215.2]	46.8	UNL -------	FL260 [3000]		↓		SUBTA/ SALMI, INS or IRS or GNSS required.	
▲ SALMI *281854N 1240000E*										
Y743 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] BOLUT *284622N 1244212E*										
		059 [053.3]	46.2	UNL -------	FL270 [3000]	↑			SALMI/ BOLUT, INS or IRS or GNSS required.	Fukuoka ACC Freq:127.5MHz
▲ SALMI *281854N 1240000E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y75 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
MAIKO *343640N 1345949E*		248 [239.6]	8.9	UNL ------	4000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:132.7(126.1) 301.7(278.2)MHz
IGBUR *343209N 1345031E*		238 [229.7]	7.0	UNL ------	4000 [4000]		↓			
GLORY *342736N 1344401E*		238 [229.9]	17.9	UNL ------	9000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
TANTA *341605N 1342729E*		238 [229.7]	23.3	UNL ------	9000 [6000]		↓			
MEXAV *340059N 1340601E*		238 [229.5]	18.3	UNL ------	9000 [9000]		↓			
POPPY *334905N 1334915E*		244 [235.5]	10.2	UNL ------	FL160 [8000]		↓			
OVMUK *334317N 1333907E*		243 [235.5]	34.6	UNL ------	FL160 [7000]		↓			
ADGIR *332336N 1330500E*		243 [235.1]	23.4	UNL ------	FL160 [7000]		↓			
RUSUD *331013N 1324206E*		243 [234.9]	19.9	UNL ------	FL160 [7000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (between FL335 and FL285) Freq:127.15(134.6) 251.0(316.4)MHz Kobe ACC (below FL285) Freq:133.85(134.6) 315.3(316.4)MHz
IGBOD *325847N 1322243E*		215 [206.7]	21.7	UNL ------	FL160 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
DONKY *323923N 1321107E*		219 [210.9]	13.8	UNL ------	FL160 [3000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) MULAB *322735N 1320245E*										
		219 [210.9]	35.3	UNL -------	FL160 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
KONGU *315714N 1314123E*	MZE 077°/13.6NM	218 [210.7]	112.1	UNL -------	FL220 [8000]		↓			
IPDEL *302036N 1303510E*		217 [210.1]	23.3	UNL -------	FL220 [9000]		↓			Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (between FL335 and FL275) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL275) Freq:133.85(134.6) 315.3(225.65)MHz
ALTAI *300028N 1302142E*	TGE 229°/48.4NM	217 [209.9]	30.0	UNL -------	FL220 [3000]		↓	FUE<14.0nm to SWANO/ SWANO>		Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL335) Freq:119.3 279.2MHz Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
SWANO *293429N 1300431E*	TGE 225°/77.9NM	216 [209.8]	117.6	UNL -------	12000 [5000]		↓	AME<79.9nm to NOGEL/ 69.9nm to NOGEL> <29.9nm to NOGEL/19.9nm to NOGEL> ONC<24.9nm to NOGEL/ 19.9nm to NOGEL>	SWANO/ 79.9nm to NOGEL, INS or IRS or GNSS required. 19.9nm to NOGEL/ NOGEL , INS or IRS or GNSS or VOR/DME required.	
NOGEL *275213N 1285829E*		215 [209.2]	30.1	UNL -------	12000 [5000]		↓		NOGEL/ 30.0nm to ONC, 15.0nm to ONC/ONC, INS or IRS or GNSS or VOR/DME required.	
▲ ERABU(ONC) *272558N 1284156E*	TKE 209°/25.5NM									
Y751 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MUMBA *272352N 1245954E*										
			56.4	UNL -------	FL270 [2000]			MJC<BULAN/ MUMBA> KXC<BULAN/ 21.4nm to MUMBA> YNE<BULAN/ 55.4nm to MUMBA><1.1nm to MUMBA/ MUMBA>		Fukuoka ACC Freq:127.5(132.6) 230.6(276.8)MHz
▲ BULAN *270530N 1240000E*		075 [071.0]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y753 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
IZUMI *342629N 1352531E*										
			16.1	UNL ------	5000 [5000]					Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz
KAINA *341307N 1351435E*		041 [034.0]				↑				
			27.7	UNL ------	8000 [4000]					Tokyo ACC (below FL335) Freq:125.7(128.325) 276.5(255.1)MHz Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
HONMA *334934N 1345704E*		039 [031.6]				↑				
			16.5	UNL ------	11000 [3000]					
MUGIE *333532N 1344643E*		039 [031.5]				↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 225.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
			41.9	UNL ------	11000 [3000]					
JAKAL *330343N 1341403E*		048 [040.5]				↑				Fukuoka ACC (at or above FL335)
	KRE 143°/40.0NM		29.0	UNL ------	FL160 [3000]					Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
IRMUT *324903N 1334418E*		067 [059.4]				↑				
			19.3	UNL ------	FL160 [3000]					
MANEP *323913N 1332434E*		067 [059.3]				↑				
			60.4	UNL ------	FL160 [3000]					Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
MADOG *320731N 1322346E*		065 [058.0]				↑				
	SUC 226°/48.6NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y755 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
CARDS *342508N 1362403E*	CBE 225°/33.0NM		17.0	UNL -------	8000 [8000]					Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
NATCH *341133N 1361140E*		044 [036.9]	25.0	UNL -------	11000 [8000]	↑				
SIRON *335136N 1355330E*		044 [037.0]	14.3	UNL -------	11000 [7000]	↑				
TUNAS *334010N 1354310E*	KEC 352°/13.8NM	044 [036.9]	23.0	UNL -------	11000 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
ALBAT *332152N 1352629E*	KEC 262°/18.4NM	044 [037.0]	20.0	UNL -------	FL210 [2000]	↑				
IMPAL *330558N 1351207E*										
Y756 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
VEXOT *334600N 1335500E*	KRE 048°/18.0NM SUC 044°/76.3NM	229 [221.3]	17.9	UNL -------	10000 [8000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
▲ KOCHI(KRE) *333230N 1334049E*		249 [241.2]	16.0	UNL -------	10000 [4000]		↓			
ESGOG *332446N 1332359E*	KRE 248°/16.0NM SUC 035°/44.3NM	231 [223.3]	20.0	UNL -------	10000 [5000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
VESEV *331012N 1330736E*										
	KRE 238°/35.6NM SUC 022°/25.7NM	231 [223.2]	31.2	UNL ------	10000 [6000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (between FL335 and FL285) Freq:127.15(134.6) 251.0(316.4)MHz Kobe ACC (below FL285) Freq:133.85(134.6) 315.3(316.4)MHz
UPSED *324727N 1324215E*										
	KRE 234°/66.6NM SUC 286°/14.9NM	231 [223.0]	34.9	UNL ------	10000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
VIRUD *322152N 1321406E*										
Y757 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ SHIMIZU(SUC) *324521N 1325948E*										
		247 [238.8]	45.1	UNL ------	6000 [5000]		↓	IWT<2.0nm to VIRUD/VIRUD>		Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
VIRUD *322152N 1321406E*										
	SUC 246°/45.1NM	246 [238.4]	24.2	UNL ------	6000 [3000]		↓	IWT<VIRUD/ 22.2nm to VEKVO>		Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
VEKVO *320909N 1314944E*										
		245 [238.2]	23.3	UNL ------	6000 [3000]		↓			
SPICA *315650N 1312623E*										
Y758 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ALTAI *300028N 1302142E*										Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz (below FL335) Freq:119.3 279.2MHz
	TGE 229°/48.4NM	205 [198.2]	45.3	UNL ------	4000 [3000]		↓		ALTAI/ ALGIX, INS or IRS or GNSS Required.	
ALGIX *291727N 1300529E*										
		205 [198.1]	35.2	UNL ------	4000 [3000]		↓		ALGIX/ TUMGI, INS or IRS or GNSS Required.	
TUMGI *284357N 1295301E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y759 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
IGMON *273720N 1244314E*	KXC 311°/130.8NM	027 [021.8]	41.7	UNL ------	FL270 [3000]	↑		(*1)		Fukuoka ACC Freq:127.5(132.6) 230.6(276.8)MHz
MAMOD *265841N 1242544E*	KXC 293°/128.3NM									
(*1)Critical DME : YNE<35nm to IGMON/30nm to IGMON><20nm to IGMON/IGMON> KXC<35nm to IGMON/30nm to IGMON><20nm to IGMON/IGMON>										
Y78 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
AZAMA *260939N 1274803E*	KXC 108°/59.4NM	135 [130.2]	51.7	UNL ------	FL210 [3000]	↓				Fukuoka ACC Freq:124.5(132.1) 279.5(276.1)MHz
ACORD *253610N 1283151E*		315 [310.5]					↑			
TEKOS *251045N 1290436E*	NHC 132°/60.2NM	135 [130.5]	39.0	UNL ------		↓				
GORIN *243205N 1295345E*		315 [310.8]					↑			
▲ AVLAS *242120N 1300715E*	NHC 133°/99.2NM	135 [130.8]	59.1	UNL ------	FL250 [3000]	↓		MDE<10.0nm to GORIN/GORIN>		
		315 [311.1]					↑			
		135 [131.1]	16.3	UNL ------		↓		MDE<GORIN/ AVLAS>		
		315 [311.2]					↑			
Y79 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
GUPER *334439N 1385421E*			40.3	UNL ------	FL210 [3000]					Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz
DOLGO *341000N 1381633E*		136 [128.8]				↑				
LELIN *342006N 1380117E*		136 [128.6]	16.2	UNL ------	FL210 [3000]	↑				
		128 [120.4]	24.5	UNL ------	FL210 [3000]	↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
BOGON *343233N 1373544E*										
			36.3	UNL ------	FL160 [3000]					Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (between FL335 and FL285) Freq:133.35(128.325) 312.0(255.1)MHz Tokyo ACC (below FL285) Freq:125.7(128.325) 276.5(255.1)MHz
SHTLE *344951N 1365654E*		126 [118.3]				↑				
N884 (RNP10) [INS or IRS, GNSS] ALBAX *233410N 1251932E*										
			173.2	UNL ------	FL250 [2000]					Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
▲ LEBIX *210000N 1235430E*		030 [026.8]				↑				
Y800 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] IPGUD *383651N 1433849E*										
		211 [203.4]	49.4	UNL ------	FL280 [3000]		↓			Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
SOVMO *375126N 1431400E*		211 [203.1]	10.8	UNL ------	FL280 [3000]		↓			
MUBTO *374131N 1430840E*		211 [203.0]	25.0	UNL ------	FL280 [3000]		↓			
OSOPO *371832N 1425624E*		211 [202.9]	12.7	UNL ------	FL280 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
ESNIP *370653N 1425014E*										
Y802 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] IPGUD *383651N 1433849E*										
		194 [186.1]	48.2	UNL ------	FL280 [3000]		↓			Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
▲ OATIS *374859N 1433223E*		217 [209.0]	30.1	UNL ------	FL280 [3000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
VESET *372240N 1431401E*										
		216 [208.8]	54.9	UNL ------	FL200 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
UGTAN *363432N 1424107E*										
		216 [208.5]	26.9	UNL ------	FL150 [3000]		↓			
NOGIX *361052N 1422515E*										
		234 [226.5]	33.7	UNL ------	13000 [3000]		↓			
OLDIV *354738N 1415508E*										
		235 [228.0]	97.7	UNL ------	FL260 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
LIGNI *344149N 1402652E*										
Y803 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
POROT *355547N 1431341E*										
			139.7	UNL ------	FL150 [3000]			IXE<41.0nm to POROT/ POROT>		Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
EKIRA *350434N 1403409E*		075 [067.7]				↑				
			34.0	UNL ------	9000 [3000]					Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
UTIBO *345647N 1395344E*		084 [076.6]				↑				
			93.0	UNL ------	FL250 [7000]					Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:123.7(127.3) 315.9(255.3)MHz
SHOOT *344252N 1380150E*		089 [080.8]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y804 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
LALID *355639N 1414552E*		262 [254.7]	48.8	UNL ------	FL150 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
INUBO *354335N 1404758E*										
Y806 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
LESPO *354636N 1414538E*		274 [266.6]	46.9	UNL ------	FL260 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
INUBO *354335N 1404758E*										
Y807 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ ADNAP *371151N 1453959E*		256 [249.7]	68.1	UNL ------	FL260 [3000]		↓	MQE<25.0nm to ALGES/18.0nm to ALGES> IXE<25.0nm to ALGES/18.0nm to ALGES>	ADNAP/ 25.0nm to ALGES, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
ALGES *364745N 1442018E*		256 [248.8]	26.4	UNL ------	FL200 [3000]		↓		ALGES/ ENVOP, INS or IRS or GNSS required.	
ENVOP *363809N 1434936E*		256 [248.5]	73.2	UNL ------	FL150 [3000]		↓	CVT<69.0nm to NOGIX/52.0nm to NOGIX> IXE<69.0nm to NOGIX/55.0nm to NOGIX>	ENVOP/ 69.0nm to NOGIX, IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
NOGIX *361052N 1422515E*		253 [246.0]	16.6	UNL ------	13000 [3000]		↓			
AKRIT *360405N 1420629E*		253 [246.1]	18.3	UNL ------	9000 [3000]		↓			
LALID *355639N 1414552E*		278 [270.4]	26.5	UNL ------	9000 [3000]		↓			
MILIT *355647N 1411309E*		277 [270.1]	12.7	UNL ------	9000 [3000]		↓			

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
RUSDA *355647N 1405730E*										
		310 [302.3]	15.4	UNL ------	9000 [3000]		↓			
ESKEN *360501N 1404123E*										
		310 [302.2]	14.3	UNL ------	9000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
POLIX *361237N 1402623E*										
Y808 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
KOGAR *360712N 1394128E*										
		111 [103.2]	25.7	UNL ------	6000 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
COLOR *360116N 1401220E*		291 [283.5]					↑			
		129 [121.3]	33.9	UNL ------	FL160 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
INUBO *354335N 1404758E*		309 [301.7]					↑			
		117 [109.8]	49.6	UNL ------	7000 [3000]	↓				
GULBO *352633N 1414510E*		297 [290.4]					↑			
		098 [90.4]	38.7	UNL ------	FL150 [3000]	↓				
TASID *352607N 1423234E*										
		098 [090.9]	38.6	UNL ------	FL150 [3000]	↓		IXE<19.0nm to NOLAX/NOLAX> CVT<5.0nm to NOLAX/1.0nm to NOLAX>		
NOLAX *352522N 1431958E*										
		037 [030.3]	25.9	UNL ------	FL250 [3000]	↓		IXE<NOLAX/ 17.0nm to BITEK>		Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
BITEK *354740N 1433603E*										
		038 [030.5]	30.7	UNL ------	FL250 [3000]	↓			2.0nm to IGARA/ IGARA, INS or IRS or GNSS required.	
IGARA *361407N 1435521E*										
		038 [030.7]	39.2	UNL ------	FL250 [3000]	↓		CVT<23.0nm to ALGES/ALGES>	IGARA/ 37.2nm to ALGES, INS or IRS or GNSS required.	
ALGES *364745N 1442018E*										
		038 [031.0]	108.0	UNL ------	FL250 [3000]	↓		(*1)	18.0nm to PUTER/ PUTER, INS or IRS or GNSS required.	

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued) PUTER *381957N 1453107E*										
(*1) Critical DME: MQE<89.0nm to PUTER/18.0nm to PUTER> IXE<74.0nm to PUTER/18.0nm to PUTER>										
Y809 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ AVBET *360832N 1452800E*										
IDLAN *360102N 1440543E*		271 [264.0] 090 [083.2]	67.0	UNL -------	FL260 [3000]	↑	↓		AVBET/ IDLAN, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
OPELI *355736N 1433118E*		270 [263.1] 090 [082.8]	28.1	UNL -------	FL200 [3000]	↑	↓	IXE<IDLAN/ OPELI>		
POROT *355547N 1431341E*		270 [262.8] 090 [082.6]	14.4	UNL -------	FL200 [3000]	↑	↓	IXE<OPELI/ POROT>		Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
OLDIV *354738N 1415508E*		270 [263.1]	64.2	UNL -------	FL150 [3000]		↓	IXE<POROT/ 46.0nm to OLDIV>		
LESPO *354636N 1414538E*		270 [262.4]	7.8	UNL -------	9000 [3000]		↓	HUC<OLDIV/ LESPO>		
SUPOK *354614N 1412810E*		276 [268.6]	14.2	UNL -------	5000 [3000]		↓	HUC<LESPO/ 13.0nm to SUPOK>		

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y81 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
RUTAS *344349N 1404034E*			30.7	UNL ―――	13000 [3000]					
MAMAS *342734N 1400858E*		065 [057.9]	11.0	UNL ―――	13000 [3000]	↑				
BAFFY *342042N 1395831E*		058 [051.4]	26.3	UNL ―――	13000 [5000]	↑		OJT<MOE/ 20.0nm to BAFFY>		
▲ OYAMA(MOE) *340416N 1393341E*		058 [051.2]	38.1	UNL ―――	9000 [5000]	↑				
GUPER *334439N 1385421E*		066 [058.8]	20.0	UNL ―――	FL210 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
TASOT *334412N 1383018E*		096 [088.6]	69.5	UNL ―――	FL210 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
ISEBI *334203N 1370650E*		095 [087.8]	107.7	UNL ―――	FL210 [5000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz
SDATI *333001N 1345825E*		090 [083.0]	22.4	UNL ―――	FL250 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)
OSRUV *332715N 1343146E*		091 [082.8]	74.3	UNL ―――	FL250 [6000]	↑				
SAWAT *331723N 1330341E*	MYE 158°/37.3NM	090 [082.0]	23.3	UNL ―――	FL250 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
AILEY *331404N 1323607E*	KRE 258°/57.1NM	089 [81.4]	23.9	UNL ―――	FL250 [7000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz
		088 [081.4]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
SABAR *331033N 1320749E*										
	MYE 223°/48.3NM	089 [081.0]	37.8	UNL ------	FL250 [5000]	↑				
CARSE *330448N 1312315E*			86.7	UNL ------	FL250 [8000]					Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Fukuoka ACC (at or above FL335) Freq:126.4 251.2MHz Kobe ACC (below FL335) Freq:135.65(134.25) 227.2(315.5)MHz Fukuoka ACC (at or above FL335) Freq:133.15(132.9) 277.1(228.4)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz
KASTE *325036N 1294122E*		088 [080.1]				↑				
	IKE 192°/54.5NM									Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
Y810 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ NANAC *385423N 1431341E*										
		198 [189.9]	98.1	UNL ------	FL280 [3000]		↓			Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
POPAB *371748N 1425233E*										
		197 [189.6]	11.1	UNL ------	FL280 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
ESNIP *370653N 1425014E*										
		217 [209.4]	56.7	UNL ------	FL150 [3000]		↓			
LOSVA *361729N 1421542E*										
		216 [209.1]	15.3	UNL ------	13000 [3000]		↓			
AKRIT *360405N 1420629E*										
		216 [209.2]	18.9	UNL ------	13000 [3000]		↓			
OLDIV *354738N 1415508E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y811 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ LAPIL *351717N 1445732E*										
		302 [295.0]	73.0	UNL ------	FL260 [3000]		↓	IXE<22.0nm to BITEK/BITEK> CVT<22.0nm to BITEK/15.0nm to BITEK>	LAPIL/ 51.0nm to BITEK, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(126.8) 316.2MHz
BITEK *354740N 1433603E*		301 [294.2]	7.1	UNL ------	FL200 [3000]		↓	IXE<BITEK/ ISPEK>		
ISPEK *355034N 1432807E*		301 [294.1]	12.8	UNL ------	FL200 [3000]		↓	IXE<ISPEK/ POROT>		Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
POROT *355547N 1431341E*		299 [291.3]	42.0	UNL ------	FL150 [3000]		↓	IXE<POROT/ 13.0nm to NOGIX>		
NOGIX *361052N 1422515E*										
Y812 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] NOLAX *352522N 1431958E*										
		053 [045.9]	51.5	UNL ------	FL250 [3000]	↓		IXE<NOLAX/ IDLAN> CVT<15.0nm to IDLAN/IDLAN>		Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
IDLAN *360102N 1440543E*		053 [046.4]	103.7	UNL ------	FL250 [3000]	↓		IXE<IDLAN/ 100.0nm to ADNAP> CVT<IDLAN/ 100.0nm to ADNAP>	100.0nm to ADNAP/ ADNAP, INS or IRS or GNSS required.	
▲ ADNAP *371151N 1453959E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y813 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ POVAL *342830N 1442927E*										
		291 [284.5]	70.4	UNL ------	FL260 [3000]		↓	SDE<15.6nm to OMGIK/1.6nm to OMGIK> IXE<52.6nm to OMGIK/43.6nm to OMGIK>	POVAL/ 52.6nm to OMGIK, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
OMGIK *344541N 1430632E*										
		291 [283.7]	9.4	UNL ------	FL260 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
TOKAT *344754N 1425526E*										
		291 [283.5]	47.1	UNL ------	FL150 [3000]		↓	HUC<TOKAT/ 46.1nm to MENIX> MOE<TOKAT/ 37.1nm to MENIX>		
MENIX *345842N 1415938E*										
		290 [283.1]	12.7	UNL ------	13000 [3000]		↓			
VAGLA *350133N 1414435E*										
		341 [333.9]	34.6	UNL ------	5000 [3000]		↓	CVT<VAGLA/ 20.0nm to LUBLA>		
LUBLA *353235N 1412551E*										
Y814 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
NOLAX *352522N 1431958E*										
		074 [066.8]	112.6	UNL ------	FL250 [3000]	↓		IXE<NOLAX/ 74.0nm to AVBET> CVT<80.0nm to AVBET/74.0nm to AVBET>	(*1)	Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
▲ AVBET *360832N 1452800E*										

(*1)DME GAP: 74.0nm to AVBET/30.0nm to AVBET, INS or IRS or GNSS required.
30.0nm to AVBET/AVBET, INS or IRS or GNSS required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y815 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ MAKMU *384115N 1443042E*			149.9	UNL ------	FL250 [3000]			CVT<130.0nm to MAKMU/103.0nm to MAKMU> MQE<103.0nm to MAKMU/91.0nm to MAKMU> <80.0nm to MAKMU/59.0nm to MAKMU> <33.0nm to MAKMU/10.0nm to MAKMU> SDE<28.0nm to MAKMU/10.0nm to MAKMU>	IGARA/ 130.0nm to MAKMU, 91.0nm to MAKMU/ 80.0nm to MAKMU, 59.0nm to MAKMU/ 33.0nm to MAKMU, 10.0nm to MAKMU/ MAKMU, INS or IRS or GNSS required.	
IGARA *361407N 1435521E*		018 [010.6]				↑				Fukuoka ACC Freq:133.6(126.6) 316.2(258.8)MHz
Y816 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
LIGNI *344149N 1402652E*		083 [075.9]	145.5	UNL ------	FL150 [3000]	↓		HUC<38.0nm to IPROS/26.0nm to IPROS>	26.0nm to IPROS/ IPROS, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(278.8)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
IPROS *351507N 1431938E*		264 [257.6]					↑			
Y817 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
BEGAD *332313N 1431448E*		333 [327.3]	48.0	UNL ------	FL260 [3000]		↓			Fukuoka ACC Freq:133.6(126.6) 316.2(258.8)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
ENSAT *340332N 1424330E*										
		333 [326.9]	45.0	UNL ------	FL150 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
OLVEK *344111N 1421339E*										
		334 [326.8]	21.0	UNL ------	FL150 [3000]		↓			
MENIX *345842N 1415938E*										
Y818 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
LIGNI *344149N 1402652E*										
		097 [089.4]	48.7	UNL ------	5000 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
DOLBA *344203N 1412607E*		277 [270.0]					↑			
Y819 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ DAGDA *334858N 1422052E*										
		360 [353.5]	15.1	UNL ------	FL260 [3000]		↓			Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
IGLAN *340359N 1421848E*										
		360 [353.5]	37.5	UNL ------	FL150 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
OLVEK *344111N 1421339E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y82 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ HACHIJOJIMA(HCE) *330652N 1394719E*		226 [219.4]	165.8	UNL ------	FL250 [5000]		↓	KEC<30.0nm to BOLED/25.0nm to BOLED> KEC<20.0nm to BOLED/BOLED>	25.0nm to BOLED/ 20.0nm to BOLED, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC Freq:134.15(133.3) 227.3(300.2)MHz Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
BOLED *305747N 1374448E*										
Y820 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
INUBO *354335N 1404758E*		143 [135.4]	27.4	UNL ------	FL250 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
SARLU *352403N 1411134E*		323 [315.6]					↑			
		156 [148.7]	49.4	UNL ------	FL250 [3000]	↓				
ANSAD *344148N 1414244E*		336 [329.0]					↑			
		156 [149.0]	61.6	UNL ------	FL250 [3000]	↓				
▲ DAGDA *334858N 1422052E*		336 [329.4]					↑			Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y821 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
KOSKA *351521N 1393515E*		146 [138.4]	13.8	UNL ------	3000 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:132.1 292.4MHz
MIURA *350520N 1394626E*		326 [318.5]					↑			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC Freq:133.6(126.8) 316.2MHz
UTIBO *345647N 1395344E*		151 [144.1]	10.2	UNL ------	5000 [3000]	↓				
LIGNI *344149N 1402652E*		331 [324.1]					↑			
MERED *341417N 1412629E*		126 [118.7]	31.1	UNL ------	5000 [3000]	↓				
▲ ADKAK *335413N 1420948E*		306 [299.0]					↑			
▲ DAGDA *334858N 1422052E*		126 [119.0]	56.4	UNL ------	10000 [3000]	↓				
		306 [299.5]					↑			
		126 [119.0]	41.1	UNL ------	FL150 [3000]	↓				
		306 [299.4]					↑			
		126 [119.7]	10.6	UNL ------	FL150 [3000]	↓				
		306 [299.8]					↑			
Y823 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
OLVAN *351214N 1410111E*		167 [160.1]	26.7	UNL ------	5000 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
GULIS *344705N 1411215E*		167 [160.2]	9.1	UNL ------	9000 [3000]	↓				
IRNOK *343833N 1411558E*		167 [160.3]	25.8	UNL ------	FL150 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
MERED *341417N 1412629E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y824 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ SMOLT *343448N 1433059E*										
		283 [276.1] 102 [095.8]	29.4	UNL ------	FL200 [3000]	↑	↓	HCE<SMOLT/ 25.0nm to PONEM> PQD<SMOLT/ 25.0nm to PONEM>		Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
PONEM *343751N 1425526E*		282 [275.7] 102 [095.4]	34.5	UNL ------	FL150 [3000]	↑	↓	CVT<31.5nm to OLVEK/14.5nm to OLVEK>	PONEM/ 31.5nm to OLVEK, INS or IRS or GNSS required.	
OLVEK *344111N 1421339E*		278 [271.5] 098 [091.0]	25.4	UNL ------	FL150 [3000]	↑	↓			
ANSAD *344148N 1414244E*		278 [271.1] 098 [091.0]	13.7	UNL ------	9000 [3000]	↑	↓			
DOLBA *344203N 1412607E*		277 [270.2]	26.1	UNL ------	9000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
PEDLA *344204N 1405420E*		277 [269.9]	10.2	UNL ------	9000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
AROSA *344202N 1404157E*										
Y83 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ OYAMA(MOE) *340416N 1393341E*										
		051 [044.3]	38.1	UNL ------	9000 [5000]	↑				
VIPOT *333703N 1390132E*		051 [043.8]	62.0	UNL ------	FL210 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.15(133.3) 227.3(300.2)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
GULEG *325234N 1381002E*		229 [222.0] 048 [041.2]	115.9	UNL ------	FL250 [3000]	↑	↓	HCE<BUBDO/ 105.0nm to GULEG>		
▲ BUBDO *312555N 1363914E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y830 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] INUBO *354335N 1404758E*										
		127 [120.0]	53.7	UNL ------	FL150 [3000]	↓				Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
BORLO *351634N 1414456E*		098 [090.6]	38.7	UNL ------	FL150 [3000]	↓				
TELAS *351600N 1423218E*		098 [091.1]	38.7	UNL ------	FL150 [3000]	↓		IXE<16.0nm to IPROS/IPROS> CVT<4.0nm to IPROS/IPROS>		Fukuoka ACC Freq:133.6(126.8) 316.2MHz
IPROS *351507N 1431938E*		095 [088.0]	80.0	UNL ------	FL250 [3000]	↓		MOE<IPROS/ 62.0nm to LAPIL>	(*1)	
▲ LAPIL *351717N 1445732E*		275 [268.9]					↑			
(*1) DME GAP: 62.0nm to LAPIL/LAPIL, INS or IRS or GNSS required.										
Y832 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] IPROS *351507N 1431938E*										
		136 [128.8]	73.9	UNL ------	FL250 [3000]	↓		(*1)	30.0nm to POVAL/ POVAL, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
▲ POVAL *342830N 1442927E*										
(*1) Critical DME: SDE<50.0nm to POVAL/34.0nm to POVAL> MXT<64.0nm to POVAL/50.0nm to POVAL><34.0nm to POVAL/30.0nm to POVAL>										
Y834 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] IPROS *351507N 1431938E*										
		150 [143.2]	81.6	UNL ------	FL250 [3000]	↓			54.0nm to PIPIK/ PIPIK, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
▲ PIPIK *340936N 1441840E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y84 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] LIGNI *344149N 1402652E*										
		200 [192.5]	52.8	UNL ------	FL250 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
SAMUS *335020N 1401305E*										
		213 [206.4]	48.5	UNL ------	FL250 [5000]		↓			
▲ HACHIJOJIMA(HCE) *330652N 1394719E*										
		245 [238.4]	188.5	UNL ------	FL250 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.15(133.3) 227.3(300.2)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC Freq:124.55 (133.3) 236.7 (300.2)MHz
▲ BUBDO *312555N 1363914E*										
Y840 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ HACHIJOJIMA(HCE) *330652N 1394719E*										
		196 [189.4]	20.9	UNL ------	FL250 [5000]		↓	PQD<HCE/ 17.9nm to SABRI>		Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
SABRI *324613N 1394314E*										
Y85 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ OYAMA(MOE) *340416N 1393341E*										
			38.2	UNL ------	9000 [5000]					
ENDIB *333057N 1391114E*		036 [029.1]				↑				
			23.7	UNL ------	FL210 [3000]					
▲ YOSHI *331015N 1385727E*		036 [029.0]				↑				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
			37.0	UNL ------	FL250 [3000]					
MAPDO *323649N 1383843E*		032 [025.1]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y86 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ HACHIJOJIMA(HCE) *330652N 1394719E*										
		259 [251.9]	62.0	UNL ------	FL250 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
ISLOL *324717N 1383716E*	HCE 259°/62.0NM	258 [251.3]	191.1	UNL ------	FL250 [3000]		↓	KRE<60.0nm to YULIA/50.0nm to YULIA>		Fukuoka ACC (at or above FL335) Freq:134.15(133.3) 227.3(300.2)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
YULIA *314301N 1350435E*										
Y87 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] UTIBO *345647N 1395344E*										
		181 [173.7]	36.3	UNL ------	6000 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
BAFFY *342042N 1395831E*		001 [353.8]				↑				
		181 [173.8]	9.1	UNL ------	13000 [3000]		↓			
TOPIT *341141N 1395942E*		001 [353.8]				↑				
		181 [173.8]	12.6	UNL ------	13000 [3000]		↓			
FITTO *335909N 1400121E*		001 [353.8]				↑				
	MOE 109°/23.5NM	181 [173.8]	39.1	UNL ------	FL150 [3000]		↓			
TEMAR *332020N 1400623E*		001 [353.9]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y873 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] FITTO *335909N 1400121E*										
		199 [191.8]	24.5	UNL ------	FL150 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
ELGIM *333509N 1395520E*		019 [011.7]				↑				
		199 [191.7]	50.0	UNL ------	FL250 [5000]		↓			
SABRI *324613N 1394314E*		018 [011.6]				↑				
Y875 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] AROSA *344202N 1404157E*										
			12.6	UNL ------	11000 [3000]					
RURER *342925N 1404201E*		007 [359.8]				↑				
			29.2	UNL ------	13000 [3000]					
LUTNA *341754N 1400934E*		074 [066.6]				↑				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
			10.3	UNL ------	13000 [3000]					
TOPIT *341141N 1395942E*		060 [052.7]				↑				
Y88 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ IWAKI(IXE) *370856N 1405832E*										
		239 [231.2]	38.6	UNL ------	10000 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
DAIGO *364440N 1402059E*		059 [050.8]				↑				
		245 [236.8]	17.9	UNL ------	6000 [5000]		↓			
HAGAR *363452N 1400223E*		065 [056.6]				↑				
		245 [236.6]	10.2	UNL ------	6000 [3000]		↓			
NIKKO *362915N 1395147E*		065 [056.5]				↑				
		242 [234.0]	9.8	UNL ------	10000 [4000]		↓			
		062 [053.9]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
AKAGI *362328N 1394156E*										
		242 [234.1] 062 [053.9]	23.2	UNL ------	10000 [4000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
GYODA *360950N 1391840E*	SYE 297°/27.2NM	253 [245.3] 073 [065.1]	22.9	UNL ------	FL150 [11000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
TEPEX *360015N 1385258E*	SYE 274°/52.9NM	253 [245.1] 073 [064.9]	15.3	UNL ------	FL150 [11000]	↑	↓			
OSPAN *355346N 1383549E*		253 [244.8] 072 [064.7]	15.1	UNL ------	FL150 [11000]	↑	↓			
PIGAP *354721N 1381901E*		252 [244.7] 072 [064.5]	16.7	UNL ------	FL150 [13000]	↑	↓			
TENRU *354011N 1380025E*	MBE 180°/29.5NM	254 [246.2] 074 [066.0]	11.3	UNL ------	12000 [10000]	↑	↓			
SUGAL *353535N 1374741E*		253 [245.1] 073 [064.9]	17.9	UNL ------	12000 [10000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (between FL335 and FL195) Freq:123.9(126.1) 255.2(278.2)MHz Tokyo ACC (below FL195) Freq:120.5(128.325) 301.2(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
NAKTU *352802N 1372747E*	KCC 073°/29.4NM	253 [245.1] 073 [065.0]	11.1	UNL ------	10000 [6000]	↑	↓			
SWING *352322N 1371529E*	CBE 042°/39.0NM KCC 074°/18.4NM	254 [246.2] 074 [066.0]	18.4	UNL ------	10000 [5000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
▲ NAGOYA(KCC) *351555N 1365454E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y880 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
NASNO *365306N 1401016E*										Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
		220 [211.9]	28.1	UNL ------	11000 [5000]		↓			
		039 [031.8]				↑				
NIKKO *362915N 1395147E*										
Y881 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
SUGAL *353535N 1374741E*										Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (between FL335 and FL195) Freq:123.9(126.1) 255.2(278.2)MHz Tokyo ACC (below FL195) Freq:120.5(128.325) 301.2(255.1)MHz
		233 [225.5]	7.9	UNL ------	12000 [10000]		↓			
NEZAM *353004N 1374047E*										Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:123.9(126.1) 255.2(278.2)MHz
		236 [228.4]	18.8	UNL ------	10000 [10000]		↓			
SLIDE *351735N 1372336E*										
Y882 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
RIKYU *373328N 1402732E*										Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
	IXE 323°/34.8NM	247 [238.8]	29.9	UNL ------	FL150 [9000]		↓			
ONUMA *371755N 1395528E*										
		204 [195.5]	46.2	UNL ------	FL150 [9000]		↓			
		024 [015.3]				↑				
ISBIS *363326N 1394007E*										
		204 [195.4]	10.0	UNL ------	FL150 [5000]		↓			
		024 [015.3]				↑				
SANOH *362346N 1393649E*										
	SYE 342°/25.6NM	235 [226.5]	20.2	UNL ------	FL150 [5000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
		054 [046.3]				↑				
GYODA *360950N 1391840E*										
	SYE 297°/27.2NM									

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y883 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ YAMAGATA(YTE) *382319N 1402129E*										
		025 [017.9]	53.7	UNL ------	FL200 [9000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:132.3(127.65) 300.2(303.4)MHz
INAWA *373217N 1400030E*	GTC 129°/49.3NM	023 [015.5]	14.9	UNL ------	11000 [9000]	↑				Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
ONUMA *371755N 1395528E*										
Y884 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] BEKLA *354959N 1391010E*										
		296 [288.1]	63.7	UNL ------	FL240 [12000]		↓			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
MATSUMOTO(MBE) *360922N 1375511E*										
		289 [281.6]	34.8	UNL ------	FL200 [11000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
YARII *361614N 1371253E*	KMC 109°/39.9NM	289 [281.2]	39.9	UNL ------	FL200 [9000]		↓			
▲ KOMATSU(KMC) *362347N 1362415E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y885 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
URUSI *364909N 1370754E*			42.6	UNL ———	FL200 [12000]					Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
AZUMI *362850N 1375433E*		306 [298.7]	72.4	UNL ———	FL240 [8000]		↑			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
BEKLA *354959N 1391010E*		311 [302.8]					↑			Fukuoka ACC (at or above FL335) Freq:128.125(127.4) 320.0(278.5)MHz Tokyo ACC (below FL335) Freq:120.5(128.325) 301.2(255.1)MHz
Y886 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
▲ ADNAP *371151N 1453959E*		269 [262.2]	68.1	UNL ———	FL250 [3000]		↓	IXE<55.0nm to DOVIX/30.0nm to DOVIX> MQE<55.0nm to DOVIX/DOVIX>	ADNAP 55.0nm to DOVIX, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
DOVIX *370207N 1441527E*		088 [081.4]	12.7	UNL ———	FL250 [3000]	↑	↓	MQE<DOVIX/PABBA>		
PABBA *370012N 1435947E*		268 [261.3]	72.9	UNL ———	FL200 [3000]	↑	↓	(*1)		Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
BEKPO *365436N 1422855E*		088 [081.2]	74.3	UNL ———	FL200 [3000]	↑	↓	(*2)		
DAKEX *364740N1405634E*		273 [266.0]	28.7	UNL ———	FL200 [5000]	↑	↓			
DAIGO *364440N 1402059E*		273 [265.1]				↑				
		272 [264.2]								
		092 [083.8]								

(*1) Critical DME: MQE<PABBA/17.9nm to BEKPO>
SDE<17.9nm to BEKPO/12.9nm to BEKPO> <2.9nm to BEKPO/BEKPO>
(*2) Critical DME: IXE<BEKPO/69.2nm to DAKEX>
SDE<BEKPO/69.2nm to DAKEX> <54.2nm to DAKEX/49.2nm to DAKEX>

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y887 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] YAITA *365231N 1395743E*										
		120 [112.8] 300 [293.0]	20.2	UNL ------	6000 [4000]	↓	↑			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
DAIGO *364440N 1402059E*		119 [111.4] 299 [291.6]	11.7	UNL ------	6000 [5000]	↓	↑			
TATSU *364022N 1403436E*		119 [111.6] 299 [291.6]	5.0	UNL ------	6000 [5000]	↓	↑			
OGITU *363832N 1404023E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y889 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ PUTER *381957N 1453107E*										
		260 [252.3] 079 [071.1]	98.5	UNL ------	FL270 [3000]	↑	↓	(*1)	PUTER/ 91.0nm to OATIS, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
▲ OATIS *374859N 1433223E*										
		256 [248.4] 076 [068.2]	20.2	UNL ------	FL200 [3000]	↑	↓			
MUBTO *374131N 1430840E*										
		256 [248.2] 076 [067.9]	21.9	UNL ------	FL200 [3000]	↑	↓			
MAMID *373320N 1424302E*										
		255 [247.5] 074 [066.4]	91.3	UNL ------	FL200 [3000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:118.9(127.65) 276.8(303.4)MHz
LENVO *365735N 1405736E*										
		254 [246.4] 074 [066.0]	32.0	UNL ------	FL200 [6000]	↑	↓			
DAIGO *364440N 1402059E*										

(*1) Critical DME: MQE<91.0nm to OATIS/23.0nm to OATIS>
IXE<91.0nm to OATIS/77.0nm to OATIS>

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Y89 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GUPER *334439N 1385421E*										
		065 [058.5]	34.7	UNL ------	FL210 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz
AGIMO *332636N 1381846E*		064 [057.3]	132.1	UNL ------	FL250 [3000]	↑		YZT<130.0nm to AGIMO/125.0nm to AGIMO>		
MEVOL *321629N 1360534E*		064 [056.8]	61.7	UNL ------	FL250 [3000]	↑		KRE<15.0nm to MEVOL/10.0nm to MEVOL>	10.0nm to MEVOL/ 5.0nm to MEVOL, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC Freq:124.55 (133.3) 236.7 (300.2)MHz
YULIA *314301N 1350435E*										
Y891 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] AGIMO *332636N 1381846E*										
		085 [077.9]	62.3	UNL ------	FL250 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:125.9(127.3) 318.2(255.3)MHz Fukuoka ACC (at or above FL335) Freq:134.15(127.4) 227.3(278.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
OVSUN *331355N 1370549E*	KEC 108°/66.6NM	091 [083.5]	29.6	UNL ------	FL250 [3000]	↑				
AMVUS *331038N 1363042E*	KEC 122°/39.5NM	091 [083.0]	44.9	UNL ------	FL250 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
OSTOD *330520N 1353727E*	KEC 209°/23.2NM	090 [082.7]	22.7	UNL ------	FL250 [3000]	↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(continued)										
UPSUX *330230N 1351032E*	KEC 240°/39.5NM		19.5	UNL ------	FL250 [3000]					Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 277.6(255.3)MHz Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
MUKEP *330001N 1344732E*		090 [082.5]				↑				
	KEC 250°/57.1NM									
Y893 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
IGMIS *332603N 1375449E*	KEC 108°/66.6NM		42.7	UNL ------	FL250 [3000]					Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.7(127.3) 309.4(255.3)MHz
OVSUN *331355N 1370549E*		081 [073.3]					↑			
Y90 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										
NIKKO *362915N 1395147E*		252 [244.1]	15.4	UNL ------	11000 [4000]		↓			Fukuoka ACC (at or above FL335) Freq:128.2(126.8) 297.5(258.8)MHz Tokyo ACC (below FL335) Freq:124.1(127.65) 276.1(303.4)MHz
ENEOS *362231N 1393436E*		072 [064.0]				↑				
		252 [244.0]	15.1	UNL ------	11000 [4000]		↓			
HAILY *361552N 1391747E*		072 [063.8]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Z119 (RNAV5) [INS or IRS, GNSS]										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11 This route is available only for helicopter in disaster relief activities (including training), that have been approved by ATMC.
▲ NIIGATA(GTC) *375730N 1390654E*										
		139 [130.9]	38.6	UNL -------	7000 [7000]	↓				Niigata APP Freq: 121.4(119.05) MHz Tokyo ACC Freq: 132.3(123.775) 300.2(276.9)MHz Tokyo ACC Freq: 124.1(127.65) 276.1(303.4)MHz
YANAT *373208N 1394338E*		319 [311.3]					↑	Not applicable	INS or IRS or MSAS required.	
		126 [118.7]	38.6	UNL -------	7000 [7000]	↓				
FUKUSHIMA(FKE) *371328N 1402614E*		306 [299.1]					↑			
Z13 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
AKESI *423316N 1440424E*										
			41.2	UNL -------	10000 [2000]			TCE <20.0nm to AKESI / AKESI> OBE <20.0nm to AKESI / AKESI>		
HIROO *415802N 1433531E*		039 [031.1]				↑				
	OBE 170°/48.9NM		35.0	UNL -------	10000 [2000]					
HOKTO *412803N 1431125E*		039 [030.8]				↑				
			111.5	UNL -------	FL210 [4000]					Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(123.775) 255.2(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
▲ MIYAKO(MQE) *395156N 1415704E*		038 [030.0]				↑				

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Z14 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
YUDOH *423005N 1434447E*		221 [212.2]	21.9	UNL ------	10000 [5000]		↓	TCE <YUDOH / 17.0nm to RACKO> OBE <YUDOH / 18.0nm to RACKO>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:127.5(134.25) 255.2(260.4)MHz
RACKO *421133N 1432902E*	OBE 170°/34.5NM	220 [211.3]	35.0	UNL ------	10000 [6000]		↓			
APOII *414151N 1430413E*		220 [211.7]	100.7	UNL ------	FL210 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
CAVES *401551N 1415455E*	MQE 005°/24.0NM									
Z16 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
TAPPI *410805N 1400954E*	MRE 324°/34.1NM	228 [219.6]	64.0	UNL ------	FL200 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8MHz Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
SKIPE *401837N 1391627E*	UWE 323°/59.1NM	228 [219.0]	78.5	UNL ------	FL260 [3000]		↓			
GNITS *391723N 1381239E*		237 [228.8]	103.4	UNL ------	FL260 [3000]		↓	GTC<42.0nm to TAXUK/20.0nm to TAXUK>		

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
(continued) TAXUK *380841N 1363346E*										Fukuoka ACC Freq:133.025(134.4) 310.0(236.4)MHz
		236 [227.8]	166.5	UNL -------	FL260 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz Fukuoka ACC (at or above FL335) Freq:124.15(134.4) 280.1(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz
SPIDR *361511N 1340058E*		234 [226.2]	62.4	UNL -------	FL260 [4000]		↓			
MIHOU *353152N 1330538E*										
Z162 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GNITS *391723N 1381239E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
		256 [247.3]	54.7	UNL -------	FL280 [3000]		↓	GTC<10.0nm to SEPCO/ SEPCO>		Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz Fukuoka ACC Freq:133.025(134.4) 310.0(236.4)MHz
SEPCO *385556N 1370747E*		255 [246.6]	175.8	UNL -------	FL300 [3000]		↓	GTC<SEPCO/ 140.0nm to KAMSA>		
KAMSA *374305N 1334402E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Z17 (RNAV5) [VOR/DME, DME/DME, INS or IRS,GNSS] ▲ AOMORI(MRE) *404420N 1404219E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
GEPPA *395334N 1392625E*		057 [048.3]	77.0	UNL -------	FL210 [6000]	↑				Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (between FL335 and FL245) Freq:119.3(123.775) 276.5(276.9)MHz Tokyo ACC (below FL245) Freq:124.5(123.775) 303.8(276.9)MHz
NOMAS *385450N 1380217E*		056 [047.5]	87.7	UNL -------	FL210 [3000]	↑		GTC<NOMAS/GEPPA> UWE<NOMAS/GEPPA>		Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:124.5(123.775) 303.8(276.9)MHz
CELCA *372919N 1360604E*		054 [046.3]	125.2	UNL -------	FL250 [3000]	↑		(*1)	10.0nm to NOMAS/ 5.0nm to NOMAS, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 236.4MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz
SAMON *361434N 1343012E*		053 [045.7]	106.5	UNL -------	FL250 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz

(*1)Critical DME: OIE<115.0nm to NOMAS/80.1nm to NOMAS>
GTC<75.1nm to NOMAS/10.0nm to NOMAS><5.0nm to NOMAS/NOMAS>
KMC<60.1nm to NOMAS/10.0nm to NOMAS>
UWE<5.0nm to NOMAS/NOMAS>

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Z171 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
NOMAS *385450N 1380217E*										
		080 [071.1]	56.1	UNL ------	FL290 [3000]	↑		GTC<AKIAS/ 45.0nm to NOMAS>		Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
AKIAS *383702N 1365404E*										
		077 [069.2]	158.9	UNL ------	FL290 [3000]	↑		GTC<15.0nm to AKIAS/AKIAS>		Fukuoka ACC Freq:133.025(134.4) 310.0(236.4)MHz
KAMSA *374305N 1334402E*										
Z18 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
GNITS *391723N 1381239E*										
		227 [218.3]	233.5	UNL ------	FL260 [3000]		↓	GTC<193.5nm to CHILY/148.5nm to CHILY>		Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 236.4MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 236.4MHz Kobe ACC (below FL335) Freq:133.8(126.1) 278.2MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz
CHILY *361203N 1351321E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Z182 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] MEDIO *392916N 1373220E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
		218 [209.8] 038 [029.6]	38.4	UNL ———	FL290 [3000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 297.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
SEPCO *385556N 1370747E*										
		218 [209.6] 038 [029.4]	21.7	UNL ———	FL290 [3000]	↑	↓			
AKIAS *383702N 1365404E*										Fukuoka ACC Freq:133.025(134.4) 310.0(236.4)MHz
		218 [209.4] 038 [029.2]	32.5	UNL ———	FL290 [3000]	↑	↓			
TAXUK *380841N 1363346E*										
		217 [209.2] 037 [028.9]	45.1	UNL ———	FL250 [3000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:133.8(126.1) 287.6(278.2)MHz Kobe ACC (below FL335) Freq:125.6 317.1MHz
CELCA *372919N 1360604E*										
		217 [208.9]	88.1	UNL ———	FL260 [3000]		↓			
CHILY *361203N 1351321E*										
Z21 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KADBO *391410N 1374448E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
	GTC 329°/100.0NM	014 [005.8]	88.0	UNL ———	FL240 [2000]	↑		GTC<40.0nm to KADBO/30.0nm to KADBO>		Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 279.5(277.1)MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
MARON *374640N 1373322E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Z22 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ NANAC *385423N 1431341E*										For CDR1 Applicable date:DLY Applicable period: 0400-2200UTC Minimum applicable altitude:MEA See ENR 3.5.3.11
MAMID *373320N 1424302E*		205 [196.7]	84.6	UNL ------	FL280 [3000]		↓			Fukuoka ACC Freq:133.6(126.8) 316.2(258.8)MHz
EKUSA *371339N 1423550E*		204 [196.3]	20.5	UNL ------	FL260 [3000]		↓			
BEKPO *365436N 1422855E*		204 [196.2]	19.9	UNL ------	FL150 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:133.6(126.8) 316.2(258.8)MHz Tokyo ACC (below FL335) Freq:134.0(127.65) 255.4(303.4)MHz
LOSVA *361729N 1421542E*		203 [196.1]	38.6	UNL ------	FL150 [3000]		↓			
Z25 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] JAKAL *330343N 1341403E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
MAYVE *321257N 1332034E*	KRE 143°/40.0NM	048 [041.3]	67.9	UNL ------	FL150 [3000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
YACKL *305748N 1320251E*	KRE 199°/81.4NM	047 [041.0]	100.2	UNL ------	FL150 [3000]	↑		MZE<20.0nm to MAYVE/10.0nm to MAYVE>		Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz
KALGU *301224N 1311722E*	MZE 157°/63.2NM	047 [040.6]	60.0	UNL ------	FL150 [3000]	↑		AME<KALGU/45.0nm to YACKL> TGE<KALGU/59.0nm to YACKL> <55.0nm to YACKL/40.0nm to YACKL>		Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Critical DME	DMEGAP	Remarks Controlling unit Frequency
						Odd	Even			
1	2	3	4	5	6	7		8	9	10
Z26 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] NADAR *335006N 1362402E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
		233 [225.4]	90.7	UNL ———	FL260 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
ALUYO *324601N 1350719E*		232 [224.7]	245.4	UNL ———	FL260 [3000]		↓			Fukuoka ACC Freq:132.3(132.1) 255.2MHz
TONAR *294903N 1314839E*										
Z262 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ KUSHIMOTO(KEC) *332652N 1354740E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
		227 [219.8]	53.0	UNL ———	FL210 [3000]		↓			Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz Fukuoka ACC Freq:124.55(133.3) 236.7(300.2)MHz
ALUYO *324601N 1350719E*										

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level: Odd	Direction of cruising level: Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Z27 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] IMPAL *330558N 1351207E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
		059 [052.0]	48.1	UNL ———	FL210 [2000]	↑				Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Tokyo ACC (below FL335) Freq:133.5(127.3) 227.6(255.3)MHz Fukuoka ACC (at or above FL335) Freq:119.35(120.975) 255.7(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz
YUUPA *323631N 1342655E*	KRE 152°/68.1NM	057 [050.5]	157.4	UNL ———	FL210 [2000]	↑				Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:127.15(134.6) 251.0(316.4)MHz Fukuoka ACC (at or above FL335) Freq:134.35(120.975) 260.3(255.5)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(316.4)MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
YACKL *305748N 1320251E*	MZE 157°/63.2NM									
Z29 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] GAKIA *274858N 1272515E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11 Below FL380 E bound only.
	NHC 358°/97.3NM	245 [240.2]	94.0	UNL ———	FL290 [3000]		↓	MJC<25.0nm to GANEK/ GANEK>		Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
GANEK *270145N 1255347E*	KXC 317°/59.3NM	064 [059.5] 245 [239.6]	118.6	UNL ———	FL290 [3000]	↑ ↑	↓	(*1)		
▲ BORDO *260100N 1240000E*	MJC 321°/102.3NM	063 [058.8]								

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
(*1)Critical DME: MJC<105.0nm to BORDO/90.0nm to BORDO><30.0nm to BORDO/BORDO> KXC<20.0nm to BORDO/1.0nm to BORDO> YNE<1.0nm to BORDO/BORDO>										
Z31 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ ERABU(ONC) *272558N 1284156E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11 Naha APP Freq:119.1(125.55) 335.8(310.0)MHz
		257 [251.9] 076 [070.9]	121.2	UNL ———	FL170 [4000]	↑	↓	ONC<21.2nm to ONC/6.2nm to ONC> NHC<76.2nm to ONC/21.2nm to ONC>	6.2nm to ONC/ONC, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
BISIS *264721N 1263257E*										
		257 [251.7] 076 [071.0]	87.9	UNL ———	FL170 [3000]	↑	↓	NHC<7.9nm to BISIS/BISIS> KXC<7.9nm to BISIS/BISIS> NHC<42.9nm to BISIS/32.9nm to BISIS>	32.9nm to BISIS/ 7.9nm to BISIS, INS or IRS or GNSS or VOR/DME required.	Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
ENTOK *261914N 1245954E*										
		256 [251.5] 076 [071.0]	56.8	UNL ———	FL170 [3000]	↑	↓	YNE<BORDO/ 36.8nm to ENTOK> MJC<BORDO/ 36.8nm to ENTOK>		Between ENTOK and BORDO below FL380 E bound only.
▲ BORDO *260100N 1240000E*										
Z32 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] RYUKI *273727N 1321432E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
		257 [251.9]	226.6	UNL ———	FL290 [2000]		↓			Fukuoka ACC Freq:132.3(132.1) 255.2(276.1)MHz Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
YUSKE *262330N 1281419E*										
	NHC 076°/33.9NM									Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Z34 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
RYUKI *273727N 1321432E*		250 [245.3]	192.2	UNL ------	FL290 [2000]		↓			Fukuoka ACC Freq:132.3(132.1) 255.2(276.1)MHz Fukuoka ACC (at or above FL335) Freq:132.3(132.1) 255.2(276.1)MHz Kobe ACC (below FL335) Freq:132.35(134.6) 301.2(225.65)MHz
TETTA *261504N 1285957E*	NHC 092°/73.1NM									Fukuoka ACC Freq:123.9(132.1) 276.5(276.1)MHz
Z40 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS]										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
FUKUE(FUE) *324007N 1284936E*		228 [221.3]	112.4	UNL ------	FL240 [4000]		↓	(*1)	95nm to FUE/90mn to FUE, 85nm to FUE/50nm to FUE, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:133.6(132.6) 316.2(276.8)MHz Kobe ACC (below FL335) Freq:118.9(134.25) 303.8(315.5)MHz
ESBIS *311513N 1272253E*		047 [040.5] 219 [213.2]	258.6	UNL ------	FL240 [3000]	↑ 	↓	(*2)	(*3)	Fukuoka ACC Freq:133.6(132.6) 316.2(276.8)MHz
IGMON *273720N 1244314E*	KXC 311°/130.8NM	037 [031.9]				↑				Fukuoka ACC Freq:127.5(132.6) 230.6(276.8)MHz

(*1)Critical DME : TGE<ESBIS/95nm to FUE><90nm to FUE/85nm to FUE><50nm to FUE/20nm to FUE>
FUE<ESBIS/105nm to FUE><90nm to FUE/85nm to FUE>
HKC<10nm to FUE/5nm to FUE>
(*2)Critical DME : MJC<255nm to ESBIS/245nm to ESBIS>
KXC<250nm to ESBIS/245nm to ESBIS><150nm to ESBIS/140nm to ESBIS><130nm to ESBIS/125nm to ESBIS>
TKE<150nm to ESBIS/145nm to ESBIS><130nm to ESBIS/125nm to ESBIS><105nm to ESBIS/90nm to ESBIS>
<60nm to ESBIS/55nm to ESBIS>
TGE<60nm to ESBIS/55nm to ESBIS><35nm to ESBIS/30nm to ESBIS><10nm to ESBIS/ESBIS>
FUE<105nm to ESBIS/90nm to ESBIS><35nm to ESBIS/30nm to ESBIS><10nm to ESBIS/ESBIS>
(*3)DME GAP : 245nm to ESBIS/150nm to ESBIS, 140nm to ESBIS/130nm to ESBIS, 125nm to ESBIS/105nm to ESBIS,
90nm to ESBIS/60nm to ESBIS, 55nm to ESBIS/45nm to ESBIS, 30nm to ESBIS/10nm to ESBIS, INS or IRS or GNSS required.

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
Z401 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] POTET *321648N 1270223E*										For CDR1 Applicable date:DLY Applicable period: 1840-2200UTC Minimum applicable altitude:MEA See ENR 3.5.3.11
▲ MIKES *293513N 1254453E*		028 [022.0]	174.8	UNL ———	FL270 [3000]	↑		(*1)	(*2)	Fukuoka ACC Freq:133.6(132.6) 316.2(276.8)MHz Fukuoka ACC Freq:127.5(132.6) 230.6(276.8)MHz This route is available only for N bound via POTIB. (Ref.TAIPEI FIR AIP)
IGMON *273720N 1244314E*	TKE 309°/195.9NM	029 [024.4]	129.8	UNL ———	FL270 [3000]	↑		(*3)	(*4)	

(*1)Critical DME : FUE<155.0nm to POTET/130.0nm to POTET>
<100.0nm to POTET/90.0nm to POTET><55.0nm to POTET/40.0nm to POTET>
TKE<155.0nm to POTET/130.0nm to POTET><115.0nm to POTET/100.0nm to POTET>
TGE<115.0nm to POTET/90.0nm to POTET><55.0nm to POTET/40.0nm to POTET>
(*2)DME GAP : MIKES/155.0nm to POTET, 120.0nm to POTET/115.0nm to POTET, 90.0nm to POTET/55.0nm to POTET, 40.0nm to POTET/POTET, INS or IRS or GNSS or VOR/DME required.
(*3)Critical DME : YNE<115.0nm to MIKES/100.0nm to MIKES>
NHC<40.0nm to MIKES/35.0nm to MIKES>
TKE<100.0nm to MIKES/45.0nm to MIKES><40.0nm to MIKES/35.0nm to MIKES><10.0nm to MIKES/5.0nm to MIKES>
KXC<75.0nm to MIKES/70.0nm to MIKES><65.0nm to MIKES/55.0nm to MIKES><50.0nm to MIKES/45.0nm to MIKES>
<10.0nm to MIKES/5.0nm to MIKES>
(*4)DME GAP : 45nm to MIKES/40.0nm to MIKES, 35.0nm to MIKES/10.0nm to MIKES, 5.0nm to MIKES/MIKES, INS or IRS or GNSS or VOR/DME required.

Z41 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] AGIKA *300013N 1312628E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
ISPIT *320736N 1272110E*	TGE 154°/42.8NM	309 [302.3] 127 [120.2]	245.8	UNL ———	FL240 [7000]	↑	↓		36.6nm to ISPIT/ ISPIT, INS or IRS or GNSS required.	Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (between FL335 and FL275) Freq:132.35(134.6) 301.2(225.65)MHz Kobe ACC (below FL275) Freq:133.85(134.6) 315.3(225.65)MHz Fukuoka ACC (at or above FL335) Freq:135.3(132.9) 260.4(228.4)MHz Kobe ACC (below FL335) Freq:133.85(134.6) 315.3(225.65)MHz
POTET *321648N 1270223E*		307 [300.1] 127 [120.0]	18.4	UNL ———	FL240 [3000]	↑	↓		ISPIT/ POTET, INS or IRS or GNSS required.	Fukuoka ACC Freq:133.6(132.6) 316.2(276.8)MHz

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	Way-point IDENT of VOR/DME BRG & DIST	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Critical DME	DMEGAP	Remarks Controlling unit Frequency
1	2	3	4	5	6	7		8	9	10
L512 (RNAV5) [VOR/DME, DME/DME, INS or IRS, GNSS] ▲ NIIGATA(GTC) *375730N 1390654E*										For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
TATAM *375550N 1380613E*		276 [268.3] 096 [087.7]	47.9	UNL ------	FL290 [5000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:120.75(120.575) 277.1MHz Tokyo ACC (below FL335) Freq:132.3(123.775) 300.2(276.9)MHz
IGOBI *375407N 1371701E*	GTC 277°/47.9NM	276 [267.7] 095 [087.2]	38.9	UNL ------	FL290 [3000]	↑	↓			Fukuoka ACC (at or above FL335) Freq:133.025(134.4) 310.0(236.4)MHz Kobe ACC (below FL335) Freq:132.45(126.1) 304.4(278.2)MHz Fukuoka ACC Freq:133.025(134.4) 310.0(236.4)MHz
KAMSA *374305N 1334402E*	GTC 277°/86.8NM	275 [267.3] 093 [085.2]	168.7	UNL ------	FL290 [3000]	↑	↓	GTC<IGOBI/ 5.0nm to IGOBI>		
▲ ANDOL *373958N 1330000E*		273 [265.1] 093 [084.7]	35.0	UNL ------	FL290 [3000]	↑	↓	YME<KAMSA/ 30.0nm to ANDOL>		

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level		Remarks Controlling unit Frequency
					Odd	Even	
1	2	3	4	5	6		7
M523 (RNP4) [GNSS]							
▲ HARKI *492123N 1594108E*	239 [233.1]	330.2	UNL -------	FL180 [3000]		↓	
▲ IGPAK *455228N 1532150E*	236 [228.1]	330.1	UNL -------	FL180 [3000]		↓	
▲ ISMAV *420358N 1475055E*	232 [224.2]	282.6	UNL -------	FL180 [3000]		↓	
IPGUD *383651N 1433849E*							
Q1 (RNP2) [GNSS]							
BUICK *260406N 1284437E*	101 [095.0]	106.7	UNL -------	7000 [3000]	↓		Fukuoka ACC Freq:124.5(132.1) 279.5(276.1)MHz
AKUSI *255359N 1304243E*	281 [275.9] 101 [095.9]	15.0	UNL -------	5000 [3000]	↓	↑	
CORCO *255226N 1305915E*	281 [276.0] 100 [094.4]	5.0	UNL -------	3000 [3000]	↓	↑	
WHALE *255203N 1310447E*	280 [274.5] 100 [094.5]	10.0	UNL -------	3000 [3000]	↓	↑	
▲ MINAMIDAITO(MDE) *255116N 1311550E*	280 [274.6]					↑	

Route designator (Navigation specification) Name of significant points Coordinates [Available SENSOR]	MAG TRACK [TRUE TRACK]	Geodetic DIST	Upper limits / Lower limits / Airspace classification	MEA [MOCA] (FT or FL)	Direction of cruising level Odd	Direction of cruising level Even	Remarks Controlling unit Frequency
1	2	3	4	5	6		7
Z101 (RNP2) [GNSS] UBKUX *445750N 1411211E*							For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
	188 [177.7]	87.2	UNL ------	6000 [4000]		↓	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
PEXOV *433047N 1411702E*	008 [357.7]				↑		
Z102 (RNP2) [GNSS] MOIWA *425555N 1411313E*							For CDR2 Applicable date, period and minimum applicable altitude are notified by NOTAM. See ENR 3.5.3.11
		7.1	UNL ------	8000 [7000]			Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:132.6(134.25) 255.2(260.4)MHz
ADBEB *425132N 1410537E*	062 [051.7]				↑		
	242 [231.7]	44.9	UNL ------	11000 [6000]		↓	
ZACAT *422331N 1401754E*	061 [051.1]				↑		
	241 [231.2]	22.9	UNL ------	7000 [7000]		↓	Fukuoka ACC (at or above FL335) Freq:133.3(120.575) 279.2(277.1)MHz Tokyo ACC (below FL335) Freq:119.3(134.25) 276.5(260.4)MHz MCA:UKIBI 5300
UKIBI *420909N 1395353E*	061 [050.9]				↑		
	241 [230.9]	5.0	UNL ------	4000 [4000]		↓	
OBGAX *420559N 1394840E*	061 [050.8]				↑		
	241 [230.8]	7.6	UNL ------	3000 [3000]		↓	
IKORU *420113N 1394047E*	061 [050.7]				↑		

INTENTIONALLY LEFT BLANK