

Aptech Computer Education Exam

Exam Code:582641 **Date:4/5/2018** **No Of Questions:17**

7044 Programming Practices and Techniques-T2-A353 **No Of Questions:17** **Total Marks:20.00**

1. Which of the following tools shows the hierarchy of various modules of a program? (Mark is 1.00 - Difficulty is 2)

- Decision tables
- Data Flow Diagrams
- HIPO Charts
- **Structure Charts**

2. Which of the following is the truth table that specifies the actions to be taken when certain conditions arise? (Mark is 1.00 - Difficulty is 2)

- **Decision Table**
- Hash Table
- Decision Tree
- Hash function

3. _____ is a diagram that shows a broad overview of the data flow and sequence of operations in a system. (Mark is 1.00 - Difficulty is 2)

- Data Flowchart
- Document Flowchart
- **System Flowchart**
- Program Flowchart

4. Modules are focused upon in _____. (Mark is 1.00 - Difficulty is 2)

- Structured Programming
 - Object-oriented Programming
 - **Aspect-oriented Programming**
 - Language-based Programming
-

5. Which type of software represents the OS and utility programs? (Mark is 1.00 - Difficulty is 2)

- Generic Software
 - Application Software
 - System Software
 - Utility Software
-

6. Flowcharts and Pseudocodes are two types of _____. (Mark is 1.00 - Difficulty is 2)

- Programming
 - Languages
 - Algorithms
 - Codings
-

7. Which of the following is the correct syntax for the FOR loop? (Mark is 1.00 - Difficulty is 2)

- FOR counterVariable IN RANGE startValue to endValue [STEP value]
 - FOR counterVariable IN RANGE endValue to startValue [STEP value]
 - FOR counterVariable IN RANGE startValue to endValue [Value]
 - FOR Variablecounter IN RANGE startValue to endValue [STEP value]
-

8. A _____ is a table composed of rows and columns, separated into four separate quadrants. (Mark is 1.00 - Difficulty is 2)

- Flowchart
 - Pseudocode
 - Decision Table
 - Decision Tree
-

9. _____ divides the lists into two sub lists, and then sorts the sub lists. (Mark is 1.00 - Difficulty is 2)

- Sort quick
- Quick sort

- Sort view
 - Quick break
-

10. In a computer program, a _____ occurs when there is a change in the value of a single key on which a file is sorted for some added processing. (Mark is 1.00 - Difficulty is 2)

- Control break
 - Iteration
 - Encryption
 - Integration
-

11. _____ compare two or more values or expressions and always return either ?True? or ?False?. (Mark is 1.00 - Difficulty is 2)

- Arithmetic operators
 - Relational operators
 - Logical operators
 - Precedence operators
-

12. _____ list the available inputs, required outputs, and the other rules to be followed to get the required output from the given inputs. (Mark is 1.00 - Difficulty is 2)

- Program specifications
 - Local solution
 - Program solution
 - Local specifications
-

13. Which of the following construct is used when a variable is to be successively compared against different values? (Mark is 1.00 - Difficulty is 2)

- IF?ELSE
- Nested IF?ELSE
- DO CASE?END CASE
- AND

14. _____ are used to make multiway selections in programming. (Mark is 1.50 - Difficulty is 3)

- IF?THEN
- CASE?ENDCASE
- GO TO
- ALL

15. Which approach should be followed while drawing a data flow diagram? (Mark is 1.50 - Difficulty is 3)

- Start from bottom-up approach
- Start with diagram 0 followed by context diagram
- Start with high-level moving towards lower-level diagrams
- Start with most important and then least required diagrams

16. Arrange the following steps in order to read records from an employee file using a pseudocode. (Mark is 2.00 - Difficulty is 4)

1. DO
2. DO READ-RECORD;
3. READ FILE INTO E_NO, E_NAME, DEPT, GRADE;
4. IF EOF OF FILE THEN
5. OPEN FILE FOR INPUT
6. ENDIF;
7. RETURN;
8. STOP;
9. READ-RECORD
10. WHILE NOT EOF
11. EOF ? True;
12. START;
13. PRINT E_NO, ENAME, DEPT;
14. ENDDO;

- 12, 5, 10, 2, 1, 13, 14, 2, 9, 3, 4, 11, 7, 6, 8
- 12, 5, 2, 10, 1, 13, 2, 14, 8, 9, 3, 4, 11, 6, 7
- 12, 5, 10, 2, 1, 13, 2, 14, 9, 3, 4, 11, 6, 7, 8
- 12, 5, 10, 2, 8, 13, 2, 14, 1, 9, 3, 4, 11, 6, 7

17. A program has been written with the intention to multiply a variable with another variable, whereas the actual statement written in the program divides two variables. Which of the following is the possible result of the program? (Mark is 2.00 - Difficulty is 4)

- Syntax error
- Logical error
- Runtime error
- No error, correct result

Aptech Computer Education Exam **Exam Code:611106** **Date:20/09/2018** **No Of Questions:17**

7044 Programming Practices and Techniques-T2-A353 **No Of Questions:17** **Total Marks:20.00**

1. Which of the following are pictorial representations of program logic? (Mark is 1.00 - Difficulty is 2)

- Pseudocodes
- Decision Tables
- Flowcharts
- Structure Charts

2. Which of the following constructs is used to repeat a number of steps in a program for specific number of times or until a condition is met? (Mark is 1.00 - Difficulty is 2)

- Selection
- Sequence
- Data
- Iterative

3. A _____ is an ordered collection of records. (Mark is 1.00 - Difficulty is 2)

- Data Storage
- Pseudocode
- Program
- File

4. The process of correcting logical errors in a program is known as _____. (Mark is 1.00 - Difficulty is 2)

- Correcting
- Debugging

- Error tracking
 - Logic tracking
-

5. Which of the following statements are true for arrays? (Mark is 1.00 - Difficulty is 2)

- An Array is a group of logically different data values
 - Array elements are accessed by subscripting the array name
 - Arrays are stored in consecutive locations in memory
 - Arrays can contain only numeric data
-

6. _____ translates high level language source code into machine language object code. (Mark is 1.00 - Difficulty is 2)

- Assembler
 - Linker
 - Compiler
 - Translator
-

7. Which of the following are the important aspects of programming? (Mark is 1.00 - Difficulty is 2)

- Understand program specifications
 - Design a logical solution
 - Analyze the problem
 - Select the language
-

8. Which of the following tools shows the hierarchy of various modules of a program? (Mark is 1.00 - Difficulty is 2)

- Decision tables
 - Data Flow Diagrams
 - HIPO Charts
 - Structure Charts
-

9. Which of the following is the truth table that specifies the actions to be taken when certain conditions arise? (Mark is 1.00 - Difficulty is 2)

- Decision Table
 - Hash Table
 - Decision Tree
 - Hash function
-

10. _____ is a diagram that shows a broad overview of the data flow and sequence of operations in a system. (Mark is 1.00 - Difficulty is 2)

- Data Flowchart
 - Document Flowchart
 - System Flowchart
 - Program Flowchart
-

11. Modules are focused upon in _____. (Mark is 1.00 - Difficulty is 2)

- Structured Programming
 - Object-oriented Programming
 - Aspect-oriented Programming
 - Language-based Programming
-

12. Which type of software represents the OS and utility programs? (Mark is 1.00 - Difficulty is 2)

- Generic Software
 - Application Software
 - System Software
 - Utility Software
-

13. Flowcharts and Pseudocodes are two types of _____. (Mark is 1.00 - Difficulty is 2)

- Programming
- Languages

- Algorithms
 - Codings
-

14. Match the Verb with Command (Mark is 1.50 - Difficulty is 3)

- Reading from input device
 1. PRINT
 2. GET
 3. MOVE
 4. GO TO
 - Manipulate the data
 1. PRINT
 2. GET
 3. MOVE
 4. GO TO
 - Transferring the control
 1. PRINT
 2. GET
 3. MOVE
 4. GO TO
 - Processing
 1. PRINT
 2. GET
 3. MOVE
 4. GO TO
-

15. _____ are used to make multiway selections in programming. (Mark is 1.50 - Difficulty is 3)

- IF?THEN
 - CASE?ENDCASE
 - GO TO
 - ALL
-

16. Which of the following statements are true for subroutines? (Mark is 2.00 - Difficulty is 4)

1. Subroutines enhance the readability decreasing the reusability
2. Subroutines have single entry and exit point
3. Subroutines enable modular programming
4. Subroutines can perform only arithmetic operations
5. Subroutines are reusable

- Statement 2, 3, and 5 are true

- Statement 1, 2, 3, and 5 are true
 - Statement 1, 2, and 4 are true
 - All are true
-

17. Which sorting method is represented in the following pseudocode? (Mark is 2.00 - Difficulty is 4)

```
START;  
SIZE ? N;  
DEFINE NUMBER(SIZE);  
FOR PASS IN RANGE 1 to N-1  
DO  
  FOR I IN RANGE 1 to (N-PASS)  
  DO  
    IF NUMBER(I) > NUMBER(I+1) THEN  
      TEMP ? NUMBER(I);  
      NUMBER(I) ? NUMBER(I+1);  
      NUMBER(I+1) ? TEMP;  
    ENDIF;  
  ENDFOR;  
ENDFOR;  
DISPLAY ?Array is sorted?;  
STOP;
```

- Insertion Sort
 - Binary Sort
 - Shell Sort
 - Bubble Sort
-

Aptech Computer Education Exam **Exam Code:582642** **Date:4/5/2018** **No Of Questions:17**

7044 Programming Practices and Techniques-T2-A353 **No Of Questions:17** **Total Marks:20.00**

1. Which of the following are pictorial representations of program logic? (Mark is 1.00 - Difficulty is 2)

- Pseudocodes
 - Decision Tables
 - Flowcharts
 - Structure Charts
-

2. Which of the following constructs is used to repeat a number of steps in a program for specific number of times or until a condition is met? (Mark is 1.00 - Difficulty is 2)

- Selection

- Sequence
 - Data
 - Iterative
-

3. A _____ is an ordered collection of records. (Mark is 1.00 - Difficulty is 2)

- Data Storage
 - Pseudocode
 - Program
 - File
-

4. The process of correcting logical errors in a program is known as _____. (Mark is 1.00 - Difficulty is 2)

- Correcting
 - Debugging
 - Error tracking
 - Logic tracking
-

5. Which of the following statements are true for arrays? (Mark is 1.00 - Difficulty is 2)

- An Array is a group of logically different data values
 - Array elements are accessed by subscripting the array name
 - Arrays are stored in consecutive locations in memory
 - Arrays can contain only numeric data
-

6. _____ translates high level language source code into machine language object code. (Mark is 1.00 - Difficulty is 2)

- Assembler
 - Linker
 - Compiler
 - Translator
-

7. Which of the following are the important aspects of programming? (Mark is 1.00 - Difficulty is 2)

- Understand program specifications
 - Design a logical solution
 - Analyze the problem
 - Select the language
-

8. Which of the following tools shows the hierarchy of various modules of a program? (Mark is 1.00 - Difficulty is 2)

- Decision tables
 - Data Flow Diagrams
 - HIPO Charts
 - Structure Charts
-

9. Which of the following is the truth table that specifies the actions to be taken when certain conditions arise? (Mark is 1.00 - Difficulty is 2)

- Decision Table
 - Hash Table
 - Decision Tree
 - Hash function
-

10. _____ is a diagram that shows a broad overview of the data flow and sequence of operations in a system. (Mark is 1.00 - Difficulty is 2)

- Data Flowchart
 - Document Flowchart
 - System Flowchart
 - Program Flowchart
-

11. Modules are focused upon in _____. (Mark is 1.00 - Difficulty is 2)

- Structured Programming

- Object-oriented Programming
 - Aspect-oriented Programming
 - Language-based Programming
-

12. _____ diagram is used to model physical aspects of a system? (Mark is 1.00 - Difficulty is 2)

- Sequence
 - Component
 - Collaboration
 - Class
-

13. _____ approaches are implemented by attaching the stubs in place of the modules. (Mark is 1.00 - Difficulty is 2)

- Top-down
 - Bottom-up
 - Down-top
 - Up-bottom
-

14. Standard functions are grouped together into collections, which are also referred to as _____. (Mark is 1.50 - Difficulty is 3)

- Directories
 - Functions
 - Libraries
 - Files
-

15. An _____ is a group of variables, which are of the same data type, and can be accessed using a common name. (Mark is 1.50 - Difficulty is 3)

- Construct
- Selection
- Directory
- Array

16. A program has been written with the intention to multiply a variable with another variable, whereas the actual statement written in the program divides two variables. Which of the following is the possible result of the program? (Mark is 2.00 - Difficulty is 4)

- Syntax error
- Logical error
- Runtime error
- No error, correct result

17. Which of the following statements are true fo