
WiC: the Word-in-Context Dataset for Evaluating Context-Sensitive Meaning Representations

This package contains the WiC dataset for evaluating contextualized word representations.

The dataset is split into development (dev), training (train) and test (test) sets. Each partition contains two files, with the same number of lines (each line corresponds to an instance):

* (dev/train/test).data.txt: This is a tab-separated file containing the following items:

target_word <tab> PoS <tab> index1-index2 <tab> example_1 <tab> example_2

- "target_word": the target word which is present in both examples.

- "PoS": the Part-of-Speech tag of the target word (either "N": noun or "V": verb).

- "index1-index2": indicates the index of target_word in example_1 and example_2, respectively.

- "example_i": corresponds to the "i"th example. In this version all examples are tokenized.

* (dev/train/test).gold.txt: This file contains the gold labels, which can be "T" (True) or "F" (False) depending on whether the intended sense of the target word is the same in both examples or not.

For further details, please see <https://pilehvar.github.io/wic/>

NOTE: The WiC dataset has also been used as part of the SuperGLUE language understanding benchmark (<https://super.gluebenchmark.com/tasks>) and as a challenge co-located with the SemDeep workshop at IJCAI 2019 (<http://www.dfki.de/~declerck/semdeep-5/challenge.html>).

REFERENCE PAPER

When using this dataset, please refer to the following paper:

Mohammad Taher Pilehvar and Jose Camacho-Collados,
WiC: the Word-in-Context Dataset for Evaluating Context-Sensitive Meaning Representations,
In Proceedings of NAACL 2019 (short), Minneapolis, USA.