

Igor Time

Cheat Sheet




www.chartchampions.com

The Igor Sessions are similar to TPO Charts and based on the Igor Time theory. One TPO Daily Session is split into 4 Igor Sessions as per the example below

Igor Session 1: Yellow
Igor Session 2: Green
Igor Session 3: Purple
Igor Session 4: Red

They are used by day traders in a low term time frame. Igor Sessions are based on Igor Times.



We use the nsPOC (Naked Session Point of Control) from the previous sessions to trade.

We need Order Flow software such as ATAS or ExoCharts to use the Igor Session template



TPO Series module: Part 11. Igor Session (6:19)



The importance of confluences


We have a high probability trade when we find strong confluence with the nsPOC from previous sessions. We do not trade a nsPOC alone.

We can use the CC Retracement, VWAP, Horizontal levels, and SFP Setups as strong confluences.



TPO Series module: Part 11. Igor Session (9:42)

In this example, we can see the nsPOC of previous sessions aligning with the CC Retracement, providing a good short opportunity.





Merging Igor Sessions Profile



Naked Sessions Point of Control Overlapping each other:

We only merge Igor Sessions when the nsPOCs overlap each other to get one profile with a strong nPOC level.




TPO Series module: Part 11. Igor Session (23:50)



Merging Igor Sessions Profile



Here is an example of those Igor sessions merged.




TPO Series module: Part 11. Igor Session (23:50)



Identifying a trending day

On a trending day, we should see the nsPOC moving up and acting as support for the following session.



When the nsPOC from the previous session is lost, it is a good sign that the trending day is over. The price is likely to either consolidate or retrace lower.



TPO Series module: Part 11. Igor Session (25:27)



Igor Times are different from the standard London, New York and Asia market open times.

Igor Times are times during the trading day when significant volatility occurs, through an injection of a high volume into the market. There are 4 Igor Sessions (IS) in a day and they start as follows.

Times in UTC

IS1: 00:00 - 06:00

IS2: 06:00 - 12:00

IS3: 12:00 - 20:00


IS4: 20:00 - 00:00



TPO Series module: Part 12. Igor Time (5:27)



For example, on IS3 we monitor the price action from 11:50 to 12:30.





Ranking by Volume



The most common moves that happen on Igor Time are SFP setups or the start of a major move as volume is injected.

General ranking by Volume, highest to lowest: IS3 > IS2 > IS4 > IS1

Reading the market context helps to determine the likely direction of price movement.

If we can not read the context, simply wait for the move to happen and trade the reaction.



TPO Series module: Part 12. Igor Time (24:10)



Downtrend Example

In the following example, we can see the expanded profiles and a clear downtrend in IS3.



TPO Series module: Part 12. Igor Time (9:18)



During the IS4, an SFP of the IS3 forms, resulting in a trend reversal.



Igor Time and Fibonacci Time



Igor Time is different than Fibonacci Time.

Fibonacci Time is useful to estimate price moves weeks in advance and Igor Time is used for intraday trades.

We can combine them to time a volatile move on a specific Fibonacci time day.



TPO Series module: Part 12. Igor Time (21:09)