

Prepared by: Chidimma Azudiugwu

WHO GLOBAL HIV DATASET · 2000 – 2024 · 150 COUNTRIES

# Global HIV/AIDS Trends & **Treatment Effectiveness** Analysis

A data-driven evaluation of global infection trends, ART treatment access, and mortality outcomes — translated into actionable recommendations for policymakers.

**150**

Countries Analyzed

**25**

Years of Data

**6**

WHO Regions

**4**

Core Indicators



## EXECUTIVE SUMMARY

# Where the Global HIV Response Stands Today



**26M**

Total HIV Deaths  
(cumulative, 2000–2023)



**692M**

People Living with HIV  
(cumulative person-years)



**13M**

Total New Infections  
(cumulative, 2000–2023)



**44.8%**

Average ART Coverage  
across all countries



**3.81%**

Global Death Rate  
(deaths / PLHIV)




**96.2%**

Global Survival Rate  
(PLHIV surviving)

*These figures, drawn directly from your Power BI dashboard, frame the analysis: treatment has dramatically improved survival, but average ART coverage of 44.8% still leaves more than half of all people living with HIV under-treated globally.*

# Infections and Deaths Are Falling — But the Decline Is Flattening




**INSIGHT** Prevention fatigue?

New infections fell 59% from 2005's peak, but 2023→2024 shows the first uptick in a decade (981K → 984K). The steep ART-driven decline curve may be plateauing.

**INSIGHT** ART is the death-rate lever

As ART coverage climbed from 6.8% (2000) to 66.4% (2024), deaths fell 69% from their 2005 peak. Every region that scaled ART saw a corresponding mortality decline.

# Regional Burden & Country-Level Death Rates



**INSIGHT** Africa carries the burden

Africa's bar dwarfs every other region in the HIV Burden chart — confirming it holds the overwhelming majority of global PLHIV, new infections, and deaths.

**INSIGHT** Comoros is an outlier

Comoros' death rate (~62%) is dramatically higher than any other African country in the ranking — likely reflecting a very small, recently-diagnosed cohort rather than a systemic crisis.


**INSIGHT** Low ART, high mortality cluster

The scatter plot shows most high-death-rate countries clustered at 20–50% ART coverage — reinforcing that treatment access predicts survival.


South Africa tops both Deaths and New Infections rankings, with Mozambique, Nigeria, and Zimbabwe consistently appearing in the top 5 across charts.

The Top 10 by ART Coverage is dominated by high-income countries (UK, Germany, France, Sweden) at or near 100% — a stark contrast to sub-40% coverage elsewhere.

Deaths and New Infections charts both show steep early decline (2000–2020) followed by a visible flattening from 2020 onward.



# Africa Holds 76% of the Global HIV Burden



| Region           | New Infections | HIV Deaths | ART Coverage |
|------------------|----------------|------------|--------------|
| Africa           | 651,780        | 380,200    | 76.8%        |
| S-E Asia         | 85,820         | 48,940     | 67%          |
| Americas         | 125,300        | 28,400     | 66.5%        |
| W. Pacific       | 80,100         | 38,300     | 48%          |
| Europe           | 18,640         | 5,600      | 69%          |
| E. Mediterranean | 22,230         | 21,880     | 51.8%        |


**INSIGHT** Scale, not neglect, is the issue

Africa has the highest average ART coverage of any region (76.8%) — its burden is driven by sheer population scale, not treatment failure.

**INSIGHT** Two regions lag badly

Western Pacific (48% ART) and Eastern Mediterranean (52% ART) sit 40+ points below the 90% UNAIDS target — the clearest gap in the dataset.

# Treatment Access Is the Strongest Predictor of Survival




**INSIGHT** A clear inverse curve

Countries below 40% ART coverage show mortality rates of 5–15%. Countries above 80% ART consistently sit below 1.5% — a more than 10x difference.

**INSIGHT** Diminishing returns above 80%

Gains flatten past roughly 80% ART coverage — meaning the highest-leverage investment is moving countries from <50% up toward 70–80%, not chasing the last few points.

# 20 Countries Remain Critically Under-Treated



**INSIGHT** Conflict & fragility correlate

Afghanistan (11%), Sudan (20%), and Yemen (29%) are all conflict-affected states — health infrastructure collapse, not lack of awareness, drives the gap.

**INSIGHT** Small island states need different tools

Tuvalu, Fiji, and Vanuatu show low ART coverage with very small absolute case counts — solutions here are about access logistics, not budget scale.



## SYNTHESIS

# What the Data Is Telling Us



### **Treatment works — decisively.**

ART coverage rising from 6.8% to 66.4% tracks a 69% drop in deaths since 2005. This is the strongest signal in the dataset.



### **The infection-decline curve is flattening.**

2023–2024 shows the first year-over-year increase in new infections in over a decade — prevention programs may be losing momentum.



### **Burden is concentrated, not universal.**

Africa holds ~75% of global PLHIV. South Africa alone accounts for 7.8M cases — interventions must be geographically targeted, not uniform.



### **Treatment gaps are regional, not random.**

Western Pacific and Eastern Mediterranean trail 20–40 points behind other regions in ART coverage — a fixable structural gap.



## ACTIONABLE RECOMMENDATIONS

# Five Moves for Policymakers

01

### Emergency ART scale-up in the lowest-coverage states

Target Afghanistan, Pakistan, Sudan, and Madagascar with WHO-backed treatment programs — aim for 60% coverage within 24 months.

02

### Re-invest in prevention to break the 2023–2024 plateau

Fund PrEP access and community awareness campaigns; the flattening infection curve signals prevention fatigue, not victory.

03

### Launch a Western Pacific / E. Mediterranean equity fund

Both regions sit 20–40 points below the global ART average — a focused regional fund could close the gap within a decade.

04

### Audit high-mortality, low-ART countries for diagnosis delays

Many high-death-rate countries cluster at 20–50% ART; investigate whether late diagnosis, not drug shortage, is the bottleneck.

05

### Build a live Power BI monitoring layer on WHO's data feed

Automated ART Risk Flags and Mortality Alerts would let policymakers react quarterly instead of annually.