


連接到電池

J1
CN P:1.25 mm 2PIN




1 BAT+
2 BAT-




D1


@SMBJ5CA



01 : POWER



02 : MCU



03 : RS-485

DGND

SWITCH_LCD

LCD_INHb

LCD_SDA

LCD_SCL

LCD_CSB



@CN P:2.54 8PIN

連接到顯示板



@CN P:1.25 mm 4PIN

連接到通訊模組板

DGND

NBIOT_TX

NBIOT_RX

EXT_I/O_2

RS485_DE

RS485_TX

RS485_RX

RS485_RE

RS485_A

RS485_B

TVS3

3.3V

DGND

GND

CN P:1.25 mm 4PIN

J4

1

2


3

4

連接到通訊模組板

本圖版權所有, 未經許可, 禁止翻印, 保留或傳閱, 違者必究

			DRAWING	陳子揚					MODE	EPHBE1M-0002	REV	DO
			CHECKED	陳俊儒					NAME	Block_Diagram	SHEET	1 / 4
REV	DATE	REVISION SECTION	APPROVED	廖基帆								
					SIZE	A3	DATE	2021/10/05				



本圖版權所有，未經許可，禁止翻印，保留或傳閱，違者必究

			DRAWING	陳子揚					MODE	EPHBE1M-0002	REV	DO
			CHECKED	陳俊儒					NAME	Bat_to_3V3	SHEET	2 / 4
REV	DATE	REVISION SECTION	APPROVED	廖基帆					SIZE	A3	DATE	2021/10/05

