

Iniciemos con el lab INTEGRITY BREACH

```
kali@Kali: ~/Downloads/Labs/Facil/INTEGRITY BREACH
Session Actions Edit View Help

WELCOME TO WHOAMI-LABS.COM

Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde integrity_breach.tar ...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio ...

[v] Laboratorio desplegado correctamente.

LAB: INTEGRITY BREACH
DIFICULTAD: ★★★★★★ fácil (1 punto)

IP del laboratorio: 172.17.0.3

Ingresa la flag (formato FLAG{...}):
```

Hagamos un escaneo con nmap

```
kali@Kali: ~/Downloads/Labs/Facil/INTEGRITY BREACH
Session Actions Edit View Help


(kali@kali)~[~/Downloads/Labs/Facil/INTEGRITY BREACH]
$ nmap -p- -sV -sC -sS -vvv -n -Pn --min-rate=5000 172.17.0.3 -oN nmap_scan
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-20 12:38 -0600
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 12:38
Completed NSE at 12:38, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 12:38
Completed NSE at 12:38, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 12:38
Completed NSE at 12:38, 0.00s elapsed
Initiating ARP Ping Scan at 12:38
Scanning 172.17.0.3 [1 port]
Completed ARP Ping Scan at 12:38, 0.05s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 12:38
Scanning 172.17.0.3 [65535 ports]
Discovered open port 80/tcp on 172.17.0.3
Completed SYN Stealth Scan at 12:38, 0.85s elapsed (65535 total ports)
Initiating Service scan at 12:38
Scanning 1 service on 172.17.0.3
Completed Service scan at 12:38, 6.03s elapsed (1 service on 1 host)
NSE: Script scanning 172.17.0.3.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 12:38
Completed NSE at 12:38, 0.17s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 12:38
```

```
kali@Kali: ~/Downloads/Labs/Facil/INTEGRITY BREACH
Session Actions Edit View Help
Initiating NSE at 12:38
Completed NSE at 12:38, 0.01s elapsed
Nmap scan report for 172.17.0.3
Host is up, received arp-response (0.0000070s latency).
Scanned at 2026-06-20 12:38:20 CST for 7s
Not shown: 65534 closed tcp ports (reset)
PORT      STATE SERVICE REASON      VERSION
80/tcp    open  http    syn-ack ttl 64 Apache httpd 2.4.52 ((Ubuntu))
|_http-server-header: Apache/2.4.52 (Ubuntu)
|_http-title: Network Analysis Lab
|_http-methods:
|_ Supported Methods: OPTIONS HEAD GET POST
MAC Address: 02:42:AC:11:00:03 (Unknown)

NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 12:38
Completed NSE at 12:38, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 12:38
Completed NSE at 12:38, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 12:38
Completed NSE at 12:38, 0.00s elapsed
Read data files from: /usr/share/nmap
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 7.66 seconds
Raw packets sent: 65536 (2.884MB) | Rcvd: 65536 (2.621MB)

(kali@Kali) - [~/Downloads/Labs/Facil/INTEGRITY BREACH]
$
```

Solo se encontró abierto el puerto 80 con http, vamos a analizarlo



```

37     text-align: center;
38     font-size: 1.2em;
39 }
40 .file-link:hover {
41     background: #00ff00;
42     color: #00a0e2;
43     box-shadow: 0 0 15px #00ff00;
44 }
45 .info {
46     background: #0f1729;
47     padding: 20px;
48     border-left: 4px solid #00ff00;
49     margin: 20px 0;
50 }
51 </style>
52 </head>
53 <body>
54 <div class="container">
55 <h1>ÑÑ; NETWORK CAPTURE ANALYSIS ÑÑ;</h1>
56
57 <div class="info">
58 <p><strong>MISSION:</strong> Analyze captured network traffic</p>
59 <p><strong>OBJECTIVE:</strong> Extract sensitive information from insecure protocols</p>
60 <p><strong>TOOLS:</strong> Wireshark, tshark, tcpdump</p>
61 </div>
62
63 <a href="files/network_capture.pcap" class="file-link" download=
64 0Y"; DOWNLOAD NETWORK CAPTURE (PCAP)
65 </a>
66
67 <div class="info">
68 <p><strong>FILE:</strong> network_capture.pcap</p>
69 <p><strong>PROTOCOLS:</strong> HTTP, FTP</p>
70 <p><strong>CHALLENGE:</strong> Find the FLAG hidden in the traffic</p>
71 </div>
72 </div>
73 </body>
74 </html>
75

```

Procedemos a descargar el archivo de captura de paquetes y a analizarlo con wireshrak

network_capture.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help


Apply a display filter ... <Ctrl-/>

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000	127.0.0.1	127.0.0.1	TCP	74	43592 → 80 [SYN] Seq=0 Win=65495 Len=0 MSS=65495 SACK_PERM=1
2	0.000011	127.0.0.1	127.0.0.1	TCP	74	80 → 43592 [SYN, ACK] Seq=0 Ack=1 Win=65483 Len=0 MSS=65495
3	0.000019	127.0.0.1	127.0.0.1	TCP	66	43592 → 80 [ACK] Seq=1 Ack=1 Win=65536 Len=0 TSval=41460
4	0.000046	127.0.0.1	127.0.0.1	HTTP	255	POST /login.php HTTP/1.1 (application/x-www-form-urlencoded)
5	0.000435	127.0.0.1	127.0.0.1	TCP	66	80 → 43592 [ACK] Seq=1 Ack=190 Win=65536 Len=0 TSval=41460
6	0.000746	127.0.0.1	127.0.0.1	HTTP	498	HTTP/1.1 404 Not Found (text/html)
7	0.000784	127.0.0.1	127.0.0.1	TCP	66	43592 → 80 [ACK] Seq=190 Ack=433 Win=65536 Len=0 TSval=41460
8	0.001007	127.0.0.1	127.0.0.1	TCP	66	43592 → 80 [FIN, ACK] Seq=190 Ack=433 Win=65536 Len=0 TSval=41460
9	0.001331	127.0.0.1	127.0.0.1	TCP	66	80 → 43592 [FIN, ACK] Seq=433 Ack=191 Win=65536 Len=0 TSval=41460
10	0.001368	127.0.0.1	127.0.0.1	TCP	66	43592 → 80 [ACK] Seq=191 Ack=434 Win=65536 Len=0 TSval=41460
11	2.000136	127.0.0.1	127.0.0.1	TCP	74	54978 → 21 [SYN] Seq=0 Win=65495 Len=0 MSS=65495 SACK_PERM=1
12	2.000161	127.0.0.1	127.0.0.1	TCP	74	21 → 54978 [SYN, ACK] Seq=0 Ack=1 Win=65483 Len=0 MSS=65495
13	2.000172	127.0.0.1	127.0.0.1	TCP	66	54978 → 21 [ACK] Seq=1 Ack=1 Win=65536 Len=0 TSval=41460
14	2.010217	127.0.0.1	127.0.0.1	FTP	86	Response: 220 (vsFTPd 3.0.5)
15	2.010225	127.0.0.1	127.0.0.1	TCP	66	54978 → 21 [ACK] Seq=1 Ack=21 Win=65536 Len=0 TSval=41460
16	2.010261	127.0.0.1	127.0.0.1	FTP	80	Request: USER ftpuser

Request Version: HTTP/1.1
Host: 127.0.0.1\r\n
User-Agent: curl/7.8.10\r\n
Accept: */*\r\n
Content-Length: 37\r\n
Content-Type: application/x-www-form-urlencoded\r\n\r\n

[Response in frame 6]
[Full request URI: http://127.0.0.1/login.php]
File Data: 37 bytes
HTML Form URL Encoded: application/x-www-form-urlencoded
Form item: "username" = "admin"
Key: username
Value: admin
Form item: "password" = "FLAG{XXXXXXXXXX}"
Key: password

La primera parte de la bandera se encontró en un formulario de inicio de sesión en http



Y la segunda parte se encontró en un inicio de sesión ftp

Procedemos a introducirla en la terminal donde iniciamos el lab para verificarla y si es la correcta concluir el lab.

