


vuori

What is GB ? What is FZ ? What is QB ?

What is the labeling requirement?



Government Attitude?

What regulations do we need to comply with?

What is the penalty for non-compliance?

Test reports must be in Chinese?

Who is responsible for quality supervision?

VUORI ASIA SOURCING


Michael Chen

Labeling & Compliance
Manager

C: +886-(0) 938-801-833

E: michael.chen@vuori.com

Product Compliance Surveillance System in China Market



■ Before enter China Market

- Managed by **GACC**
- Meet Export & Import legal inspection requirement
- List of the Entry-Exit product under inspection and quaran

■ After enter China market

- Managed by **SAMR**
- Meet the local market supervision requirement

HOW CHINA OFFICIAL PERFORMS SURVEILLANCE SYSTEM?



CIQ

- Enforcement: At the ports, never at domestic market
- Frequency: 50-100% or at the discretion of officials by HS code
- Violation disposition: Recall/ Destruction/ Media exposure



QTS

- Enforcement: At manufacturing stage/ domestic market
- Frequency: Seasonal
- Violation disposition: Recall/ Destruction/ Media exposure



AIC

- Enforcement: At domestic market
- Frequency: Very frequent
- Violation disposition: Fine based on multiples of retailed value/ Product withdrawn/ Media exposure



CCA

- Enforcement: At domestic market
- Frequency: Follow consumer complaints and concerns
- Violation disposition: Media exposure




China Mandatory GB Standards for Softlines including Apparel:

GB 5296.4-2012 消费品使用说明 第4部分 纺织品和服装使用说明 Instructions for use of products of consumer interest – Part 4: Textiles and apparel

To comply with this standard, our **product must have a permanently attached label** which indicates proper instructions for use. Essential content required for our product's “**Instructions for use**” tag include:


1. The legally registered **name and address of the manufacturer**. For imported textiles and apparel, the country of origin should also be included.
2. **Product name**.
3. **Product specification and apparel size designation**, which should be permanently attached to the product in accordance with **GB/T 1335.1**.
4. **Fiber content** should also appear on a permanently attached label in accordance with **FZ/T 01053**.
5. **Care instructions** (permanently attached) in accordance with **GB/T 8685**.
6. **Product standard code**: the applicable national or industry standard against which our product was tested, which can be attached to the product's packaging or to the product in the form of a hanging tag.
7. **Product quality classification**: based on the requirements specified by the applied standard.



GB 5296.4 Instructions for Use of products of consumer interest – Part 4: Textiles and apparel

Template of “Permanent Label” and “Hangtag” as follows, these are required:

Permanent Label
耐久标



Product sizes or specification 产品号型或规格

Fiber composition and contents 纤维成分及含量

Care instruction 维护方法

Hangtag
挂牌



Quality inspection certification 合格证

Name and address of manufacturer
制造商名称和地址

Product name 产品名称

Product sizes or specification 产品号型

Product standard code 执行标准编号

Product basic safety categories 产品安全类别

Product quality grade 产品等级

Fiber composition and contents 纤维成分及含量

Care instructions 维护方法

Product sizes or specification 产品号型或规格

Fiber composition and contents 纤维成分及含量

Care instruction 维护方法



合格证

品牌:
产品名称: S21 PERFORMANCE 冰球运动短袜
货号: 1059309
颜色: 黑色
号型: 22-24cm (S)
面料: 56%聚酯纤维, 36%聚酰胺纤维
6%聚酯纤维, 2%氨纶

产品标准: FZ/T 73001-2016 服装
安全技术类别: GB18401-2010 B类 纺织品

产品等级: 合格品
原产地: 美国

30℃冷水机洗
勿漂白
不可熨烫
机干 (低温)
勿干洗

经销商: 韵迹 (北京) 体育用品商贸有限公司
地址: 中国北京市朝阳区建国路79号华贸写字楼2层9层12室
邮编: 100025
联系电话: +86 10 65800671

688698495119



Labeling (instructions for use)

Imported goods:
Country of origin

Hang Tag 吊牌:

合格证

产品名称: 女式针织短袖 T 恤
号型: 160/84A
产品标准: GB/T 22849—2014
安全类别: GB 18401—2010 B 类
质量等级: 合格品
检验员: 001
纤维成分:
面料: 98%棉 2%氨纶
维护方法:

企业名称: 上海市 xxx 公司
企业地址: 上海市 xx 区 xx 路 xx 号
电话: 021-xxxxxxx

Permanent Label 耐久标:

号型: 160/84A
纤维成分:
面料: 98%棉 2%氨纶
维护方法:

- Quality inspection certification
- Product name
- Product size or specification
- Product standard
- Product basic safety category
- Product quality grade
- Fiber content
- Care instruction
- Name and address of manufacturer
- Product size or specification
- Fiber content
- Care instruction

Current Vuori Hang Tag

合格证

品牌: vuori

品名: 女式背心

款号: VW1130BLKM

号型/规格: 165/84A (M)

原产国: 中国

产品质量等级: 合格品

执行标准: FZ/T 73020-2019

安全类别: GB 18401-2010 B类

成分: 详见内标

196304154393


经销商: 飞奥力 (上海) 商贸有限公司

地址: 上海市嘉定区真新新村街道万镇路599号
2幢5层JT0206室

电话: 13917411060

FZ/T 73020-2019 Knitted casual wear 针织休闲服装

vuori



Textile Category 纺织产品分类	Example 典型示例
Products for Infants (36 months or below) 婴幼儿纺织品 (36个月及以下)	Diapers, diapers, underwear, pajamas, gloves, socks, jackets, hats, bedding 尿布、尿裤、内衣、围嘴儿、睡衣、手套、袜子、外衣、帽子、床上用品
Products with direct contact to skin 直接接触皮肤的产品	Underwear, shirts, dress (summer), pants (summer), socks, gloves, bed sheets, quilt, towel, swimwear, hats 内衣、衬衣、（夏天）裙子、（夏天）裤子、袜子、手套、床单、被套、毛巾、泳衣、帽子
Products without direct contact to skin 非直接接触皮肤的产品	jackets, skirts, pants, bedspread, curtains, wallcloth 外衣、裙子、裤子、床罩、窗帘、墙布

No	Test Item 测试项目		Test Method 测试方法	Requirements 要求		
				Category A	Category B	Category C
1	Formaldehyde content (mg/kg) 甲醛含量		GB/T 2912.1	≤20	≤75	≤300
2	pH value pH值		GB/T 7573	4.0~7.5	4.0~8.5	4.0~9.0
3	Colour Fastness 色牢度	to Water (colour change & staining) 耐水	GB/T 5713	≥3-4	≥3	≥3
4		to Perspiration (colour change & staining) 耐汗渍	GB/T 3922	≥3-4	≥3	≥3
5		to Dry Rubbing 耐干摩擦	GB/T 3920	≥4	≥3	≥3
6		to Saliva (colour change & staining) 耐唾液	GB/T 18886	≥4	-	-
7	Odour 异味		GB 18401	无 Odourless		
8	Decomposable aromatic amine dyestuff 可分解致癌芳香胺染料		GB/T 17592 GB/T 23344	禁用 Forbidden (芳香胺限量值 AZO limit ≤20 mg/kg)		

- Infant products (≤36 months) must comply with Category A 婴幼儿用品 (≤36个月)应符合A类要求
- Products with direct contact to skin must comply with Category B at least 直接接触皮肤的产品应至少符合B类要求
- Products without direct contact to skin must comply with Category C at least 非直接接触皮肤的产品应至少符合C类要求



Product Standards (GB/T, FZ/T, QB/T, HG/T)

产品标准 (GB/T, FZ/T, QB/T, HG/T)

Some Commonly Used Product Standards
常用产品标准

Apparels 纺织服装类

- GB/T 2664-2017 Men's suits and coats 男西服、大衣
- GB/T 2665-2017 Women's suits and coats 女西服、大衣
- GB/T 2660-2017 Shirts and blouses 衬衫
- GB/T 2662-2017 Clothes with fillings 棉服装
- GB/T 14272-2011 Down garments 羽绒服装
- FZ/T 81004-2012 Dress and lady suit 连衣裙、裙套
- FZ/T 81006-2017 Jeanswear 牛仔服装
- FZ/T 81007-2012 Casual wear 单、夹服装
- FZ/T 73020-2019 Knitted casual wear 针织休闲服装
- GB/T 22849-2014 Knitted T-shirt 针织T恤衫



Leather, Footwear, bags 皮革、鞋类、包包

- GB/T 22756-2017 Leather Sandals 皮凉鞋
- QB/T 1002-2015 Leather Shoes 皮鞋
- GB/T 15107-2013 Athletic Shoes 旅游鞋
- GB 25036-2010 Children's canvas rubber footwear (shoes) 布面童胶鞋
- HG/T 3086-2011 Rubber-plastics sandals and slippers 橡塑凉、拖鞋
- QB/T 1615-2018 Leather garment 皮革服装
- QB/T 2822-2018 Fur garment 毛皮服装
- QB/T 1619-2018 Wallet 票夹
- QB/T 1333-2018 Handbag and knapsack 手提包
-

Accessory 配饰类

- GB/T 23314-2009 Neckties 领带
- FZ/T 81012-2016 Woven scarf and shawl 机织围巾、披肩
- FZ/T 73042-2011 Knitted scarf and shawl 针织围巾、披肩
- FZ/T 73001-2016 Hosiery 袜子
- FZ/T 73002-2016 Knitted caps 针织帽
- FZ/T 82002-2016 Woven caps 缝制帽
- FZ/T 73047-2013 Knitted civil gloves 针织民用手套
- QB/T 1618-2018 Belt 腰带
-



GB/T 29868-2020 (newer version) 针织专业运动服装通用技术要求 is for Sports protective products-Knitted products general technical requirements

GB/T 21980-2017 专业运动服装和防护用品通用技术规范 is for General technical specification for sportswear and protecting suits

More instances:

- GB/T 32614-2016 for Outdoor sportswear-water resistant garments
- GB/T 22849-2014 Knitted T-shirt
- GB/T 2664-2017 for Men's suits and coats
- FZ/T 81008-2011 for Jackets
- FZ/T 73020-2012 for Knitted casual wear
- QBT 2155-2010 Travelling case and trolley bag
- ETC-----

For being able to tell which GB Product Standards applied - Need to know:

- The material composition of apparels such as Fiber Content ?% of Polyester, Nylon, Spandex, etc---
- The weaving construction of apparels such as Knitted or Woven
- The designed usage of apparels such as Man, Women and Children
- The performance of apparels such as Water Resistance/Water Repellency, etc----

➤ There are over 700 kinds of Product Standard in China now~~~

Must provide each classification of at least one **CNAS** & **CMA** Quality Report from the qualified Lab. with authority issued by China Officials.

CMA & CNAS

资质认定和实验室认可



CMA is the abbreviation of **China Inspection Body and Laboratory Mandatory Approval**. The government qualification accreditation department issue qualification accreditation certificate and permit the use of CMA logo.

CMA是**China Inspection Body and Laboratory Mandatory Approval**的英文缩写。国家检验检测机构资质认定部门负责对检验检测机构核发资质认定证书和资质认定标志（CMA标志）。



CNAS is the abbreviation of China National Accreditation Service for Conformity Assessment. CNAS issue CNAS laboratory accreditation certificate and permit the use of the CNAS logo.

CNAS是**China National Accreditation Service for Conformity Assessment**的英文缩写。中国合格评定国家认可委员会负责对检测实验室核发CNAS实验室认可证书和CNAS实验室认可标识（CNAS认可标识）

COMPLIANCE

Law

EX: FZ/T 73020 – 2019 Knitted Casual Wear

Test Item			Requirements			Testing Method
			Superior grade	First grade	Qualified grade	
1	Dimensional Stability to Washing /%	length/width direction	-3.5~+2.0	-5.5~+2.0	-6.5~+2.0	GB/T 8629-2017
2	Dimensional Stability to Dry-cleaning /%	length/width direction	-3.5~+2.0	-5.5~+2.0	-6.5~+2.0	FZ/T 80007.3-2006
3	Spirality after Washing /%	Top	≤4.0	≤5.0	≤6.0	FZ/T 73020-2019 6.1.10
		Pants	≤1.5	≤2.5	≤3.5	
4	Appearance after Washing		No obvious colour change for the whole product, no breakage for fabric and sewing thread. No cracking, bubble, peeling off and fall off for printing, no severe out-of-flatness and out-of-shape for this part with embroidery thread. No deformation, colour change, detachment and corrosion for component.			FZ/T 73020-2019 6.1.20
5	Color fastness to water for Shell /Grade ▲	Color Change	≥4	≥3-4	≥3	GB/T 5713
		Color Staining	≥4	≥3	≥3	
	Color fastness to water for Lining /Grade ▲	Color Change	≥ 3			
		Color Staining	≥ 3			
6	Color fastness to Perspiration for Shell /Grade ▲	Color Change	≥4	≥3-4	≥3	GB/T 3922
		Color Staining	≥4	≥3	≥3	
	Color fastness to Perspiration for Lining /Grade ▲	Color Change	≥ 3			
		Color Staining	≥ 3			



Test Item			Requirements			Testing Method
			Superior grade	First grade	Qualified grade	
7	Color fastness to Rubbing for Shell /Grade	Dry Rubbing ▲	≥4	≥3-4	≥3	GB/T 3920
		Wet Rubbing	≥3-4	≥ 3 (dark: ≥2-3)	≥ 2-3 (dark ≥2)	
	Color fastness to Rubbing for Lining /Grade	Dry Rubbing▲	≥ 3-4			
		Wet Rubbing	≥2-3 (dark≥2)			
8	Color fastness to washing for Shell /Grade	Color Change	≥4	≥3-4	≥3	GB/T 3921-2008
		Color Staining	≥4	≥3-4	≥3	
	Color fastness to washing for Lining /Grade	Color Change	≥ 3			
		Color Staining	≥ 3			
9	Color fastness to light for Shell /Grade	Color Change	≥4	≥4	≥3-4	GB/T 5711
		Color Staining	≥4	≥4	≥3-4	
10	Color fastness to light for Shell	dark colour	≥4	≥4	≥3	GB/T 8427-2008
11	Color fastness to Light& perspiration(Alkalin) for Shell / Grade		≥4-5	≥3-4	≥ 3	GB/T 14576
12	Color Staining to washing for patching work for Shell / Grade		≥4-5	≥4	≥4	GB/T 31127-2014
13	Colour staining of detergent solution / Grade		≥ 3		≥ 2-3	FZ/T 73020-2019 6.1.11



Test Item		Requirements			Testing Method
		Superior grade	First grade	Qualified grade	
14	Pilling resistance/Grade	≥3-4	≥3	≥ 3	GB/T 4802.1-2008
15	Bursting Strength / N	≥250			GB/T 19976-2005
16	Fiber content / %	Meet the requirements of GB/T 29862-2013			GB/T 2910... FZ/T 01057
17	Odour▲	Meet the requirements of GB 18401-2010			GB 18401-2010 6.7
18	Formaldehyde content /(mg/kg)▲				GB/T 2912.1
19	pH value▲				GB/T 7573
20	Banned AZO dyes/(mg/kg)▲				GB/T 17592 GB/T 23344



EX: GB/T 22849 – 2014 Knitted T-shirt

Test Item			Requirements			Testing Method
			Superior grade	First grade	Qualified grade	
1	Dimensional Stability to Washing /%	length direction	-3.0~+1.5	-5.0~+2.0	-6.0~+3.0	GB/T 8629
		width direction	-3.0~+1.5	-5.0~+2.0	-6.0~+3.0	
2	Spirality after Washing /%		≤4.0	≤5.0	≤6.0	GB/T 22849-2014 5.1.2.7
3	Appearance after Washing		No bubble and fall off for printing, no severe out-of-flatness for this part with embroidery thread, no fall off for applique part. No fall off and corrosion for attachment			GB/T 8629
4	Color fastness to water / Grade ▲	Color Change	≥4	≥3-4	≥3	GB/T 5713
		Color Staining	≥4	≥3	≥3	
5	Color fastness to Perspiration / Grade ▲	Color Change	≥4	≥3-4	≥3	GB/T 3922
		Color Staining	≥4	≥3	≥3	
6	Color fastness to Rubbing/Grade	Dry Rubbing▲	≥4	≥3-4	≥3	GB/T 3920
		Wet Rubbing	≥3	≥3 (深色 dark ≥2-3)	≥2-3 (dark ≥2)	
7	Color fastness to Rubbing/Grade	Dry Rubbing▲	≥ 3-4	≥ 3	≥ 3	GB/T 3920
		Wet Rubbing	≥3	≥ 3 (dark ≥2-3)	≥2-3 (dark ≥2)	
8	Color fastness to light/Grade	Dark color	≥4	≥4	≥3-4	GB/T 8427
		Light color	≥4	≥3	≥3	
9	Color fastness to washing/Grade	Color Change	≥4-5	≥4	≥3-4	GB/T 3921
		Color Staining	≥4	≥3-4	≥3	



Test Item			Requirements			Testing Method
			Superior grade	First grade	Qualified grade	
10	Color fastness to washing for printed / Grade	Color Change	≥4	≥3-4	≥3	GB/T 3921
		Color Staining	≥3-4	≥3	≥3	
11	Color fashness to light and perspiration (alkaline) / Grade		≥4	≥3-4	≥3	GB/T 14576
12	Color Staining to washing for patching work / Grade	Color Staining	≥4-5	≥4	≥4	GB/T 22849-2014 Appendix A
13	Pilling resistance/Grade		≥3-4	≥3	≥ 3	GB/T 4802.1-2008
14	Bursting Strength / N		≥250			GB/T 19976-2005
15	Fiber content / %		Meet the requirements of GB/T 29862-2013			GB/T 2910... FZ/T 01057
16	Odour▲		Meet the requirements of GB 18401-2010			GB 18401-2010 6.7
17	Formaldehyde content /(mg/kg)▲					GB/T 2912.1
18	pH value▲					GB/T 7573
19	Banned AZO dyes/(mg/kg)▲					GB/T 17592 GB/T 23344

vuori