

Vuori

Vuori, Inc.

RSL & China GB Standard Testing Manual

Release Date: 11 April 2026

1 Table of Contents

1	TABLE OF CONTENTS	2	5	VUORI RSL TEST MATRIX	13
2	INTRODUCTION	3	5.1	RSL TESTING NOTES:.....	13
2.1	VENDOR CONFIRMATION LETTER	3	5.2	IMPORTANT CHANGES FROM THE PREVIOUS TESTING MATRIX:	13
2.2	VUORI / VENDOR / LABORATORY RESPONSIBILITIES	4	6	SAMPLE SIZE FOR RSL TESTING	16
2.3	APPROVED SGS TEXTILE LABORATORIES	4	7	VUORI GB TESTING PROGRAM	19
2.4	CONTACT INFORMATION	5	7.1	HANGTAG & CARE LABEL REVIEW AND OTHER RECOMMENDATIONS	20
3	VUORI TESTING POLICY AND PROCEDURES	6	8	GB STANDARD NAMES, CODES, & SAMPLE SIZES	21
3.1	TEST REQUEST FORM (TRF)	6	8.1	GB FUNCTIONAL CLAIMS STANDARD NAMES, CODES, & SAMPLE SIZES	24
3.2	TURNAROUND TIME	6	8.2	ACCESSORIES	25
3.3	SAMPLE SIZE	7	9	GUIDANCE TO LABS	26
3.4	TEST REPORTS	7	9.1	GUIDANCE TO LABS – TEST REPORTS	26
3.5	SAMPLE RETURN	7	9.2	RSL REPORT DISTRIBUTION	26
3.6	RE-TESTING	7	9.3	GB TESTING REPORT DISTRIBUTION	26
3.7	QUOTATION AND BILLING (RSL)	8	10	APPROVED SGS LABORATORIES	27
3.8	QUOTATION AND BILLING (GB)	8	10.1	SGS LAB CONTACTS – APPROVED RSL TESTING LOCATION	27
3.9	RESTRICTED SUBSTANCE BILLING	9	10.2	SGS LAB INFORMATION – GB TESTING LOCATION	32
3.10	CHINA GB TESTING BILLING	10	11	MANUAL REVISION LOG	33
4	RESTRICTED SUBSTANCE TESTING	11			
4.1	RSL TESTING FAILURE	12			
4.2	COMPOSITE TESTING	12			

2 Introduction

- This testing guide applies to Vuori and all its subsidiaries and divisions and is not to be reproduced, in part or in whole, without written permission from Vuori and SGS
- This Restricted Substance & China Standard Testing Manual should be used in conjunction with the Vuori/SGS Physical Testing Manual
- Vuori requires that all merchandise meet or exceed the outlined performance requirements, regulatory requirements and meet guideline label/care/content instructions
- Tests will be conducted at SGS laboratories, and an SGS laboratory report with a favorable rating must be attained prior to production and shipping of merchandise
- All laboratory reports will be reviewed and evaluated by the appropriate Vuori internal teams, including Quality and Chemical Compliance, based on the testing scope
- ***Please be sure to complete and sign the Vendor Confirmation Letter below*** and return *via e-mail* to Bruno Dufourq (Bruno.Dufourq@vuori.com), Michael Chen (Michael.Chen@vuori.com) & Zac Chou (Zac.Chou@vuori.com) within 14 days

2.1 Vendor Confirmation Letter

I acknowledge receipt of the Vuori, Inc. RSL & China GB Standard Testing Manual (dated _____ edition).

I have read and understand fully the importance of compliance to the procedures and policies set in this manual and all other testing manuals, appendices and documents that pertain to Vuori Testing and agree to comply with them.

Please type or print

Date:

Company Name:

Company Address:

Telephone #:

Fax #:

Email Address:

Name of Company Officer:

Signature of Company Officer:

2.2 Vuori / Vendor / Laboratory Responsibilities

Vuori Quality And Compliance Teams Responsibility

- Provide vendor with a copy of Vuori's Testing Manual Guidelines, Appendices and all supporting documents.
- Identify the styles to be tested and determine the specific tests to be conducted.
- Propose Care Label.
- Evaluate all laboratory reports
- For questions related to Restricted Substance Compliance, please contact the Vuori Chemical Compliance team (ChemicalTesting@vuori.com)
- Payment to laboratory for all Restricted Substance (RSL) and China GB testing. *Note: Vuori pays for bulk production testing only*

Vendor Responsibility

- Complete the Vuori/SGS Laboratory Test Request Form in its entirety.
- Timely sample submission to the local SGS Laboratory, with a copy of the completed SGS Test Request Form.
- All Performance Standards must be met before care labels are ordered. If care labels are ordered prior to obtaining passing test results and new care labels are required, vendor will be responsible to order new labels at his own expense.
- Only test reports from SGS will be accepted. Test reports from a Vuori Accredited Lab will be accepted for only the tests that are accredited and where the accreditation time period is valid.
- Payment to laboratory for all Performance/Physical testing for Lab Dip, Development, SMS & Bulk Production.

SGS Testing Laboratory Responsibility

- Distribute Vuori Testing Manuals to approved SGS Laboratories
- Conduct tests as requested and evaluate test results.
- Report is to include results, requirements, pass/conditional pass/interim fail/fail and conclusion.
- Reports are to be issued within five (5) business days via email. *If the turnaround time cannot be met, SGS must notify applicant.*
- *A quotation for all Vuori paid testing must be uploaded to SGS SMART.*

2.3 Approved SGS Textile Laboratories

- Please refer to the end of this document for further details of which labs are approved for RSL testing - [Approved SGS Laboratories](#)
- *For GB testing, samples must be sent to SGS Shanghai only;* Please refer to Shanghai Lab Details

2.4 Contact Information

Vuori, Inc. – WHQ

5600 Avenida Encinas, Suite 100
Carlsbad, CA 92008, USA

Contact Name: John Moraes
Title: Director of Global Product Compliance
Email: john.moraes@vuori.com

Vuori Asia Sourcing

8F., No. 198, Sec. 3, Civic Blvd., Da'an Dist., Taipei City,
106081, Taiwan (R.O.C.)

Contact Name: Bruno Dufourq
Title: Senior Director of Innovation and Quality
Email: bruno.dufourq@vuori.com

Contact Name: Zac Chou
Title: Senior Sourcing Analyst, Compliance & Testing
Email: zac.chou@vuori.com

SGS North America Inc.

291 Fairfield Avenue
Fairfield, NJ 07004

Global Key Account Manager:

Contact for: Day to day activities and correspondence, inspection coordination, local testing status, operational issues, maintenance of SOP

Contact Name: Dana Bartlett
Phone: (714) 465-7187
Email: dana.bartlett@sgs.com

Regional Key Account Manager:

Contact for: Day to day activities and correspondence, inspection coordination, local testing status, operational issues

Contact Name: Amanda Chan
Phone: +852 (2334) 4481
Email: amanda-NY.chan@sgs.com

China - Local Key Account Manager:

Contact for: Day to day activities and correspondence, inspection coordination, local testing status, operational issues

Contact Name: Vera Zhang
Phone: (021) 61078247
Email: vera.zhang@sgs.com

China Customer Service Representative:

Contact for: Day to day activities and correspondence, inspection coordination, operational issues

Contact Name: Yana Yao
Phone: + 86 (0)755 2532 8888 ext.6156
Email: yana.yao@sgs.com

3 Vuori Testing Policy and Procedures

- All treatments such as dyeing, washing, or finishing must be completed prior to submitting for testing
- If any finishing application is applied at the garment stage, where chemicals are applied fabric/trim, testing must be completed on the full garment
- All testing is to be determined by the Vuori team
- Restricted Substance and China GB testing is required 1 time per year per color if there are no changes in the supply chain
- Changes in supply chain include but are not limited to change of materials, any new chemical treatments, or alternative production processes such as garment wash. A change to any of these would require the product or material to be re-tested
- If any finishing application is applied at the garment stage, where chemicals are applied fabric/trim, testing must be completed on the full garment. It is the supplier's responsibility to indicate to SGS if there is a finish at the garment stage.
- Note: The testing protocol and standards in this manual represent typical Vuori requirements. ***Vuori may request additional testing or may set additional standards for certain materials or products depending on business needs***

3.1 Test Request Form (TRF)

- The applicant must fully complete the correct Vuori/SGS Test Request Form in SGS SMART. There are 3 forms to choose from. Please choose ***Restricted Substance Testing*** or ***China GB Testing***
- The test request form must be in the carton with the samples when shipping to the lab.
- If the appropriate Vuori/SGS Test Request Form is not used, the lab will not be able to follow the Vuori's testing program and provide agreed upon pricing.
- If the testing is a Re-Test, it is mandatory for the Previous Report Number and Date to be included on the TRF
- ***GB Testing must be sent to SGS Shanghai only;*** All functional claims must be listed on the TRF
- All Functional Claims listed on the TRF must be tested to China GB standards. Only one colorway needs testing, with the exception of UV Testing
- For China GB Standards, UV Testing should be tested on the Lightest colorway

3.2 Turnaround Time

SGS will offer standard testing services:

- Regular services take 5 working days after receipt and processing of samples - Turnaround time does not start until a completed Vuori/SGS Test Request Form and sufficient samples are received.
- Some tests (i.e. chemistry and functional performance testing) can take longer than the normal 5 working day turnaround time. The applicant will be advised in these cases.
- Expedited services are available but requires lab approval and surcharges will apply (Express Service: 3 working days; Double Express Service: 2 working days; Emergency Service: 1 working day)
- Note: Due to the nature of certain test methods, Expedited Service may not be available and will require lab approval upon receipt of samples
- Other notes for Labs: Please see the sections on [Guidance to Labs](#) on page 27

3.3 Sample Size

- Fabric and Garments must be of production quality and must contain all accessories (buttons, zippers, trims, etc.) that will be used in bulk production. The actual manufacturer must make the sample on production machinery
- See [Sample Size for](#) RSL Testing for guidance on how much sample to send to SGS labs for RSL testing
- See GB Standard Names, Codes & Sample Sizes for guidance on how many samples to send to SGS labs for GB testing

3.4 Test Reports

- An overall rating of the tested sample must be indicated as “Pass”, “Conditional Pass”, “Interim Fail”, or “Fail” on the top of the report.
- Each individual test must be indicated as “Pass”, “Conditional Pass”, “Interim Fail”, or “Fail”, when compared to Vuori’s requirements.
- In some cases, “Data Only” will be reported as per the Test Requirements.
- Vuori’s requirements must be listed on the right side of each test results page.
- Photo(s) of the samples “as received” must be included in the Test Report where indicated in the report format and labeled accordingly.
- If the testing is a Re-Test, it is mandatory for the Previous Report Number and Date to be included on the Test Report.
- If the applicant is selecting a Colorway Package for any type of testing, it is mandatory to provide the Report # and Date of the Full Package Test on the Test Report
- There is further guidance to labs at the end of this document. Guidance to Labs

3.5 Sample Return

- Unless the applicant requests to return residual samples, samples will be kept at SGS lab for one month.
- The tested sample(s) and controls must be identified with report and style number.
- Samples will be returned only if requested. It’s best to request on the TRF, otherwise additional charges may apply.
- Sample return charges may occur.
- Sample return mailing charges will be paid by the party making the request.

3.6 Re-Testing

- Only tests that originally failed are to be retested.
- Vendor/Applicant is to be billed for the retest report.
- It is mandatory for Re-tests that the previous report number and date are included on the Test Request form.

3.7 Quotation and Billing (RSL)

- For all testing paid by Vuori, an order confirmation/quotation must be sent to John.Moraes@vuori.com, Michael.Chen@vuori.com and Zac.Chou@vuori.com for approval prior to testing beginning. *This includes rush testing*
- A quotation for all Vuori paid testing must be uploaded to SGS SMART
- Procedures may vary according to local or specially arranged practices. The normal invoice process in the USA involves payment in advance or, if credit has been approved, payment from the invoice that accompanies the test report

3.8 Quotation and Billing (GB)

- For all testing paid by Vuori China, an order confirmation/quotation must be sent to the following for approval prior to testing beginning: Sharon.Tseng@vuori.com, Zac.Chou@vuori.com and Bruno.Dufourg@vuori.com. *This includes rush testing*
- A quotation for all Vuori paid testing must be uploaded to SGS SMART
- Procedures may vary according to local or specially arranged practices. The normal invoice process in the USA involves payment in advance or, if credit has been approved, payment from the invoice that accompanies the test report

Credit Approval


- The opportunity to submit test samples without prepayment for services is offered to qualifying clients and their suppliers.
- To qualify for this opportunity, a credit application must be submitted by each company and credit approval granted.
- Once credit approval has been approved, testing can begin promptly without any prepayment.
- Credit approval process may vary with all regions.
- Key account managers will contact suppliers with any additional information with credit approval terms.

Collection

- If an account becomes outstanding beyond these terms SGS will take such collection action as is deemed necessary and appropriate
- If the arrangement with Vuori is for SGS to directly bill Vuori's vendors, SGS will request guaranty of vendor payment by Vuori and will seek collection from Vuori in event of the vendor's default beyond SGS standard credit terms

3.9 Restricted Substance Billing

- SGS directly bills the **Vuori** for all **Restricted Substance** Testing as per the agreed Vuori/SGS Pricing Package.
- Billing is through the SGS US office.
- All Proforma Invoices and Final Invoices must have the following information:
 - Certificate(s) / Report(s) No(s) *
 - External Execution Location *
 - Actual Execution End Date *
 - Service Level *
 - Applicant Company Name
 - Applicant Contact Name (or E-mail)
 - Manufacturer
 - Article Number
 - Style Number
 - PO#
- This information should be added to all BOSS orders in the “Attachments” field so that it appears on the invoice with the exception of the fields that have a specific location for this information in BOSS as indicated by *
- Please see below for example:



Seq	Category	Title	Description	Data Type	May Be Changed
10	SGS_Invoice_Comment		queenie zhu	Short Text	☒

Customer Reference	V237
Buyer name	VUORI INC
Product Description	(A)1-K-F
Country/Region of destination	United States
Certificate(s) / Report(s) No(s).	SL52505284594601TX
Reference Order	SL52505284594601TX
Applicant Company Name:	POLARTEC SHANGHAI LLC.
Applicant Contact Name (or E-mail):	FION XU
Manufacturer:	Polartec
Article Number:	6511RC X9749F
Style Number:	V237
PO#:	VUORI-FA25 Q3 M12 BULK

3.10 China GB Testing Billing


- For China GB testing.
 - Customer #: 3956351
 - Payment Terms: Net 30
 - If an SGS affiliate is outside of mainland China, Hong Kong or the USA, the SGS affiliate must send the quotation and client approval/confirmation to CSR (see contacts) for the BOSS order number.
 - CRM will send the EA the BOSS Order # for the IDN issue.
 - The BOSS# must be listed on the IDN prior to sending it to cts.usidn@sgs.com.
 - Please check with the CSR with further questions regarding the IDN process.
 - Once the service is complete, the SGS affiliate must send the final report to the CSR for invoicing purposes.
- SGS directly bills the **Vuori China** for all China GB Testing as per the agreed Vuori/SGS Pricing Package.

Vuori China
Room JT0206, Floor 5, Building 2
No. 599 Wanzhen Road
Zhenxinxincun Street, Jiading District
Shanghai, China 201824
- The invoices must have “Vuori China” on them in the notes. Please keep the Buyer Name on the invoice as Vuori Inc.
- For all testing paid by **Vuori China**, an order confirmation/quotation must be sent to the following for approval prior to testing beginning.
 - Sharon.Tseng@vuori.com
 - Zac.Chou@vuori.com
 - Bruno.Dufourq@vuori.com
- A quotation for all Vuori paid testing must be uploaded to SGS SMART
- At the end of each month, SGS will send the **Vuori China** GB testing Summary and Invoice:

TO:	VuoriCHN - Acctax	VuoriCHN-acctax@tmf-group.com
	Nicki Zhang	nicki.zhang@tmf-group.com
	Helen Yu	Helen.Yu@tmf-group.com
CC:	Bruno Dufourq	Bruno.Dufourq@vuori.com
	Zac Chou	Zac.Chou@vuori.com
	Lindsey Lueken	lindsey.lueken@vuori.com
	Michael Chen	Michael.Chen@vuori.com
	John Moraes	John.Moraes@vuori.com

4 Restricted Substance Testing

- Restricted Substance Testing is required on all components of all products as directed by Vuori unless the trims are from the nominated trim supplier (YKK, Brand ID or Avery Dennison). ***Supplier must identify nominated trims on test request form***
- Restricted Substance Testing must follow the **AFIRM** testing requirements. This applies to test methods and limits only. This does not apply to the testing Matrix. Vuori follows the Vuori RSL Testing Matrix found in this manual (on Page 13)
- AFIRM Policy Statement:** AFIRM has created the [AFIRM RSL](#) to assist and guide supply chain participants seeking to increase product quality and safety or reduce their environmental impact by limiting the use of certain substances in apparel and footwear
- Vuori will give direction to suppliers regarding which materials need to be tested, when and whether composite testing is appropriate***
- The Vuori RSL Testing Process is presented below



4.1 RSL Testing Failure

- In the event of RSL testing failure or non-compliance, suppliers are required to follow direction from the Vuori Chemistry team including instructions to implement corrective actions, quarantine materials and request re-tests
- As instructed by the Vuori Chemistry team suppliers should only request re-tests on the failing chemistry
- Suppliers should not ship material unless a PASS test result is achieved or unless the Vuori Chemistry team clearly says that material can be shipped

4.2 Composite Testing

- Composite Testing is allowed up to 3 colors/substrates for all applicable restricted chemical testing.
- If Composite testing results are **“Interim Fail”** or **“Fail”**, individual testing is to be performed automatically.
- When the Individual Lead in Paint and Substrate Requirements are 90 ppm and 100 ppm respectively, the composite testing requirements per CPSC shall be as follows (Calculation is based upon Smallest Sample Weight) **PASS:** Clear pass for all parts in the composite mix – The requirements are slightly lower to cover the margin of error possible when mixing parts for a single test.
- **INTERIM FAIL:** Results in this range are most likely a fail for all parts, but individual part re-testing can be requested to confirm if any of the individual parts pass.
- **FAIL:** Clear fail for all parts in the composite mix – Based on the math, all parts would be over the allowable individual limits.

5 Vuori RSL Test Matrix

5.1 RSL Testing Notes:

- Below is the Vuori RSL test matrix. Note that the chemistries will differ based on the nature of the material being tested
- Whites/Lights/Pastel colors will have reduced testing requirements
- Denim will have require a test for Navy Blue Dyes
- Wool will require a test for Chromium VI
- PVC requires a test for Styrene and Vinyl Chloride
- Rubber, TPU and PU requires a test for N-Nitrosamines
- If the material has a water-, oil- or stain-repellent coating, a test for **PFAS is needed**
- Metals with direct, prolonged skin contact require a test for Nickel Release
- Artificial Leather requires a test for Phthalates and DMFa

5.2 Important Changes from the previous testing matrix:

- There is no longer a 'Color' test package – all RSL tests will use the 'Full' package
- For **Natural and Synthetic Blends**, a material shall be classified as a blend only when both the Natural Fiber content and the Synthetic Fiber content are equal to or greater than 15% by weight. For example:
 - 95%/5% Cotton/Elastane material is considered a Natural Fiber
 - 92%/8% Polyester/Cotton material is considered a Synthetic Fiber
 - 85%/15% Cotton/Nylon is considered a Natural and Synthetic Blend
 - Please contact John Moraes with any questions
- Certain tests are excluded for **Lights, Whites and Pastels**. These colors are defined as all colors of CIE L*>80
- **Coatings & Screenprints** is only to be tested if there is a thick coating on the fabric > 0.3 mm. Printed fabric does not need to be tested for heavy metals and phthalates
- **Vuori is aligned with AFIRM for all PFAS test methods including the new EN ISO 17681-1:2025 method**

	Natural Fibres (includes wool, feathers & down)	Synthetic Fibres	Natural & Synthetic Fibre Blends	Leather (Natural & Artificial)	Metals	Plastics, Foams & Rubbers	Coatings & Screenprints
Acetophenone and 2-Phenyl-2-Propanol						Full	
Acidic and Alkaline Substances (pH)				Full			
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs)	Full	Full	Full				Full
Azo-amines and Aryl Amine salts	Full (Except whites, lights & pastels)	Full (Except whites, lights & pastels)	Full (Except whites, lights & pastels)				
Bisphenols	Full (Except whites, lights & pastels)	Full	Full	Full		Full	Full
Chlorinated Paraffins							
Chlorophenols							
Chlorinated Benzenes and Toluenes							
Dimethylfumarate (DMFu)				Full			
Dyes, Forbidden and Disperse		Full (Except whites, lights & pastels)	Full (Except whites, lights & pastels)				
Dyes, Navy Blue	Full (Denim Only)						
Flame Retardants							
Fluorinated Greenhouse Gases							
Formaldehyde	Full	Full	Full	Full			
Heavy Metals, Chromium VI	Full (Wool only)			Full			
Heavy Metals, Extractable	Full				Full		
Heavy Metals, Nickel Release					Full (skin contact only)		
Heavy Metals, Total				Full	Full	Full	Full
Monomers: Styrene & Vinyl Chloride						Full (PVC Only)	

	Natural Fibres (includes wool, feathers & down)	Synthetic Fibres	Natural & Synthetic Fibre Blends	Leather (Natural & Artificial)	Metals	Plastics, Foams & Rubbers	Coatings & Screenprints
N-Nitrosamines						Full (Rubber, TPU, PU only)	
Organotin Compounds							
Ortho-phenylphenol (OPP)							
Ozone-depleting Substances							
Per- and Polyfluoroalkyl Substances (PFAS)	Full (if Water, Oil or Stain repellent only)	Full (if Water, Oil or Stain repellent only)	Full (if Water, Oil or Stain repellent only)				Full (if Water, Oil or Stain repellent only)
Pesticides, Agricultural							
Phthalates				Full (Artificial Leather only)		Full	Full
Polycyclic Aromatic Hydrocarbons (PAHs)							
Quinoline							
Solvents / Residuals, DMFa				Full (Artificial Leather only)			
Solvents / Residuals, DMAC and NMP							
Solvents / Residuals, Formamide							
UV Absorbers / Stabilizers						Full	
Volatile Organic Compounds (VOCs)							

6 Sample Size for RSL Testing

- Fabric and Garments must be of production quality and must contain all accessories (buttons, zippers, trims, etc.) that will be used in bulk production. The actual manufacturer must make the sample on production machinery.

Special Note: The below sample sizes are for the basic package testing only. Additional tests that are not covered in the basic package may require additional samples.

Product Category / Chemical	Samples Required
Natural Fibres – Full Package	132 g or A4 size x 5 pcs
Natural Fibres – Color Package	128 g or A4 size x 5 pcs
Synthetic Fibres – Full Package	153 g or A4 size x 5 pcs
Synthetic Fibres – Color Package	123 g or A4 size x 5 pcs
Natural & Synthetic Fibre Blends – Full Package	153 g or A4 size x 5 pcs
Natural & Synthetic Fibre Blends – Color Package	123 g or A4 size x 5 pcs
Leather – Full Package	159 g or A4 size x 4 pcs
Leather – Color Package	115 g or A4 size x 4 pcs
Metals – Full Package	102 g or 10 grams (each metal trim) or total equal to 15 x 10 grams
Metals – Color Package	100 g or 10 grams (each metal trim) or total equal to 15 x 10 grams
Plastics, Foams, & Rubbers – Full Package	167 g or A4 size x 5 pcs
Plastics, Foams, & Rubbers – Color Package	97 g or A4 size x 4 pcs
Coatings & Prints – Full Package	106 g or A4 size x 4 pcs
Coatings & Prints – Color Package	97 g or A4 size x 4 pcs
Acetophenone and 2-Phenyl-2-Propanol	10 g
Acidic and Alkaline Substances (pH)	15g
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs)	7 g

Product Category / Chemical	Samples Required
Azo-amines and Aryl Amine salts	3 g 1 bag, 2 pair shoes 5" X 5" sheet
Bisphenols	10 g per sample
Brominated & Organophosphorus Substances (Flame Retardants)	5 g 5" X 5" sheet
Chlorinated Paraffins	6 g
Chlorophenols	5 g
Chlorinated Benzenes and Toluenes	6 g
Dimethylfumarate (DMFu)	10 g
Dyes, Forbidden and Disperse	15 g
Dyes, Navy Blue	10 g
Fluorinated Greenhouse Gases	15 g
Formaldehyde	5 g
Heavy Metals, Chromium VI	5 g 6" X 6" sheet
Heavy Metals, Extractable	5 g dried paint = approximately 50 snaps, buttons, beads, sequins 15 zipper tabs 10 zippers
Heavy Metals, Nickel Release	2 identical articles or 2g
Heavy Metals, Total	5 g dried paint = approximately 50 snaps, buttons, beads, sequins 15 zipper tabs 10 zippers
Monomers: Styrene & Vinyl Chloride	10 g
N-Nitrosamines	10 g
Organotin Compounds	10 g
Ortho-phenylphenol (OPP)	5 g

Product Category / Chemical	Samples Required
Total Organic Fluorine	20 grams = 1-3 garments depending on size and type of garment
Per- and Polyfluoroalkyl Substances (PFAS)	60 grams = 2-4 garments depending on size and type of garment
Pesticides, Agricultural	15g
Phthalates	5 g 1 bag, 2 pair shoes 5" X 5" sheet
Polycyclic Aromatic Hydrocarbons (PAHs)	5 g
Quinoline	5 g
Solvents / Residuals, DMFa	5 g
Solvents / Residuals, DMAC and NMP	5 g
Solvents / Residuals, Formamide	5 g
UV Absorbers / Stabilizers	10 g
Volatile Organic Compounds (VOCs)	10 g
REACH SVHC Candidate List Substances	2 identical articles Or 5 g per homogenous material

7 Vuori GB Testing Program

- Vuori testing requirements for China testing are:
 - GB18401-2010: National Basic Safety Technical Specifications for Textile Products
 - GB/T 5296.4-2012: Instructions for Use of Consumer Goods Part 4: Textiles and Clothing
 - GB/T 29862-2013: Textiles Identification of Fiber Content
 - GB Product Standards for Garments as required by Sector, Local, Industry, or Association as required by Vuori
- Once testing is received, the lab will determine which GB Product Standard will be applied and will confirm back to the supplier, if applicable.
- GB 18401 must be tested on all fabrics and all colors in its final production quality state for all fabrications/constructions. All dyeing, special washes, and/or finishes must be completed prior to submitting for testing
- If the dyeing, special washes, and/or finishes are done after sewing the garment, it is acceptable to send the garment for the testing in lieu of fabric.
- For GB 18401 testing, SGS will test the fiber content on the darkest colorway and the remaining colors of the same fabrication/construction will not be tested for fiber content.
- Multiple colors of the same fabric/construction must be submitted on the same test request form and must be declared that the fiber content is the same for all colors.
- For GB 18401 + 2C reports and if the same fabric is being used for multiple styles, the applicant must include all Style #'s and Sample Description for all Styles where the fabric will be used. (i.e. if the same fabric is being used for a sports bra, shorts, and leggings, then all three style #'s must be listed on the test request form)
- If new styles made of the exact same fabric/color that was previously tested are produced, applicant has up to 3 months from report issue date to add any new styles of the exact same fabric/color.
- A fee will be imposed for all report amendments – 250 RMB / \$39 USD
- When testing to the GB Product Standard, SGS will test the Fiber Content for all fabrics on the garment (i.e. self, lining, etc.)

7.1 Hangtag & Care Label Review and Other Recommendations

- SGS can conduct a Hangtag and Care Label Review where the information provided will be reviewed to verify if the is fully complete according to GB/T 5296.4.
 - Please note this service does not confirm if the information is accurate or not unless SGS has performed all necessary testing.
 - To request this service, applicant must send a copy of the file(s) with the Test Request Form
- If Hangtag or Care Label Recommendation is required, the applicant must send the appropriate number of samples with the Test Request Form.
 - The Lab will perform necessary tests and recommend what should be included on the hangtag and/or care label
 - The applicant is responsible for the accuracy of the information provided
- SGS can provide recommendations for product standard selection, which is CNY 50 per style.
- SGS can assist VUORI in creating Enterprise Standard.

NOTE to Labs: If a supplier requests a test that is not the same as the testing manual and it's for official Vuori testing, lab needs to check with Sharon.Tseng@vuori.com, Zac.Chou@vuori.com, or GKAM immediately.

8 GB Standard Names, Codes, & Sample Sizes

Notes:

- If the functional products require after-wash testing, it is recommended to add 1-2 additional samples to the base quantity
- **Note: The Product Standard Packages are for reference only, and Lab will recommend the product standard after checking the sample**

Standard Code	Standard Name (Chinese)	Standard Name (English)	Sample Size
GB 18401-2010	国家纺织产品基本安全技术规范	Chinese National General Safety Technical Code for Textile Products	2 pcs
GB 18401-2010 & GB/T 29862-2013	国家纺织产品基本安全技术规范& 纺织品 纤维含量的标识	Chinese National General Safety Technical Code for Textile Products & Textiles - Identification of Fiber Content	2 pcs
FZ/T 73020-2019	针织休闲服装	Knitted Casual Wear	3 pcs.
GB/T 22853-2019	针织运动服	Knitted Sportswear	3pcs 4pcs (for Absorption and Quick-drying Function)
FZ/T 81007-2022	单、夹服装	Casual Wear	3 pcs
FZ/T 81006-2017	牛仔服装	Jeanswear	3 pcs
GB/T 2662-2017	棉服装	Clothes with Fillings	3 pcs
GB/T 14272-2021	羽绒服装	Woven Down Garments	4 pcs
FZ/T 73053-2015	针织羽绒服装	Knitted Down Garments	3 pcs
GB/T 10288-2016	羽绒羽毛检验方法	Test method for down and feather	200 g of down and feather (Applicant can put down and feathers in a plastic bag to send to the lab. It's fine to provide a garment or mock-up just need to ensure that weight of down and feather is 200g. TAT for this test is 7 working days)

Standard Code	Standard Name (Chinese)	Standard Name (English)	Sample Size
FZ/T 74005-2016	针织瑜伽服	Knitted Yoga Garment	4 pcs
GB/T 22849-2024	针织 T 恤衫	Knitted T-shirt	3 pcs
FZ/T 73026-2014	针织裙、裙套	Knitted Skirt Suit	3 pcs
FZ/T 74002-2014	运动文胸	Sports Brassiere	5 pcs
FZ/T 74001-2020	纺织品 针织运动护具	Textiles – Knitted Sports Protectors	4 pcs
FZ/T 81008-2021	夹克衫	Jackets	3 pcs
GB/T 2660-2017	衬衫	Shirts and Blouses	3 pcs
FZ/T 81019-2014	灯芯绒服装	Corduroy Wear	3 pcs
GB/T 21980-2017	专业运动服装和 防护用品通用技术规范	Current Technical Criterion for Sportswear	3 pcs
GB/T 22700-2016	水洗整理服装	Washed Garments	3 pcs
FZ/T 81021-2014	机织泳装	Woven Swimming Wear	3 pcs Swimming pants 4 pcs swimming hat 6 pcs
GB/T 32614-2023	户外运动服装 冲锋衣	Outdoor Sportswear – Water Resistant Garment	3 pcs
GB/T 35460-2017	机织弹力裤	Woven Elasticity Trousers	3 pcs
GB/T 26384-2011	针织棉服装	Knitted Wadded Garments	3 pcs
GB/T 26385-2011	针织拼接服装	Knitting Patchwork Clothing	3 pcs
FZ/T 73005-2021	低含毛混纺及仿毛针织品	Low Wool Content and Wool-like Knitting Goods	3 pcs
FZ/T 73010-2016	针织工艺衫	Knitted Workmanship Sweater	3 pcs

Standard Code	Standard Name (Chinese)	Standard Name (English)	Sample Size
FZ/T 73032-2017	针织牛仔服装	Knitted Jeanswear	3 pcs
FZ/T 73043-2020	针织衬衫	Knitted Shirts	3 pcs
FZ/T 73029-2019	针织裤	Knitted Leggings	6 pcs
FZ/T 73037-2019	针织运动袜	Knitted Sports Socks	8 pcs
FZ/T 81020-2014	机织文胸	Woven Brassiere	13 pcs
FZ/T 73019.1-2017	针织塑身内衣 弹力型	Knitted Shape Inner Wear -Elastic-Style	3 pcs
FZ/T 73019.2-2020	针织塑身内衣 调整型	Knitted Shape Wear – Figured -Style	3 pcs
FZ/T 73042-2011	针织围巾披肩	Knitted Scarf and Shawl	3 pcs
GB/T 8878-2023	棉针织内衣，最新版名称：针织内衣	Cotton knitted underwear; Knitted underwear	3 pcs
FZ/T 73077-2024	针织速干衣	Knitted quick-dry garments	3 pcs; 6 pcs of finished products
FZ/T 74007-2019	户外防晒皮肤衣	UV-protective light weight outdoor clothing	3 pcs
GB/T 41788-2022	多功能针织产品	Multifunctional knitted products	3 pcs
FZ/T 81004-2022	连衣裙、裙套	Dress and lady suit	3 pcs

Note: The Product Standard Packages are for reference only, and Lab will recommend the product standard after checking the sample

8.1 GB Functional Claims Standard Names, Codes, & Sample Sizes

Standard Code	Standard Name (Chinese)	Standard Name (English)	Sample Size
GB/T 21655.2-2019	纺织品 吸湿速干性的评定 第 2 部分：动态水分传递法	Textile-Evaluation of absorption and quick-drying-Part 2: Method for moisture management tests	Bra – 6 pcs Jacket – 1 pc Leggings – 3 pcs Pants – 1 pc Shorts – 3 pcs Skirts: Short – 3 pcs Socks: Long – 4 pair Socks: Short – 6 pair T-shirt – 1 pc Vests: Men's – 2 pcs Vests: Women's – 3 pcs
GB/T 21655.1-2023	纺织品 吸湿速干性的评定 第 1 部分：单项组合试验法	Textile-Evaluation of absorption and quick-drying-Part 1: Method for Combination tests	Jacket – 2 pcs Shorts – 6 pcs Skirts: Short – 4 pcs Tops: Men's – 2 pcs Tops: Women's – 3 pcs T-Shirt: Men's – 2 pcs T-Shirt: Women's – 3 pcs Vests – 4 pcs
GB/T 4745-2012	纺织品 - 防水性能的检测和评价 – 沾水法	Testing and evaluation for water resistance-Spray test method	2 pcs
GB/T 18830-2009	防紫外线性能	UV Protection	1 pc
GB/T 12704.1-2009	透湿性	Water Vapour Transmission	2 pcs
GB/T 20944.3-2008	抗菌性能	Antibacterial property	2 pcs
GB/T 11048-2018	保温性能	Warmth retention property	2 pcs

GB/T 33610.2 -2017	消臭性能只测：氨气，乙酸, 甲硫醇	Anti Odour	2 pcs
FZ/T 01118-2012	防污性能	Stain resistance	2 pcs
GB/T 4744-2013	纺织品 - 防水性能的检测和评价 – 沾水法	Testing and evaluation for water resistance-Hydrostatic pressure method	2 pcs

8.2 Accessories

Standard Code	Standard Name (Chinese)	Standard Name (English)	Sample Size
FZT 73001-2016	襪子	Hosiery	10 pair
FZT 73002-2016	針織帽	Knitted caps	3 pieces
FZT 82002-2016	縫製帽	Woven caps	3 pieces
QBT 1333-2018	背提包	Handbag and knapsack	1 piece
QBT 2155-2010	旅行箱包	Travelling case and trolley bag	3 pieces
QBT 1618-2018	腰帶	Belt	2 pieces

9 Guidance to Labs

- The below section focuses on Guidance to SGS labs. It is included here for full visibility of Vuori and its suppliers

9.1 Guidance to Labs – Test Reports

- All Vuori test reports must be uploaded to the SGS SMART on the same day of job completion.
- Hard copies of the report and samples are only required to be sent upon request and will be paid by the party requesting

9.2 RSL Report Distribution

- Email Subject Line **and** File Name should be: Season_Article#_Vendor Name_Color_Conclusion_Report#_Report Release Date_RSL_Package Name (if individual testing, then use word "Individual")
- E-mail test reports to
 - 1) ChemicalTesting@vuori.com;
 - 2) Applicant(s) as listed on the TRF;
 - 3) SGS Contacts (dana.bartlett@sgs.com & CSR Representative for SA Billing (see Contact Information))

9.3 GB Testing Report Distribution

- GB Testing Email Subject Line **and** File Name should be: Season_Article#_Vendor Name_Color_Conclusion_Report#_Report Release Date_GB_Package Name
- **Note for the lab:** All NON-CVC (Chief Value Cotton) fabrics, both knit and woven, should have some type of functional claim on the fabrics. If labs see a TRF for this fabric without functional claim, lab must question supplier
-

10 Approved SGS Laboratories

10.1 SGS Lab Contacts – Approved RSL Testing Location

SGS (Cambodia) – Phnom Penh	
SGS (Cambodia) Ltd.	
Address	1076A-D, St. 371, Sangkat Stung Meanchey, Khan Meanchey, Phnom Penh, Kingdom of Cambodia.
Phone	+855 23 967 888
Fax	+855 23 967 885
Contact	Pataiy Suphanpasat; Sivakumar Balasubramaniam
Email	Pataiy.Suphanpasat@sgs.com Sivakumar.balasubramaniam@sgs.com
SGS China – Changzhou	
SGS-CSTC Standards Technical Services Co., Ltd – Changzhou lab	
Address	4/F, Bldg30, Black Peony Science Park, No.47 Qingyang North Road, Tianning District, Changzhou City, Jiangsu Province, China
Phone	+86 519 85358011
Contact	Judy Qiu
Email	Judy.Qiu@sgs.com
SGS China – Guangzhou	
SGS-CSTC Standards Technical Services Co., Ltd. – Guangzhou lab	
Address	198 Kezhu Road, Science Park, Economic and Technological Development Zone, Guangzhou, China 510663
Phone	+86 20 8215 5618
Contact	Jessie Zhao
Email	Jessie-zy.zhao@sgs.com
SGS China – Nanjing	
SGS-CSTC Standards Technical Services Co., Ltd. – Nanjing lab	
Address	1/F, Building2, No9, Yongfeng Road, Qinhuai District, Nanjing, China
Phone	+86 25 8455 6406
Contact	Emma Shan
Email	Emma.Shan@sgs.com

SGS China – Shanghai	
SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd	
Address	4/F, 4th Building, No.889, Yishan Road, Xuhui District, Shanghai, China.200233
Phone	+86 21 6115 2234
Contact	Mable Kong
Email	Mable.kong@sgs.com
SGS Hong Kong	
SGS Hong Kong Ltd.	
Address	4/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong
Phone	+852 2334 4481 ext. 1268 +852 2774 7133 (Sample pick up)
Fax	+852 2330 4862
Contact	Doris Choy
Email	Doris.Choy@sgs.com

SGS Indonesia – Jakarta	
PT. SGS Indonesia Consumer Testing Services	
Address	The Garden Centre 1st & 2nd Floor, Cilandak Commercial Estate, Jl. Cilandak KKO, Jakarta 12560
Phone	+62 21 297 80600
Fax	+62 21 297 80678
Contact	Ellya Santhy
Email	Ellya.Santhy@sgs.com
SGS Indonesia – Semarang	
PT SGS Indonesia	
Address	Ruko Diponegoro Jl. Diponegoro No. 247 Ungaran 50512 Semarang – Central Java, Indonesia
Phone	+62(24) 76929130
Fax	+62(24) 76929130
Contact	Adelies Mahardhika
Email	Adelies.Mahardhika@sgs.com

SGS Korea – Anyang	
SGS Korea Co., Ltd.	
Address	#322, The O Valley Bldg. 555-9, Hogye-dong, Dongan-gu, Anyang, Gyeonggi, Korea, 431-080
Phone	+82 (0)31 460 8051 (Business Manager) +82 (0)31 460 8061 (Admin)
Fax	+82 (0)70 4332 1678
Contact	Alex Hur
Email	Alex.Hur@sgs.com

SGS Taiwan – Taipei	
SGS Taiwan Ltd.	
Address	31, Wu Chyuan Road, New Taipei Industrial Park, New Taipei City 24886, Taiwan
Phone	+886 2 2299 3279 (ext.5202 / 5110 / 5220) +886 2 2299 3279 (ext 5237) (Sample pick up)
Fax	+886 2 2298 4060
Contact	Jerry Tung
Email	Jerry.Tung@sgs.com

SGS Vietnam – Hai Phong	
SGS Vietnam – Hai Phong Laboratory	
Address	Workshop X11 – Hai Thanh Workshop Area, Hai Thanh Ward, Duong Kinh District, Hai Phong City
Phone	+84 (0)2253 660 396 Ext 326, 328
Contact	Ms. Oanh NguyenKim; Ms. Nhung Bui
Email	Oanh.Nguyenkim@sgs.com ; Nhung.bui@sgs.com
SGS Vietnam – Ho Chi Minh City	
SGS Vietnam Ltd.	
Address	Lot III/21, 19/5A Street, Industrial Group III, Tan Binh Industrial Zone, Tay Thanh Ward, Tan Phu District, Ho Chi Minh City, Vietnam
Phone	+84 28 3816 0999 Ext. 655, 117
Fax	+84 28 3816 0996
Contact	Ms. Nga Bui/ Mr. Hao La
Email	Nga.Bui@sgs.com Hao.la@sgs.com
SGS Vietnam Sample Collection Center - Hanoi	
SGS Vietnam Ltd.	
Address	11FL, Hoa Binh International Office Tower, 106 Hoang Quoc Viet, Nghia Do Ward, Cau Giay District, Hanoi
Phone	Phone: +84 2253 552 722 ext. 139, 124 Mobile: +84 904 742 752 Mobile: +84 967 551 609
Contact	Ms. Mai Ha Pham / Mr. Chau Nguyen Nam
Email	ha.phammai@sgs.com chau.nguyennam@sgs.com

AMERICAS	
SGS Mexico	
SGS de Mexico S.A de C.V.	
Address	Industria Eléctrica # 19-PB Parque Industrial Naucalpan Naucalpan, Edo de Mexico Mexico, C.P. 53489
Phone	+52 55 5451 21 63
Contact	Elizabeth Hernandez
Email	Elizabeth.Hernandez@sgs.com
SGS USA	
SGS North America Inc.	
Address	291 Fairfield Avenue, Fairfield, NJ, USA, 07004
Phone	+1 973 461 7908
Fax	+1 973 575 7175
Contact	Carlos Juarez
Email	Carlos.Juarez@sgs.com
EUROPE	
SGS Turkey	
SGS Supervise Gozetme Etud Kontrol Servisleri A.S.	
Address	Is Istanbul Plaza Baglar Mah. Osmanpasa Cad. No:95 E Girisi, Gunesli, 34209, Istanbul, Turkey
Phone	+90 212 368 40 00 +90 212 368 40 00 ext:4501 (Sample pick up)
Fax	+90 212 296 47 82
Contact	Veli Kiraz
Email	Veli.Kiraz@sgs.com

10.2 SGS Lab Information – GB Testing Location

Lab Location 实验室	Lab Address 实验室地址	Title 职位	Contact name 联系人	E-mail 邮箱	Tel No. 电话号码
SGS CHINA		Local Key Account Manager	Vera Zhang	Vera.Zhang@sgs.com	(021) 61078247
SGS Shanghai	上海市徐汇区宜山路 889 号 4 号楼 4 楼 4/F, 4th Building No. 889, Yishan Road, Xuhui District, Shanghai, China	Account manager & Technical support	Jessica Li	Jessica.li@sgs.com	(021) 61152348
		Customer Service	Summer Mao	Summer.Mao@sgs.com	(021) 61152159

11 Manual Revision Log

Date	Revised By	Page/Revision
17 Nov 2023	Dana Bartlett	- Split up testing manual so there is now General Testing Guidelines, Appendix A: Vuori SGS – Performance/Physical Testing Guide; Appendix B: Vuori SGS – Restricted Substance Testing Guide; Appendix C: Vuori SGS – China GB Testing Guide p. 3 – Updated Introduction & Added Testing Policy p. 4-5 – Updated Testing Program for Restricted Substances p. 5 – Updated Test Request Form section p. 6 – Updated Sample Size p. 8 – Update Report Distribution p. 9 – Updated Billing p. 10-11 – Updated Restricted Substance Requirement Chart p. 12 – Added Restricted Substance AFIRM Modifications p. 13-27 – Updated Global References
1 Dec 2023	Dana Bartlett	p. 13 – Updated PFAS test requirements
8 Dec 2023	Dana Bartlett	p. 5 & 12 – Updated comments about PFAS testing
1 Mar 2025 and 14 Mar 2025	Dana Bartlett	p. 4 – Updated general Testing Program and RS Testing sections p. 5-6 – Updated TRF section, added RSL Failure section & RSL Testing Process Flow Chart p. 7-8 – Updated Sample Size chart p. 10 – Updated Report Distribution, replaced Portal Information with SGS SMART p. 11 – Updated Quotation / Order Confirmation section p. 12-13 – Updated Vuori RSL Test Matrix
13 Jul 2025	Dana Bartlett	- Pg. 5 – Updated TRF Section - Pg. 10 - Updated SGS SMART section - Pg. 11 – Updated Quotation/Order Confirmation & Billing section - Pg. 14 – Removed Quinoline from Testing Program; ALL Material Types are ONLY tested for PFAS if the material has a water-repellent, oil-repellent or stain-repellent finish
11 April 2026	John Moraes & Dana Bartlett	- Combined RSL and GB manuals - Updated PFAS test method - Removed Color testing for RSL and revamped test matrix - Updated GB standards