

Downside of Garment Dyed & Washed Garment from Advance

Overview

Garment Dyeing & Washing

Considerations and Approval

1. Pre-Dyeing Stage

- Garment dye is a pigment method followed by washing.
- Achievable Color Fastness is 2~2.5 (To Laundry, Light, Water, Perspiration) with potential shading variations depending on required color.
- Additional treatments such as Snow Wash or Magic Wash require higher tolerance for color shading.

Michael: I think, Quality Evaluation Needed - To give a clear definition of Acceptable Quality Levels of Color Fastness to Laundry, Light, Water, Perspiration based on proven testing result(s).

2. SMS (Salesman Sample) Stage

- Bulk color standard must be set up to match zipper and embroidery colors when bulk orders are placed.
- If SMS color is unsatisfactory, a washing panel can be submitted for approval.
- Before bulk production, a final color standard must be established.
- New SMS colors require standard setup before order confirmation.

Michael: I think, Final Color Standard Setup & Approval Needed for following through the Bulk Production.

3. Bulk Production: Color Shade Variation

- Different greige garment lots will be reviewed with shade bands for approval.
- Slight variations in garment color may occur due to dyeing and washing effects.

Michael: I think, Shade Variation Management Needed based on the best practice/outcome.

3. Bulk Production
Label Dyeing Considerations-1

- **All labels will be dyed** along with the garment **unless applied after dyeing.**
- Suggested method: Sew labels **after** garment dyeing for cleanliness.
- Sewing method: Folded and top-stitched on the neck seam:



Michael: The Suggested/Sewing method seems logistic to me, needs to get the final confirmation from PD Team.

3. Bulk Production
Label Dyeing Considerations-2

- **Story Label**
- Sewn **after garment dyeing** to avoid pollution.
- Due to pigment-based dyeing, consumer home laundering may cause slight pollution of the label, depending on the garment color.





Michael: To measure how poor the story label could be polluted after home laundering with body garment/fabric, need to set the Acceptable Quality Level.

3. Bulk Production
Label Dyeing Considerations-3

- **Flag Label & Inside Story Label**

➢ Due to sewing operations, these labels **cannot** be applied after garment dyeing.

➢ Some level of pollution is expected as a result.





Michael: To measure how poor the Flag Label & Inside Story Label could be polluted after garment dyeing, need to set the Acceptable Quality Level.

Michael:

4. Approval & Finalization

Final Quality Standard must be established before bulk production.

New colors at SMS require color standard setup before order confirmation.

Shade bands must be approved if multiple greige lots.

Confirm label application method and to set the Acceptable Quality Levels for Story Label, Flag Label and Inside Story Label.