

Instructions:

Evaluate the homework against the outlined criteria in both the assignment rubric in addition to the challenge rubric, assigning a rating to each criterion. Add points earned across all criteria and convert the total points to a letter grade, assigning a “+” or “-” letter grade designation at your discretion.

A (+/-)	160+	C (+/-)	70-114	F (+/-)	<25
B (+/-)	115-159	D (+/-)	25-69		

Notes:

The deployed assignment utilizes the **Pandas**, and **Matplotlib** libraries to analyze the Pymaceuticals challenge. The source code should also be deployed to **Github** or **Gitlab**.

Assignment Rubric for Pymaceuticals Inc and the Power of Plots:

	Mastery 20 points	Approaching Mastery 15 points	Progressing 10 points	Emerging 5-0 points	Incomplete
Summary Statistics	The notebook generates a summary data frame, that contains: ✓ All drug regimens ✓ All summary statistics (mean, median, variance, std. deviation or SEM)	The notebook generates a summary data frame, that contains at least one of the following: ✓ All drug regimens ✓ All summary statistics (mean, median, variance, std. deviation or SEM)	The notebook generates a summary data frame, that contains at least: ✓ One or more drug regimens ✓ One or more summary statistics (mean, median, variance, std. deviation or SEM)	✓ The notebook does not generate a summary data frame, but does create a data frame with calculated columns	No submission was received -OR- Submission was empty or blank -OR- Submission contains evidence of academic dishonesty
Bar Plots	✓ Two bar plots are successfully generated depicting the total number of measurements taken for each treatment regimen using both plotting methods: ✓ <code>pandas.DataFrame.plot()</code> ✓ <code>matplotlib.pyplot()</code>	✓ A bar plot is successfully generated depicting the total number of measurements taken for each treatment regimen using only one plotting method: ✓ <code>pandas.DataFrame.plot()</code> ✓ <code>matplotlib.pyplot()</code>	✓ A bar plot is successfully generated, but not for the total number of measurements taken for each treatment regimen	✓ The contains broken code that attempts to generate a bar plot	
Pie Plots	✓ Two bar plots are successfully generated depicting the distribution of male versus female mice using	✓ A bar plot is successfully generated depicting the distribution of male versus female mice using only one plotting method:	✓ A pie plot is successfully generated, but not for the distribution of male versus female mice	✓ The notebook contains broken code that attempts to generate a pie plot	

	both plotting methods: ✓ <code>pandas.DataFrame.plot()</code> ✓ <code>matplotlib.pyplot()</code>	✓ <code>pandas.DataFrame.plot()</code> ✓ <code>matplotlib.pyplot()</code>			
Quartiles, IQR and Outliers	✓ The notebook calculates all of the following for all four drug regimens: ✓ Quartiles ✓ IQR ✓ Outlier boundaries ✓ All potential outliers	✓ The notebook calculates all of the following for one drug regimen: ✓ Quartiles ✓ IQR ✓ Outlier boundaries ✓ All potential outliers	✓ The notebook calculates two of the following for one drug regimen: ✓ Quartiles ✓ IQR ✓ Outlier boundaries	✓ The notebook calculates one or none of the following: ✓ Quartiles ✓ IQR ✓ Outlier boundaries	
Box Plots	✓ A box and whisker plot is successfully generated for the final tumor volume, and meets all of the following criteria: ✓ All four treatment regimens are on the same plot ✓ Potential outlier data points have a custom style or color	✓ A box and whisker plot is successfully generated for the final tumor volume, but does not meet all of the following criteria: ✓ All four treatment regimens are on the same plot ✓ Potential outlier data points have a custom style or color	✓ A box and whisker plot is successfully generated, but not for the final tumor volume	✓ The notebook contains broken code that attempts to generate a box and whisker plot	
Line Plots	✓ A line plot is successfully generated for the time point versus tumor volume for a single mouse treated with Capomulin	✓ A line plot is successfully generated for the time point versus tumor volume but is not representative of a single mouse treated with Capomulin (i.e., some alternative drug regimen)	✓ A line plot is successfully generated, but not for the time point versus tumor volume for a single mouse treated with Capomulin	✓ The notebook contains broken code that attempts to generate a line plot	
Scatter Plots	✓ A scatter plot is successfully generated depicting mouse weight versus average tumor volume for the Capomulin regimen	✓ A scatter plot is successfully generated depicting mouse weight versus average tumor volume, but not for the Capomulin regimen	✓ A scatter plot is successfully generated, but not depicting mouse weight versus average tumor volume for the Capomulin regimen	✓ The notebook contains broken code that attempts to generate a scatter plot	
Correlation and Regression	✓ All conditions are met: ✓ The correlation coefficient is calculated for mouse weight versus average tumor volume ✓ The linear regression model is calculated for mouse weight versus average tumor volume ✓ The linear regression model has been plotted over the scatter plot depicting mouse weight versus average tumor volume	✓ Two of the three conditions are met: ✓ The correlation coefficient is calculated for mouse weight versus average tumor volume ✓ The linear regression model is calculated for mouse weight versus average tumor volume ✓ The linear regression model has been plotted over the scatter plot depicting mouse weight versus average tumor volume	✓ One of the following conditions are met: ✓ The correlation coefficient is calculated for mouse weight versus average tumor volume ✓ The linear regression model is calculated for mouse weight versus average tumor volume ✓ The linear regression model has been plotted over the scatter plot depicting mouse weight versus average tumor volume	✓ The notebook contains broken code that attempts to calculate the correlation coefficient or linear regression model.	

Observations and Insights	✓ The notebook contains three observations or insights about the data	✓ The notebook contains two observations or insights about the data	✓ The notebook contains one observation or insight about the data	✓ The notebook contains no observations/insights, or observations/insights are inappropriate to the data set	
----------------------------------	---	---	---	--	--