Dust Application Number: 0000000
Dust Application Status: Approved
Project Name: Dust Health 27 MW Solar

Company Name: Sulfur Springs Solar
Project Type: Commercial - Industrial
Date Received: 10/08/2020
Expiration Date: 12/31/2020
Date Approved: 10/08/2020
Closed Date:

Dust Control Permit Application

Questions? Point to the blue question mark icons ⓘ for additional instructions.

Important: Please click the red asterisk icon on mandatory fields for control authorization with you, unless you do not have an email account. Please be sure to provide a valid email address.

Provide an email address where we can send the permit: hunter@mariposaair.com
Name: Sulfur Springs Construction
Phone: (925) 487-5700

Did you receive an expedite notation?
☐ Yes
☐ No

Permit Application Form, Part A: Applicant Information

Applicant

Please provide information that the legal entity (company) or individual doing work on individual that is applying for the permit.

Relationship to property (Check all that apply): ☐ Property Owner ☐ Manager/Property Manager ☐ Lessee ☐ Lessor

Type of Entity: Corporation
Name of company or individual doing work: Sulfur Springs Solar
Address: 3477 W Thunderbird Rd
Address 2: Suite 2
City: Glendale
State: AZ
Zip: 85308
Phone: (623) 487-5700
E-Mail Address: hunter@mariposaair.com

Applicant Primary Contact

First Name: Jim
Last Name: Sullivan
Address: 3477 W Thunderbird Rd
Address 2: Suite 2
City: Glendale
State: AZ
Zip: 85308
Phone: (623) 487-5700
E-Mail Address: hunter@mariposaair.com

Is the Applicant a wholly owned subsidiary of another Company?
☐ Yes
☐ No

Is the Applicant the Property Owner or Developer?
☐ Yes
☐ No

Type of Entity: Association
Name: Venice Hawk Tonopah
Address: 7400 E Osborn Rd
Address 2:
City: Scottsdale
State: Arizona
Zip: 85251
Phone: (480) 990-0703
Fax:
Contact Person First Name: Cindy
Contact Person Last Name: Lamphere
Contact Person Phone: (480) 990-0703
Contact Person E-Mail Address: cynephone@cox.net

Primary Project Contact

Provide a primary project contact/representative in site mobilization for this job.

First Name: Jim
Last Name: Sullivan
Company: Sr. Superintendent
E-Mail Address: hunter@mariposaair.com
Company Name: Sulfur Springs Solar
Phone: (925) 487-5700
Mobile: (480) 780-2670
Fax:

Is a Consultant Operator?
☐ Yes
☐ No

Provide information for the person responsible for completing the dust control plan. Consultant operators are not permitted to sign the dust control plan. Consultant operators are not permitted to be the primary contact for the dust control plan. Consultant operators are not permitted to be the primary contact for the project. Dust control plans with a consultant operator listed as the primary contact will be returned without a permit.

Is this the Contact or Owner?
☐ Yes
☐ No

Permit Application Form, Part B: Project Information

Name of Project: Venice Hawk 27 MW Addition
Brief Project Description: 27 MW addition to existing 1MW solar generation facility. Project includes 3 acres of temporary disturbance for Contractor Staging Area.
Estimated Project Start Date: 10/15/2020
Estimated Project Completion Date: 12/15/2020

Project Location:

Click on the map to view more detail or to change site opacity.

Click Zoom to Site to view the site.

Directions: 11 Circle

Site Location Map
Please select an address that should be printed on the dust control permit cover page.

Site	Address	Parcel	Actions
1	10000 E Mariposa Grove Lane, Coarsegold, CA 93614	002-010-060	Edit Delete
2	10000 E Mariposa Grove Lane, Coarsegold, CA 93614	002-010-060	Edit Delete

Add a Location

Section/Township/Range information:
Section: 11 Township: 5S Range: 22E

Acres Disturbed: 3
Acres Total: 3

Is this a Residential Project?
☐ Yes
☐ No

Total Number of Residential Units:

Residential Fireplaces:
Dwelling Units that are not to be fireplaced:

Days Prior to Ignition: 0
Acreage Prior to Ignition: 0.00

Accumulated Processing Hours (Hours Prior to Ignition): 0.00
Estimated Total Hours: 0.00

Estimated Bulk Material Weight to Process: 0 Tons

Bulk Material includes Rock (not limited to), the following: earth, rock, sub material, sand, gravel, top soil. Aggregate less than 2 inches in length or diameter, asphalt, concrete, asphalt and concrete, soil, mixed earth, rock, native material, decorative rock, ROP, Crushed Concrete, and the crushed, milled, ripped, or processed form of these materials.

Estimated Cubic yards of Bulk Material to be imported per day: 0
Estimated Cubic yards of Bulk Material to be exported per day: 0

Permit Application Form, Part C: Asbestos NESHAP Information

Asbestos NESHAP Notification requirements

Definitions

Demolition: The wrecking or taking out of any load-supporting structural member of a facility together with any related handling operations in the demolition or wrecking of a facility.

Renovation: Altering a facility or one or more facility components in any way, including the stripping or removal of Regulated Asbestos Containing Material (RACM) from a facility component.

SHOULD THE PROJECT CLEARLY INCLUDE OR INCLUDE OR CLOSE OR EXPOSE ANY WALL, PIPE, DUCTWORK, OR CONTAINER, ASK YOURSELF:

☐ Yes
☐ No

Are Local NE or Local NESHAP notification from https://www.mariposa.ca.us/1428/Notice-Forms-and-Applications/

Dust Control Plan

The following will become the main control plan for dust and fugitive dust emissions for the project. Once fully completed and approved the Dust Control Plan will be the main document that will be used to control dust and fugitive dust emissions.

Primary and Contingency Control Measures

Every category (except Category 8) section and category requires at least one Primary control measure and at least one Contingency control measure. Contingency control measures are required to be implemented if the primary control measure is not sufficient to control dust emissions or if the primary control measure is not feasible to implement.

All measures must have a selection of Primary, Contingency, or None.

Please select Primary, Contingency, or None.

Contingency Control Measure: If a primary control measure is not sufficient to control dust emissions or if the primary control measure is not feasible to implement, a contingency control measure must be chosen from the Tables that corresponding applicable if they are applicable to the project. Contingency control measures are required to be implemented if the primary control measure is not sufficient to control dust emissions.

Contingency actions are only required when they are applicable.

Contingency measures are required to be implemented when the primary control measure is not sufficient to control dust emissions. Contingency measures are required to be implemented when the primary control measure is not feasible to implement. Contingency measures are required to be implemented when the primary control measure is not feasible to implement.

Contingency Control Measure Exceptions: Contingency measures are not required to be implemented when the primary control measure is not feasible to implement, such that implementation of the dust control measure will not provide a benefit in reducing fugitive dust (e.g., pre-seeding a previously undisturbed area).

Other Local Control Measure Exceptions: Other local control measures, such as those from Local Control Plans or Local Air Pollution Control Districts, are required by Rule 402, Section 4(B).

Category 1: Bare Ground Areas

If and in conditions cause fugitive dust to exceed the 20% opacity requirement (Rule 210, Section 301-1(a), then the following actions must be performed.

Note: Bare ground areas are defined as areas of land that are not covered with crops, or are not covered by a building, or are not covered by a minimum of 3 inches of gravel, or are not covered by a minimum of 3 inches of vegetation. Bare ground areas do not include areas that are covered by a minimum of 3 inches of vegetation. Landscaped, or maintained vegetated areas are not considered bare ground areas.

Required: Cease dust generating operations.

Required: Immediately cease all fugitive dust as specified in Rule 210, Section 301-1.

Required: Implement control measures and Rule 210, Section 301-2 and cease dust generating operations until control measures are in place.

Please select one or more of the following stabilization methods.

☐ Water or Land Lime
☐ Chemical Stabilizer, Binder, Crusting, CO2 or Calcium/Sodium based compounds for non-soluble elements of 100 compounds or higher
☐ Chemical or vegetative ground cover
☐ Other

Category 2: Bulk Material Handling

Please select all that apply.

☐ Conveyors/Stacking Stacker, Conveyor/Stacking Stacker, and Conveyor/Stacking Tripper Area

☐ Yes
☐ No

Please select one or more Primary and at least one Contingency measures.

Paved complete pedestrian/bicycle trail: ☐ Primary ☐ Contingency ☐ None

Apply wet maintenance gravel, recycled asphalt, or other suitable material: ☐ Primary ☐ Contingency ☐ None

Apply water: ☐ Primary ☐ Contingency ☐ None

Apply dust maintenance chemical suppressants other than water (complete part VIII below): ☐ Primary ☐ Contingency ☐ None

Limit material mass to no more than 20 feet per road and remove material from the road at the end of each workday (minimum maintenance below): ☐ Primary ☐ Contingency ☐ None

Other (specify below): ☐ Primary ☐ Contingency ☐ None

Maximum number of vehicle trips on the unpaved portion/segment (Enter the number of vehicle trips per day in the box to the right. Enter "0" if no vehicle trips are allowed on the unpaved portion/segment): 10

Provide a description of the vehicle traffic on the unpaved portion/segment: Vehicle traffic consists of 10 trips per day of a 10 wheel dump truck and a 10 wheel water truck. Vehicle traffic will be limited to the project site.

Category 3: Unpaved Roads

Please select one or more Primary and at least one Contingency measures.

Pave complete pedestrian/bicycle trail: ☐ Primary ☐ Contingency ☐ None

Apply wet maintenance gravel, recycled asphalt, or other suitable material: ☐ Primary ☐ Contingency ☐ None

Apply water: ☐ Primary ☐ Contingency ☐ None

Apply dust maintenance chemical suppressants other than water (complete part VIII below): ☐ Primary ☐ Contingency ☐ None

Limit material mass to no more than 20 feet per road and remove material from the road at the end of each workday (minimum maintenance below): ☐ Primary ☐ Contingency ☐ None

Other (specify below): ☐ Primary ☐ Contingency ☐ None

Maximum number of vehicle trips on the unpaved portion/segment (Enter the number of vehicle trips per day in the box to the right. Enter "0" if no vehicle trips are allowed on the unpaved portion/segment): 10

Provide a description of the vehicle traffic on the unpaved portion/segment: Vehicle traffic consists of 10 trips per day of a 10 wheel dump truck and a 10 wheel water truck. Vehicle traffic will be limited to the project site.

Category 4: Bulk Material/Aggregate Piles Stored in Open Areas, Including Stockpiles

Please select one or more Primary and at least one Contingency measures.

Apply water: ☐ Primary ☐ Contingency ☐ None

Apply wet maintenance surface gravel: ☐ Primary ☐ Contingency ☐ None

Cover storage piles with tarps, plastic, dirt, sand, fine sand and gravel, or other suitable material: ☐ Primary ☐ Contingency ☐ None

Establish vegetative ground cover (landscaping): ☐ Primary ☐ Contingency ☐ None

Other (specify below): ☐ Primary ☐ Contingency ☐ None

Category 5: Bare Areas

Please select one or more Primary and at least one Contingency measures.

Apply water: ☐ Primary ☐ Contingency ☐ None

Apply wet maintenance surface gravel: ☐ Primary ☐ Contingency ☐ None

Cover storage piles with tarps, plastic, dirt, sand, fine sand and gravel, or other suitable material: ☐ Primary ☐ Contingency ☐ None

Establish vegetative ground cover (landscaping): ☐ Primary ☐ Contingency ☐ None

In conjunction with other measures, construct fences or other barriers: ☐ Primary ☐ Contingency ☐ None

Other (specify below): ☐ Primary ☐ Contingency ☐ None

Category 6: Unpaved Parking Lots, Including Parking Areas for Sales Lots, Storage Yards, Transit Areas, and Other Similar Areas

Please select one or more Primary and at least one Contingency measures.

Apply water: ☐ Primary ☐ Contingency ☐ None

Apply wet maintenance surface gravel: ☐ Primary ☐ Contingency ☐ None

Cover storage piles with tarps, plastic, dirt, sand, fine sand and gravel, or other suitable material: ☐ Primary ☐ Contingency ☐ None

Establish vegetative ground cover (landscaping): ☐ Primary ☐ Contingency ☐ None

In addition to other control measures, construct windbreaks or fences: ☐ Primary ☐ Contingency ☐ None

Apply water (sufficient to maintain a visible crust) and a chemical stabilizer: ☐ Primary ☐ Contingency ☐ None

Prevent access/trespass (Provide additional info below): ☐ Primary ☐ Contingency ☐ None

Remove vegetation & use water to complete/maintain other conditions (control measures below): ☐ Primary ☐ Contingency ☐ None

Other (specify below): ☐ Primary ☐ Contingency ☐ None

Prevent access/trespass by (check all that apply):
☐ Fences
☐ Gates
☐ Barriers
☐ Signs
☐ Other

Prevent access/trespass by (check all that apply):
☐ Fences
☐ Gates
☐ Barriers
☐ Signs
☐ Other

Category 7: Bulk Material Hauling

Note: The requirements in this section are in addition to the dust control plan requirements in Section D, Below.

☐ Will Material be hauled on the offsite roads or crossing offsite thoroughfares by the Public?

☐ Yes
☐ No

☐ Will Material be hauled or Transported within the thoroughfares of the Work Site (site) with roads or areas accessible to the Public?

☐ Yes
☐ No

☐ Will Material be hauled or Transported within the thoroughfares of the Work Site (site) with roads or areas not accessible to the Public?

☐ Yes
☐ No

Please select one or more Primary and at least one Contingency measures.

Cease operations (Note: This option may only be used in a non-emergency situation): ☐ Contingency ☐ None

Apply water: ☐ Contingency ☐ None

Apply wet maintenance surface gravel (complete part VIII below): ☐ Contingency ☐ None

Other (specify below): ☐ Contingency ☐ None

Other: Limit loads with the top single inch dirt only

Category 8: Open Storage Piles Not Subject to Rule 210, Section 301-1(a)

Please select one or more Primary and at least one Contingency measures.

Cover open storage piles with tarps, plastic, or other material: ☐ Primary ☐ Contingency ☐ None

Apply water to maintain wind resistant crust (Note: If covering with tarps, plastic, or other material is not feasible, then the water must be applied in such a manner that the material does not leave the site in a manner that violates Section 301-1(a) of Rule 210 or cause a nuisance violation): ☐ Primary ☐ Contingency ☐ None

Remove or isolate wind sensitive material: ☐ Primary ☐ Contingency ☐ None

Other (specify below): ☐ Primary ☐ Contingency ☐ None

Covered conveyors, covers, or enclosures (Not Open Air Storage): ☐ Primary ☐ Contingency ☐ None

Other (specify below): ☐ Primary ☐ Contingency ☐ None

In conjunction with the measures above, construct wind barriers and/or windbreaks, orientate piles, or in those cases where tarps will create, wind issues such as in the case of a very large pile, place the material in smaller piles or in such a manner that the tarp can be properly secured and maintained intact.

Category 9: Transport, Cover, and Spillage, and Erosion

Check the box that is at least **none of attributed surface area** and **fill at least water, gravel, of bulk material daily** to transport or cover or off road?

☐ Yes
☐ No

Category 10: Cleaning

Transport/carry out trash bin, dumpster, or roll-off bin. Transport/carry out materials or consumables (devices of 20 linear feet or more along a power-line or pipeline) to be used in the project. Clean up after the project.

Please select one or more Primary and at least one Contingency measures.

Sidewalk Vacuuming: ☐ Primary ☐ Contingency ☐ None

Operate a street sweeper or wet broom (See note below, upon approval): ☐ Primary ☐ Contingency ☐ None

Manually sweep up deposits: ☐ Primary ☐ Contingency ☐ None

Other (specify below): ☐ Primary ☐ Contingency ☐ None

Operate a street sweeper or wet broom with sufficient water and with the characteristics recommended upon (e.g., rotor brush, skirt/side brush, rotation speed, vacuum).

Other: Stay compact all day long and keep bed clean from construction vehicle breaking

Category 11: Grading

Wind grading is grading in a manner that does not create dirty or material grading of unstriped areas for a minimum grading of 5 hot days. If possible, when doing grading do not leave a large grading area and leave it sitting long time when the material that is dirt and that great distance.

Wind grading is grading in a manner that does not create grading of more than 1 square foot, does not involve backing or dragging of material beyond 1 foot, and does not involve dumping of material.

☐ Will Wind Grading only grading on this site?

☐ Yes
☐ No

☐ Will Wind Grading day that grading on this site?

☐ Yes
☐ No

Complete Water Supply and Application information in category 15 Water Supply and Application.

Category 12: Underground Utilities, Structure Excavation, and Vertical Construction.

Structure excavation includes excavation for basin pads, footings, curbs, sidewalks, sidewalks, etc.

☐ Will Dust be only underground utilities installed or prepared and/or only structures to be built on the site?

☐ Yes
☐ No

Complete Water Supply and Application information in category 15 Water Supply and Application.

☐ Will Dust be only vertical structures built on the site?

☐ Yes
☐ No

Complete Water Supply and Application information in category 15 Water Supply and Application.

Category 13: Demolition Activities

Demolition activities are the wrecking and/or removal of any load-supporting structural member of a facility and any related handling operations. They include demolition of buildings, bridges, structures, roadways, foundations, footings, underground tanks, and pipelines.

☐ Will Dust be any demolition activities on the site?

☐ Yes
☐ No

Required: Each operator shall comply with all requirements of Rule 210 and implement the following control measures:

Required: Apply water to maintain a continuous wet condition in all demolition and processing operations and surfaces immediately following demolition operations.

☐ Not inspected/operable after hour water, wet vacuum, dirty hose and complete the Dust Inspectorate Maintenance Checklist.

☐ Not inspected/operable after hour water, wet vacuum, dirty hose and complete the Dust Inspectorate Maintenance Checklist.

NOTE: Fine grading and/or Finish Grading is not considered demolition.

Photographs taken before ground & after surface finished/completed: ☐ Yes ☐ No

Other (specify below): ☐ Yes ☐ No

Category 14: Blasting

☐ Will Blasting be used/attempted for the Dust Control Plan?

☐ Yes
☐ No

Category 15: Water Supply and Application

Note: DO NOT USE. If the dust can not be kept down with the water that is available for the fields and you are allowed to apply for a waiver of the requirements of Section 4(B) of Rule 402 and use other local or non-potable water that can not be used for irrigation. Contact the Mariposa County Air Pollution Control District for information on the waiver process.

Source of water (potable, potable or non-potable):
☐ Potable - Only Water Source
☐ Potable - Not Only Water Source
☐ Non-potable

Source of water is from a hydrant or cart with:
☐ Potable - Only Water Source
☐ Potable - Not Only Water Source
☐ Non-potable

Will water be transported:
☐ Yes
☐ No

Water Source: Please list the water supplier that will be used as you point-of-origin for the duration of the project.

☐ Mariposa Hydrant
☐ Water Truck
☐ Water Cart
☐ Water Tank
☐ Other

Hours: 10
Gallons: 1,000
Cost: 1.7 x 100

Water Buffers

Gallons: 0
Cost: 0

Category 16: Unpaved Staging, Parking & Storage Areas

Required Minimum Amount of Water Available for Dust Control (Enter Gallons): 10 - Gallons Daily Minimum Requirement (20 - 400 Gallons)
1.5 - Gallons Daily Minimum Requirement (40 - 2,000 Gallons)
2.5 - Gallons Daily Minimum Requirement (2,000 - 5,000 Gallons)
3.5 - Gallons Daily Minimum Requirement (5,000 - 20,000 Gallons)

Average Daily Potential Dust Emissions for Project: 10

Unpaved Roads Dust Control Water Gallons Distributed:

Required Minimum Amount of Water Available for Dust Control (Enter Gallons): 10 - Gallons Daily Minimum Requirement (20 - 400 Gallons)
1.5 - Gallons Daily Minimum Requirement (40 - 2,000 Gallons)
2.5 - Gallons Daily Minimum Requirement (2,000 - 5,000 Gallons)
3.5 - Gallons Daily Minimum Requirement (5,000 - 20,000 Gallons)

Average Daily Potential Dust Emissions for Project: 10

Volumetric Contract Hauling Water Gallons:

Required Minimum Amount of Water Available for Dust Control (Enter Gallons): 10 - Gallons Daily Minimum Requirement (20 - 400 Gallons)
1.5 - Gallons Daily Minimum Requirement (40 - 2,000 Gallons)
2.5 - Gallons Daily Minimum Requirement (2,000 - 5,000 Gallons)
3.5 - Gallons Daily Minimum Requirement (5,000 - 20,000 Gallons)

Average Daily Potential Dust Emissions for Project: 10

Fire Hose Gallons:

Required Minimum Amount of Water Available for Dust Control (Enter Gallons): 10 - Gallons Daily Minimum Requirement (20 - 400 Gallons)
1.5 - Gallons Daily Minimum Requirement (40 - 2,000 Gallons)
2.5 - Gallons Daily Minimum Requirement (2,000 - 5,000 Gallons)
3.5 - Gallons Daily Minimum Requirement (5,000 - 20,000 Gallons)

Average Daily Potential Dust Emissions for Project: 10

of the Project

- ○ 2 - 10 Acres Daily Minimum Requirement 600 - 3,000 Gallons
- ○ 10 - 100 Acres Daily Minimum Requirement 3,000 - 30,000 Gallons
- ○ > 100 Acres Daily Minimum Requirement > 30,000 Gallons

Average Daily Disturbed Area (in Acres) for this Phase .10

G1: Underground Utilities/Structure Excavation

Required Minimum Amount of Water Available for this Phase of the Project

- ◉ 0 - 2 Acres Daily Minimum Requirement 300 - 600 Gallons
- ○ 2 - 10 Acres Daily Minimum Requirement 600 - 3,000 Gallons
- ○ 10 - 100 Acres Daily Minimum Requirement 3,000 - 30,000 Gallons
- ○ > 100 Acres Daily Minimum Requirement > 30,000 Gallons

Average Daily Disturbed Area (in Acres) for this Phase .10

G2: Construction of Vertical Structures

Required Minimum Amount of Water Available for this Phase of the Project

- ◉ 0 - 2 Acres Daily Minimum Requirement 150 - 300 Gallons
- ○ 2 - 10 Acres Daily Minimum Requirement 300 - 1,500 Gallons
- ○ 10 - 100 Acres Daily Minimum Requirement 1,500 - 15,000 Gallons
- ○ > 100 Acres Daily Minimum Requirement > 15,000 Gallons

Average Daily Disturbed Area (in Acres) for this Phase .10

H: Demolition Activities

Required Minimum Amount of Water Available for this Phase of the Project

- ◉ 0 - 2 Acres Daily Minimum Requirement 225 - 400 Gallons
- ○ 2 - 10 Acres Daily Minimum Requirement 400 - 2,250 Gallons
- ○ 10 - 100 Acres Daily Minimum Requirement 2,250 - 22,500 Gallons
- ○ > 100 Acres Daily Minimum Requirement > 22,500 Gallons

Average Daily Disturbed Area (in Acres) for this Phase .10

Category D4: Bulk Material Loading, Unloading & Stacking

Number of Yards to be Imported/Exported 0

Number of Days of Importing/Exporting Operations 0

Attachments (Use to attach any additional documentation, e.g. subcontractor lists, soil reports, additional dust control coordinators)

Status	ID	Attachment Type	Description	Upload Date
✓	37446	Permit Document	Generated Dust Permit Document	11/3/2025

Printable view | Export to excel

Show Associated Invoices

Revise Application | Close Permit

Air Quality Department
301 W. Jefferson St., Suite 410
Phoenix, AZ 85003
Phone: 602-506-6010

For technical assistance contact AQDImpact@maricopa.gov or 602-506-7833