

# Preliminary Results

The Berkeley Team

2022-06-28


## Contents

Wasting	3
Stunting	9
Co-Occurence	13
Underweight	15




Wasting


Wasting Cumulative Incidence: 3 Months Interval




Wasting Incidence Proportion: 3 Months Interval




## Wasting Incidence Rate: 3 Months Interval




## Wasting Incidence Rate: 6 Months Interval



## Wasting Prevalence: 3 Months Interval




## Persistent Wasting: 6 Months Interval




## Wasting Recovery: 6 Months Interval

Tanzania








## Stunting


```
include_graphics(paste0(BV_dir,"results/figures/stunting/CI3.png"))
```

## Stunting Cumulative Incidence: 3 Months Interval




```
include_graphics(paste0(BV_dir,"results/figures/stunting/IP3.png"))
```

## Stunting Incidence Proportion: 3 Months Interval




```
include_graphics(paste0(BV_dir,"results/figures/stunting/LAZ3.png"))
```



```
include_graphics(paste0(BV_dir,"results/figures/stunting/prevalence3.png"))
```


## Stunting Prevalence: 3 Months Interval



## Co-Occurrence


```
include_graphics(paste0(BV_dir,"results/figures/co-oc/IP3.png"))
```

## Co-Occurrence Incidence Proportion: 3 Months Interval



```
include_graphics(paste0(BV_dir,"results/figures/co-oc/prevalence3.png"))
```


## Co-Occurrence Prevalence: 3 Months Interval



## Underweight

```
include_graphics(paste0(BV_dir,"results/figures/underweight/WAZ3.png"))
```

## Mean WAZ: 3 Months Interval



```
include_graphics(paste0(BV_dir,"results/figures/underweight/prevalence3.png"))
```



## Underweight Prevalence: 3 Months Interval

