

Supplement to Causes and consequences
of child growth failure in low resource
settings

Andrew Mertens et al.

2019-12-21

Contents

1 Overview	5
2 Relative risk plots	7
3 Growth velocity	37
4 Sensitivity analysis using fixed effects	39
4.1 Primary manuscript figures recreated with estimates pooled using fixed effects	39
5 Unadjusted RF plots	51
6 Sensitivity spline plots	53
7 Spline plots - all exposures	61
8 Heatmaps	123
8.1 Heatmap of significance of estimates, region stratified	125
8.2 Heatmap of significance of estimates pooled using fixed effects .	127
8.3 Heatmap of significance of estimate, unadjusted	129
9 Mortality Sensitivity Analyses	131
10 Sensitivity to dropping PROBIT trial	143
10.1 Comparison of attributable differences estimated with and with- out the PROBIT trial	143
11 Forest plots of relative risk	145

Chapter 1

Overview


Recommended citation: Mertens A N, et al. 2020. Causes and consequences of child growth failure in low resource settings. *Journal Name*. doi.


This site contains supplementary information to the *Causes and consequences of child growth failure in low resource settings*.


Chapter 2


Relative risk plots


2.0.1 Relative risks between levels of all exposures for prevalence and cumulative incidence of wasting and stunting outcomes

















Father's

































































Chapter 3

Growth velocity

** [Coming soon] Will fill in with PAR plots of growth velocity **


Chapter 4

Sensitivity analysis using fixed effects

The primary analyses presented in this manuscript pooled across individual studies using random effects. Inferences about estimates from fixed effects models are restricted to only the included studies.^[^1] The random effects approach was more conservative in the presence of study heterogeneity, as evidenced by larger confidence intervals around each point estimates. Overall, the inference from results produced by each method was similar.

4.1 Primary manuscript figures recreated with estimates pooled using fixed effects


More estimates are significant when pooling using fixed effects due to the generally smaller confidence intervals.



4.1. PRIMARY MANUSCRIPT FIGURES RECREATED WITH ESTIMATES POOLED USING FIXED EFFECTS

Figure 1a. Heatmap of significance and direction across exposure-outcome combinations of associations estimated using fixed effects.


Attributable difference - LAZ, stratified by age



4.1. PRIMARY MANUSCRIPT FIGURES RECREATED WITH ESTIMATES POOLED USING FIXED EFFECTS

Extended Data Figure 3 | Age-stratified population attributable differences in length-for-age Z-scores estimated using fixed effects.


Attributable difference - WLZ, stratified by age



4.1. PRIMARY MANUSCRIPT FIGURES RECREATED WITH ESTIMATES POOLED USING FIXED EFFECTS

Extended Data Figure 4 | Age-stratified population attributable differences in weight-for-length Z-scores estimated using fixed effects.


Attributable difference - LAZ, stratified by region



4.1. PRIMARY MANUSCRIPT FIGURES RECREATED WITH ESTIMATES POOLED USING FIXED EFFECTS

Extended Data Figure 7 | Region-stratified population attributable differences in length-for-age Z-scores estimated using fixed effects.

Attributable difference - WLZ, stratified by region



4.1. PRIMARY MANUSCRIPT FIGURES RECREATED WITH ESTIMATES POOLED USING FIXED EFFECTS

Extended Data Figure 8 | Region-stratified population attributable differences in weight-for-length Z-scores estimated using fixed effects.

Chapter 5


Unadjusted RF plots

** [Coming soon] Will fill in with all primary plots, unadjusted **

Chapter 6







Sensitivity spline plots

6.0.1 Primary spline figures - meta-analysis of cohort specific splines




6.0.2 Spline figures - meta-analysis of cohort specific splines, different parameters


Centered at age = 1 says and with 6 degrees of freedom



6.0.3 Primary spline figures - Single spline fit to all the data




6.0.4 Primary spline figures - splines fit through meta-analyses of monthly means of Z-scores





Chapter 7


Spline plots - all exposures


7.0.1 Secondary spline figures - LAZ stratified by levels of exposures























Spline curves of haz stratified by levels of fhtcm





Spline curves of haz stratified by levels of gagebrth







Spline curves of haz stratified by levels of hfoodsec














Spline curves of haz stratified by levels of mage













































7.0.2 Secondary spline figures - WLZ stratified by levels of exposures




Spline curves of whz stratified by levels of birthwt












Spline curves of whz stratified by levels of enwast







Spline curves of whz stratified by levels of feducyrs





Spline curves of whz stratified by levels of fhtcm




Spline curves of whz stratified by levels of gagebrth











Spline curves of whz stratified by levels of hhwealth_quart














Spline curves of whz stratified by levels of nchldlt5




Spline curves of whz stratified by levels of nhh





Spline curves of whz stratified by levels of nrooms








Spline curves of whz stratified by levels of perdiar6















Spline curves of whz stratified by levels of sex







Spline curves of whz stratified by levels of vagbrth



Chapter 8


Heatmaps

The heatmaps below are of the same design as Extended Data Figure 2, and show the significance and direction of estimates through the cell colors, separated across primary outcomes by child age. Red and orange cells are harmful exposures, while blue and green cells are protective exposures. The outcomes are labeled at the top of the columns, with each set of three columns the set of three ages analyzed for that outcome. Each row is a level of an exposure variable, with reference levels excluded. Rows are sorted top to bottom by increasing average p-value. Grey cells denote comparisons that were not estimated or could not be estimated because of data sparsity in the exposure-outcome combination. The first plot included region-stratified estimates, the second shows significance of estimates pooled across cohorts using fixed effects models, and the third shows significance of unadjusted estimates.

8.1 Heatmap of significance of estimates, region stratified



8.2 Heatmap of significance of estimates pooled using fixed effects




8.3 Heatmap of significance of estimate, unadjusted




Chapter 9

Mortality Sensitivity Analyses


9.0.1 Comparisons of associations between early growth failure and different ages of mortality




9.0.2 Comparisons of associations between early growth failure and different ages of mortality, pooled using fixed effects




9.0.3 Comparisons of associations between early growth failure and different ages of mortality, dropping biyearly-measured cohorts





9.0.4 Comparisons of associations between early growth failure and mortality and serious growth failure, stratified by region




9.0.5 Other










Chapter 10

Sensitivity to dropping PROBIT trial

10.1 Comparison of attributable differences estimated with and without the PROBIT trial

Because PROBIT was the only European study, we also conducted a sensitivity analysis as to the effect of removing PROBIT on attributable differences at 24 months (within the exposures measures during the PROBIT trial). Other than for the estimated associations between father's height and child Z-scores at 24 months (which was measured in few other studies), PROBIT is not highly influential.



Chapter 11

Forest plots of relative risk

** [Coming soon] Will fill in with all primary forest plots - right now this page is empty due to the file size/difficulty publishing all the plots **