# CD4−like Fate selection: which lineage has stronger relative membership?

Focused comparison: B7H3_vs_41BB−L | Cell−level distributions and cached MMD FDRs




For L1 vs L3, x = L3 weight / (L1 + L3 weight): 0 favors L1, 1 favors L3. Dashed lines and numbers: cell means.
The MMD test detects any distribution difference, not its direction.

# CD4−like Fate−selection test overview

## Cell−level test | Two mice per construct




All = global test; other columns = lineage pairs. FDR is adjusted within each comparison across its four tests.
L1: regulatory/Treg−associated; L2: proliferating CD4; L3: activated helper/Th1−like


CD4−like Lineage membership by mouse
Descriptive | Each bar is one mouse; n = cells
CD28TM.CD28.mutζ
41BBL−CD28TMCD28.mutζ
CD8TM.41BB.mutζ
CD28TM.41BB.mutζ
Control CAR
n=191
n=365
n=125
n=213
n=651
n=201
n=49
n=223
n=91
n=311
100%
75%
50%
25%
0%
Mean lineage membership
D1
D2
Mouse
L1: regulatory/Treg−associated
L2: proliferating CD4
L3: activated helper/Th1−like
Segments are mean normalized lineage weights, not counts of cells assigned to one lineage.