CD8−like Fate selection: which lineage has stronger relative membership?

Focused comparison: B7H3_vs_41BB−L | Cell−level distributions and cached MMD FDRs



For L1 vs L3, x = L3 weight / (L1 + L3 weight): 0 favors L1, 1 favors L3. Dashed lines and numbers: cell means.
The MMD test detects any distribution difference, not its direction.

CD8−like Fate−selection test overview

Cell−level test | Two mice per construct



All = global test; other columns = lineage pairs. FDR is adjusted within each comparison across its four tests.
L1: cytotoxic effector trajectory; L2: proliferating effector/dysfunction trajectory; L3: exhausted/dysfunctional trajectory


CD8−like Lineage membership by mouse
Descriptive | Each bar is one mouse; n = cells
CD28TM.CD28.mutζ
41BBL−CD28TMCD28.mutζ
CD8TM.41BB.mutζ
CD28TM.41BB.mutζ
Control CAR
n=283
n=426
n=75
n=185
n=603
n=99
n=47
n=100
n=115
n=123
100%
75%
50%
25%
0%
Mean lineage membership
D1
D2
Mouse
L1: cytotoxic effector trajectory
L2: proliferating effector/dysfunction trajectory
L3: exhausted/dysfunctional trajectory
Segments are mean normalized lineage weights, not counts of cells assigned to one lineage.