



CD4−like Progression: are cells later along the same lineage?
Focused comparison: B7H3_vs_41BB−L | Cell−level distributions and cached KS FDRs
L1:
regulatory/Treg−associated
FDR = 1.8e−07
Difference detected
L2: proliferating CD4
FDR = 0.047
Difference detected
L3: activated helper/Th1−like
FDR = 0.241
No significant difference
Cumulative lineage−weighted fraction
100%
75%
50%
25%
0%
mean: 31.5
mean: 33.4
mean: 39.8
mean: 34.5
mean: 27.4
mean: 27.7
10
20
30
40
50
20
40
60
80
10
20
30
40
Shared pseudotime
CD28TM.CD28.mutζ
41BBL−CD28TMCD28.mutζ
Rightward = later shared pseudotime. Dashed lines and numbers: pooled cell−weighted means.
The KS test detects any distribution difference, not specifically 'later'.




A curve further right (lower) means that construct's cells are further along the lineage.
A curve reaches 100% at that construct's latest cell. Curves that cross have no single direction.
KS FDRs for every pair are in the results TSV (adjusted within each comparison across its four tests).




A hump further right means that construct's cells are further along the lineage. Dashed line: weighted mean pseudotime.
Each panel is scaled to a peak of 1: compare hump positions within a column, not heights. X−axes differ between lineages.

CD4−like Progression−test overview

Cell−level test | Two mice per construct



All = global test; L1−L3 = shared lineages. FDR is adjusted within each comparison across its four tests.
L1: regulatory/Treg−associated; L2: proliferating CD4; L3: activated helper/Th1−like



Each bar is one mouse's lineage−weighted mean pseudotime. Compare constructs within one panel; pseudotime scales differ between panels.