

Ctrl + /

v5.1 ▼

[View on GitHub](#)

Cards

Bootstrap's cards provide a flexible and extensible content container with multiple variants and options.



Help us build the next hub for your web development journey. Claim your Domain.

ads via Carbon

On this page

[About](#)[Example](#)[Content types](#)[Body](#)[Titles, text, and links](#)[Images](#)[List groups](#)[Kitchen sink](#)[Header and footer](#)[Sizing](#)[Using grid markup](#)[Using utilities](#)[Using custom CSS](#)[Text alignment](#)[Navigation](#)[Images](#)[Image caps](#)[Image overlays](#)

[Horizontal](#)[Card styles](#)[Background and color](#)[Border](#)[Mixins utilities](#)[Card layout](#)[Card groups](#)[Grid cards](#)[Masonry](#)[Sass](#)[Variables](#)


About

A **card** is a flexible and extensible content container. It includes options for headers and footers, a wide variety of content, contextual background colors, and powerful display options. If you're familiar with Bootstrap 3, cards replace our old panels, wells, and thumbnails. Similar functionality to those components is available as modifier classes for cards.

Example

Cards are built with as little markup and styles as possible, but still manage to deliver a ton of control and customization. Built with flexbox, they offer easy alignment and mix well with other Bootstrap components. They have no **margin** by default, so use [spacing utilities](#) as needed.

Below is an example of a basic card with mixed content and a fixed width. Cards have no fixed width to start, so they'll naturally fill the full width of its parent element. This is easily customized with our various [sizing options](#).



Some quick example text to build on the card title and make up the bulk of the card's content.

Go somewhere

```
<div class="card" style="width: 18rem;">
  
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```

Content types

Cards support a wide variety of content, including images, text, list groups, links, and more. Below are examples of what's supported.

Body

The building block of a card is the `.card-body`. Use it whenever you need a padded section within a card.

This is some text within a card body.

```
<div class="card">
  <div class="card-body">
    This is some text within a card body.
  </div>
</div>
```

Titles, text, and links

Card titles are used by adding `.card-title` to a `<h*>` tag. In the same way, links are added and placed next to each other by adding `.card-link` to an `<a>` tag.

Subtitles are used by adding a `.card-subtitle` to a `<h*>` tag. If the `.card-title` and the `.card-subtitle` items are placed in a `.card-body` item, the card title and subtitle are aligned nicely.

Card title

Card subtitle

Some quick example text to build on the card title and make up the bulk of the card's content.

[Card link](#) [Another link](#)

```
<div class="card" style="width: 18rem;">
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <h6 class="card-subtitle mb-2 text-muted">Card subtitle</h6>
    <p class="card-text">Some quick example text to build on the card title and make up the
    <a href="#" class="card-link">Card link</a>
    <a href="#" class="card-link">Another link</a>
  </div>
</div>
```

Images

`.card-img-top` places an image to the top of the card. With `.card-text`, text can be added to the card. Text within `.card-text` can also be styled with the standard HTML tags.



Some quick example text to build on the card title and make up the bulk of the card's content.

```
<div class="card" style="width: 18rem;">
  
  <div class="card-body">
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
```

List groups

Create lists of content in a card with a flush list group.

An item

A second item

A third item

```
<div class="card" style="width: 18rem;">
  <ul class="list-group list-group-flush">
    <li class="list-group-item">An item</li>
    <li class="list-group-item">A second item</li>
    <li class="list-group-item">A third item</li>
  </ul>
</div>
```

Featured

An item

A second item

A third item


```
<div class="card" style="width: 18rem;">
  <div class="card-header">
    Featured
  </div>
  <ul class="list-group list-group-flush">
    <li class="list-group-item">An item</li>
    <li class="list-group-item">A second item</li>
    <li class="list-group-item">A third item</li>
  </ul>
</div>
```


An item
A second item
A third item
Card footer

```
<div class="card" style="width: 18rem;">
  <ul class="list-group list-group-flush">
    <li class="list-group-item">An item</li>
    <li class="list-group-item">A second item</li>
    <li class="list-group-item">A third item</li>
  </ul>
  <div class="card-footer">
    Card footer
  </div>
</div>
```

Kitchen sink

Mix and match multiple content types to create the card you need, or throw everything in there. Shown below are image styles, blocks, text styles, and a list group—all wrapped in a fixed-width card.





```
<div class="card" style="width: 18rem;">
  
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
  <ul class="list-group list-group-flush">
    <li class="list-group-item">An item</li>
    <li class="list-group-item">A second item</li>
    <li class="list-group-item">A third item</li>
  </ul>
  <div class="card-body">
    <a href="#" class="card-link">Card link</a>
    <a href="#" class="card-link">Another link</a>
  </div>
</div>
```



Header and footer

Add an optional header and/or footer within a card.

Featured

Special title treatment

With supporting text below as a natural lead-in to additional content.

Go somewhere

```
<div class="card">
  <div class="card-header">
    Featured
  </div>
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```

Card headers can be styled by adding `.card-header` to `<h*>` elements.

Featured

Special title treatment

With supporting text below as a natural lead-in to additional content.

Go somewhere

```
<div class="card">
  <h5 class="card-header">Featured</h5>
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```


Quote

A well-known quote, contained in a blockquote element.

— Someone famous in *Source Title*

```
<div class="card">
  <div class="card-header">
    Quote
  </div>
  <div class="card-body">
    <blockquote class="blockquote mb-0">
      <p>A well-known quote, contained in a blockquote element.</p>
      <footer class="blockquote-footer">Someone famous in <cite title="Source Title">Source
    </blockquote>
  </div>
</div>
```

Featured

Special title treatment


With supporting text below as a natural lead-in to additional content.

Go somewhere

2 days ago

```
<div class="card text-center">
  <div class="card-header">
    Featured
  </div>
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte
    <a href="#" class="btn btn-primary">Go somewhere</a>
```

```
</div>
<div class="card-footer text-muted">
  2 days ago
</div>
</div>
```



Sizing

Cards assume no specific **width** to start, so they'll be 100% wide unless otherwise stated. You can change this as needed with custom CSS, grid classes, grid Sass mixins, or utilities.

Using grid markup

Using the grid, wrap cards in columns and rows as needed.

Special title treatment

With supporting text below as a natural lead-in to additional content.

Go somewhere

Special title treatment

With supporting text below as a natural lead-in to additional content.

Go somewhere

```
<div class="row">
  <div class="col-sm-6">
    <div class="card">
      <div class="card-body">
        <h5 class="card-title">Special title treatment</h5>
        <p class="card-text">With supporting text below as a natural lead-in to additional c
        <a href="#" class="btn btn-primary">Go somewhere</a>
      </div>
    </div>
  </div>
  <div class="col-sm-6">
```

```

<div class="card">
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional c
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
</div>
</div>

```

Using utilities

Use our handful of [available sizing utilities](#) to quickly set a card's width.

Card title

With supporting text below as a natural lead-in to additional content.

Button

Card title

With supporting text below as a natural lead-in to additional content.

Button

```

<div class="card w-75">
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte
    <a href="#" class="btn btn-primary">Button</a>
  </div>
</div>

```

```

<div class="card w-50">
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte

```

```
<a href="#" class="btn btn-primary">Button</a>
</div>
</div>
```

Using custom CSS

Use custom CSS in your stylesheets or as inline styles to set a width.

Special title treatment

With supporting text below as a natural lead-in to additional content.

Go somewhere


```
<div class="card" style="width: 18rem;">
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```

Text alignment

You can quickly change the text alignment of any card—in its entirety or specific parts—with our [text align classes](#).

Special title treatment

With supporting text below as a natural lead-in to additional content.




```
<div class="card" style="width: 18rem;">
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```

```
<div class="card text-center" style="width: 18rem;">
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```


```
<div class="card text-end" style="width: 18rem;">
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```

Navigation

Add some navigation to a card's header (or block) with Bootstrap's [nav components](#).



```
<div class="card text-center">
  <div class="card-header">
    <ul class="nav nav-tabs card-header-tabs">
      <li class="nav-item">
        <a class="nav-link active" aria-current="true" href="#">Active</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#">Link</a>
      </li>
      <li class="nav-item">
        <a class="nav-link disabled">Disabled</a>
      </li>
    </ul>
  </div>
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```



Special title treatment

With supporting text below as a natural lead-in to additional content.

Go somewhere

```
<div class="card text-center">
  <div class="card-header">
    <ul class="nav nav-pills card-header-pills">
      <li class="nav-item">
        <a class="nav-link active" href="#">Active</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#">Link</a>
      </li>
      <li class="nav-item">
        <a class="nav-link disabled">Disabled</a>
      </li>
    </ul>
  </div>
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional conte
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```

Images

Cards include a few options for working with images. Choose from appending “image caps” at either end of a card, overlaying images with card content, or simply embedding the image in a card.

Image caps

Similar to headers and footers, cards can include top and bottom “image caps”—images at the top or bottom of a card.

Image cap

Card title

This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

Last updated 3 mins ago

Card title

This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

Last updated 3 mins ago

Image cap

```
<div class="card mb-3">
  
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">This is a wider card with supporting text below as a natural lead-i
    <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
  </div>
</div>
<div class="card">
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">This is a wider card with supporting text below as a natural lead-i
    <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
  </div>
```



```

</div>
```

Image overlays

Turn an image into a card background and overlay your card's text. Depending on the image, you may or may not need additional styles or utilities.

Card title

This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

Last updated 3 mins ago


Card image

```
<div class="card bg-dark text-white">
  
  <div class="card-img-overlay">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">This is a wider card with supporting text below as a natural lead-i
    <p class="card-text">Last updated 3 mins ago</p>
  </div>
</div>
```

Note that content should not be larger than the height of the image. If content is larger than the image the content will be displayed outside the image.

Horizontal

Using a combination of grid and utility classes, cards can be made horizontal in a mobile-friendly and responsive way. In the example below, we remove the grid gutters with `.g-0` and use `.col-md-*` classes to make the card horizontal at the `md` breakpoint. Further adjustments may be needed depending on your card content.



```
<div class="card mb-3" style="max-width: 540px;">
  <div class="row g-0">
    <div class="col-md-4">
      
    </div>
    <div class="col-md-8">
      <div class="card-body">
        <h5 class="card-title">Card title</h5>
        <p class="card-text">This is a wider card with supporting text below as a natural le
        <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
      </div>
    </div>
  </div>
</div>
```

Card styles

Cards include various options for customizing their backgrounds, borders, and color.

Background and color

Use [text color](#) and [background utilities](#) to change the appearance of a card.

Header

Primary card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Secondary card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Success card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Danger card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Warning card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Info card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Light card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Dark card title

Some quick example text to build on the card title and make up the bulk of the card's content.

```
<div class="card text-white bg-primary mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Primary card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
```

```
<div class="card text-white bg-secondary mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Secondary card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card text-white bg-success mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Success card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card text-white bg-danger mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Danger card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card text-dark bg-warning mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Warning card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card text-dark bg-info mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Info card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card text-dark bg-light mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Light card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card text-white bg-dark mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Dark card title</h5>
```

```
<p class="card-text">Some quick example text to build on the card title and make up the  
</div>  
</div>
```

Conveying meaning to assistive technologies

Using color to add meaning only provides a visual indication, which will not be conveyed to users of assistive technologies – such as screen readers. Ensure that information denoted by the color is either obvious from the content itself (e.g. the visible text), or is included through alternative means, such as additional text hidden with the `.visually-hidden` class.

Border

Use [border utilities](#) to change just the `border-color` of a card. Note that you can put `.text-{color}` classes on the parent `.card` or a subset of the card's contents as shown below.

Header

Primary card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Secondary card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Success card title

Some quick example text to build on the card title and make up the

bulk of the card's content.

Header

Danger card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Warning card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Info card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Light card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Dark card title

Some quick example text to build on the card title and make up the

bulk of the card's content.


```
<div class="card border-primary mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-primary">
    <h5 class="card-title">Primary card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card border-secondary mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-secondary">
    <h5 class="card-title">Secondary card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card border-success mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-success">
    <h5 class="card-title">Success card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card border-danger mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-danger">
    <h5 class="card-title">Danger card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card border-warning mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Warning card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card border-info mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Info card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
```



```
<div class="card border-light mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Light card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
<div class="card border-dark mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-dark">
    <h5 class="card-title">Dark card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
</div>
```

Mixins utilities

You can also change the borders on the card header and footer as needed, and even remove their `background-color` with `.bg-transparent`.



```
<div class="card border-success mb-3" style="max-width: 18rem;">
  <div class="card-header bg-transparent border-success">Header</div>
  <div class="card-body text-success">
    <h5 class="card-title">Success card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the
  </div>
  <div class="card-footer bg-transparent border-success">Footer</div>
</div>
```

Card layout

In addition to styling the content within cards, Bootstrap includes a few options for laying out series of cards. For the time being, **these layout options are not yet responsive**.

Card groups

Use card groups to render cards as a single, attached element with equal width and height columns. Card groups start off stacked and use `display: flex;` to become attached with uniform dimensions starting at the `sm` breakpoint.






Image cap

Card title

This is a wider card with supporting text below as a natural lead-in to additional content. This card has even longer content than the first to show that equal height action.

Last updated 3 mins ago

```
<div class="card-group">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a wider card with supporting text below as a natural lead
      <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
    </div>
  </div>
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This card has supporting text below as a natural lead-in to addit
      <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
    </div>
  </div>
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a wider card with supporting text below as a natural lead
      <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
    </div>
  </div>
</div>
```

When using card groups with footers, their content will automatically line up.



Image cap

Card title

This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

Last updated 3 mins ago



Image cap

Card title

This card has supporting text below as a natural lead-in to additional content.

Last updated 3 mins ago



Image cap

Card title

This is a wider card with supporting text below as a natural lead-in to additional content. This card has even longer content than the first to show that equal height action.

Last updated 3 mins ago

```

<div class="card-group">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a wider card with supporting text below as a natural lead
    </div>
    <div class="card-footer">
      <small class="text-muted">Last updated 3 mins ago</small>
    </div>
  </div>
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This card has supporting text below as a natural lead-in to addit
    </div>
    <div class="card-footer">
      <small class="text-muted">Last updated 3 mins ago</small>
    </div>
  </div>
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a wider card with supporting text below as a natural lead
    </div>
    <div class="card-footer">
      <small class="text-muted">Last updated 3 mins ago</small>
    </div>
  </div>
</div>

```

Grid cards

Use the Bootstrap grid system and its [.row-cols classes](#) to control how many grid columns (wrapped around your cards) you show per row. For example, here's `.row-cols-1` laying out the cards on one column, and `.row-cols-md-2` splitting four cards to equal width across multiple rows, from the medium breakpoint up.

A card with a dark gray header area containing the text "Image cap".

Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

A card with a dark gray header area containing the text "Image cap".

Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

A card with a dark gray header area containing the text "Image cap".

Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content.

A card with a dark gray header area containing the text "Image cap".

Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

```
<div class="row row-cols-1 row-cols-md-2 g-4">
  <div class="col">
    <div class="card">
      
      <div class="card-body">
        <h5 class="card-title">Card title</h5>
        <p class="card-text">This is a longer card with supporting text below as a natural 1
      </div>
    </div>
  </div>
</div>
<div class="col">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a longer card with supporting text below as a natural 1
    </div>
  </div>
</div>
<div class="col">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a longer card with supporting text below as a natural 1
    </div>
  </div>
</div>
<div class="col">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a longer card with supporting text below as a natural 1
    </div>
  </div>
</div>
</div>
```

Change it to `.row-cols-3` and you'll see the fourth card wrap.

Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content.

Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

```
<div class="row row-cols-1 row-cols-md-3 g-4">
  <div class="col">
    <div class="card">
      
      <div class="card-body">
        <h5 class="card-title">Card title</h5>
        <p class="card-text">This is a longer card with supporting text below as a natural 1
      </div>
    </div>
  </div>
</div>
<div class="col">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a longer card with supporting text below as a natural 1
    </div>
  </div>
</div>
<div class="col">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a longer card with supporting text below as a natural 1
    </div>
  </div>
</div>
<div class="col">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a longer card with supporting text below as a natural 1
    </div>
  </div>
</div>
```

</div>

</div>

When you need equal height, add `.h-100` to the cards. If you want equal heights by default, you can set `$card-height: 100%` in Sass.



Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.



Image cap

Card title

This is a short card.



Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content.


 Image cap

Card title

This is a longer card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

```
<div class="row row-cols-1 row-cols-md-3 g-4">
  <div class="col">
    <div class="card h-100">
      
      <div class="card-body">
        <h5 class="card-title">Card title</h5>
        <p class="card-text">This is a longer card with supporting text below as a natural 1
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card h-100">
      
      <div class="card-body">
        <h5 class="card-title">Card title</h5>
        <p class="card-text">This is a short card.</p>
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card h-100">
      
      <div class="card-body">
        <h5 class="card-title">Card title</h5>
        <p class="card-text">This is a longer card with supporting text below as a natural 1
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card h-100">
      
      <div class="card-body">
        <h5 class="card-title">Card title</h5>
```

```
<p class="card-text">This is a longer card with supporting text below as a natural 1
</div>
</div>
</div>
</div>
```

Just like with card groups, card footers will automatically line up.





Image cap

Card title

This is a wider card with supporting text below as a natural lead-in to additional content. This card has even longer content than the first to show that equal height action.

Last updated 3 mins ago

```
<div class="row row-cols-1 row-cols-md-3 g-4">
  <div class="col">
    <div class="card h-100">
      
      <div class="card-body">
        <h5 class="card-title">Card title</h5>
        <p class="card-text">This is a wider card with supporting text below as a natural le
      </div>
      <div class="card-footer">
        <small class="text-muted">Last updated 3 mins ago</small>
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card h-100">
      
      <div class="card-body">
        <h5 class="card-title">Card title</h5>
        <p class="card-text">This card has supporting text below as a natural lead-in to add
      </div>
      <div class="card-footer">
        <small class="text-muted">Last updated 3 mins ago</small>
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card h-100">
      
      <div class="card-body">
        <h5 class="card-title">Card title</h5>
        <p class="card-text">This is a wider card with supporting text below as a natural le
```

```

    </div>
    <div class="card-footer">
      <small class="text-muted">Last updated 3 mins ago</small>
    </div>
  </div>
</div>
</div>

```


Masonry

In **v4** we used a CSS-only technique to mimic the behavior of [Masonry](#)-like columns, but this technique came with lots of unpleasant [side effects](#). If you want to have this type of layout in **v5**, you can just make use of Masonry plugin. **Masonry is not included in Bootstrap**, but we've made a [demo example](#) to help you get started.

Sass

Variables

\$card-spacer-y:	\$spacer;
\$card-spacer-x:	\$spacer;
\$card-title-spacer-y:	\$spacer * .5;
\$card-border-width:	\$border-width;
\$card-border-color:	rgba(\$black, .125);
\$card-border-radius:	\$border-radius;
\$card-box-shadow:	null;
\$card-inner-border-radius:	subtract(\$card-border-radius, \$card-border-width);
\$card-cap-padding-y:	\$card-spacer-y * .5;
\$card-cap-padding-x:	\$card-spacer-x;
\$card-cap-bg:	rgba(\$black, .03);
\$card-cap-color:	null;
\$card-height:	null;
\$card-color:	null;
\$card-bg:	\$white;
\$card-img-overlay-padding:	\$spacer;
\$card-group-margin:	\$grid-gutter-width * .5;



Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.1.3.

Analytics by Fathom.

Links

[Home](#)

[Docs](#)

[Examples](#)

[Themes](#)

[Blog](#)

[Swag Store](#)

Guides

[Getting started](#)

[Starter template](#)

[Webpack](#)

[Parcel](#)

Projects

[Bootstrap 5](#)

[Bootstrap 4](#)

[Icons](#)

[RFS](#)

[npm starter](#)

Community

[Issues](#)

[Discussions](#)

[Corporate sponsors](#)

[Open Collective](#)

[Stack Overflow](#)