

CoWriter : Two case Studies

Alexis Jacq, Severin Lemaignan, Fernando Garcia, Pierre Dillembourg
Computer Human Interaction for Learning and Instruction (CHILI)
Ecole Polytechnique Fédérale de Lausanne (EPFL)
CH-1015 Lausanne, Switzerland

ABSTRACT

Abstract comes here

Keywords

handwriting learning, mutual modelling, ...

1. INTRODUCTION

Introduction comes here

2. CASE 1 : DIEGO

Diego is a 5 years hold child. A few days before the experiment, his mother provided us with a picture showing some of his handwriting works (figure 1). This sample allowed us to create a dataset of letters based on his main mistake. Then we run a PCA algorithm feed by this dataset to extract eigenvectors representing the direction of the most important deformations (figure 2). Our idea was to use it to make the robot amplifying the mistakes of Diego. Thus, by correcting the robot, Diego was actually going to correct himself.

2.1 Experiment design

2.2 Results

3. CASE 2 : HENRY

Description of experiments & results with Diego

3.1 Experiment design

3.2 Results

4. DISCUSSION

5. CONCLUSIONS

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

Copyright 20XX ACM X-XXXXX-XX-X/XX/XX ...\$15.00.



Figure 1: Homework performed by Diego before the experiment. It gives an overview of his starting level in handwriting.



Figure 2: Letter deformation along an eigenvector. *Left* : the non-deformed letter (origin of the eigenspace). *Middle* : the actual Diego's deformation (from figure 1). *Right* : exaggerated deformation along the eigenvector that encode Diego's mistake.