

main 2 branches 0 tags

Go to file Add file Code

chilinsky Se agrego documentacion 8781b33 30 minutes ago 4 commits

.mvn/wrapper	primer commit	1 hour ago
BD-Oracle Database 21c Express Editi...	Se agrego documentacion	30 minutes ago
Documents	Se agrego documentacion	30 minutes ago
src	primer commit	1 hour ago
.gitignore	primer commit	1 hour ago
README.md	Initial commit	2 hours ago
mvnw	primer commit	1 hour ago
mvnw.cmd	primer commit	1 hour ago
pom.xml	primer commit	1 hour ago

About

Examen de trabajo Grupo Salinas

Readme 0 stars 1 watching 0 forks

Releases

No releases published
[Create a new release](#)

Packages

No packages published

ExamenGrupoSalinas - examen/src/main/java/com/mx/gs/controller/EmployeeController.java - Spring Tool Suite 4

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer X

- examen [boot] [devtools] [examen master]
- src/main/java
 - com.mx.gs
 - ExamenApplication.java
 - com.mx.gs.controller
 - ContractController.java
 - EmployeeController.java
 - com.mx.gs.dto
 - com.mx.gs.model
 - com.mx.gs.repo
 - com.mx.gs.service
 - com.mx.gs.service.impl
 - src/main/resources
 - src/test/java
 - JRE System Library [JavaSE-1.8]
 - Maven Dependencies
 - target/generated-sources/annotations
 - target/generated-test-sources/test-annotations
 - src
 - target
 - HELP.md
 - mvnw

EmployeeController.java

```
23 public class EmployeeController {
24
25     Logger log = LoggerFactory.getLogger(this.getClass());
26
27     @Autowired
28     private IEmployeeService service;
29
30     @GetMapping
31     public ResponseEntity<List<Employee>> listar() throws Exception {
32         List<Employee> employees = service.listar();
33         return new ResponseEntity<List<Employee>>(employees, HttpStatus.OK);
34     }
35
36     @GetMapping("/listado1")
37     public ResponseEntity<List<EmployeeListaResumenDTO>> listado() throws Exception {
38         List<EmployeeListaResumenDTO> lista = service.listado1();
39         return new ResponseEntity<List<EmployeeListaResumenDTO>>(lista, HttpStatus.OK);
40     }
41
42     @PostMapping
43     public ResponseEntity<Employee> registrar(@RequestBody Employee employee) throws Exception {
44         Employee emp = service.registra(employee);
45         return new ResponseEntity<Employee>(emp, HttpStatus.CREATED);
46     }
47
48     @PutMapping
```

Problems Javadoc Declaration Console

examen - ExamenApplication [Spring Boot App] C:\Program Files\Java\jdk1.8.0_261\bin\javaw.exe (27.sep.2022 19:14:05) [pid: 16720]

```

=====
:: Spring Boot ::      (v2.3.4.RELEASE)

2022-09-27 19:14:07.736 INFO 16720 --- [ restartedMain] com.mx.gs.ExamenApplication : Starting ExamenApplication on DESKTOP-CR3NKVM with PID 16720 (C:\Users\mcs\Documents\
2022-09-27 19:14:07.739 INFO 16720 --- [ restartedMain] com.mx.gs.ExamenApplication : No active profile set, falling back to default profiles: default
2022-09-27 19:14:07.825 INFO 16720 --- [ restartedMain] o.s.b.devtools.restart.ChangeableUrls : The Class-Path manifest attribute in C:\Users\mcs\.m2\repository\com\oracle\database\
2022-09-27 19:14:07.825 INFO 16720 --- [ restartedMain] o.s.b.devtools.restart.ChangeableUrls : The Class-Path manifest attribute in C:\Users\mcs\.m2\repository\com\oracle\database\
```

chilinsky/ExamenGpoSalinas: E... x http://localhost:8080/employees - x

https://chilinsky.postman.co/workspace/My-Workspace--4d647995-58aa-49a4-86df-410306a07296/request/create?requestId=2...

MC Credenciales > Logi... Correo: MECANO... Postman on Line MediappFrontend HEROKU Java Distribuciones Spring Angular HP Varios Dive's MediappFrontend

Home Workspaces API Network Explore Search Postman Invite Upgrade

My Workspace New Import GET http://localhost:8080/employees No Environment

GRUPO SALINAS

- POST registrar - Contrato | GPO SA...
- POST registrar - Empleado | GPO SA...
- PUT modificar - Empleado | GPO S...

MARTIN COLLECTION

http://localhost:8080/employees

GET http://localhost:8080/employees

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies

Query Params

KEY	VALUE	DESCRIPTION	***	Bulk Edit
-----	-------	-------------	-----	-----------

Body Cookies Headers (5) Test Results Status: 200 OK Time: 478 ms Size: 863 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "employeeId": 5,
3   "birthDate": "1966-06-17T22:10:10",
4   "cellPhone": "5512990601",
5   "dateCreated": "2022-09-27T12:29:39",
6   "email": "mecano_mcs@hotmail.com",
7   "isActive": "no",
8   "lastName": "CANO SEGURA",
9   "name": "MARTIN",
10  "taxIdNumber": "CASM660617U77"
11 }
12
```

```
[
{
  "employeeId": 5,
  "birthDate": "1966-06-17T22:10:10",
  "cellPhone": "5512990601",
  "dateCreated": "2022-09-27T12:29:39",
  "email": "mecano_mcs@hotmail.com",
  "isActive": "no",
  "lastName": "CANO SEGURA",
  "name": "MARTIN",
  "taxIdNumber": "CASM660617U77"
},
{
  "employeeId": 6,
```

```

    "birthDate": "2022-08-10T13:00:13",
    "cellPhone": "5512990601",
    "dateCreated": "2022-08-10T13:00:13",
    "email": "chilinssky@yahoo.com.mx",
    "isActive": "si",
    "lastName": "CANO SEGURA",
    "name": "RICARDO",
    "taxIdNumber": "CASM663417H22"
  },
  {
    "employeeId": 7,
    "birthDate": "2022-08-10T13:00:13",
    "cellPhone": "5512990601",
    "dateCreated": "2022-08-10T13:00:13",
    "email": "chilinssky@yahoo.com.mx",
    "isActive": "si",
    "lastName": "CANO SEGURA",
    "name": "MARCIANO",
    "taxIdNumber": "CASM560323X33"
  }
}

```

ExamenGrupoSalinas - examen/src/main/java/com/mx/gs/controller/EmployeeController.java - Spring Tool Suite 4

File Edit Source Refactor Navigate Search Project Run Window Help

Problems Declaration Console

examen - ExamenApplication [Spring Boot App] C:\Program Files\Java\jdk1.8.0_261\bin\javaw.exe (27 sep. 2022 19:14:05) [pid: 16720]

```

:: Spring Boot ::
(v2.3.4.RELEASE)

2022-09-27 19:14:07.736 INFO 16720 --- [ restartedMain] com.mx.gs.ExamenApplication : Starting ExamenApplication on DESKTOP-CR3NKVM with PID 16720 (C:\Users\mcs\Documents\
2022-09-27 19:14:07.739 INFO 16720 --- [ restartedMain] com.mx.gs.ExamenApplication : No active profile set, falling back to default profiles: default
2022-09-27 19:14:07.825 INFO 16720 --- [ restartedMain] o.s.b.devtools.restart.ChangeableUrls : The Class-Path manifest attribute in C:\Users\mcs\.m2\repository\com\oracle\database\
2022-09-27 19:14:07.825 INFO 16720 --- [ restartedMain] o.s.b.devtools.restart.ChangeableUrls : The Class-Path manifest attribute in C:\Users\mcs\.m2\repository\com\oracle\database\
2022-09-27 19:14:07.825 INFO 16720 --- [ restartedMain] e.DevToolsPropertyDefaultsPostProcessor : Devtools property defaults active! Set 'spring.devtools.add-properties' to 'false' to
2022-09-27 19:14:07.825 INFO 16720 --- [ restartedMain] e.DevToolsPropertyDefaultsPostProcessor : For additional web related logging consider setting the 'logging.level.web' property
2022-09-27 19:14:08.794 INFO 16720 --- [ restartedMain] s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEFERRED mode.
2022-09-27 19:14:08.890 INFO 16720 --- [ restartedMain] s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 81ms. Found 3 JPA repository interfaces.
2022-09-27 19:14:09.535 INFO 16720 --- [ restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port(s): 8080 (http)
2022-09-27 19:14:09.550 INFO 16720 --- [ restartedMain] org.apache.catalina.core.StandardService : Starting service [Tomcat]
2022-09-27 19:14:09.550 INFO 16720 --- [ restartedMain] org.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/9.0.38]
2022-09-27 19:14:09.703 INFO 16720 --- [ restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext
2022-09-27 19:14:09.703 INFO 16720 --- [ restartedMain] w.s.s.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed in 1877 ms
2022-09-27 19:14:10.026 INFO 16720 --- [ restartedMain] o.s.s.concurrent.ThreadPoolTaskExecutor : Initializing ExecutorService 'applicationTaskExecutor'
2022-09-27 19:14:10.117 INFO 16720 --- [ task-1] o.hibernate.jpa.internal.util.LogHelper : HH000204: Processing PersistenceUnitInfo [name: default]
2022-09-27 19:14:10.202 INFO 16720 --- [ task-1] org.hibernate.Version : HH0000412: Hibernate ORM core version 5.4.21.Final
2022-09-27 19:14:10.257 WARN 16720 --- [ restartedMain] jpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be per
2022-09-27 19:14:10.421 INFO 16720 --- [ task-1] o.hibernate.annotations.common.Version : HCANN000001: Hibernate Commons Annotations (5.1.0.Final)
2022-09-27 19:14:10.580 INFO 16720 --- [ task-1] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
2022-09-27 19:14:11.261 INFO 16720 --- [ restartedMain] o.s.b.d.a.OptionalLiveReloadServer : LiveReload server is running on port 35729
2022-09-27 19:14:11.320 INFO 16720 --- [ restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port(s): 8080 (http) with context path ''
2022-09-27 19:14:11.331 INFO 16720 --- [ restartedMain] DeferredRepositoryInitializationListener : Triggering deferred initialization of Spring Data repositories..
2022-09-27 19:14:11.712 INFO 16720 --- [ task-1] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.
2022-09-27 19:14:11.736 INFO 16720 --- [ task-1] org.hibernate.dialect.Dialect : HH000400: Using dialect: org.hibernate.dialect.Oracle12cDialect
2022-09-27 19:14:13.539 INFO 16720 --- [ task-1] o.h.e.t.j.p.i.JtaPlatformInitiator : HH000490: Using JtaPlatform implementation: [org.hibernate.engine.transaction.jta.pl
2022-09-27 19:14:13.559 INFO 16720 --- [ task-1] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'
2022-09-27 19:14:14.224 INFO 16720 --- [ restartedMain] DeferredRepositoryInitializationListener : Spring Data repositories initialized!
2022-09-27 19:14:14.233 INFO 16720 --- [ restartedMain] com.mx.gs.ExamenApplication : Started ExamenApplication in 6.94 seconds (JVM running for 7.996)
2022-09-27 19:20:20.458 INFO 16720 --- [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2022-09-27 19:20:20.458 INFO 16720 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2022-09-27 19:20:20.468 INFO 16720 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 10 ms
Hibernate: select employee0_.employee_id as employee_id1_2_, employee0_.birth_date as birth_date2_2_, employee0_.cell_phone as cell_phone3_2_, empl

```

1. Obtener el listado de empleados activos extrayendo solo los siguientes campos:

- Name y LastName (campo concatenado).
- axIdNumber (RFC).
- Email.
- Nombre del tipo de contrato (ContractType.Name) en el que se encuentre actualmente activo. Sino cuenta con contrato activo enviar valor NULL.
- Fecha inicio del contrato en el que se encuentre actualmente activo (Contract.DateFrom). Si no cuenta con contrato activo enviar valor NULL.
- Fecha final del contrato en el que se encuentre actualmente vigente (Contract.DateTo), Si no cuenta con contrato activo enviar valor NULL.
- Salario diario (Contract.SalaryPerDay), si no cuenta con contrato activo enviar valor NULL.

The screenshot shows the Postman interface with a GET request to `http://localhost:8080/empleados/listado`. The response status is 200 OK. The response body is a JSON array containing two employee records.

```
[
  {
    "nombre": "MARCIANO CANO SEGURA",
    "rfc": "CASM560323X33",
    "email": "chilinssky@yahoo.com.mx",
    "cargo": "DEVELOPER",
    "desde": "2022-08-10 01:08:13",
    "hasta": "2023-08-10 01:08:13",
    "salario": "1500"
  },
  {
    "nombre": "RICARDO CANO SEGURA",
    "rfc": "CASM663417H22",
    "email": "chilinssky@yahoo.com.mx",
    "cargo": "PROYECT MANAGER",
    "desde": "2022-08-10 01:08:13",
    "hasta": "2023-08-10 01:08:13",
    "salario": "1800"
  }
]
```

```
[
  {
    "nombre": "MARCIANO CANO SEGURA",
    "rfc": "CASM560323X33",
    "email": "chilinssky@yahoo.com.mx",
    "cargo": "DEVELOPER",
    "desde": "2022-08-10 01:08:13",
    "hasta": "2023-08-10 01:08:13",
    "salario": "1500"
  },
  {
    "nombre": "RICARDO CANO SEGURA",
    "rfc": "CASM663417H22",
    "email": "chilinssky@yahoo.com.mx",
    "cargo": "PROYECT MANAGER",
    "desde": "2022-08-10 01:08:13",
    "hasta": "2023-08-10 01:08:13",
    "salario": "1800"
  }
]
```

2. Agregar un contrato nuevo.

- Si el empleado no tiene un contrato lo agregará con los datos enviados.
- Si el empleado tiene un contrato actual vigente en la base de datos, deberá dar de baja el contrato actual actualizando la fecha DateTo a la de la operación y posteriormente ingresar el nuevo contrato con los datos enviados. Un empleado no debe tener dos contratos activos.


The image shows a Spring Boot application in Spring Tool Suite and its API endpoint in Postman.

Spring Tool Suite:

- Package Explorer:** Shows the project structure with packages like `com.mx.gs`, `com.mx.gs.controller`, `com.mx.gs.dto`, `com.mx.gs.model`, `com.mx.gs.repo`, `com.mx.gs.service`, and `com.mx.gs.service.impl`.
- Source Editor:** Displays the `ContractController.java` file. The code includes imports for `org.springframework.beans.factory.annotation.Autowired`, `org.springframework.web.bind.annotation.RequestMapping`, `org.springframework.web.bind.annotation.RestController`, and `org.springframework.http.ResponseEntity`. The `registrar` method is highlighted in blue, and the `eliminar` method is highlighted in yellow. A tooltip for `org.springframework.http.ResponseEntity.ResponseEntity<Void> (HttpStatus status)` is visible, explaining the parameters for creating a new `ResponseEntity`.
- Console:** Shows the output of the application, including the SQL query for inserting a new contract.

Postman:

- Workspace:** Shows the collection `GRUPO SALINAS` with the endpoint `registrar - Contrato | GPO SALINAS`.
- Method:** `POST`.
- URL:** `http://localhost:8080/contracts`.
- Body:** The request body is a JSON object with the following fields: `dateFrom`, `dateTo`, `isActive`, `salaryPerDay`, `contractType`, `contractTypeId`, `employee`, and `employeeId`.
- Response:** The response is a `201 Created` status with a `Location` header pointing to the newly created contract.



3. Agregar un nuevo empleado.

- Deberá validar que el formato del TaxIdNumber (RFC) sea correcto a través de una regex. (18 posiciones, contenga solo números y letras, contenga fecha de nacimiento 6 posiciones contiguas)
En caso de ser incorrecto no guardará el registro enviando un error.
- Debe validar que el TaxIdNumber (RFC) no esté registrado, en caso de existir deberá mandar un error indicando que ya existe el empleado .

The image shows a development environment with Spring Tool Suite and Postman. In the IDE, the `EmployeeController.java` file is open, showing the `registrar` endpoint implementation. The code uses `@Autowired` for `IService` and `@PostMapping` for the endpoint. The `registrar` method calls `service.registra(employee)` and returns a `ResponseEntity` with `HttpStatus.CREATED`.

The console output shows the execution of the application, including the Hibernate query for the `registrar` endpoint:

```
Hibernate: select * from contract c where c.is_active = ? and c.employee_id = ?
Hibernate: insert into contract (contract_id, contract_type_id, date_from, date_to, employee_id, is_active, salary_per_day) values (default, ?, ?, ?, ?, ?, ?)
```

In Postman, the `registrar - Empleado` endpoint is tested. The request is a `POST` to `http://localhost:8080/employees` with a JSON body:

```
{
  "birthDate": "1966-06-17T22:10:10",
  "cellPhone": "5512998601",
  "dateCreated": "2022-09-27T12:29:39",
  "email": "mecano_mcs@hotmail.com",
  "isActive": "si",
  "lastName": "Cano Segura",
  "name": "Martin",
  "password": "123456789"
}
```

The response is a `201 Created` status with a JSON body:

```
{
  "employeeId": 29,
  "birthDate": "1966-06-17T22:10:10",
  "cellPhone": "5512998601",
  "dateCreated": "2022-09-27T12:29:39",
  "email": "mecano_mcs@hotmail.com",
  "isActive": "si",
  "lastName": "Cano Segura",
  "name": "Martin",
  "password": "123456789"
}
```

4. Actualizar los datos de un empleado existente a través de su folio.

- Si el TaxIdNumber (RFC) se modifica, debe validar previamente que el nuevo tenga el formato correcto y que de igual manera no exista.

The screenshot displays a development environment with an IDE (Spring Tool Suite 4) and a REST client (Postman).

IDE (Spring Tool Suite 4):

- Package Explorer:** Shows the project structure for 'examen' (boot, devtools, examen master). The 'src/main/java' directory contains 'com.mx.gs', which includes 'ExamenApplication.java', 'com.mx.gs.controller', 'ContractController.java', and 'EmployeeController.java'.
- Editor:** Displays the 'EmployeeController.java' file. The code includes:
 - `@GetMapping("/listado1")` method returning a `ResponseEntity<List<EmployeeListaResumenDTO>>`.
 - `@PostMapping` method `registrar` returning a `ResponseEntity<Employee>`.
 - `@PutMapping` method `modificar` returning a `ResponseEntity<Employee>`.
- Console:** Shows the output of the application, including Hibernate SQL queries and the execution of the `POST` request to `http://localhost:8080/employees`.

Postman:

- Workspace:** 'My Workspace' with a collection 'GRUPO SALINAS' containing three requests: 'POST registrar - Contrato', 'POST registrar - Empleado', and 'PUT modificar - Empleado'.
- Request:** A `PUT` request to `http://localhost:8080/employees` with a JSON body:

```
{  "employeeId": 5,  "birthDate": "1966-06-17T22:10:10",  "cellPhone": "5512998699",  "dateCreated": "2022-09-27T12:29:39",  "email": "mecano_mcs@hotmail.com",  "isActive": "si",  "lastName": "Cano Segura"}
```
- Response:** A `202 Accepted` status with a message: "The request has been accepted for processing, but the processing has not been completed. The request might or might not eventually be acted upon, as it might be disallowed when processing actually takes place."

5. Eliminar un contrato vigente de un empleado seleccionado.

- Deberá desactivar un contrato actualizando la fecha DateTo a la actual.
- Si el empleado no cuenta con un contrato vigente o el proceso no encuentra ninguno deberá mandar un error.

The screenshot shows the Spring Tool Suite 4 IDE with the following components:

- Package Explorer:** Displays the project structure for 'examen'. The 'src/main/java' directory is expanded, showing the 'com.mx.gs' package. The 'ContractController.java' file is selected.
- Editor:** Displays the code for 'ContractController.java'. The code includes package declarations, imports, and annotations for a REST controller. The method 'eliminar' is highlighted in blue.

```
1 package com.mx.gs.controller;
2
3 import org.springframework.beans.factory.annotation.Autowired;
4
5 @RestController
6 @RequestMapping("/contracts")
7 public class ContractController {
8
9     @Autowired
10    private IContractService service;
11
12    @PostMapping
13    public ResponseEntity<Contract> registrar(@RequestBody Contract contract) throws Exception {
14        Contract obj = service.registra(contract);
15        return new ResponseEntity<Contract>(obj, HttpStatus.CREATED);
16    }
17
18    @DeleteMapping("/{id}")
19    public ResponseEntity<Void> eliminar(@PathVariable("id") Integer id) throws Exception {
20        service.eliminaContrato(id);
21        return new ResponseEntity<Void>(HttpStatus.NO_CONTENT);
22    }
23
24    /** ejecutar el end point desde postman
25    POST ::::: http://localhost:8080/contracts
26    - Body
27    - Raw
28    - JSON
29
```
- Console:** Displays the output of the application. It shows the Hibernate SQL queries for selecting and updating employee data.

```
examen - ExamenApplication [Spring Boot App] C:\Program Files\Java\jdk1.8.0_261\bin\javaw.exe (27 sep. 2022 19:14:05) [pid: 16720]
Hibernate: select employee0_.employee_id as employee_id1_2, employee0_.birth_date as birth_date2_2, employee0_.cell_phone as cell_phone3_2, employee0_.date_created as date_created4_2, emp
Hibernate: select employee0_.employee_id as employee_id1_2, employee0_.birth_date as birth_date2_2, employee0_.cell_phone as cell_phone3_2, employee0_.date_created as date_created4_2, emp
Hibernate: update employee set birth_date=?, cell_phone=?, date_created=?, email=?, is_active=?, last_name=?, name=?, tax_id_number=? where employee_id=?
```

The status bar at the bottom indicates the file is 'Writable', 'Smart Insert' is active, and the cursor is at line 33, column 6.

DbVisualizer Pro 14.0 [EVALUATION] - MARTIN_SCHEMA/Schemas/MARTIN_ORACLE/Tables/CONTRACT

File Edit View Database SQL Commander Tools Window Help

< Drop your favorite objects here >

Databases Scripts < > MARTIN_SCHEMA: CONTRACT_TYPE MARTIN_SCHEMA: EMPLOYEE MARTIN_SCHEMA: CONTRACT MARTIN_SCHEMA: Tables

Table: CONTRACT

MARTIN_SCHEMA/Schemas/MARTIN_ORACLE/Tables/CONTRACT

Info Columns Data Row Count Primary Key Row Id References Navigator Grants Columns Comment Indexes C < >

Filter:

	CONTRACT_ID	DATE_FROM	DATE_TO	IS_ACTIVE	SALARY_PER_DAY	CONTRACT_TYPE_ID	EMPLOYEE_ID
1	50	2022-09-26 01:08:13	2022-12-10 01:08:13	1	2100	1	5
2	24	2022-08-10 13:00:13	2023-08-10 13:00:13	1	1800	21	6
3	21	2022-08-10 13:00:13	2023-08-10 13:00:13	1	1500	1	7

Max Rows: 1000 Max Chars: -1 Decimal Number: Unformatted 0.001/0.000 sec 3/7 1/1 1-3

You are currently evaluating DbVisualizer Pro. Evaluation period expires in 22 days

chilinsky/ExamenGpoSalinas: E http://localhost:8080/contracts/5

Home Workspaces API Network Explore Search Postman Invite Upgrade

My Workspace New Import

DEL http://localhost:8080/c

http://localhost:8080/contracts/5

DELETE http://localhost:8080/contracts/5 Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies

Query Params

KEY	VALUE	DESCRIPTION
Key	Value	Description

Body Cookies Headers (3) Test Results Status: 204 No Content Time: 40 ms Size: 112 B Save Response

Pretty Raw Preview Visualize Text 1

204 No Content

The server successfully processed the request, but is not returning any content.

Online Console Cookies Bootcamp Auto-select agent Runner Trash

FileEditViewDatabaseSQL CommanderToolsWindowHelp

DbVisualizer Pro 14.0 [EVALUATION] - MARTIN_SCHEMA/Schemas/MARTIN_ORACLE/Tables/CONTRACT

Drop your favorite objects here>

DatabasesScripts<>MARTIN_SCHEMA: CONTRACT_TYPE ×MARTIN_SCHEMA: EMPLOYE ×MARTIN_SCHEMA: CONTRACT ×MARTIN_SCHEMA: Tables ×

Columns

CONTRACT_TYPE_ID NUMBER
DATE_CREATED TIMESTAMP(6)
DESCRIPTION VARCHAR2(250)
IS_ACTIVE NUMBER(10)
NAME VARCHAR2(60 CHAR)

Constraints

Referenced By Constraints

Indexes

Triggers

Partitions

EMPLOYEE

Columns

EMPLOYEE_ID NUMBER(10)
BIRTH_DATE TIMESTAMP(6)
CELL_PHONE VARCHAR2(255)
DATE_CREATED TIMESTAMP(6)
EMAIL VARCHAR2(255 CHAR)
IS_ACTIVE VARCHAR2(255 CH
LAST_NAME VARCHAR2(60 CI
NAME VARCHAR2(60 CHAR)
TAX_ID_NUMBER VARCHAR2(

Constraints

Referenced By Constraints

Indexes

Triggers

Partitions

Table: CONTRACT

MARTIN_SCHEMA/Schemas/MARTIN_ORACLE/Tables/CONTRACT

InfoColumnsDataRow CountPrimary KeyRow IdReferencesNavigatorGrantsColumns CommentIndexesC<>v

Filter:

* CONTRACT_ID	DATE_FROM	DATE_TO	IS_ACTIVE	SALARY_PER_DAY	CONTRACT_TYPE_ID	EMPLOYEE_ID	1
1	50 2022-09-26 01:08:13	2022-09-27 19:44:56	0	2100	1	5	
2	24 2022-08-10 13:00:13	2023-08-10 13:00:13	1	1800	21	6	
3	21 2022-08-10 13:00:13	2023-08-10 13:00:13	1	1500	1	7	

Max Rows: 1000Max Chars: -1Decimal Number: Unformatted

0.031/0.000 sec3/71/11-3

You are currently evaluating DbVisualizer Pro. Evaluation period expires in 22 days

227M of 2048M