

A Project Report on

IMPACT OF CROP ROTATION IN MAINTAINING SOIL FERTILITY

Submitted in partial fulfillment of the requirements for the
award of the Degree

BACHELOR OF TECHNOLOGY

In

Department of Computer Science Engineering

By

Community Service Project Member

CHILUKOTI SYAM SUNDAR VITHAL KUMAR

22MQ1A4207

Under the Esteemed Guidance of

K.Venkateswara Rao

Assistant Professor



...Empowering Minds

DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

SRI VASAVI INSTITUTE OF ENGINEERING & TECHNOLOGY

(Affiliated to JNTUK, Kakinada and Approved by AICTE, New Delhi)

(An ISO 9001:2015 certified institute)

Accredited by NAAC 'A' Grade & NBA(CSE,ECE,MECH)

Nandamuru, Pedana(M) 521369, Krishna district, AP.

PROGRAM BOOKFOR COMMUNITY SERVICE PROJECT

Name of the Student: CHILUKOTI SYAM SUNDAR VITHAL KUMAR

Name of the College: Sri Vasavi Institute of Engineering and Technology

Registration Number: 22MQ1A4207

Period of CSP: 15 Days From: 04-07-23 To: 18-07-23

Name & Address of the Community / Habitation :
Impact of Crop Rotation in
Maintaining Soil Fertility
Bantumilli
Pincode:521324
Krishna district

JNTU-K

University

YEAR

Community Service Project Report

Submitted in accordance with the requirement for the degree of ECE

Name of the College: Sri Vasavi Institute of Engineering and Technology

Department: CSE[AIML]

Name of the Faculty Guide: K. VENKATESWARA RAO

Duration of the CSP: 15 days From: 04-07-23 To: 18-07-23

Name of the Student: CHILUKOTI SYAM SUNDAR VITHAL KUMAR

Programme of Study: Computer Science Engineering

Year of Study: 2nd year

Register Number: 22MQ1A4207

Date of Submission: 18-07-23

Student's Declaration

I, **CHILUKOTI SYAM SUNDAR VITHAL KUMAR**, a student of 2022 - 2025 program, Reg.No:**22MQ1A4207** of the Department of **COMPUTER SCIENCE** Engineering, Sri Vasavi Institute of Engineering and Technology College do hereby declare that I have completed the mandatory community service in Bantummulli under the faculty Guide ship of *K. VENKATESWARA RAO*, Department of CSE[AIML] in College.

(Signature and Date)

Endorsements

Faculty Guide **K.VENKATESWARA RAO**

Head of the Department **S V C Gupta**

Principal **Dr.B.S.Reddy**

Certificate from Official of the Community

This is to certify that Reg.Nos [22MQ1A4203] [22MQ1A4207]
[22MQ1A4212] [22MQ1A4222] [22MQ1A4232] [22MQ1A4252] of Sri
Vasavi Institute of Engineering and Technology underwent community
service in Bantumulli .The overall performance of the community service
volunteer during his/her community service is found to be good
(Satisfactory/Good).

Authorized Signatory with Date and Seal

ACKNOWLEDGEMENT

Our most sincere and grateful acknowledgement is due to this sanctum, Management of **Sri Vasavi Institute of Engineering & Technology**, Nandamuru, for giving us the opportunity to fulfil our aspirations and for successful completion of Community Service project.

We would like to express our heartfelt thanks to **Dr.B.R.S.Reddy**, Principal, Sri Vasavi Institute of Engineering & Technology, Nandamuru for providing all the facilities to carry out this Community Service project.

We express our sincere thanks to **S.V.C.Gupta**, Head of the Department, CSE for his valuable suggestions and encouragement throughout the Community Service project.

We express our deep sense of gratitude and sincere thanks to our project guide **K.VENKATESWARA RAO**, Professor for his valuable guidance and constant encouragement throughout the project Community Service project.

We would like to thank all the faculty members and the non-teaching staff of the Department of Computer Science Engineering for their direct or indirect support for helping us in completion of this Community Service project

Community Service Project Member


CHILUKOTI SYAM SUNDAR VITHAL KUMAR
22MQ1A4207

CONTENTS

Chapter number	Chapter Name	Page no
1.	EXECUTIVESUMMARY ● LEARNING OUTCOMES	8
2.	OVERVIEWOFTHECOMMUNITY	9
3.	COMMUNITYSERVICEPART ➤ ACTIVITYLOGFORTHEFIRSTWEEK ➤ WEEKLY REPORT ➤ ACTIVITYLOGFORTHESECONDWEEK ➤ WEEKLY REPORT	10-14
4.	OUTCOMESDESCRIPTION ● QUESTIONNAIRE ● PROBLEMS ● SHORT-TERM AND LONG-TERM ACTION CROPS ● AWARENESS PROGRAMME ● REPORT OF THE MINI PROJECT	15-24
5.	CONCLUSIONS OF THE MINIPROJECT	25-27

CHAPTER 1: EXECUTIVE SUMMARY

Crop rotation is the practice of growing a series of different types of crops in the same area across a sequence of growing seasons. It reduces reliance on one set of nutrients, pest and weed pressure, and the probability of developing resistant pests and weeds.



Cycle of crop rotation

Green revolution technologies such as greater use of synthetic A grow chemicals like fertilizers and pesticides, adoption of nutrient responsive, high-yielding varieties of crops, greater exploitation of irrigation potentials etc.

Crop rotation not only on Indian Agriculture but also the whole world is as follows:

1. Development of nutrients imbalance
2. Damage the soil flora and fauna
3. Reduce the earth worm activity
4. Reduction in soil humus/organic matter
5. Change in atmospheric composition
6. Reduction in productivity
7. Reduction in quality of the produce
8. Destruction of soil structure, aeration and water holding capacity.

CHAPTER 2: OVERVIEW OF THE COMMUNITY

- Crop rotation is one of the very basic building blocks of organic farming systems. The crop rotation in organic farming must provide the soil fertility required for maintaining productivity and it must prevent problems with weeds, pests and diseases.
- This is obtained through a proper sequence of crops in time and space and through the use of N₂ fixing crops and cover crops.
- This is contrary to conventional or integrated farming systems, where lack of soil fertility can be ameliorated by use of artificial fertilizers and weeds, pests and diseases can be controlled through use of agrochemicals. Much of the research on crop rotations must therefore be designed specifically for use in organic farming systems.

CHAPTER 3: COMMUNITY SERVICE PART

- Crop rotation improves the physical and chemical conditions of soil and thus improves the overall fertility.
- Nitrogen-fixing legumes such as soybeans and alfalfa in crop rotations fix atmospheric N₂ into the soil through root nodules. This nitrogen is then available for subsequent crops.
- Deep rooted cover crops can draw up nutrients such as potassium and phosphorus from deep in the soil profile, making these nutrients available for subsequent shallow rooted cash crops.
- Growing a hay crop in a rotation can result in improved tilth and bulk density. When a hay crop is ploughed in, the soil will be loose and have a good granular structure and tilth. These improved properties result from the soil being protected from raindrops, the network of fine roots in the soil, and the formation of humus from decomposing plant roots.
- Crop Rotation improves soil physical facilities:-
 1. Water infiltration.
 2. Water holding.
 3. Aeration.
 4. Ultimately root growth and plant nutrient foraging.
- To effectively plan organic crop rotation to meet crop nutrients needs.
- Understanding the basics of how nutrients are added to and released from soil organic matter will help in choosing crop sequence and to optimize crop fertility.
- Crop Rotation plays a vital role in managing soil fertility in the following aspects:-
 1. Soil Erosion.
 2. Soil Compaction.
 3. Infiltration.
 4. Soil Crusting.
 5. Soil organic matter.
- Conservation practices along with crop rotations that help control soil salinity include:-
 - reducing summer fallow.
 - increasing organic matter.
 - use deeply rooted perennial forage crops.
 - conservation tillage.
 - plant salt tolerant crops.

ACTIVITY LOG FOR THE FIRST WEEK

Day & Date	Brief description of the daily activity	Learning Outcome	Person In-Charge Signature
Day – 1	Introduction about Crop Rotation	Crop rotation helps us in maintaining soil fertility	
Day - 2	Visited chilakalapudi village, Krishna district	Collected the information about how many acres of cultivated land in that Village.	
Day – 3	Collected previous information about Which type of crops are cultivated in Nandamuru, Pedana Mandal.	1.paddy 2.black gram 3.ground nuts	
Day – 4	Visited bantumilli village/Mandal Krishna district	Collected the information about how many acres of cultivated land in that village.	
Day – 5	Collected previous information about Which type of crops are cultivated in Pedana ,Pedana Mandal.	1.paddy 2.black gram 3.ground nuts	
Day –6	STARTED SURVEY (visiting fields)	To learn what are the problems faced by the farmers.	

WEEKLY REPORT

WEEK – 1 (From Dt..... to Dt.....)

Objective of the Activity Done:
Detailed Report: Crop rotation is the practice of growing a series of different types of
crops in the same area across a sequence of growing seasons. It reduces reliance on one set
of nutrients, pest and weed pressure, and the probability of developing resistant pests and
weeds.
I started survey in chilakalapudi village and I collected information about cultivated
and uncultivated land in that village . There are 250 acres of cultivated land and 50 acres of
uncultivated land.In bantumilli area they cultivate paddy, black gram and ground nuts
In lakshmi narayana puram village also I did a survey and I collected information About
cultivated
and uncultivated land.There are 250 acres of cultivated land.In bantumilli also they
cultivate paddy,black gram and ground nuts.And also I collect Information about what are
the problems that are faced by the farmers like INSUFFICIENT of water in some times and with
weed plants in their fields and also they are facing problem with pesticides they are using.
In this entire week I learned about crop rotation , about BANTUMILLI and MACHILIPATNA
M and crops that are cultivating in a year and also problems that are faced by the Farmers.

ACTIVITY LOG FOR THE SECOND WEEK

Day & Date	Brief description of the daily activity	Learning Outcome	Person In-Charge Signature
Day – 1	SURVEY (visiting fields)	Identified the soil type Black soil.	
Day - 2	SURVEY (visiting fields)	Famers are facing the problem with weeds.	
Day – 3	SURVEY (visiting fields)	Learned about how many crops cultivate in a year	
Day – 4	SURVEY (visiting fields)	Gathered information about types of soil.	
Day – 5	SURVEY (visiting fields)	Learned about which crop will grow in which soil.	
Day –6	SURVEY (visiting fields)	Learned about which crop will grow in which season	

WEEKLY REPORT

WEEK – 2 (From Dt..... to Dt.....)

Objective of the Activity Done:
Detailed Report: The types of soil, which are usually found are Red soil, Alluvial soil, Black soil, Sandy coastal soil.
The cultivation of paddy requires a large amount of water. The percolation rate of clay soil is very low which means that very less cultivation of paddy
I observed that most of the farmers facing problem with weed plants which are undesirable, persistent, damaging and interfere with growth of other crop plants thus affecting human activities, agriculture, natural processes.
Paddy is one of the main food grains grown in the kharif season that starts in June and ends in NOVEMBER
Black gram can be cultivated as both Kharif and rabi crop.
In bantumilli and machlipatnam they cultivate three crops in a year
About 85% of paddy grown in the kharif season under rain- fed conditions
paddy usually require a minimum of 150 to 180 days from planting to maturity
In this entire week I learned about types of soil and in which season and which type of soil they cultivate paddy and black gram and also about how many crops they cultivate in a year.
Most of the farmers using pesticides for the better production but there is some farmers prefers Organic farming, there are 75% farmers based on inorganic farming remaining of 25% prefer organic farming

CHAPTER 5: OUTCOMES DESCRIPTION

- Are using organic or inorganic fertilizers?

Organic	Inorganic
25%	75%

- Any Strategies for implementing crop rotation?

Yes	No
50%	50%

- How many crops you cultivate in a year?

2	3
85%	15%

- Does crop rotation helps in soil fertility?

Yes	No
100%	0%

- Which type of soil is this?

Black Soil

- Are you following the concept of crop rotation?

Yes	No
90%	10%

- Does crop rotation helps in weed control?


Yes	No
100%	0

Problems we identified in the community:

Major diseases of paddy :

- ❖ **Rice Blast**
- ❖ **Sheath Blight**
- ❖ **Sheath Rot**
- ❖ **Brown Spot**
- ❖ **False Smut**

- **Rice Blast:** Rice Blast is a fungal disease caused by *Pyricularia grisea*. This disease can infect paddy at all growth stages and all parts of plants (Leaf, Neck and Node).



Symptoms: The disease infects all parts of the plant except roots but the severity is high on leaves, nodes and panicles. In infected nodes, irregular black areas encircle the nodes breaking up all the plant parts above the infected nodes.

Chemical pesticide: To control this disease use Hexaconazole 5% CN (or) Thiophanate methyl 50% WP.

- **Sheath Blight:** It is a fungal disease caused by *Rhizoctonia solani*. This disease is more prominent at tillering to heading stage.



Symptoms: Initially the symptoms can be seen on the water level. Oval or irregular greenish spots are developed, later developing to bigger sized whitish grey spots surrounded by blackish brown or purple brown border.

Chemical pesticide: Neem oil extracts, Propiconazole.

- **Sheath Rot:** It is a fungal disease caused by *Sarocladium oryzae*. This is the most damaging when it occurs at late booting stage and can cause severe damage.



Irregular Spots on Sheaths



Discoloration of Leaf Sheath

Symptoms: Black irregular spots or lesions can be seen on the outer leaf sheath near the water line. The affected tissues start to rot and abundant sclerotic can be seen in the rotting tissues. This causes the Culm to collapse and plant lodge.

Chemical pesticide: Carbendazim @ 500g/ha, Metominostrobin @ 500 ml/ha

- **Brown Spot :** It is a fungal disease caused by *helminthosporium oryzae*. This can infest at all crop stages, but the infection is most critical from maximum tillering to ripening stages.



Symptoms: This disease causes lesions on the coleoptile, leaf blade, leaf sheath and glumes, being most noticeable on the leaf blade and glumes. Several spots coalesce resulting in drying up of entire leaf.

Chemical pesticide: Hexaconazole 5% sc.

- **False Smut:** It is a fungal disease caused by **ustilaginoidea virens** infection usually occurs reproductive and ripening stages.



Symptoms: Individual rice grain gets transformed in to a mass of yellow fruiting bodies growth of velvety spores cab be seen that enclose floral parts. Mature spors are orange in color and turn yellowish green or greenish black.

Chemical pesticide Propiconazole 25 EC @ 500ml/ha (or) Copper hydroxide 77 WP @ 1.25 kg/ha at boot leaf and 50% flowering stages

Description of the Community awareness programme/s conducted w.r.t the problems and their outcomes.

In this week we conduct an awareness program on crop insurance which help the farmers to decrease their risk factor that if they fail in cultivating crops then they single crop in a field there fertility of soil will decrease and also availability of nutrients are and cultivate different crops irrespective of the yield. So if it success then they continue that crop cultivation otherwise left it.

The second point in awareness program is cultivate more that 2-3 crops in a year and in a same fields which helps in soil fertility and availability of required nutrients. If we cultivate single crop in a field there fertility of soil will decrease and also availability of nutrients are less then the yield may decrease and also quality of product asl decrease

The third point in awareness program is use organic fertilizers more than the in organic. using only inorganic fertilizers may decrease the soil fertility and it's strength. So we have to use both but more organic and less inorganic. Because we can control some insects by using inorganic fertilizers only.


Most of the farmers are facing problems with rice blast and brown spot and some of the farmers are facing problem with sheath rot, sheath blight. All these problems can be controlled by using chemical fertilizers like Hexaconazole 5% CN, Propiconazole, Carbendazim @ 500g/ha

In this entire week we conduct an awareness program and identify some problems and collect solutions for those problems.

Report of the mini-project work done in the related subject w.r.t the habitation/village.

Rice blast has been observed on rice strains. Initial symptoms are white to gray-green lesions or spots with darker borders produced on all parts of the shoot, while older lesions are elliptical or spindle-shaped and whitish to gray with necrotic borders. Lesions may enlarge and coalesce to kill the entire leaf. Symptoms are observed on all above-ground parts of the plant. Lesions can be seen on the leaf collar, culm, culm nodes, and panicle neck node. Internodal infection of the culm occurs in a banded pattern. Nodal infection causes the culm to break at the infected node (rotten neck). It also affects reproduction by causing the host to produce fewer seeds. This is caused by the disease preventing maturation of the actual grain.

The pathogen infects as a spore that produces lesions or spots on parts of the rice plant such as the leaf, leaf collar, panicle, culm and culm nodes.



The pathogen is able to move between the plant cells using its invasive hyphae to enter through plasmodesmata.. grisea then sporulates from the diseased rice tissue to be dispersed as conidiospores. After overwintering in sources such as rice straw and stubble, the cycle repeats.

A single cycle can be completed in about a week under favorable conditions where one lesion can generate up to thousands of spores in a single night. Disease lesions, however, can appear in three to four days after infection. With the ability to continue to produce the spores for over 20 days, rice blast lesions can be devastating to susceptible rice crops.

Rice blast is a significant problem in temperate regions and can be found in areas such as irrigated lowland and upland. Conditions conducive for rice blast include long periods of free moisture and/or high humidity, because leaf wetness is required for infection. Sporulation increases with high relative humidity and at 25–28 °C (77–82 °F), spore germination, lesion formation, and sporulation are at optimum levels.

In terms of control, excessive use of nitrogen fertilization as well as drought stress increase rice susceptibility to the pathogen as the plant is placed in a weakened state and its defenses are low. Flooding and draining fields is normal in rice growing, however leaving a field drained for extended periods also favors infection as that will aerate the soil, converting ammonium to nitrate and thus causing stress to rice crops, as well.

This fungus faces both fungicides and genetic resistance in some types of rice developed by plant breeders. It is able to establish both resistance to those chemical treatments and virulence to crop resistance by genetic change through mutation. In order to most effectively control infection by *grisea*, an integrated management program should be implemented to avoid overuse of a single control method and fight against genetic resistance. For example, eliminating crop residue could reduce the occurrence of overwintering and discourage inoculation in subsequent seasons. Another strategy would be to plant resistant rice varieties that are not as susceptible to infection by *grisea*. Knowledge of the pathogenicity of *grisea* and its need for free moisture suggest other control strategies such as regulated irrigation and a combination of chemical treatments with different modes of action. Managing the amount of water supplied to the crops limits spore mobility thus dampening the opportunity for infection. Chemical controls such as Carpropamid have been shown to prevent penetration of the appressoria into rice epidermal cells, leaving the grain unaffected. Papajani 2015 finds the essential oils of both *Origanum vulgare* and *Rosmarinus officinalis* to be effective in vitro, and provides treatment thresholds. The wheat blast strain can be diagnosed by sequencing. Thierry 2020 presents a set of genetic markers which can be found by polymerase chain reaction, and loop-mediated isothermal amplification. The big advantages of the Thierry markers are that they do not miss isolates lacking the Mot3 sequence.

Rice blast is the most important disease concerning rice crops in the world. Since rice is an important food source for much of the world, its effects have a broad range. It has been found in over 85 countries across the world and reached the United States in 1996. Every year the amount of crops lost to rice blast could feed 60 million people. Although there are some resistant strains of rice, the disease persists wherever rice is grown. The disease has never been eradicated from a region.

Take a soil test to learn exactly which nutrients are missing in the field:

Getting a soil test is a great way to measure its health and fertility. These tests are generally inexpensive, though well worth any cost when it comes to growing and maintaining healthy plants. Most soil nutrients are readily found in the soil provided that its pH level is within the 6 to 6.5 range. However, when the pH level rises, many nutrients (like phosphorus, iron, etc.) may become less available. When it drops, they may even reach toxic levels, which can adversely affect the plants.



Getting a soil test can help take the guesswork out of fixing any of these nutrient issues. There's no need to spend money on fertilizers that aren't necessary. There's no worry of over fertilizing plants either. With a soil test, you'll have the means for creating a healthy soil environment that will lead to maximum plant growth.

A soil test can determine the current fertility and health of your soil. By measuring both the pH level and pinpointing nutrient deficiencies, a soil test can provide the information necessary for maintaining the most optimal fertility each year.

A soil test can make it easier to determine the current acidity so you can make the appropriate adjustments. It will also allow you to fix any deficiencies that may be present.

Avoid having the soil tested whenever the soil is wet or when it's been recently fertilized. To take a sample for testing soil, use a small trowel to take thin slices of soil from various areas of the field. Allow it to air dry at room temperature and then place it in to a clean plastic container or Ziploc baggie.

Control measures of Brown spot of rice :

- ✓ Resistant varieties: Cultivation of resistant varieties BRRI-28, BRRI-29, BRRI-30, BR-3.
- ✓ Seed treatment: Seeds are treated with agrosan GN, organo mercurials. In 50-52°C temperature for 10 minutes hot water treatment also done in severe cases.
- ✓ Spraying and dusting: Spraying of bordex mixture, perenox, Dihane-78 has been found to very effective.
- ✓ Proper manuring.

CHAPTER 6: RECOMMENDATIONS AND CONCLUSIONS OF THE MINI PROJECT

Brown spot is a destructive disease of rice worldwide particularly under low input management and in upland, direct seeding conditions. The pathogen produces circular to oval, brown spots on leaves usually surrounded by a yellow halo and black or dark brown spot on glumes, leading to substantial quantitative and qualitative losses in grain yield of paddy and milled rice. A significant progress has been made on various aspects of the diseases.

Host plant resistance against this disease has not been given due attention as has been given to other diseases such as blast and bacterial blight. There is a need for concerted efforts on identification of sources of resistance and their utilization in breeding programme. Quantitative disease resistance and understanding the underlying resistance mechanisms need to be addressed.

- Almeida, R. and Allshire, R.C. (2005). RNA silencing and genome regulation. Trends Cell Biol. 15: 251-258.
- Amadioha, A.C. (2002). Fungitoxic effects of extracts of *Azadirachta indica* against *Cochliobolus miyabeanus* causing brown spot disease of rice. Archives Phytopathol. Pl. Prot. 35: 37-42.
- Baranwal, M.K., Kotasthane, A., Magculia, N., Mukherjee, P.K., Savary, S., Sharma, A.K., Singh, H.B., Singh, U.S., Sparks, A.H., Variar, M. and Zaidi, N. (2013). A review on crop losses, epidemiology and disease management of rice brown spot to identify research priorities and knowledge gaps.
- Borah, S.P. and Goswami, B.C. (1986). Induced mutations for resistance to brown spot disease in rice. Zeitschrift fur Pflanzenzuchtung 96: 185-188.

Student Self-Evaluation for the Community Service Project

Student Name:

Registration No:

Period of CSP:

From:

Date of Evaluation:

Please rate your performance in the following areas:

Rating Scale:

Letter grade of CGPA calculation to be provided

1	Oral communication	1	2	3	4	5
2	Written communication	1	2	3	4	5
3	Proactiveness	1	2	3	4	5
4	Interaction ability with community	1	2	3	4	5
5	Positive Attitude	1	2	3	4	5
6	Self-confidence	1	2	3	4	5
7	Ability to learn	1	2	3	4	5
8	Work Plan and organization	1	2	3	4	5
9	Professionalism	1	2	3	4	5
10	Creativity	1	2	3	4	5
11	Quality of work done	1	2	3	4	5
12	Time Management	1	2	3	4	5
13	Understanding the Community	1	2	3	4	5
14	Achievement of Desired Outcomes	1	2	3	4	5
15	OVERALL PERFORMANCE	1	2	3	4	5

Date:

Signature of the Student

Evaluation by the Person in-charge in the Community / Habitation

Student Name:
Registration No:
Period of CSP: From: To:
Date of Evaluation:
Name of the Person charge:
Address with mobile number:

Please rate the student's performance in the following areas:

Please note that your evaluation shall be done independent of the Student's self-evaluation

Rating Scale: 1 is lowest and 5 is highest rank


1	Oral communication	1	2	3	4	5
2	Written communication	1	2	3	4	5
3	Proactiveness	1	2	3	4	5
4	Interaction ability with community	1	2	3	4	5
5	Positive Attitude	1	2	3	4	5
6	Self-confidence	1	2	3	4	5
7	Ability to learn	1	2	3	4	5
8	Work Plan and organization	1	2	3	4	5
9	Professionalism	1	2	3	4	5
10	Creativity	1	2	3	4	5
11	Quality of work done	1	2	3	4	5
12	Time Management	1	2	3	4	5
13	Understanding the Community	1	2	3	4	5
14	Achievement of Desired Outcomes	1	2	3	4	5
15	OVERALL PERFORMANCE	1	2	3	4	5

Date:

Signature of the Supervisor

PHOTOS









EVALUATION

Internal Evaluation for the Community Service Project

Objectives:

- To facilitate an understanding of the issues that confront the vulnerable / marginalized sections of society.
- To initiate team processes with the student groups for societal change.
- To provide students an opportunity to familiarize themselves with the urban / rural community they live in.
- To enable students to engage in the development of the community.
- To plan activities based on the focused groups.
- To know the ways of transforming society through systematic programme implementation.

Assessment Model:

- There shall only be internal evaluation.
- The Faculty Guide assigned is in-charge of the learning activities of the students and for the comprehensive and continuous assessment of the students.
- The assessment is to be conducted for 100 marks.
- The number of credits assigned is 4. Later the marks shall be converted into grades and grade points to include finally in the SGPA and CGPA.
- The weightings shall be:
 - Activity Log 20 marks
 - Community Service Project Implementation 30 marks
 - Mini Project Work 25 marks
 - Oral Presentation 25 marks
- Activity Log is the record of the day-to-day activities. The Activity Log is assessed on an individual basis, thus allowing for individual members within groups to be assessed this way. The assessment will take into consideration the individual student's involvement in the assigned work.
- While evaluating the student's Activity Log, the following shall be considered -
 - a. The individual student's effort and commitment.
 - b. The originality and quality of the work produced by the individual student.
 - c. The student's integration and co-operation with the work assigned.

- d. The completeness of the Activity Log.
- The assessment for the Community Service Project implementation shall include the following components and based on Weekly Reports

Outcomes Description

- a. Details of the Socio-Economic Survey of the village/habitation.
- b. Problems identified.
- c. Community Awareness Programs organized.
- e. Suggested Short-Term and Long-Term Action Plan.

**MARKS
STATEMENT
(To be used by the Examiners)**

INTERNAL ASSESSMENT STATEMENT

Name Of the Student: CH. Syam Sundar Vithal Kumar

Program of Study: Crop Rotation

Year of Study: (2nd year)

Group: Computer Science Engineering(AIML)

Register No/H.T.No:22MQ1A4207

Name of the College: SRI VASAVI INSTITUTE OF ENGINEERING &
TECHNOLOGY

<i>Sl.No</i>	<i>Evaluation Criterion</i>	<i>Maximum Marks</i>	<i>Marks Awarded</i>
1.	Activity Log	20	
2.	Community Service Project Implementation	30	
3.	Mini Project Work	25	
4.	Oral Presentation	25	
	GRAND TOTAL	100	

Date:
Guide

Signature of the Faculty

Certified by

Date:
Department/Principal
Sea

Signature of the Head of the