

epidural	硬膜外 yìng mó wài	Injection of a substance into a person's spine to cause the lower part of the back to stop feeling pain. It is a local anaesthetic
esophagus	食道 shí dào	The tube that connects the pharynx (throat) with the stomach. The esophagus lies between the trachea (windpipe) and the spine
excrement	大便 dà biàn	Solid waste passed out of the body.
eye specialist	眼科医生 yǎn kē yī shēng	medical doctor specializing in the diagnosis and treatment of diseases of the eye.
fainting	晕倒 yūn dǎo	suddenly become unconscious.
false labor	假临产 jiǎ lín chǎn	Pains resembling those of normal labor but occurring at irregular intervals and without dilation of the cervix
family counselor	家庭顾问 jiā tíng gù wèn	A person who provides advice as a job a person who counsels people, families
fasting	斋戒 zhāi jiè	Not eating food for a long period of time
Flu shot	流感疫苗 liú gǎn yì miáo	The flu vaccine protects a person against getting influenza , caused by the influenza virus. It is
influenza	流感 liú gǎn	The simple Definition of influenza: a common illness that is caused by a virus and that causes fever, weakness, severe aches and pains, and breathing problems.
Regular physical examintion	定期体检 dìng qī tǐ jiǎn	Some further action taken after a procedure is finished, such as contact by a health care agency days or weeks after a patient has undergone treatment
Formulary Medication	处方集药物 Chǔfāng jí yàowù	drug formulary is a list of prescription drugs, both generic and brand name, used by practitioners to identify drugs that offer the greatest overall value. A committee of physicians, nurse practitioners, and pharmacists maintain the formulary.
foul-smell	恶臭 è chòu	A very unpleasant smell.
fracture an ankle	脚踝骨折 jiǎo huái gǔ zhé	To cause a crack or break in (something hard, such as a bone, ankle).
frequent urination	尿频 niào pín	Needing to urinate more often than usual. Urgent urination is a sudden, strong urge to urinate, along with discomfort in your bladder
nausea	反胃 (fǎnwèi)	To feel nausea, queasy, nauseous, reflux
Gait	步态 bùtài	particular way of walking.
gall bladder	胆囊 dǎn náng	membranous muscular sac in which bile from the liver is stored
gangrene	坏疽 huài jū	Refers to the death of body tissue due to a lack of blood flow or a bacterial infection. Gangrene most commonly affects the extremities, including your toes, fingers and limbs, but it can also occur in your muscles and internal organs.

gastroenterologist	消化科医生 xiāo huà kē yī shēng	Refers to a specialist in a branch of medicine concerned with the structure, functions, diseases, and pathology of the stomach and intestines.
gastroenterology	消化科 xiāo huà kē	The medical specialty devoted to the study, diagnosis and treatment of disorders of the digestive system. These disorders may affect the esophagus (swallowing tube), stomach, small intestine, large intestine (colon), rectum, liver, gallbladder, or pancreas.
German measles	德国麻疹 dé guó má zhěn	An acute contagious disease that is milder than typical measles but is damaging to the fetus when occurring early in pregnancy and that is caused by a togavirus (species Rubella virus of the genus Rubivirus)—called also rubella.
germs	细菌 xì jūn	A very small living thing that causes disease.
gestational diabetes	妊娠期糖尿病 rèn shēn qī táng niào bìng	A condition in which women without previously diagnosed diabetes exhibit high blood glucose levels during pregnancy.
gingivitis	牙龈炎 yá yín yán	inflammation of the gums
glaucoma	青光眼 qīng guāng yǎn	A disease in which pressure inside the eye causes gradual loss of vision
glucose readings	糖读 táng dú	Numbers that are shown on a glucose measuring instrument.
groggy	昏沉的 hūn chén de	Unsteady and dazed; shaky.
groin	腹股沟 fù gǔ gōu	The area of the body where your legs come together, the fold or depression marking the juncture of the lower abdomen and the inner part of the thigh.
healed	痊愈 quán yù	To become healthy or well again.
hearing	听力 tīng lì	The sense through which a person is aware of sound : the ability to hear.
hearing aids	助听器 zhù tīng qì	A small electronic apparatus that amplifies sound and is worn in or behind the ear to compensate for impaired hearing.
hearing loss	听力损失 tīng lì sǔn shī	Partial or complete loss of hearing.
Heart attack	心脏病发作 xīnzàngbìng fāzuò	Occurs when the blood supply to part of the heart stops and thus causes a section of the heart muscle to begin to die.
heart failure	心力衰竭 xīn lì shuāi jié	Heart failure can occur if the heart cannot pump (systolic) or fill (diastolic) adequately
heartburn	胃灼热 wèi zhuó rè	A burning sensation in the stomach, typically extending toward the esophagus, and sometimes associated with the eructation of an acid fluid.
heel prick test	足跟刺测试 zú gēn cì cèshì	The neonatal heel prick or Guthrie test is a screening test done on newborns. It consists in making a pinprick puncture in one heel of the newborn and soaking the blood into pre-printed collection cards.
haemorrhoids	痔疮 zhì chuāng	An itching or painful mass of dilated veins in swollen anal tissue.

Hepatitis B (vaccine)	乙肝 疫苗 yǐ gān yì miáo	A vaccine developed for the prevention of hepatitis B virus infection.
high blood pressure	高血压 gāo xuè yā	A condition in which the force of the blood against the artery walls is too high
High blood sugar	高血糖 gāo xuè táng	Hyperglycemia is the technical term for high blood glucose (blood sugar). It happens when the body has too little insulin or when the body can't use insulin properly.
High Density Lipoproteins (HDL) (good cholesterol	高密度脂蛋白 gāo mì dù zhī dàn bái	Known as the "good" cholesterol because it helps remove other forms of cholesterol from your bloodstream. Higher levels of HDL cholesterol are associated with a lower risk of heart disease.
hives	皮疹/荨麻疹 pí zhěn/xún má zhěn	A transient eruption of large, itchy welts on the skin usually caused by an allergic reaction; urticarial.
home care	家庭护理 jiā tíng hù lǐ	Health care or supportive care provided in the patient's home by licensed healthcare professionals.
hormone	激 jī sù	relating to, utilizing, or produced by hormones; hormonal changes hormonal disorders; hormonal contraceptive methods.
hot flashes	潮热 chāo rè	A sudden brief flushing and sensation of heat caused by dilation of skin capillaries usually associated with menopausal endocrine imbalance.
Human immunodeficiency virus (HIV)	艾滋病毒 ài zī bìng dú	The human immunodeficiency virus is a lentivirus that causes HIV infection and over time acquired immunodeficiency syndrome.
Human Papilloma Virus (HPV)	人类乳突病毒 rén lèi rǔ tū bìng dú	An infection that causes warts in various parts of the body, depending on the strain.
hyperglycemia	高血糖 gāo xuè táng	A deficiency of glucose in the bloodstream, often associated with diabetes mellitus.
Hyperventilation	过度换气 guò dù huàn qì	Over-breathing, resulting in reduced levels of CO2 in the blood.
immunization	免疫法 miǎn yì fǎ	The creation of immunity usually against a particular disease; especially : treatment (as by vaccination) of an organism for the purpose of making it immune to a particular pathogen.
acid reflux	酸回流 suān huí liú	A medical condition in which acidic gastric fluid is regurgitated into the esophagus, causing heartburn.
alleviate	减轻 jiǎn qīng	To reduce the pain or trouble of (something) to make (something) less painful, difficult, or severe.
amniocentesis	羊膜穿刺术 yáng mó chuān cì shù	A medical procedure in which a small amount of amniotic fluid and the fetal DNA is examined for genetic abnormalities.
amputation	截肢 jié zhī	The surgical removal of all or part of a limb or extremity such as an arm, leg, foot, hand, toe, or finger.
anesthesia	麻醉 má zuì	Loss of feeling in a person's body or part of the body through the use of drugs

anesthesiologist	麻醉师 má zuì shī	A doctor who specializes in anesthesia and anesthetics
aneurysm	动脉瘤 dòng mài liú	A localized, blood-filled balloon-like bulge in the wall of a blood vessel.
angina pectoris	心绞痛 xīn jiǎo tòng	A condition marked by severe pain in the chest, often also spreading to the shoulders, arms, and neck, caused by an inadequate blood supply to the heart.
antibiotics	抗生 kàng shēng sù	A drug that is used to kill harmful bacteria and to cure infections.
Arm band	臂章 bì zhāng	A band worn around the arm. especially one that is worn around the upper part of a sleeve to show who you are
arrhythmia	心律失常 xīn lǜ shī cháng	An arrhythmia is an abnormal heart rhythm.
arteriosclerosis	动脉粥样硬化 / 动脉硬化 dòngmàizhōuyàngyìngguà / (dòngmàiyìngguà)	Thickening, hardening, and loss of elasticity of the arterial walls result in impaired blood circulation. occurring typically in old age
Acquired Immune Deficiency Syndrome (AIDS)	艾滋病 ài zī bìng	A disease in which there is a severe loss of the body's cellular immunity, greatly lowering the resistance to infection and malignancy
advance directive	预先指示 yù xiān zhǐ shì	A legal document giving instructions about the degree/type of medical care to be administered in the event the person signing the document becomes mentally incompetent during the course of a terminal illness or becomes permanently comatose.
advise	建议 jiàn yì	To give an opinion or suggestion to someone about what should be done, to give advice to (someone
allergic	过敏的 guò mǐn de	caused by allergy; "an allergic reaction.
arthritis	关节炎 guān jié yán	A disease-causing painful inflammation and stiffness of the joints.
asthma	哮喘 xiào chuǎn	A condition in which your airways narrow and swell and produce extra mucus. This can make breathing difficult and trigger coughing, wheezing and shortness of breath.
bed sore	褥疮 rù chuāng	A sore that people get from lying in bed for a very long time when they are sick or injured.
bedridden	卧床 wò chuáng	Forced to stay in bed because of illness or weakness.
bilirubin	胆红 dǎn hóng sù	An orange-yellow substance made during the normal breakdown of red blood cells.
biopsy	样本/活检 huójiǎn	The removal of tissue, cells, or fluids from someone's body in order to check for illness.
birth control pill	避孕药 bì yùn yào	I think the shot is best for me because I am very forgetful, and I was told the birth control pills have to be taken every day.
bladder	膀胱 pángguāng	The organ in the body that holds urine after it passes through the kidneys and before it leaves the body

blister	水泡 shuǐ pào	A raised area on the skin that contains clear liquid and that is caused by injury to the skin.
blood clots	血块 xuè kuài	A thick and sticky clump of dried blood that stops blood from flowing through a blood vessel in a person.
blood donor	血供体 xuè gòng tǐ	A person who gives his or her blood to be used for transfusion.
blood glucose	血糖 xuè táng	The principal sugar produced by the body from food, especially carbohydrates, but also from proteins and fats. Glucose is the body's major source of energy, is transported to cells via the circulation
blood in the urine/Hematuria	血尿 xuè niào	The presence of visible or clinically detectable hemoglobin in urine Bright red blood in stool is known as hematochezia. It may be produced by anorectal disorders, such as hemorrhoids, or by bleeding from diverticuli, cancers, some forms of dysentery, or angiodysplasia of the bowel (among other causes).
blood pressure	血压 xuè yā	The force with which blood moves through a person's body.
blood sample/test/specimen	血样本 xuè yàng běn	A small amount or piece of something that can be tested or examined a urine/blood specimen.
Blood sugar (blood glucose)	血糖 xuè táng	The concentration of glucose in the blood.
blood test	验血 yàn xuè	A test of the blood especially to learn if a person has any diseases or conditions
blood thinner / anticoagulant	血稀释剂 / 抗凝剂 xuè xī shì jì / kàng níng jì	A drug used to prevent the formation of blood clots by hindering coagulation of the blood.
Blood-poisoning (sepsis)	血中毒 xuè zhòng dú	The presence of microorganisms or their toxins in the blood, causing a diseased state; septicemia.
blood-sugar reading	血糖读 xuè táng dú	A reading of the blood sugar concentration or blood glucose level which is normally done in the morning before eating.
blue (to feel)	悲伤-伤心 bēi shāng-shāng xīn	Sad or unhappy
booster	加强疫苗 jiā qiáng yì miáo	An extra amount of a substance (called a vaccine) that is injected with a needle into a person or animal to help protect against a particular disease.
borderline	边缘 biān yuán	Not quite as severe as what is usual or expected, having some but not all characteristics of something.
bowel movement	排便 pái biàn	An act of passing usually solid waste through the rectum and anus.
braces (dental)	牙套 yáào	A device that is attached to teeth to make them straight.
brain injury	脑损伤 nǎo sǔn shāng	Mild to serious injury to the brain.
breastfeeding	哺乳-喂奶 bǔ rǔ-wèi nǎi	To feed a baby from a mother's breast.

breech Delivery	臀位生产 tún wèi shēng chǎn	A delivery of a baby which is so positioned in the womb that the buttocks or feet are delivered first.
bronchitis	支气管炎 zhī qì guǎn yán	An illness in which your bronchial tubes become sore or damaged and you cough a lot.
bruises	瘀伤 yū shāng	A dark and painful area on your skin that is caused by an injury.
bulb syringe	球形注射器 qiú xíng zhù shè qì	A syringe with a bulb on one end; compression of the bulb creates a vacuum for gentle suction of small amounts of bodily drainage, such as oral and nasal secretions.
Burning	烧-热-燃烧地 shāo-rè-rán shāo de	A type of pain that's distinct from dull, stabbing, or aching pain. A burning pain is often related to nerve problems.
carbohydrates	糖类-碳水化合物 táng lèi-tàn shuǐ huà hé wù	Any one of various substances found in certain foods (such as bread, rice, and potatoes) that provide your body with heat and energy and are made of carbon, hydrogen, and oxygen.
Cardiac arrest	心脏骤停 xīn zàng zhòu tíng	The sudden loss of cardiac function, when the heart abruptly stops beating.
catheter	导管 dǎo guǎn	A thin tube that is put into the body to remove or inject a liquid or to keep a passage open.
cervix	子宫颈 zǐ gōng jǐng	The narrow end at the opening of a woman's uterus.
chapped lips	破裂的嘴唇 pò liè de zuǐ chún	Skin or lips red, dry, and cracked usually because of cold air or wind.
cheek	脸颊 liǎn jiá	The part of the face that is below the eye and to the side of the nose and mouth.
chemotherapy	化疗 huà liáo	The use of chemicals to treat or control a disease (such as cancer).
chest pain	胸疼 xiōng téng	A pain felt anywhere in the chest area from the level of your shoulders to the bottom of your ribs.
Chickenpox	水痘 shuǐ dòu	Infectious disease causing a mild fever and a rash of itchy inflamed pimples which turn to blisters and then loose scabs.
child safety seat	儿童安全座椅 ér tóng ān quán zuò yǐ	Seats designed specifically to protect children from injury or death during collisions.
choking	窒息 zhì xī	To become unable to breathe usually because something gets stuck in your throat or because the air is not good for breathing.
cholesterol	胆固醇 dǎn gù chún	A substance that is found in the bodies of people and animals that regulates membrane fluidity.
chronic conditions	慢性疾病 màn xìng jí bìng	Continuing or occurring again and again for a long time. a chronic disease.
circulatory disease	循环性疾病 xún huán xìng jí bìng	Of or relating to the circulation of blood through the body; circulatory failure/problems.
circumcision	包皮环割术 bāo pí huán gē shù	To cut off the skin (called the foreskin) at the end of the penis.
clavicle, collar bone	锁骨 suǒ gǔ	A bone that connects the shoulder to the base of the neck.

colic, cramps	拘挛 jū luán	A sharp sudden pain in the stomach.
Collodion	火棉胶 huǒ mián jiāo	An ether-based substance used for gluing electrodes to the skin.
colonoscopy	结肠镜检查 jié cháng jìng jiǎn chá	A medical procedure in which a special tube-shaped instrument is used to take pictures of the inside of someone's colon.
colostrum	初乳 chū rǔ	A thin white opalescent fluid, the first milk secreted at the termination of pregnancy; it differs from the milk secreted later by containing more lactalbumin and lactoprotein; colostrum is also rich in antibodies that confer passive immunity to the newborn.
colposcopy	阴道镜检查 yīn dào jìng jiǎn chá	A procedure to closely examine your cervix, vagina and vulva for signs of disease. During colposcopy, your doctor uses a special instrument called a colposcope.
compression stockings	压力袜 yā lì wà	Compression stockings are elastic garments worn around the leg, compressing the limb designed to help prevent the occurrence of and guard against further progression of venous disorders.
Computerized Tomography (CT scan)	电脑断层扫描 diàn nǎo duàn céng sǎo miáo	Technique that uses a computer that takes data from several X-ray images of structures inside a human's or animal's body and converts them into pictures on a monitor.
condom	避孕套 bì yùn tào	A thin rubber covering that a man wears on his penis during sex in order to prevent a woman from becoming pregnant or to prevent the spread of diseases.
consent form	同意书-同意证明 tóng yì shū-tóng yì zhèng míng (consent form)	A legal document, dated and signed by a patient and his or her health care provider, designating that the patient has been advised about the care about to be received.
constipation	便秘 biàn mì	The condition of being unable to easily release solid waste from your body ; the condition of being unable to have a bowel movement easily.
contraception/birth con	避孕用品 bì yùn yòng pǐn	Intentional prevention of ovulation, fertilization of an egg cell, or implantation of a fertilized egg in the uterine wall through the use of various drugs, devices, sexual practices, or surgical procedures.
contractions	宫缩 gōng suō	A movement of a muscle that causes it to become tight and that is sometimes painful especially a movement of muscles in the womb when a woman is giving birth to a child.
contrast dye	对比染料 duì bǐ rǎn liào	A solution that is used to accentuate specific structures when looking at a body image. Radiocontrast agents are substances that are used in studies such as x-rays, fluoroscopy, and computed tomography (CT) scans.
cough syrup	咳嗽糖水 ké sòu táng shuǐ	Usually sweet liquid that contains medicine used to stop coughing.

cracked	破裂 pò liè	Having deep lines in the surface.
cramp	拘挛 jū luán	A painful muscle spasm caused by an involuntary muscular contraction.
Crawling Sensation	爬行的感觉 pá xíng de gǎn jué	Sensation sometimes felt in the legs by individuals with Restless Legs Syndrome.
crib death	婴儿猝死综合征 yīng ér cù sǐ zōng hé zhēng	The death of a healthy baby that happens for no known reason while the baby is sleeping.
C-section	剖腹产 pōu fù chǎn	A surgical operation for giving birth in which a cut is made in the mother's body so that the baby can be removed through the opening.
cubic centimeters (“cc’s)	立方厘米 lì fāng lí mǐ	A volume that is made by a cube that is 1 centimeter on each side. Its symbol is cm3. It can also be abbreviated as cc.
cystitis	膀胱炎 páng guāng yán	Cystitis (sis-TIE-tis) is the medical term for inflammation of the bladder. Most of the time, the inflammation is caused by a bacterial infection, and it's called a urinary tract infection (UTI).
Deoxyribonucleic acid (DNA)	脱氧核糖核算 tuō yǎng hé táng hé suàn	The molecule that carries genetic information in all living systems.
diagnosis	确诊 què zhěn	The act of identifying a disease, illness, or problem by examining someone or something, a statement or conclusion that describes the reason for a disease, illness, or problem.
dehydrated	脱水 tuō shuǐ	A person's body that has lost a large amount of water.
dialysis	透析 tòu xī	The process of removing some of a person's blood, cleaning it, and then returning it to the person's body.
dietitian	营养师 yíng yǎng shī	A person whose job is to give people advice about what to eat in order to be healthy.
Digestive System	消化系统 xiāo huà xì tǒng	The organs and glands in the body that are responsible for digestion. The digestive system begins with the mouth and extends through the esophagus, stomach, small intestine, and large intestine, ending with the rectum and anus.
Dilation and Curettage (D & C	刮宫 guā gōng	A minor operation in which the cervix is dilated (expanded) so that the cervical canal and uterine lining can be scraped with a curette (spoon-shaped instrument).
Diphtheria, Pertussis and Tetanus (DPT	白喉-百日咳-破伤风 bái hóu-bǎi rì ké-pò shāng fēng	A combination of vaccines against three infectious diseases in humans: diphtheria, pertussis (whooping cough), and tetanus.
discharge instructions	办理手续 / 出院指导 bàn lǐ shǒu xù / chū yuàn zhǐ dǎo	Written discharge instructions or other documentation of educational material given to patient/caregiver addressing all discharge medications.
discharge (from hospita	释放 / 出院 shì fàng / chū yuàn	To allow (someone) to leave a hospital.

Disorder/ disability	障碍 zhàng ài	A physical or mental condition that is not normal or healthy.
distracted	分心 fēn xīn	Unable to think about or pay attention to something unable to concentrate.
diverticulitis	憩室炎 qì shì yán	The inflammation or infection of a diverticulum of the colon that is marked by abdominal pain or tenderness often accompanied by fever, chills, and cramping.
Do Not Resuscitate (DNR)	不要复苏 bù yào fù sū	A medical order written by a doctor. It instructs health care providers not to do cardiopulmonary resuscitation (CPR) if a patient's breathing stops or if the patient's heart stops beating. A DNR order is created, or set up, before an emergency occurs.
dosage	剂量 / 计量 jì liàng	The amount of a medicine, drug, or vitamin that should be taken at one time or regularly during a period of time.
dosage button	剂量按钮 jì liàng àn niǔ	The quantity to be administered at one time, as a specified amount of medication activated by pushing a button.
douching	阴道冲洗 yīn dào chōng xǐ	A liquid that a woman squirts into her vagina to wash it.
drain	流出来 liú chū lái	To flow into, away from, or out of something.
Drainage, discharge	引流 yǐn liú	Exit of fluids or purulent material from a cavity, wound, or infected area. See also wound healing.
dull pain	隐隐作痛 yǐnyǐnzhuòtòng	Pain lacking in force, intensity, or sharpness.
Durable Power of Attorney for Healthcare	医疗持久授权书 yīliáo chíjiǔ shòuquánshū	A legal document that gives someone you choose the power to act in your place. In case you ever become mentally incapacitated, you'll need what are known as "durable" powers of attorney for medical care and finances.
Ear, nose and throat doctor (ENT) otorhinolaryngologist	耳，鼻，喉科医生 ěr, bí, hóu kē yī shēng	Are physicians trained in the medical and surgical management and treatment of patients with diseases and disorders of the ear, nose, throat (ENT), and related structures of the head and neck.
ectopic	异位妊娠 yì wèi rèn shēn	Gestation elsewhere than in the uterus (as in a fallopian tube or in the peritoneal cavity).
Electrocardiogram (ECG/EKG)	心电图 xīn diàn tú	There are 2 electrodes placed on the patients chest for monitoring this channel.
electrocardiogram, EKG	心电图	A tracing representing the heart's electrical action derived by amplification of the minutely small electrical impulses normally generated by the heart.
Electroencephalogram (EEG)	脑电图 nǎo diàn tú	Recording of electrical activity generated by the brain.
electroencephalography	脑电图	A technique for studying the electrical currents within the brain. Electrodes are attached to the scalp. Wires attach these electrodes to a machine, which records the electrical impulses. The results are either printed out or displayed on a computer screen.

electrolyte replacement solution - An oral or IV solution	静脉注射液 jìng mài zhù shè yè	For severe dehydration, hospitalization is (sometimes) necessary to rehydrate a child intravenously. In most cases, all that may be necessary is to give the child an oral electrolyte replacement solution according to the pediatrician's directions.
electromyogram (EMG)	肌电图 jī diàn tú	These electrodes are placed on the chin and legs.
Embolism	栓塞 shuān sè	A sudden blocking of an artery.
Emergency Room (ER)	急诊室 jí zhěn shì	A hospital room or area staffed and equipped for the reception and treatment of persons with conditions (as illness or trauma) requiring immediate medical care.
emotions	情绪 / 情感 qíng xù / qínggǎn	A strong feeling (such as love, anger, joy, hate, or fear).
emphysema	肺气肿-气肿 fèi qì zhǒng-qì zhǒng	A pathological condition of the lungs marked by an abnormal increase in the size of the air spaces, resulting in labored breathing and an increased susceptibility to infection. It can be caused by irreversible expansion of the alveoli or by the destruction of alveolar walls.
encephalitis	脑炎 nǎo yán	Inflammation of the brain.
endoscopy	内窥镜检查 nèi kuī jìng jiǎn chá	The looking inside and typically refers to looking inside the body for medical reasons using an endoscope, an instrument used to examine the interior of a hollow organ or cavity of the body. Unlike most other medical imaging techniques, endoscopes are inserted directly into the organ.
engorgement	充血 chōng xuè	Swollen and filled completely with a liquid.
implants	植入 zhí rù	An object or material inserted or grafted into the body for prosthetic, therapeutic, diagnostic, or experimental purposes.
incision	刀口 / 手术 切口 dāo kǒu / (shǒushù qiēkǒu)	A cut or a wound made by a sharp instrument.
incontinence	尿失禁 niào shī jīn	The inability to hold urine in the bladder because voluntary control over the urinary sphincter is either lost or weakened.
Inhaler	吸入器 xī rù qì	An inhaler is a device holding a medicine that you take by breathing in (inhaling). Inhalers are the main treatment for asthma.
insulin injection/shot	胰岛素针 yí dǎo sù zhēn	An injection used to control blood sugar in people who have diabetes.
Intensive Care Unit (ICU)	加护病房 jiā hù bìng fáng	A special department of a hospital or health care facility that provides intensive treatment medicine.
interact	互动 hù dòng	To act on or in close relation with each other.
Intrauterine Device (IUD)	节育环 jié yù huán	A contraceptive device fitted inside the uterus and physically preventing the implantation of fertilized ova.
Intravenous (IV)	注入静脉 zhù rù jìng mài	The infusion of liquid substances directly into a vein.

Itching	瘙痒 sāo yǎng	To have or produce an unpleasant feeling on your skin or inside your mouth, nose, etc. that makes you want to scratch.
IV	点滴 diǎn dī	Through, in, or into a vein: entering the body through a vein.
jaundice	黄疸 huáng dǎn	A condition in which a person's skin and the whites of the eyes are discolored yellow due to an increased level of bile pigments in the blood resulting from liver disease.
joints	关节 guān jié	Junctions between bones whether or not obvious movement is possible.
kidney failure	肾衰竭 shèn shuāi jié	A condition in which the kidneys lose the ability to remove waste and balance fluids.
kidney stones	肾结石 shèn jié shí	Kidney stones are solid accumulations of material that form in the tubal system of the kidney. Kidney stones cause problems when they block the flow of urine through or out of the kidney.
Kidney stones (renal calculi)	肾结石 shèn jié shí	Solid masses made of crystals. Kidney stones usually originate in your kidneys, but can develop anywhere along your urinary tract.
lactation consultant	哺乳顾问 bǔ rǔ gù wèn	A health professional who provides breastfeeding support and education. They can be found in hospitals, physician or midwife practices.
lice	虱子 shī zi	Small, wingless, insect parasites of humans.
listless	无精打采 wú jīng dǎ cǎi	Lacking energy or disinclined to exert effort; lethargic: felt tired and listless.
liver	肝脏 gān zàng	A large organ of the body that produces bile and cleans the blood.
liver function test	肝功能测试 gān gōng néng cè shi	One of several tests used to evaluate various functions of the liver, including metabolism, storage, filtration, and excretion.
Living Will	生前遗嘱 shēng qián yí zhǔ	A document that lets people state their wishes for end-of-life medical care, in case they become unable to communicate their decisions. It has no power after death.
loose	松 sōng	Containing a larger than normal amount of fluid, loose stools.
Low Density Lipoproteins (LDL) (bad cholesterol)	低密度脂蛋白 / 坏胆固醇 dī mí dù zhī dàn bái / huài dǎn gù chún	Elevated LDL levels are associated with an increased risk of heart disease. Lipoproteins, which are combinations of fats (lipids) and proteins, are the form in which lipids are transported in the blood.
low- sodium	低钠 dī nà	No more than 140 mg of sodium per serving; a syndrome resulting from salt restriction and use of diuretics in treatment of congestive heart failure and hypertension.
lungs	肺 fèi	The two organs of respiration, filling most of the chest cavity inside the rib cage and above the diaphragm.

Magnetic Resonance Imaging (MRI)	磁共振成像 cí gòng zhèn chéng xiàng	A noninvasive medical test that physicians use to diagnose and treat medical conditions. MRI uses a powerful magnetic field, radio frequency pulses and a computer to produce detailed pictures of organs, soft tissues, bone and virtually all other internal body structures.
mammogram	乳房x光片 rǔ fáng X guāng piàn	X-ray picture of the breast. It can be used to check for breast cancer in women who have no signs or symptoms of the disease.
mastectomy	乳房切除术 rǔ fáng qiē chú shù	Surgery to remove all breast tissue from a breast as a way to treat or prevent breast cancer.
mastitis	乳房炎 rǔ fáng yán	Inflammation of a mammary gland or udder, usually caused by infection.
measles	麻疹 má zhěn	A disease that causes a fever and red spots on the skin.
Measles, Mumps and Rubella (MMR)	麻疹，腮腺炎和风疹（德国麻疹） má zhěn, sāi xiàn yán hé fēng zhěn	Immunization vaccine against measles, mumps, and rubella (German measles).
medical history	病史 bìng shǐ	information obtained from the patient to aid in establishing a medical diagnosis and developing a treatment plan.
medical record/Chart	病历 bìng lì	A record of a patient's medical information (as medical history, care or treatments received, test results, diagnoses, and medications taken).
menstrual cramps	月经痉挛 yuè jīng jīng luán	Low abdominal pain that may range from a colicky feeling to a constant dull ache. The pain may radiate to the lower back and legs. Menstrual cramps are often associated with the beginning of menses.
menstrual period	月经 yuè jīng	A single monthly occurrence of menstruation.
Metastasis	转移 zhuǎn yí	The development of secondary malignant growths at a distance from a primary site of cancer.
micrograms	微克 wēi kè	A unit of mass or weight equal to one millionth of a gram.
midwife	助产士 zhù chǎn shì	The midwife conducts the delivery independently, cares for the newborn, procures medical assistance when necessary, executes emergency measures as required, and may practice in a hospital, clinic, maternity home, or private home.
milk pump (breast)	吸奶器 xī nǎi qì	A device for extracting and collecting milk from the breast during lactation.
milligrams	毫克 háo kè	One thousandth of a gram.
milliliters (“ml’s”)	毫升 háo shēng	A unit of volume equal to one thousandth (10-3) of a liter, 1 cubic centimeter, or about 15 minutes.
miscarriage	流产 liú chǎn	A condition in which a pregnancy ends too early and does not result in the birth of a live baby.
mucous	粘液 nián yè	Thick fluid produced by the moist membranes that line many body cavities and structures.

mumps	腮腺炎 sāi xiàn yán	An acute infectious and contagious disease caused by a mumps virus of the genus Rubulavirus and characterized by fever, inflammation and swelling of the parotid gland, and sometimes of other salivary glands.
murmur (heart)	心杂音 sāi xiàn yán	Sounds other than the normal heart sounds emanating from the heart region. They are often heard as blowing or hissing sounds as blood leaks back through diseased and malfunctioning valves or as blood is pushed through narrowed or stenotic valve orifices.
myocardial infarction	心肌梗塞 (xīn jī gěng sè)	(MI) death of the cells of an area of the heart muscle (myocardium) as a result of oxygen deprivation, which in turn is caused by obstruction of the blood supply; commonly referred to as a “heart attack.”
name tag/ famous brand	名牌 (míng pái)	A piece of paper, cloth, plastic, or metal that has a person's name written on it and that is attached to the person's clothing.
nape	脖颈子 bó gěngzi	The back of the neck.
navel, belly button	肚脐 (dù qí)	(Anatomy) the scar in the center of the abdomen, usually forming a slight depression, where the umbilical cord was attached. Technical name: umbilicus.
Nervous System	神经系统 (shén jīng xì tǒng)	The network of nerve cells and fibers which transmits nerve impulses between parts of the body. It includes the brain, spinal cord, nerves.
Neurological System	神经系统 (shén jīng xì tǒng)	The system in the body that controls internal functions of the body and receives, interprets, and responds to stimuli.
Non Formulary drugs	非处方药 (fēi chǔ fāng yào)	Drugs that are not covered by your plan even if the doctor declares that it's medically necessary. You can still have a non-formulary medication filled, but you will have to pay the full price of the drug.
normal delivery/birth	自然分娩 (zì rán fēn miǎn)	The act or process of giving birth.
numbing pain	麻木的疼痛 (má mù de téng tòng)	A loss of the sensation of feeling in an area of the body. Numbness results from damage to, or impaired function of, the nerves that supply the affected area.
nursery (baby)	托儿所 (tuō ér suǒ)	The department in a hospital where newborn infants are cared for.
nutrients	营养物 / 养分 (yíng yǎng wù) / (yǎng fèn)	A constituent of food necessary for normal physiologic function.
nutritionist	营养师 (yíng yǎng shī)	One who is trained or an expert in the field of nutrition.
ob-gyn	妇产科医生 (fù chǎn kē yī shēng)	A doctor who deals with the birth of children and with diseases that affect the reproductive system of women.

obstruction	梗阻 (gěng zǔ)	Something that blocks something else and makes it difficult for things to move through.
oedema, edema	浮肿 / 肿胀 (fú zhǒng) / (zhǒng zhàng)	An abnormal infiltration and excess accumulation of serous fluid in connective tissue or in a serous cavity —also called dropsy.
ointment	药膏 / 油膏 (yào gāo) / (yóu gāo)	A smooth substance that is rubbed on the skin to help heal a wound or to reduce pain or discomfort.
oncology	肿瘤学 (zhǒng liú xué)	The branch of medical science dealing with tumors, including the origin, development, diagnosis, and treatment of malignant neoplasms.
on-duty	值班 / 上班 (zhí bān) / (shàng bān)	Working at a particular time.
ophthalmologist	眼科医生 (yǎn kē yī shēng)	A doctor who studies and treats problems and diseases of the eye.
oral	口腔 (kǒu qiāng)	Of or relating to the mouth./used to describe something that you eat or swallow.
outgrow	长大 zhǎng dà)	To grow too large for (someone or something).
outlet	出口 / 求助 (chū kǒu) / (qiú zhù)	A passage for escape or exit; a vent, something that people use to express their emotions.
outpatient	门诊病人 (mén zhěn bìng rén)	A person who goes to a doctor's office or hospital for treatment but who does not spend the night there.
over the counter medication (OTC)	非处方药 (fēi chǔ fāng yào)	Drugs/medications that can be purchased by a person without a prescription.
pacemaker	心脏起搏器 (xīn zàng qǐ bó qì)	A small electrical machine put inside a person to make the heart beat evenly.
pain medication, analge	止痛药 (zhǐ tòng yào)	A drug that relieves pain.
pap smear test	涂片检查 / 子宫颈抹片检查 (tú piàn jiǎn chá) / (zǐ gōng jǐng mǒ piàn jiǎn chá)	A test for the early detection of cancer of the uterus and cervix.
PCP	初级保健医生 (chū jí bǎo jiàn yī shēng)	Primary care physician; primary care provider.
peak flow meter	氧气追踪器 (yǎng qì zhuī zōng qì)	It measures the patients’ pulmonary function, by analyzing how much oxygen is the patient able to inhale with every breath.
pediatrician	儿科医生 (ér kē yī sheng)	A doctor who treats babies and children.
Perineal/ Perineum	会阴 (huì yīn	Pertaining to the lower part of the pelvic cavity between the genitals and anus.
Periodic limb movement disorder (PLMD)	周期性肢体运动障碍 (zhōu qī xìng zhī tǐ yùn dòng zhàng ài)	A disorder characterized by repetitive movements during sleep, usually seen most prominently in the legs.
perspiration	汗水 (hàn shuǐ)	The clear liquid that forms on your skin when you are hot or nervous: sweat.
Pharyngitis	咽炎 (yān yán)	An infection or inflammation of the pharynx.
physical exam	体格检查 / 体检 (tǐ gé jiǎn chá) / (tǐ jiǎn	A medical examination by a physician or nurse practitioner to determine the state of a person's health, identify risk factors for disease, and devise strategies for disease prevention.

pills	药丸 (yào wán)	A usually medicinal or dietary preparation in a small rounded mass to be swallowed whole.
pinched nerve	神经受压迫 (shén jīng shòu yā pò)	Compression of a nerve or nerves resulting in nerve damage.
pins & needles	发麻 / 麻木 (fā má) / (má mù)	A tingling sensation in a limb recovering from numbness.
PKU test	苯丙酮尿症测试 běnbǐngtóngniàozhèng cèshì	A phenylketonuria (PKU) test is done to check whether a newborn baby has the enzyme needed to use phenylalanine in his or her body. Phenylalanine is an amino acid that is needed for normal growth and development.
pneumonia	肺炎 (fèi yán)	Lung inflammation caused by bacterial or viral infection, in which the air sacs fill with pus and may become solid. Inflammation may affect both lungs or only one .
podiatrist	足病医师 / 足病医生 (zú bìng yī shī) / (zú bìng yī shēng)	A doctor who treats injuries and diseases of the foot.
Polio	脊髓灰质炎 (jǐ suǐ huī zhì yán)	An infectious viral disease that affects the central nervous system and can cause temporary or permanent paralysis.
portions	部分 / （食物部分） / 份 (bù fèn)	The amount of food that is served to a person at one time.
Positron Emission Tomography (PET scan)	正电子发射断层扫面 (zhèng diàn zǐ fā shè duàn céng sǎo miàn)	An imaging test that helps reveal how your tissues and organs are functioning. A PET scan uses a radioactive drug (tracer) to show this activity.
post-partum	产后 (chǎn hòu)	Relating to or happening in the period of time following the birth of a child.
Pregnancy	孕期 / 怀孕 (yùn qī) / huái yùn	The state of carrying a developing embryo or fetus within the female body.
Prenatal Care	孕期保健 / 产前检查 (yùn qī bǎo jiàn) / (chǎn qián jiǎn chá)	Refers to a type of preventive healthcare with the goal of providing regular check-ups that allow doctors or midwives to treat and prevent potential health problems throughout the course of the pregnancy while promoting healthy lifestyles that benefit both mother and child.
prescription	药房 / 处方药 (yào fáng) / (chǔ fāng yào)	A written order, especially by a physician, for the preparation and administration of a medicine or other treatment.
procedure	程序 (chéng xù)	A medical treatment or operation.
prognosis	预后 (yù hòu)	A doctor's opinion about how someone will recover from an illness or injury.
prostate (gland)	前列腺 (qián liè xiàn)	An organ found in men and male animals that produces the liquid in which sperm is carried.
pump	泵 (bèng)	A device that forces liquid, air, or gas into or out of something.
Radiology	放射医疗 (fàng shè yī liáo)	The science dealing with X-rays and other high-energy radiation, especially the use of such radiation for the diagnosis and treatment of disease.

Rapid eye movement (REM)	快速眼球运动 (kuài sù yǎn qiú yùn dòng)	Rapidly shifting, continuous movements of the eyes beneath closed lids during the stage of sleep characterized by dreaming.
record	记录 (jì lù)	An official written document that gives proof of something.
recovered	恢复 huī fù)	To become healthy after an illness or injury; to return to normal health.
recovery (room)	恢复室 (huī fù shì)	A room in a hospital where patients are taken for special care after an operation.
redness	红色 / 发红 (hóng sè) / (fā hóng)	Having a reddish skin color such as, redness around the site of the bee sting.
referral	转介 (zhuǎn jiè)	The act of sending someone to another person or place for treatment, help, advice, etc.
refills	替换的药 / 再装满 (tì huàn de yào) / zài zhuāng mǎn)	Something provided again; especially : a second or later filling of a medical prescription.
regular (bowel)	大便通畅 dà biàn tōng chàng)	Able to have normal bowel movements, not constipated.
release (from hospital)	出院 (chū yuàn)	To allow (someone) to leave a hospital; the release of someone from a hospital.
respiration	呼吸 (hū xī)	The act or process of breathing.
Respiratory system	呼吸系统 (hū xī xì tǒng)	The set of organs that allows a person to breathe and exchange oxygen and carbon dioxide throughout the body. An example of respiratory system is the human's nasal passages, larynx, trachea, bronchial tubes and lungs.
Rubella	德国麻疹 (dé guó má zhěn)	A usually mild contagious viral disease characterized by fever, mild upper respiratory congestion, and a fine red rash lasting a few days.
Salpingectomy	输卵管切除术 (shū luǎn guǎn qiē chú shù)	Removal of the Fallopian tubes.
scar	伤痕 / 瘢痕 (shāng hén) / (bān hén	A mark that is left on your skin after a wound heals.
screening test	筛选实验 (shāi xuǎn shí yàn)	A simple test performed on a large number of people to identify those who have or are likely to develop a specified disease.
seasonal allergies	季节性过敏 (jì jié xìng guò mǐn)	An allergic reaction to pollen and other forms of airborne dust, often seasonal.
seizure	发作 (fā zuò)	An abnormal state in which you become unconscious and your body moves in an uncontrolled and violent way
Sexually Transmitted Infection/Disease (STI/STD	性传播疾病 (xìng chuán bō jí bìng)	Diseases that are passed on from one person to another through sexual contact, and sometimes by genital contact.
shake	摇 (yáo)	To move sometimes violently back and forth or up and down with short, quick movements.
sharp pain	剧痛 (jù tòng)	Painful as if caused by a sharp instrument; Marked by severity or intensity.

shooting pain	射痛 (shè tòng)	Pain that seems to travel like lightning from one place to another.
shot	针 zhēn)	The act or process of forcing a liquid medicine or drug into someone or something by using a special needle.
side effects	副作用 (fù zuò yòng)	An often harmful and unwanted effect of a drug or chemical that occurs along with the desired effect.
Sleep apnea	睡眠呼吸暂停 (shuì mián hū xī zàn tíng)	A sleep disorder characterized by repetitive cessation of breathing during sleep (most often caused by upper airway obstruction).
sole of the foot	脚底 / 足底 (jiǎo dǐ) / (zú dǐ)	The sole is the bottom of the foot. In humans the sole of the foot is anatomically referred to as the plantar aspect.
sonogram	声谱图 (shēng pǔ tú	The visual image produced by reflected sound waves in a diagnostic ultrasound examination.
sore throat	咽痛,喉咙痛 / 嗓子痛 (yān tòng) (hóu lóng tòng) (sǎng zi tòng)	Painful throat due to inflammation of the fauces and pharynx.
spine	脊柱 / 脊梁 (jǐ zhù) / (jǐ liáng)	The line of linked bones running down the back of humans and many animals; the backbone.
spit out	吐口 (tǔ kǒu)	Spit up in an explosive manner.
spleen	脾脏 (pí zàng	A large organ behind the stomach. It filters and stores blood.
splint	夹板 (jiā bǎn)	A rigid device used to prevent motion of a joint or of the ends of a fractured bone.
sprain	扭伤 (niǔ shāng)	To injure (a joint) by a sudden twisting or wrenching of its ligaments.
stabbing/shooting pain	射痛 (shè tòng)	Penetrating; piercing pain.
staples	订书钉 (dìng shū dīng)	U-shaped stainless steel units with sharp points used for surgical fixation.
stiffness	刚度 (gāng dù)	A feeling of tension and contraction in the muscles.
stool softener	大便软化剂 (dà biàn ruǎn huà jì	A type of laxative (docusate) which adds fluid to stool, thereby softening it.
Strep throat	链球菌性咽喉炎 (liàn qiú jūn xìng yān hóu yán	Infection of the throat caused by streptococcus bacteria. Symptoms include fever, redness of the throat, and inflammation of the tonsils.
strict regimen	严格的方案 (yán gé de fāng àn)	A strictly regulated scheme of diet, exercise, or other activity designed to achieve certain ends.
stroke	中风 (zhòng fēng)	A serious illness caused when a blood vessel in your brain suddenly breaks or is blocked.
Stroke, or cerebrovascular accident (CVA)	脑血管意外 (nǎo xuè guǎn yì wài)	Occurs when blood supply to part of the brain is disrupted, causing brain cells to die. When blood flow to the brain is impaired, oxygen and glucose cannot be delivered to the brain.
stuffed up	塞 (sāi)	Blocked with fluid (such as blood or mucus) a congested nose (a nose blocked with mucus).
sty	麦粒肿 (mài lì zhǒng)	A painful, swollen red area on the edge of an eyelid.

suction	吸力 (xī lì)	The force with which the air, water, etc., in a space is removed.
supplements	补充资料 / 增补 (bǔ chōng zī liào) / (zēng bǔ	Dietary substances used to augment, enhance, or enrich the nutritional status of a patient.
surgery	手术 (shǒu shù)	Medical treatment in which a doctor cuts into someone's body in order to repair or remove damaged or diseased parts.
surgical wound	手术伤口 shǒu shù shāng kǒu	A surgical incision to any of the tissues of the body.
swab, cotton swab	棉签 (mián qiān)	A small piece of soft material sometimes on the end of a small stick that is used for applying medicine, cleaning a wound, etc.
swelling	肿胀 (zhǒng zhàng)	An area on someone's body that is larger than normal because of an illness or injury.
syringes	注射器 (zhù shè qì)	A device(s) made of a hollow tube and a needle that is used to force fluids into or take fluids out of the body.
tablet	药片 (yào piàn)	The solid unit dosage form of medicament or medicaments with or without suitable diluents and prepared either by molding or by compression.
TB skin test	结核病皮肤试验 jié hé bìng pí fū shì yàn)	A test done through the skin that determines if you suffer from tuberculosis (TB).
tearing	撕裂 ((sī liè)	To cut or injure (skin, a muscle, etc.); a torn leg muscle.
tendernes	温柔 / 柔情 / 压痛 (wēn róu) / (róu qíng) / (yā tòng	Pain or discomfort when an affected area is touched.
Tetanus	破伤风 (pò shāng fēng)	A dangerous disease that is caused by bacteria that usually enter the body through a cut or wound; Tetanus causes muscles and especially muscles in the jaw to become stiff.
throbbing pain	抽痛 chōu tòng)	To feel a pain that starts and stops quickly and repeatedly.
thyroid gland	甲状 (jiǎ zhuàng)	A small gland in the neck that affects growth and producing especially the hormones thyroxine and triiodothyronine.
tiptoes, toes	脚趾 (jiǎo zhǐ)	With your toes touching the ground and your heels raised up.
tissue	组织 (zǔ zhī)	Part of an organism consisting of an aggregate of cells having a similar structure and function; any part of an organism such as an organ or extremity.
to admit (hospital)	住院 (zhù yuàn)	The act or process of accepting a patient in a hospital for treatment.
tonsillitis	扁桃腺炎 (biǎn táo xiàn yán)	An infection and swelling of the tonsils, which are oval-shaped masses of lymph gland tissue located on both sides of the back of the throat.
tonsils	扁桃体 (biǎn táo tǐ)	The two oval-shaped tissues at the back of the throat that lie between the mouth and the pharynx. The tonsils are thought to prevent infections of the breathing passages but often become infected themselves.

tracheostomy, tracheotomy	气管切开术 (qì guǎn qiē kāi shù)	To cut a temporary opening into the wind pipe.
triage nurse	分诊护士 (fēn zhěn hù shì)	A process for sorting injured people into groups based on their need for or likely benefit from immediate medical treatment.
triglycerides	甘油三酯 (gān yóu sān zhǐ)	Fatty compounds synthesized from carbohydrates during the process of digestion and stored in the body's adipose (fat) tissues. High levels of triglycerides in the blood are associated with insulin resistance.
Tuberculosis (TB)	肺结核 fèijiéhé	A contagious and an often severe airborne disease caused by a bacterial infection characterized by the growth of nodules (tubercles) in the tissues, especially the lungs.
ulceration	溃疡 (kuī yáng)	The formation or development of an ulcer.
umbilical cord	脐带 (qí dài)	A long, narrow tube that connects an unborn baby to the placenta of its mother.
uneasy, fussy	担心 dān xīn	Causing or feeling anxiety; troubled or uncomfortable, restless, anxious. Commonly used by mom's to describe how the child is behaving when sick.
Upper Respiratory Tract Infection (URI)	上呼吸道感染 shàng hū xī dào gǎn rǎn	Illnesses caused by an acute infection which involves the upper respiratory tract including the nose, sinuses, pharynx or larynx. This commonly includes tonsillitis, pharyngitis, laryngitis, sinusitis, otitis media, and the common cold.
urinalysis	尿检 / 尿分析 (niào jiǎn) / (niào fēn xī)	Analysis of urine by physical, chemical, and microscopical means to test for the presence of disease, drugs, etc.
urinary problems	尿问题 (niào wèn tí)	Problems pertaining to the urine; containing or secreting urine.
Urinary Tract Infection (UTI)	尿路感染 niào lù gǎn rǎn)	An infection in any part of your urinary system — your kidneys, ureters, bladder and urethra.
urine	尿 (niào)	Waste liquid that collects in the bladder before leaving the body.
urine culture	尿液培养 (niào yè péi yǎng)	A test to find and identify germs (usually bacteria) that may be causing a urinary tract infection (UTI).
urine test	尿液实验 / 尿检 (niào yè shí yàn)	Urinalysis is a diagnostic physical, chemical, and microscopic examination of a urine sample (specimen).
uterus	子宫 (zǐ gōng)	A hollow muscular organ located in the pelvic cavity of a female in which the fertilized egg implants and develops. Also called womb.
vaccination/vaccine	疫苗 (yì miáo)	The introduction of vaccine into the body to produce immunity to a specific disease.
vaginal delivery	阴道分娩 (yīn dào fēn miǎn)	The act or process of giving birth through the vagina.
Vaginal spotting	阴道点滴 (yīn dào diǎn dī)	Light bleeding from your vagina. It's similar to a period, but much lighter. The color of the blood can be anything from red to brown.

varicose veins	静脉曲张 (jìng mài qū zhāng)	A vein that is abnormally swollen or made larger or wider; dilated, superficial veins that are usually seen in the legs.
vision	视力 (shì lì)	The ability to see; sight or eyesight.
vital signs	生命体征 (shēng mìng tǐ zhēng)	Important body functions (such as breathing and heartbeat) that are measured to see if someone is alive or healthy.
wart	瘰子 / 肉赘 / 疣赘 (hóu zi) / (ròu zhuì) / (yóu zhuì)	A small, hard lump on the skin caused by a virus.
Whooping cough / pertussis	百日咳 (bǎi rì ké)	A highly contagious respiratory tract infection. In many people, it's marked by a severe hacking cough followed by a high-pitched intake of breath that sounds like "whoop."
wound, injury	伤口 (shāng kǒu)	An injury, usually restricted to a physical one any physical injury involving a break in the skin, usually caused by an act or accident rather than by a disease.
X-rays	x-射线 (X shè xiàn)	A photographic or digital image of the internal composition of something, especially a part of the body, produced by X-rays being passed through it and being absorbed to different degrees by different materials.
Yeast infection	酵母感染 (jiào mǔ gǎn rǎn)	A usually localized infection, as of the vagina or mucous membranes of the mouth, caused by fungi of the genus Candida.
cancer	癌症 (ái zhèng)	Cancer is a group of diseases characterized by the uncontrolled growth and spread of abnormal cells.
cancer of the stomach/ gastric cancer	胃癌 (wèi ái)	It occurs when the cancer cell forms in the lining of the stomach
Cancer of the lungs	肺癌 fèi ái	Lung cancer occurs when cancer cells form in the tissues of the lungs
Liver transplant	肝移植 (gān yí zhí)	A surgical procedure where a diseased or damaged liver is replaced with a healthy liver from a donor
Cancer of the liver	肝癌 (gān ái)	It happens when abnormal cells in the liver grow and multiply uncontrollably, forming a tumour.
Metal implants, pins, screw, or plates	金属植入物、销钉、螺钉 (jīn shǔ zhí rù wù, (xiāo dīng) (luó dīng)	A metal implant is a type of medical device made from metals like stainless steel, cobalt-chromium, or titanium, used in orthopaedic procedures to provide structural support within the body
Permanent makeup / cosmetic tattooing	永久化妆 (yǒng jiǔ huà zhuāng)	is a cosmetic technique which employs tattooing techniques to replicate the appearance of traditional makeup. By implanting pigments into the dermis, long-lasting designs are created such as eye liner, eyebrows, and lip colour.
Shrapnel or bullets	弹片 (dàn piàn)	small pieces of metal that fly through the air when a bomb or similar weapon explodes and are intended to injure people:
denture	假牙 (jiǎ yá)	a removable plate or frame holding one or more artificial teeth

Claustrophobia	幽闭 恐惧 症 yōu bì kǒng jù zhèng	Claustrophobia is an intense fear of confined or enclosed spaces. Common triggers include tunnels, elevators, trains and airplanes.
Chemotherapy port	化疗端口 ((huà liáo duān kǒu)	A chemo port is a small, implantable device that attaches to a vein (usually in your upper chest area). It allows healthcare providers to draw blood and give treatments including chemotherapy drugs without a needle stick
Lumbar shunt	腰椎分流术 ((yāo zhuī fēn liú shù)	A spinal shunt, also sometimes referred to as a lumbar shunt, is a device that is inserted into a person’s spine so that bodily fluids can be directed from one area to another area of the body
Stent	支架 (zhī jià)	Device used to maintain a bodily orifice or cavity during skin grafting, or to immobilize a skin graft after placement. A stent is a tiny wire mesh tube that keeps an artery propped open to increase blood flow to the heart.
Heart rhythm device	心律装置 (xīn lǜ zhuāng zhì)	A cardiac assist device is a small machine a healthcare provider can put in your chest to help your heart work better
Insulin pump	胰岛素泵 (yí dǎo sù bèng)	An insulin pump is a small computerized device. It delivers insulin through a thin tube that goes under your skin.
Eye injuries	眼睛受伤 (yǎn jīng shòu shāng	Damage or trauma inflicted to the eye by external means. The concept includes both surface injuries and intraocular injuries.
Spinal cord stimulator	脊髓刺激器 (jǐ suǐ cì jī qì)	A spinal cord stimulator (SCS) is a medical device that is surgically implanted in a person’s body to help manage chronic pain. It works by sending electrical impulses to specific areas of the spinal cord, which disrupt the pain signals traveling from the spinal cord to the brain. This can lead to a reduction in the perception of pain.
Prosthetics/artificial joints	假肢/人工关节 (jiǎ zhī/rén gōng guān jié)	Artificial joints, also known as prosthetic joints or joint implants, are synthetic devices designed to replace damaged or diseased joints in the body.
Aneurysm clips	动脉瘤夹 (dòng mài liú jiā	Clipping is a surgical procedure performed to treat an aneurysm
IVC (inferior vena cava) filter	下腔静脉滤器 (xià qiāng jìng mài lǜ qì	An inferior vena cava (IVC) filter is a small device that can stop blood clots from going up into the lungs.
Metal coils, wires or clips, embolization	栓塞弹簧圈 (shuān sè dàn huáng quān)	Embolization coils and microcoils are permanent proximal embolization devices used in interventional procedures to block blood flow in medium to large-sized target vessels and pathological pathways.
Annuloplasty ring/artificial valve	瓣环成形术环/人工瓣膜 (bàn huán chéng xíng shù huán/rén gōng bàn mó)	An annuloplasty is a procedure to repair or reinforce a heart valve.
Breast implant	乳房植入物 (rǔ fáng zhí rù wù)	Surgery to increase breast size by placing breast implants under breast tissue or chest muscles.

Dental implants	种植牙 (zhòng zhí yá)	A dental implant, also called a fixture, is a medical device that interfaces with your jawbone to support a dental prosthesis, such as a bridge, crown, denture, or other facial prostheses
Joint replacement surgeries	关节置换手术/置换 术 (guān jié zhì huàn shǒu shù/zhì huàn shù)	Arthroplasty, commonly known as joint replacement surgery, is a medical procedure that involves replacing a damaged or diseased joint with an artificial joint made of metal, plastic, or ceramic materials.
Blood in the stool/hematochezia	便血 (biàn xuè)	The presence of visible or clinically detectable hemoglobin in faces Bright red blood in stool is known as hematochezia. It may be produced by anorectal disorders, such as hemorrhoids, or by bleeding from diverticuli, cancers, some forms of dysentery, or angiodysplasia of the bowel
Neuropathy	神经病 shén jīng bìng	Disease or dysfunction of one or more peripheral nerves, typically causing numbness or weakness. damage, disease, or dysfunction of one or more nerves especially of the peripheral nervous system that is typically marked by burning or shooting pain, numbness, tingling, or muscle weakness or atrophy, is often degenerative, and is usually caused by injury, infection, disease, drugs, toxins, or vitamin deficiency