


Chloroacetyl chloride, 98%

MSDS Specifications Applications Categories 3D model Infrared Molfile

General

Product Name	Chloroacetyl chloride
CAS RN	79-04-9
ACD Code	MFCD00000725
Structure	
Molecular Formula	C2 H2 Cl2 O
Molecular weight	112.94
Keyword	

Pack size

Catalog	Qty / UM	Price (EUR)		
147290010	1 LT	61.70	Order Check stock	Glass bottle
147290025	2.5 LT	133.30	Order Check stock	Glass bottle
147291000	100 ML	16.60	Order Check stock	Glass bottle
147292500	250 ML	26.80	Order Check stock	Glass bottle

Physical

Density (g/cm³)	1.42
Refractive index	1.452 - 1.454
Boiling Point (°C)	105
Melting Point (°C)	-22

Safety

GHS Pictogram



GHS Signal Word: Danger

GHS H statement

H331:	Toxic if inhaled
H311:	Toxic in contact with skin
H314:	Causes severe skin burns and eye damage
H372:	Causes damage to organs through prolonged or repeated exposure
H301:	Toxic if swallowed
H400:	Very toxic to aquatic life
EUH029:	Contact with water liberates toxic gas
EUH014:	Reacts violently with water
H290:	May be corrosive to metals

GHS P statement

P304 + P340:	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
P280:	Wear protective gloves/protective clothing/eye protection/face protection
P301+ P330 + P331:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P305 + P351 + P338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310:	Immediately call a POISON CENTER or doctor/physician
P273:	Avoid release to the environment

Categories

Building Blocks > Organic Building Blocks > Carbonyl Compounds > Acid Halides

Applications

Function	Transformation	Type	Caveat	Reference
Reagent	Acylation	N-Acylation	Reaction with primary and secondary amines readily gives amides.	
Reagent	Acylation	O-Acylation	Acylation of alcohols and phenols can be carried out with or without a base present.	
Reagent	Aromatic electrophilic substitution	Friedel Crafts Acylation	Reacts readily with benzene and similar aromatics under standard AlCl3 catalyzed Friedel-Crafts conditions. Phenols mainly	JOC 1990, 55, 4371

				acylate in the para position but aluminum and magnesium phenoxides show ortho regioselectivity.	
	Reagent	Cycloaddition	Cycloaddition	Monochloroketene is formed in situ by treatment of chloroacetyl chloride with triethylamine and is used to perform [2+2], [4 + 2] and [8 + 2] additions.	JOC 1992, 57, 5921
	Reagent	Organometallic Chemistry	Acid chloride to ketone	Reaction with organozinc compounds provides chloromethyl ketones.	T 1990, 46, 6061
	Reagent	Ring Synthesis	Thiazole	Reaction with thioamides generates the thiazole ring.	TL 1988, 29, 3765

Other ^

Infrared	Show	
Parameter	EINECS	201-171-6
	Solubility	Solubility in water: reacts Solubility in other solvents: miscible in ethyl ether soluble in acetone, carbontetrachloride
	Origin	synthetic
	Reference: Beilstein	02,199
	Reference: Fieser	01,130; 03,46
	Reference: Merck	15,2067
3D model	Show	