

综合练习2：帮MM管理员工档案

此套练习供《尚硅谷-MySQL数据库基础篇》使用

需求

你好，我是一名刚毕业的大学生，现在入职到了一家IT企业做HR。可是我不懂电脑，你能帮我管理公司的人事档案数据吗？

需求1：公司要求，员工档案要包括以下这些信息：**编号**，**姓名**，**工资**，**生日**

需求2：怎么样？数据库表创建好了？那麻烦你帮我把下面这些数据保存起来吧？

姓名	工资	生日
马云	2025.33	1973-8-12
李彦宏	3209.49	1986-7-14
马化腾	1436.12	1964-8-10

需求3：呀！对不起，我忘记了，表格中还需要保存“**手机号**”！能修改一下表格吗？

需求4：呀！对不起，我又忘记了，公司还需要维护“部门”数据，同时记录每个员工是属于哪个部门的！

需求5：有一位同事辞职了，请帮我把他从系统中删除吧！他的员工编号是：5

需求6：有一位同事涨工资了，涨了200块钱，同时他手机号也改了，新的手机号是：13586705312。请帮我改一下吧，你真是个好人！这位同事的编号是17。

需求7：公司要打印报表，请帮我把全部信息都打印出来吧！

需求8：有同事要补办工牌，请帮我把他的全部信息都调取出来，他的编号是：63

需求9：Linda快过生日了，帮我查一下她生日的具体日期和手机号吧！

需求10：公司要调查薪酬情况，请帮我查询一下工资在2000到5000之间的员工信息，以及工资在3000以上的人数！

需求11：听说有些同事的工资正好是1000、3000或5000，帮我查查他们是谁吧？

需求12：公司开年会，要让名字里有字母o的同事表演节目，帮我查一下吧！

需求13：糟糕，有些同事的手机号是空的，帮我查询一下是哪些人吧！

需求14：市场部的主管想了解他们部门员工的工资，帮我查一下吧！哦，对了，要按顺序显示哦！市场部的部门名称是：Sales

需求15：上述查询返回的记录太多了，查看起来很不方便，怎么样能够实现分页查询呢？

答案

#需求1

```
CREATE TABLE emp(  
    emp_id INT AUTO_INCREMENT PRIMARY KEY,  
    emp_name VARCHAR(25),  
    salary DOUBLE(10, 2),  
    birthday DATE  
);
```

```
SELECT * FROM emp;
```

#需求2

```
INSERT INTO emp(emp_name, salary, birthday)  
VALUES('马云', 2025.33, '1973-8-12');
```

```
INSERT INTO emp(emp_name, salary, birthday)  
VALUES('李彦宏', 3000.22, '1987-6-5');
```

```
INSERT INTO emp(emp_name, salary, birthday)  
VALUES('马化腾', 5555.55, '1956-6-6');
```

#需求3

```
ALTER TABLE emp  
ADD telephone VARCHAR(30);
```

#需求4

```
CREATE TABLE depart(  
    depart_id INT AUTO_INCREMENT PRIMARY KEY,  
    depart_name VARCHAR(30)  
);
```

```
SELECT * FROM depart;
```

```
ALTER TABLE emp  
ADD depart_id_fk INT;
```

```
ALTER TABLE emp  
ADD CONSTRAINT emp_depart_id_fk FOREIGN KEY(depart_id_fk) REFERENCES  
depart(depart_id);
```

```
SELECT * FROM emp;  
SELECT * FROM depart;
```

#需求5

```
DELETE FROM emp  
WHERE emp_id = 5;
```

#需求6

```
UPDATE emp  
SET salary = salary + 200, telephone = '13586705312'  
WHERE emp_id = 17;
```

#需求7: 略

#需求8

```
SELECT *
FROM emp
WHERE emp_id = 63;

#需求9
SELECT birthday, telephone
FROM emp
WHERE emp_name = 'Linda';

#需求10
SELECT *
FROM emp
WHERE salary BETWEEN 2000 AND 5000;

SELECT COUNT(*)
FROM emp
WHERE salary > 3000;

#需求11
SELECT *
FROM emp
WHERE salary IN(1000, 3000, 5000);

#需求12
SELECT *
FROM emp
WHERE emp_name LIKE '%O%';

#需求13
SELECT *
FROM emp
WHERE telephone IS NULL;

#需求14
SELECT salary, depart_name
FROM emp
JOIN depart
ON emp.`depart_id_fk` = depart.`depart_id`
WHERE depart_name = 'Sales'
ORDER BY salary DESC;

#需求15
SELECT *
FROM emp
LIMIT 0, 10;
```

补充数据：

emp表的数据

```
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Zenobia',1847.74,'1994-10-08','18811769371',1);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Yvette',2578.90,'1992-06-11','18811769325',2);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Xaviera',4438.63,'1986-09-21',NULL,3);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Winni',2545.94,'1975-09-29','18811769305',4);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Winifred',2509.29,'1983-10-12',NULL,5);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Vivien',5592.78,'1980-07-19','18811769315',6);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Violet',1000,'1978-12-01','18811769201',7);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Veromca',2245.30,'1972-05-24',NULL,8);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Vanessa',9998.74,'1983-05-23',NULL,9);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Ursula',6857.09,'1980-12-31','18811769132',10);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Theresa',8542.15,'1971-08-09','18811769135',11);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Tammy',3000,'1973-05-02','18811768752',12);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Stacey',5000,'1985-01-18','18811768753',13);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Setlla',8421.29,'1994-06-17',NULL,14);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Shirley',9958.03,'1984-06-20','18811768715',15);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Sebastiane',4246.59,'1992-05-21','18811768723',16);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Ruby',3000,'1976-04-20','18811768725',17);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Roberta',6172.17,'1976-06-07','18811768675',18);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Renata',8814.89,'1986-05-04','18811768650',19);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Rachel',6990.94,'1991-02-27','18811768673',20);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Quintina',9098.04,'1985-07-22','18811768632',21);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Poppy',1000,'1974-07-20','18811768635',22);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Phyllis',4293.83,'1975-04-23','18811768631',23);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Phoenix',9562,'1986-08-29','18811768613',24);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Phoebe',7860.54,'1994-11-07','18811768621',25);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Philippa',9572.94,'1984-10-28','18811768593',1);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Penny',4594,'1982-11-26','18811768602',2);
```

```

INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Penelope',2361.62,'1984-12-20','18811768395',3);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Pearl',5000,'1991-04-11','18811768397',4);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Paula',8728.85,'1993-11-18','18811768530',5);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Patricia',4137.15,'1993-08-11','18811768570',6);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Pandora',4147.66,'1981-10-25','18811768571',7);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Pamela',2338.69,'1970-04-23','18811768590',8);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Ophelia',5049.5,'1984-04-24','18811768591',9);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Olivia',4103.37,'1994-03-05','18811768392',10);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Olive',8781.14,'1975-11-20','18701368566',11);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Olga',2118.31,'1974-11-06','18701368699',12);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Nydia',3000,'1979-12-23','18701371299',13);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Novia',5996.61,'1980-12-23','18701373066',1);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Norma',6582.16,'1990-01-15','18701376399',2);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Nelly',1400.57,'1978-10-05','18701575123',3);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Natividad',3168.08,'1972-02-09','18701638388',4);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Nancy',2333.92,'1973-11-12','18710051588',5);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Myrna',5000,'1972-05-02','18810659199',6);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Myra',8507.84,'1990-04-16','13501187739',7);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Monica',3711.35,'1981-01-07','13501200179',8);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Mona',7531.16,'1986-04-26','13501263679',9);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Molly',6376.71,'1971-07-09','13501265069',10);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Mignon',1252.32,'1993-02-21','13501272559',11);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Megan',7202.9,'1986-02-24','13501278633',12);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Marguerite',6313.3,'1981-01-05','13552235345',13);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Lynn',9777.82,'1974-01-15','13552290788',14);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Lydia',8568.8,'1988-04-04','13552618388',15);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Louise',3547.9,'1987-03-09','13552623288',16);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Linda',7963.88,'1974-01-04','13552625111',17);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Kristin',6140.55,'1976-04-03','13552795788',18);

```

```

INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Kelly',6517.5,'1976-08-31','13552977388',19);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Katherine',2587.49,'1982-11-27','13601172019',20);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Juliet',4776.88,'1984-05-08','13651300588',21);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Judith',3976.65,'1985-12-06','13651300788',22);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Josephine',7318.35,'1974-10-25','13671365788',23);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Jessica',4740.74,'1974-03-24','13681279088',24);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Janice',2185.81,'1971-07-12','13683551077',25);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Jacqueline',8268.45,'1975-07-15','13683553211',20);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Irma',2470.36,'1992-04-22','13683553799',21);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Ida',8519.9,'1989-06-07','13683555722',22);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Hilary',6218.39,'1978-06-10','13683561077',23);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Hermosa',1592.84,'1976-12-07','13683563277',24);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Heloise',7464.97,'1991-07-11','13683565177',25);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Helen',6004.4,'1972-02-10','13683575977',7);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Harriet',1161.67,'1971-07-31','13683578699',8);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Gwendolyn',6138.14,'1974-04-23','13683579077',9);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Gustave',6119.81,'1982-02-13','13683580766',10);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Griselda',8268.45,'1994-02-17','13683581977',11);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Gloria',2470.36,'1992-11-23','13683582766',12);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Geraldine',8519.9,'1994-07-02','13683591877',13);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Frederica',6218.39,'1970-07-18','13683592677',14);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Freda',1592.84,'1985-06-12','13683598177',15);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Frances',7464.97,'1977-10-12','13683598766',16);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Florence',6004.4,'1988-08-29','13683601577',17);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Flora',1161.67,'1977-09-24','13683603177',18);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Evelyn',6138.14,'1983-08-23','13683608177',19);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Evangeline',6119.81,'1978-10-28','13683613599',20);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Eunice',6704.9,'1980-02-27','13683613877',21);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Eudora',6621.36,'1992-12-14','13683617566',22);

```

```

INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Erin',3000,'1974-01-11','13683619566',23);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Emma',7139.4,'1972-12-03','13683621266',24);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Emily',6156.79,'1971-03-10','13691056588',25);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Elizabeth',8520.18,'1981-03-20','13701056332',15);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Edwina',7512.87,'1972-01-22','13701112057',16);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Dorothy',4151.84,'1973-09-22','13701117057',17);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Doreen',8053.19,'1992-01-15','13701117163',18);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Dolores',3004.19,'1984-03-11','13701117613',19);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Delia',3367.42,'1987-03-22','13701118317',20);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Cynthia',3175.62,'1987-10-31','13701133371',21);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Cornelia',7760.89,'1985-01-19','13701277781',22);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Constance',5712.07,'1985-02-05','13701322150',23);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Clementine',3000,'1988-09-13','13716791688',24);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Clara',8238.39,'1975-12-22','13717827188',25);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Claire',5000,'1985-07-05','13717935188',4);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Christine',1411.58,'1988-12-13','13717951688',5);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Chloe',9354.48,'1981-08-05','13718370588',6);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Charlotte',6699.46,'1981-12-29','13718449123',7);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Caroline',891.62,'1974-01-28','13718928388',8);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Brook',618.19,'1980-12-22','13720010388',9);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Bridget',3672.85,'1985-07-01','13801066471',10);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Bblythe',1000,'1975-12-01','13801337803',11);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES ('Bella
',4870.36,'1984-04-05','13901252053',12);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Audrey',3000,'1994-08-20','15001010233',13);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Athena',5000,'1980-09-02','15001010766',14);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Atalanta',3175.62,'1983-06-07','15001011233',15);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Astrid',7760.89,'1994-03-20','15001011800',16);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Antonia',5712.07,'1982-03-22','15001012122',17);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Annabelle',344.6,'1976-02-13','15001012199',18);

```



```

INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Angela',8238.39,'1981-12-17','15001035266',19);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Amelia',1000,'1982-06-09','15001035366',20);
INSERT INTO emp (emp_name,salary,birthday,telephone,depart_id_fk) VALUES
('Adelaide',3672.85,'1974-05-22','15001036266',21);

```

dept表数据

```

INSERT INTO `depart`(`depart_name`) VALUES ('Administration');
INSERT INTO `depart`(`depart_name`) VALUES ('Marketing');
INSERT INTO `depart`(`depart_name`) VALUES ('Purchasing');
INSERT INTO `depart`(`depart_name`) VALUES ('Human Resources');
INSERT INTO `depart`(`depart_name`) VALUES ('Shipping');
INSERT INTO `depart`(`depart_name`) VALUES ('IT');
INSERT INTO `depart`(`depart_name`) VALUES ('Public Relations');
INSERT INTO `depart`(`depart_name`) VALUES ('Sales');
INSERT INTO `depart`(`depart_name`) VALUES ('Executive');
INSERT INTO `depart`(`depart_name`) VALUES ('Finance');
INSERT INTO `depart`(`depart_name`) VALUES ('Accounting');
INSERT INTO `depart`(`depart_name`) VALUES ('Treasury');
INSERT INTO `depart`(`depart_name`) VALUES ('Corporate Tax');
INSERT INTO `depart`(`depart_name`) VALUES ('Control And Credit');
INSERT INTO `depart`(`depart_name`) VALUES ('Shareholder Services');
INSERT INTO `depart`(`depart_name`) VALUES ('Benefits');
INSERT INTO `depart`(`depart_name`) VALUES ('Manufacturing');
INSERT INTO `depart`(`depart_name`) VALUES ('Construction');
INSERT INTO `depart`(`depart_name`) VALUES ('Contracting');
INSERT INTO `depart`(`depart_name`) VALUES ('Operations');
INSERT INTO `depart`(`depart_name`) VALUES ('IT Support');
INSERT INTO `depart`(`depart_name`) VALUES ('Government Sales');
INSERT INTO `depart`(`depart_name`) VALUES ('Retail Sales');
INSERT INTO `depart`(`depart_name`) VALUES ('Recruiting');
INSERT INTO `depart`(`depart_name`) VALUES ('Payroll');

```